
Foundation for Cross-Connection Control and Hydraulic Research

List of Approved Backflow Prevention Assemblies

21 August 2017






The List of Approved Backflow Preventions Assemblies is published by the Foundation for Cross-Connection Control and Hydraulic Research a Division of the University of Southern California

> 2017 © University of Southern California All Rights Reserved

Table of Contents

Legend	4
Notices	5
Orientation of Assemblies	6
Shutoff Valve Designation	7
Detector Assembly Meters	11
Special Notices	12
AVB	13
DC	14
DCDA	219
DCDA-II	353
PVB	359
RP	374
RPDA	578
RPDA-II	624
SVB	628
Manufacturers of Approved Backflow Prevention Assemblies	631

Legend



Notices

NOTICE REGARDING RENEWALS:

The original Certificate of Approval-identified by the Edition of the Manual and the Approved date shown in this list-is valid as of the date of this list, only if the original or renewal date shown hereon is within three (3) years of the date of this list. The responsibility to request a renewal of an Approval is that of each manufacturer. The USC Foundation retains the right of determining the extent of re-evaluation required before renewal is granted. Certificates of Approval are not recalled for the purpose of updating the effective date. This revision of date is only published via the current *List of Approved Backflow Prevention Assemblies*.

NOTICE REGARDING INSTALLATION:

Unless otherwise specified by the manufacturer all assemblies are to be installed on cold potable water applications - below 110°F. Also all of the assemblies listed are Approved for the **INDICATED ORIENTATION(S) ONLY** (Please see the legend page 6). Rotation of assemblies on either axis will invalidate the USC Foundation's Approval. Use of spare parts other than those of the original manufacturer invalidates the Approval. Rotation of shutoff valves of one bolt hole only is permitted only for the 2 1/2" and larger flanged assemblies.


NOTICE REGARDING LEAD CONTENT:

In order to determine if backflow preventers comply with lead-free requirements of several states and the Safe Drinking Water Act, USC Foundation Approved assemblies which comply with the \leq 0.25% lead requirement are indicated by a Y in the column \leq 0.25% Pb.

NOTICE REGARDING LIST UPDATES

The List of Approved Assemblies is printed annually in the first quarter of the year. Update notices are printed and sent to USC Foundation Members quarterly. The most recent changes to the List may be found on the USC Foundation's website. The web version of the List is updated each time a change is made.

Orientation of Assemblies



(a) American Figure 1-QT (bb) American Figure 17-NR RW (c) American Figure 75-QSV RW (d) Apollo Series 78-QT (d) Apollo Series 78-QT (e) AVK Series 25-NRS (f) AVK Series 25-NRS (f) AVK Series 25-NRS (f) AVK Series 25-NRS (f) Clow R/W Model 2640 (Fx7) - NRS (f) Clow R/W Model 2640 (Fx7) - NRS (f) Fortune Series 620/633 (C64400 Bronze) (Formerly Figure 601) (f) Fortune Series 620/633 (C64400 Bronze) (Formerly Figure 601) (f) Fortune Series 620/633 (C64400 Bronze) (Formerly Figure 601) (f) Kennedy Ken Seal I-NRS	(00)	American Figure 1 OT
(cc) American Figure 3700SY RW (dd) Apollo Series 7B-QT (ee) AVK Series 25-NR (f) AVK Series 25-NRS (f) AVK Series 25-OSY (Nibco F607RW OSY) (gg) Clow R/W Model 2640 (FxF) - NRS (f) AVK Series 25-OSY (Nibco F607RW OSY) (gg) Clow R/W Model 2640 (FxF) - NS (f) MYK Model 2640 (FxF) - OSY (f) Fortune Series 520/523 (C84400 Bronze) (Formerly Figure 601) Private labeled as: Ames, Buckner, Febco, Flomatic, Hersey and Wilkins (jj) Kennedy Ken Seal I-NRS (kk) Kennedy Ken Seal I-NRS (mm) Kennedy Model KS-FW Figure 968 (FxF) - OS		
(dd) Apollo Series 78-QT (ee) AVK Series 25-NRS (ff) AVK Series 25-OSY (Nibco F607RW OSY) (gg) Clow R/W Model 2640 (FxF) - NRS (formerly Clow R/W F6102-NRS) (formerly Clow R/W F6102-NRS) (h) Clow R/W Model 2640 (FxF) - OSY (formerly Clow R/W F6102-NRS) (formerly Clow R/W F6102-NRS) (li) Fortune Series 620/632 (C84400 Bronze) (Formerly Figure 601) Private labeled as: Ames, Buckner, Febco, Flomatic, Hersey and Wilkins (jj) Kennedy Ken Seal -NRS (kk) Kennedy Kodel KS-FW Figure 8561 (FxF) - NRS (2 1/2" - 10") Kennedy Model KS-FW Figure 8561 (FxF) - NRS (2 1/2" - 10") (formerly Kennedy Ken Seal II-NRS) (mm) Kennedy Model KS-FW Figure 8568 (FxF) - OSY (4 " - 10") (formerly Kennedy Ken Seal II-NRS) (mm) Kennedy Model KS-FW Figure 8068 (FxF) - OSY (4 " - 10") (formerly Kennedy Ken Seal II-NS) (mm) Kennedy Model KS-RW Figure 7068 (FxF) - OSY (4 " - 10") (formerly Kennedy Ken Seal II-NS) (mm) Kennedy Ken Seal II-NS) (mm) Kennedy Ken Seal II-NS) (mm) Kennedy Ken Seal II-NS)	. ,	
(ee) AVK Series 25-NRS (ff) AVK Series 25-OSY (Nibco F607RW OSY) (gg) Clow R/W Model 2&40 (FK) - NRS (formerly Clow R/W F6102-NRS) (formerly Clow R/W F6136-OSY) (for methy Clow R/W F6136-OSY) (formerly Clow R/W F6136-OSY) (ii) Fortune Series 620/623 (C84400 Bronze) (Formerly Figure 601) Private labeled as: Ames, Buckner, Febco, Flomatic, Hersey and Wilkins (iji) Kennedy Ken Seal I-NRS (kk) Kennedy Ken Seal I-NS (kk) Kennedy Ken Seal I-NS (li) Kennedy Model KS-FW Figure 8561 (FxF) - NRS (2 1/2" - 10") Kennedy Model KS-FW Figure 8068 (FxF) - OSY (2 1/2" - 10") (formerly Kennedy Ken Seal II-NRS) (mm) Kennedy Model KS-FW Figure 8068 (FxF) - OSY (2 1/2" - 10") (formerly Kennedy Ken Seal II-OSY) (formerly Kennedy Ken Seal II-OSY) (form V Kennedy Ken Seal II-OSY) (form Watt 405-FWW (qq) Muller R/W HP NRS (rr) Mueller R/W HP OSY (ss) Toro.Orion Integral Ball Valve-QT (tt) American Flow Control (Waterous Series 500-NRS (uu) American Flow Control (Waterou		
(If) AVK Series 25-OSY (Nibco F607RW OSY) (gg) Clow R/W Model 2640 (FxF) - NRS (formerly Clow R/W F6136-05N) (formerly Clow R/W F6136-OSY) (ii) Fortune Series 620/523 (C84400 Bronze) (Formerly Figure 601) Private labeled as: Ames, Buckner, Febco, Flomatic, Hersey and Wilkins (ij) Kennedy Ken Seal I-NRS (kk) Kennedy Ken Seal-OSY (li) Kennedy Ken Seal-OSY (lii) Kennedy Ken Seal-NRS (kk) Kennedy Ken Seal-NRS (kk) Kennedy Ken Seal-INRS (kk) Kennedy Ken Seal I-NRS (lii) Kennedy Ken Seal I-NRS (mm) Kennedy Ken Seal I-NRS (formerly kennedy Ken Seal I-I-NRS) (formerly kennedy Ken Seal II-NRS) (mm) Kennedy Model KS-FW Figure Bo68 (FxF) - OSY (2 1/2" - 10") (formerly kennedy Ken Seal II-OSY) (formerly kennedy Ken Seal II-OSY) (n) Lee Brass-QT (oo) Watts 405-RW (qu) Mueller R/W HP NRS (rr) Mueller R/W HP NRS (rr) Mueller R/W HP OSY (ss)	. ,	
(gg) Clow R/W Model 2640 (FxF) - NRS (formerly Clow R/W F6102-NRS) (hh) Clow R/W Model 2640 (FxF) - OSY (formerly Clow R/W F6136-OSY) (formerly Clow R/W F6136-OSY) (ii) Fortune Series 620/623 (C84400 Bronze) (Formerly Figure 601) Private labeled as: Ames, Buckner, Febco, Flomatic, Hersey and Wilkins (jj) Kennedy Ken Seal I-NRS (kk) Kennedy Model KS-FW Figure 8561 (FxF) - NRS (2 1/2" - 10") Kennedy Model KS-RW Figure 7561 (FxF) - NRS (2 1/2" - 10") Kennedy Model KS-RW Figure 7561 (FxF) - NRS (2 1/2" - 10") (formerly Kennedy Ken Seal II-NRS) (mm) Kennedy Model KS-RW Figure 7068 (FxF) - OSY (2 1/2" - 10") Kennedy Model KS-RW Figure 7068 (FxF) - OSY (4" - 10") (formerly Kennedy Ken Seal II-OSY) (nn) Lee Brass-QT (oo) Watts 405-RW (g) Mueller R/W HP NRS (rr) Mueller R/W HP NRS (rr) Mueller R/W HP OSY (s) Toro.Orin Integral Ball Valve-QT (wi) American Flow Control (Waterous) Series 500-NSS (wi) Watts 64000FDA-QT (wii) Watts G4000FDA-QT	. ,	
(formerly Clow R/W F6102-NRS) (Ih) Clow R/W Model 2640 (FxF) - OSY (formerly Clow R/W F6136-OSY) (ii) Fortune Series 620/623 (C84400 Bronze) (Formerly Figure 601) Private labeled as: Ames, Buckner, Febco, Flomatic, Hersey and Wilkins (ij) Kennedy Ken Seal I-NRS (kk) Kennedy Ken Seal -OSY (ll) Kennedy Ken Seal -OSY (ll) Kennedy Model KS-FW Figure 8561 (FxF) - NRS (2 1/2" - 10") Kennedy Model KS-FW Figure 756 (FxF) - NRS (4" - 10") Kennedy Model KS-FW Figure 7068 (FxF) - OSY (2 1/2" - 10") Kennedy Model KS-FW Figure 7068 (FxF) - OSY (2 1/2" - 10") Kennedy Model KS-RW Figure 7068 (FxF) - OSY (4" - 10") (formerly Kennedy Ken Seal II-OSY) (nn) Lee Brass-QT (oo) Watts 408-OSY (qa) Mueller R/W HP NRS (rr) Mueller R/W HP NRS (rr) Mueller R/W HP OSY (wi) American Flow Control (Waterous Series 500-NSY) (wi) Matrix 5400-05/A-QT (wi) Watts Figure FBV (FBV-E)-QT [Ames Figure FBV (FBV-E)-QT] (ww) Watts Series 6080 (& 6080-E)-QT (ww)		
(hh) Clow R/W Model 2640 (FxF) - OSY (formerly Clow R/W F6136-OSY) Fortune Series 620/623 (C84400 Bronze) (Formerly Figure 601) Private labeled as: Ames, Buckner, Febco, Flomatic, Hersey and Wilkins Private labeled as: Ames, Buckner, Febco, Flomatic, Hersey and Wilkins (jj) Kennedy Ken Seal I-NRS Kennedy Ken Seal I-NRS (kk) Kennedy Ken Seal I-NRS Kennedy Model KS-FW Figure 8561 (FxF) - NRS (2 1/2" - 10") Kennedy Model KS-RW Figure 7561 (FxF) - NRS (2 1/2" - 10") Kennedy Model KS-RW Figure 7068 (FxF) - OSY (2 1/2" - 10") (mm) Kennedy Model KS-RW Figure 7068 (FxF) - OSY (2 1/2" - 10") Kennedy Model KS-RW Figure 7068 (FxF) - OSY (2 1/2" - 10") (n) Lee Brass-QT (formerly Kennedy Ken Seal II-OSY) (mm) (n) Lee Brass-QT (du) Mueller R/W HP NRS (rr) Mueler R/W HP NRS (rr) Mueler R/W HP NRS (rr) Mueler R/W HP NRS (mu) American Flow Control (Waterous) Series 500-NRS (uu) American Flow Control (Waterous Series 500-NRS (mu) Matco-Nora 10FW (NRS) (vv) Watts 5608 (& 6080-E)-QT (vv) Watts 5608 (& 6080-E)-QT (vv) Watts Series 500 (& 6080-E)-QT M	(gg)	
(formerly Clow R/W F636-OSY)(ii)Fortune Series 620/623 (C84400 Bronze) (Formerly Figure 601)Private labeled as: Ames, Buckner, Febco, Flomatic, Hersey and Wilkins(ij)Kennedy Ken Seal I-NRS(kk)Kennedy Ken Seal I-NRS(kk)Kennedy Ken Seal -OSY(ll)Kennedy Model KS-FW Figure 8561 (FxF) - NRS (2 1/2" - 10")Kennedy Model KS-RW Figure 7561 (FxF) - NRS (2 1/2" - 10")(formerly Kennedy Ken Seal II-NRS)(mm)Kennedy Model KS-FW Figure 8068 (FxF) - OSY (2 1/2" - 10")Kennedy Model KS-RW Figure 7068 (FxF) - 0SY (4" - 10")(formerly Kennedy Ken Seal II-OSY)(nn)Lee Brass-QT(oo)Watts 408-OSY(qq)Mueller R/W HP NRS(rr)Mueller R/W HP NRS(rr)Mueller R/W HP NS(rr)Mueller R/W HP OSY(ss)Toro.Orton Integral Ball Valve-QT(tt)American Flow Control (Waterous) Series 500-OSY)(ww)Watts 4400-OFDA-QT(xx)Watts G400-OFDA-QT(xx)Watts G400-FDA-QT(xx)Watts G400-FDA-QT(xz)Matco-Norca 10RW (NRS)(zz)Matco-Norca 10RW (NRS)(zz)Matco-Norca 10SU (OSY)(aaa)American Flow Control Series 5200-OSY(bbb)American Flow Control Series 5200-OSY(cc)M8H Model 4067-02 (NRS)(dd)M8H Model 4067-02 (NRS)		(formerly Clow R/W F6102-NRS)
(ii) Fortune Series 620/623 (C84400 Bronze) (Formerly Figure 601) Private labeled as: Ames, Buckner, Febco, Flomatic, Hersey and Wilkins (jj) Kennedy Ken Seal I-NRS (kk) Kennedy Ken Seal-OSY (ll) Kennedy Model KS-FW Figure 8561 (FxF) - NRS (2 1/2" - 10") Kennedy Model KS-RW Figure 7561 (FxF) - NRS (4" - 10") (formerly Kennedy Ken Seal II-NRS) (mm) Kennedy Model KS-FW Figure 8068 (FxF) - OSY (2 1/2" - 10") (mm) Kennedy Model KS-FW Figure 7068 (FxF) - OSY (2 1/2" - 10") (mm) Kennedy Model KS-FW Figure 7068 (FxF) - OSY (2 1/2" - 10") (mm) Kennedy Model KS-RW Figure 7068 (FxF) - OSY (4" - 10") (nm) Kennedy Ken Seal II-OSY) (nn) Lee Brass-QT (oo) Watts 408-OSY (qq) Mueller R/W HP NRS (rr) Mueller R/W HP NSS (rr) Mueller R/W HP NS (rr) Mueller R/W HP NS (ww) American Flow Control (Waterous Series 500-NRS (uu) American Flow Control (Waterous Series 500-NSY (ww) Watts G4000FDA-QT (ww) Watts G4000FDA-QT (ww) <	(hh)	Clow R/W Model 2640 (FxF) - OSY
Private labeled as: Ames, Buckner, Febco, Flomatic, Hersey and Wilkins(ij)Kennedy Ken Seal I-NRS(kk)Kennedy Ken Seal-OSY(ll)Kennedy Model KS-FW Figure 8561 (FxF) - NRS (2 1/2" - 10")Kennedy Model KS-RW Figure 7561 (FxF) - NRS (4" - 10")(formerly Kennedy Ken Seal II-NRS)(mm)Kennedy Model KS-RW Figure 7068 (FxF) - OSY (2 1/2" - 10")Kennedy Model KS-RW Figure 7068 (FxF) - OSY (4" - 10")(formerly Kennedy Ken Seal II-NRS)(mn)Kennedy Model KS-RW Figure 7068 (FxF) - OSY (4" - 10")(formerly Kennedy Ken Seal II-OSY)(nn)Lee Brass-QT(oo)Watts 408-OSY(qq)Mueller R/W HP NRS(rr)Mueller R/W HP NRS(rr)Mueller R/W HP OSY(ss)Toro.Orion Integral Ball Valve-QT(tt)American Flow Control (Waterous) Series 500-NRS(uu)American Flow Control (Waterous Series 500-OSY)(vv)Watts 64000FDA-QT(xx)Watts 6680 (& 6080-E)-QT(yy)Matco-Norca 105U (OSY)(aaa)American Flow Control Series 2500-OSY(bbb)American Flow Control Series 2500-OSY(cc)M&H Model 4067-02 (NRS)(cc)M&H Model 4067-02 (NRS)(cc)M&H Model 4067-02 (NRS)(dd)M&H Model 4068-02(OSY)		(formerly Clow R/W F6136-OSY)
 (ji) Kennedy Ken Seal I-NRS (kk) Kennedy Ken Seal-OSY (ll) Kennedy Model KS-FW Figure 8561 (FxF) - NRS (2 1/2" - 10") Kennedy Model KS-RW Figure 7561 (FxF) - NRS (4" - 10") (formerly Kennedy Ken Seal II-NRS) (mm) Kennedy Model KS-FW Figure 8668 (FxF) - OSY (2 1/2" - 10") Kennedy Model KS-RW Figure 7068 (FxF) - OSY (2 1/2" - 10") Kennedy Model KS-RW Figure 7068 (FxF) - OSY (4" - 10") (formerly Kennedy Ken Seal II-OSY) (nn) Lee Brass-QT (oo) Watts 405-RW (op) Watts 408-OSY (qq) Mueller R/W HP NRS (rr) Mueller R/W HP OSY (ss) Toro.Orion Integral Ball Valve-QT (tt) American Flow Control (Waterous) Series 500-NRS (uu) American Flow Control (Waterous Series 500-OSY) (ww) Watts 64000FDA-QT (xx) Matco-Norca 10FW (NRS) (zz) Matco-Norca 10SU (OSY) (aaa) American Flow Control Series 2500-NRS (bbb) American Flow Control Series 2500-NRS (aba) American Flow Control Series 2500-NRS (abb) American Flow Control Series 2500-NRS (bbb) American Flow Control Series 2500-NRS (abb) American Flow Control Series 2500-NRS (bbb) American Flow Control Series 2500-NRS (abb) American Flow Control Series 2500-NRS (bbb) American Flow Control Series 2500-SY 	(ii)	Fortune Series 620/623 (C84400 Bronze) (Formerly Figure 601)
JosKennedy Ken Seal-OSY(ll)Kennedy Model KS-FW Figure 8561 (FxF) - NRS (2 1/2" - 10")(ll)Kennedy Model KS-FW Figure 7561 (FxF) - NRS (4" - 10")(formerly Kennedy Ken Seal II-NRS)(mm)Kennedy Model KS-FW Figure 8068 (FxF) - OSY (2 1/2" - 10")Kennedy Model KS-FW Figure 7068 (FxF) - OSY (4" - 10")(formerly Kennedy Ken Seal II-OSY)(nn)Lee Brass-QT(oo)Watts 405-RW(pp)Watts 405-RW(qq)Mueller R/W HP NRS(rr)Mueller R/W HP NRS(rr)Mueller R/W HP OSY(ss)Toro.Orion Integral Ball Valve-QT(tt)American Flow Control (Waterous) Series 500-NRS(uu)American Flow Control (Waterous) Series 500-OSY)(vv)Watts Series 6080 (& 6080-E)-QT(vy)Matco-Norca 10FW (NRS)(zz)Matco-Norca 10FW (NRS)(zz)Matco-Intol Series 2500-OSY(bbb)American Flow Control Series 2500-OSY(cc)M&H Model 4067-02 (NRS)(dd)M&H Model 4068-02(OSY)		Private labeled as: Ames, Buckner, Febco, Flomatic, Hersey and Wilkins
(II) Kennedy Model KS-FW Figure 8561 (FxF) - NRS (2 1/2" - 10") Kennedy Model KS-RW Figure 7561 (FxF) - NRS (4" - 10") (formerly Kennedy Ken Seal II-NRS) (mm) Kennedy Model KS-FW Figure 8068 (FxF) - OSY (2 1/2" - 10") Kennedy Model KS-RW Figure 7068 (FxF) - OSY (4" - 10") (formerly Kennedy Ken Seal II-OSY) (nn) Lee Brass-QT (oo) Watts 405-RW (pp) Watts 405-SW (qq) Mueller R/W HP NRS (rr) Mueller R/W HP OSY (ss) Toro.Orion Integral Ball Valve-QT (tt) American Flow Control (Waterous) Series 500-NRS (uu) American Flow Control (Waterous Series 500-OSY) (ww) Watts 608-CB-QT (ww) Watts 608-CB-QT (yy) Matco-Norca 10RW (NRS) (zz) Matco-Norca 10SU (OSY) (aaa) American Flow Control Series 5200-OSY (bbb) American Flow Control Series 2500-OSY (zz) Matco-Norca 10SU (NRS) (zz) Matco-Norca 10SU (NRS) (zz) Matco-Norca 10SU (OSY) (aaa) American Flow Control Se	(jj)	Kennedy Ken Seal I-NRS
Kennedy Model KS-RW Figure 7561 (FxF) - NRS (4" - 10")(formerly Kennedy Ken Seal II-NRS)(mm)Kennedy Model KS-FW Figure 8068 (FxF) - OSY (2 1/2" - 10")Kennedy Model KS-RW Figure 7068 (FxF) - OSY (4" - 10")(formerly Kennedy Ken Seal II-OSY)(nn)Lee Brass-QT(oo)Watts 405-RW(pp)Watts 408-OSY(qq)Mueller R/W HP NRS(rr)Mueller R/W HP OSY(ss)Toro.Orion Integral Ball Valve-QT(tt)American Flow Control (Waterous) Series 500-NRS(uu)American Flow Control (Waterous Series 500-OSY)(vv)Watts Series 6080 (& 6080-E)-QT(yy)Matco-Norca 105U (OSY)(aa)American Flow Control Series 2500-NRS(daa)American Flow Control Series 2500-NRS(dd)M&H Model 4067-02 (NRS)	(kk)	Kennedy Ken Seal-OSY
(formerly Kennedy Ken Seal II-NRS)(mm)Kennedy Model KS-FW Figure 8o68 (FxF) - OSY (2 1/2" - 10")Kennedy Model KS-RW Figure 7o68 (FxF) - OSY (4" - 10")(formerly Kennedy Ken Seal II-OSY)(nn)Lee Brass-QT(oo)Watts 405-RW(pp)Watts 408-OSY(qq)Mueller R/W HP NRS(rr)Mueller R/W HP OSY(ss)Toro.Orion Integral Ball Valve-QT(tt)American Flow Control (Waterous) Series 500-NRS(uu)American Flow Control (Waterous Series 500-OSY)(vv)Watts Series 6080 (& 6080-E)-QT(yy)Matco-Norca 105U (OSY)(aa)American Flow Control Series 2500-NRS(aa)American Flow Control Series 2500-NRS(dd)M&H Model 4067-02 (NRS)	(ll)	Kennedy Model KS-FW Figure 8561 (FxF) - NRS (2 1/2" - 10")
(mm)Kennedy Model KS-FW Figure 8068 (FxF) - OSY (2 1/2" - 10")Kennedy Model KS-RW Figure 7068 (FxF) - OSY (4" - 10")(formerly Kennedy Ken Seal II-OSY)(nn)Lee Brass-QT(oo)Watts 405-RW(pp)Watts 408-OSY(qq)Mueller R/W HP NRS(rr)Mueller R/W HP OSY(ss)Toro.Orion Integral Ball Valve-QT(tt)American Flow Control (Waterous) Series 500-NRS(uu)American Flow Control (Waterous Series 500-OSY)(vv)Watts G4000FDA-QT(xx)Watts Series 6080 (& 6080-E)-QT(yy)Matco-Norca 105U (OSY)(aa)American Flow Control Series 2500-NRS(zz)Matco-Norca 105U (OSY)(aaa)American Flow Control Series 2500-NRS(dd)M8H Model 4068-02(OSY)		Kennedy Model KS-RW Figure 7561 (FxF) - NRS (4" - 10")
Kennedy Model KS-RW Figure 7068 (FxF) - OSY (4" - 10")(formerly Kennedy Ken Seal II-OSY)(nn)Lee Brass-QT(oo)Watts 405-RW(pp)Watts 408-OSY(qq)Mueller R/W HP NRS(rr)Mueller R/W HP OSY(ss)Toro.Orion Integral Ball Valve-QT(tt)American Flow Control (Waterous) Series 500-NRS(uu)American Flow Control (Waterous Series 500-OSY)(vw)Watts G4000FDA-QT(xx)Watts Series 6080 (& 6080-E)-QT(yy)Matco-Norca 10RW (NRS)(zz)Matco-Norca 105U (OSY)(aaa)American Flow Control Series 2500-OSY(bbb)American Flow Control Series 2500-NRS(dd)M&H Model 4068-02(OSY)		(formerly Kennedy Ken Seal II-NRS)
(formerly Kennedy Ken Seal II-OSY)(nn)Lee Brass-QT(oo)Watts 405-RW(pp)Watts 408-OSY(qq)Mueller R/W HP NRS(rr)Mueller R/W HP OSY(ss)Toro.Orion Integral Ball Valve-QT(tt)American Flow Control (Waterous) Series 500-NRS(uu)American Flow Control (Waterous Series 500-OSY)(vv)Watts Figure FBV (FBV-E)-QT [Ames Figure FBV (FBV-E)-QT](ww)Watts Series 6080 (& 6080-E)-QT(xx)Watts Series 6080 (& 6080-E)-QT(yy)Matco-Norca 105U (OSY)(aaa)American Flow Control Series 2500-NRS(bbb)American Flow Control Series 2500-NRS(dd)M&H Model 4067-02 (NRS)	(mm)	Kennedy Model KS-FW Figure 8068 (FxF) - OSY (2 1/2" - 10")
(nn)Lee Brass-QT(oo)Watts 405-RW(pp)Watts 408-OSY(qq)Mueller R/W HP NRS(rr)Mueller R/W HP OSY(ss)Toro.Orion Integral Ball Valve-QT(tt)American Flow Control (Waterous) Series 500-NRS(uu)American Flow Control (Waterous Series 500-OSY)(vv)Watts Figure FBV (FBV-E)-QT [Ames Figure FBV (FBV-E)-QT](ww)Watts G4000FDA-QT(xx)Watts Series 6080 (& 6080-E)-QT(yy)Matco-Norca 10RW (NRS)(zz)Matco-Norca 105U (OSY)(aaa)American Flow Control Series 2500-OSY(bbb)American Flow Control Series 2500-OSY(cc)M&H Model 4067-02 (NRS)(dd)M&H Model 4068-02(OSY)		Kennedy Model KS-RW Figure 7068 (FxF) - OSY (4" - 10")
(oo)Watts 405-RW(pp)Watts 408-0SY(qq)Mueller R/W HP NRS(rr)Mueller R/W HP OSY(ss)Toro.Orion Integral Ball Valve-QT(tt)American Flow Control (Waterous) Series 500-NRS(uu)American Flow Control (Waterous Series 500-OSY)(vv)Watts Figure FBV (FBV-E)-QT [Ames Figure FBV (FBV-E)-QT](ww)Watts Series 6080 (& 6080-E)-QT(xx)Watts Series 6080 (& 6080-E)-QT(yy)Matco-Norca 10RW (NRS)(zz)Matco-Norca 105U (OSY)(aaa)American Flow Control Series 2500-OSY(bbb)American Flow Control Series 2500-OSY(dd)M&H Model 4067-02 (NRS)		(formerly Kennedy Ken Seal II-OSY)
(pp)Watts 408-OSY(qq)Mueller R/W HP NRS(rr)Mueller R/W HP OSY(ss)Toro.Orion Integral Ball Valve-QT(tt)American Flow Control (Waterous) Series 500-NRS(uu)American Flow Control (Waterous Series 500-OSY)(vv)Watts Figure FBV (FBV-E)-QT [Ames Figure FBV (FBV-E)-QT](ww)Watts G4000FDA-QT(xx)Watts Series 6080 (& 6080-E)-QT(yy)Matco-Norca 10RW (NRS)(zz)Matco-Norca 10SU (OSY)(aaa)American Flow Control Series 2500-OSY(bbb)American Flow Control Series 2500-OSY(dd)M&H Model 4067-02 (NRS)	(nn)	Lee Brass-QT
(qq)Mueller R/W HP NRS(rr)Mueller R/W HP OSY(ss)Toro.Orion Integral Ball Valve-QT(tt)American Flow Control (Waterous) Series 500-NRS(uu)American Flow Control (Waterous Series 500-OSY)(vv)Watts Figure FBV (FBV-E)-QT [Ames Figure FBV (FBV-E)-QT](ww)Watts G4000FDA-QT(xx)Watts Series 6080 (& 6080-E)-QT(yy)Matco-Norca 10RW (NRS)(zz)Matco-Norca 10SU (OSY)(aaa)American Flow Control Series 2500-NRS(bbb)American Flow Control Series 2500-OSY(ccc)M&H Model 4067-02 (NRS)(ccd)M&H Model 4068-02(OSY)	(00)	Watts 405-RW
(rr)Mueller R/W HP OSY(ss)Toro.Orion Integral Ball Valve-QT(tt)American Flow Control (Waterous) Series 500-NRS(uu)American Flow Control (Waterous Series 500-OSY)(w)Watts Figure FBV (FBV-E)-QT [Ames Figure FBV (FBV-E)-QT](ww)Watts G4000FDA-QT(xx)Watts Series 6080 (& 6080-E)-QT(yy)Matco-Norca 10RW (NRS)(zz)Matco-Norca 105U (OSY)(aaa)American Flow Control Series 2500-NRS(bbb)American Flow Control Series 2500-OSY(ccc)M&H Model 4067-02 (NRS)(dd)MAtedel 4068-02(OSY)	(pp)	Watts 408-OSY
(ss)Toro.Orion Integral Ball Valve-QT(tt)American Flow Control (Waterous) Series 500-NRS(uu)American Flow Control (Waterous Series 500-OSY)(vv)Watts Figure FBV (FBV-E)-QT [Ames Figure FBV (FBV-E)-QT](ww)Watts G4000FDA-QT(xx)Watts Series 6080 (& 6080-E)-QT(yy)Matco-Norca 10RW (NRS)(zz)Matco-Norca 105U (OSY)(aaa)American Flow Control Series 2500-NRS(bbb)American Flow Control Series 2500-OSY(ccc)M&H Model 4067-02 (NRS)(dd)M&H Model 4068-02(OSY)	(qq)	Mueller R/W HP NRS
(tt)American Flow Control (Waterous) Series 500-NRS(uu)American Flow Control (Waterous Series 500-OSY)(w)Watts Figure FBV (FBV-E)-QT [Ames Figure FBV (FBV-E)-QT](ww)Watts G4000FDA-QT(xx)Watts Series 6080 (& 6080-E)-QT(xx)Watts Series 6080 (& 6080-E)-QT(yy)Matco-Norca 10RW (NRS)(zz)Matco-Norca 105U (OSY)(aaa)American Flow Control Series 2500-NRS(bbb)American Flow Control Series 2500-OSY(ccc)M&H Model 4067-02 (NRS)(ddd)M&H Model 4068-02(OSY)	(rr)	Mueller R/W HP OSY
(uu)American Flow Control (Waterous Series 500-OSY)(vv)Watts Figure FBV (FBV-E)-QT [Ames Figure FBV (FBV-E)-QT](ww)Watts G4000FDA-QT(xx)Watts Series 6080 (& 6080-E)-QT(yy)Matco-Norca 10RW (NRS)(zz)Matco-Norca 105U (OSY)(aaa)American Flow Control Series 2500-NRS(bbb)American Flow Control Series 2500-OSY(ccc)M&H Model 4067-02 (NRS)(dd)M&H Model 4068-02(OSY)	(ss)	Toro.Orion Integral Ball Valve-QT
(vv)Watts Figure FBV (FBV-E)-QT [Ames Figure FBV (FBV-E)-QT](ww)Watts G4000FDA-QT(xx)Watts Series 6080 (& 6080-E)-QT(yy)Matco-Norca 10RW (NRS)(zz)Matco-Norca 105U (OSY)(aaa)American Flow Control Series 2500-NRS(bbb)American Flow Control Series 2500-OSY(ccc)M&H Model 4067-02 (NRS)(dd)M&H Model 4068-02(OSY)	(tt)	American Flow Control (Waterous) Series 500-NRS
(ww)Watts G4000FDA-QT(xx)Watts Series 6080 (& 6080-E)-QT(yy)Matco-Norca 10RW (NRS)(zz)Matco-Norca 105U (OSY)(aaa)American Flow Control Series 2500-NRS(bbb)American Flow Control Series 2500-OSY(ccc)M&H Model 4067-02 (NRS)(ddd)M&H Model 4068-02(OSY)	(uu)	American Flow Control (Waterous Series 500-OSY)
(xx)Watts Series 6080 (& 6080-E)-QT(yy)Matco-Norca 10RW (NRS)(zz)Matco-Norca 105U (OSY)(aaa)American Flow Control Series 2500-NRS(bbb)American Flow Control Series 2500-OSY(ccc)M&H Model 4067-02 (NRS)(ddd)M&H Model 4068-02(OSY)	(vv)	Watts Figure FBV (FBV-E)-QT [Ames Figure FBV (FBV-E)-QT]
(yy)Matco-Norca 10RW (NRS)(zz)Matco-Norca 105U (OSY)(aaa)American Flow Control Series 2500-NRS(bbb)American Flow Control Series 2500-OSY(ccc)M&H Model 4067-02 (NRS)(ddd)M&H Model 4068-02(OSY)	(ww)	Watts G4000FDA-QT
(zz)Matco-Norca 105U (OSY)(aaa)American Flow Control Series 2500-NRS(bbb)American Flow Control Series 2500-OSY(ccc)M&H Model 4067-02 (NRS)(ddd)M&H Model 4068-02(OSY)	(xx)	Watts Series 6080 (& 6080-E)-QT
(aaa)American Flow Control Series 2500-NRS(bbb)American Flow Control Series 2500-OSY(ccc)M&H Model 4067-02 (NRS)(ddd)M&H Model 4068-02(OSY)	(yy)	Matco-Norca 10RW (NRS)
(bbb) American Flow Control Series 2500-OSY (ccc) M&H Model 4067-02 (NRS) (ddd) M&H Model 4068-02(OSY)	(zz)	Matco-Norca 105U (OSY)
(ccc) M&H Model 4067-02 (NRS) (ddd) M&H Model 4068-02(OSY)	(aaa)	American Flow Control Series 2500-NRS
(ddd) M&H Model 4068-02(OSY)	(bbb)	American Flow Control Series 2500-OSY
	(ccc)	M&H Model 4067-02 (NRS)
(eee) Stockham Model G-610 (OSY)	(ddd)	M&H Model 4068-02(OSY)
	(eee)	Stockham Model G-610 (OSY)

(fff)	Febco Series 620 QT		
(ggg)	Fortune Figure 620U-QT		
(hhh)	Watts Model 5-FBV & 5-FBV-E (1/4" - 1" Ball Valve QT)		
(iii)	Mueller Model A2360-NRS		
(int)	Shutoff Valve is integral part of assembly		
(jjj)	Febco Series 621-QT		
(kkk)	Febco Series 620U-QT		
(III)	Mueller Model R2360-OSY		
(mmm)	Conbraco Series IBVE-125-QT		
(nnn)	Kennedy Model KS-FW Figure 8701 (FxF) - NRS (3" - 10") Post Indicator/Tapping		
	Kennedy Model KS-RW Figure 7701 (FxF) - NRS (4" - 10") Post Indicator/Tapping		
	(formerly Kennedy Ken Seal II Post Indicator/Tapping)		
(000)	Ningbo Ball Valves (Febco 622F & 622FT, Watts Series 855-QT & Wilkins Series 850-QT)(1/4" - 2" Ball Valve QT)		
(ppp)	Clow R/W Model 2639 (GxF) - NRS (2 1/2" - 3")		
	Clow R/W Model 2638 (GxF) - NRS (4" - 10")		
(qqq)	Clow R/W Model 2639 (GxF) - OSY (2 1/2" - 3")		
	Clow R/W Model 2638 (GxF) - OSY (4" - 10")		
	(formerly Clow Series F6138-OSY)		
(rrr)	Apollo Series 7B-308-01 (& 7B-308-31)		
(sss)	Clow R/W Model 2639 (GxG) - NRS (2 1/2" - 3")		
	Clow R/W Model 2638 (GxFG) - NRS (4" - 10")		
	(formerly Clow Series F6104-NRS)		
(ttt)	Clow R/W Model 2639 (GxG) - OSY (2 1/2" - 3")		
	Clow R/W Model 2638 (GxFG) - OSY (4" - 10")		
	(formerly Clow Series F6137-OSY)		
(uuu)	Apollo Series 7H-QT		
(vvv)	Clow R/W Model 2640 (FxF) - OSY Post Indicator/Tapping Valve		
	(formerly Clow R/W F6136-OSY Post Indicator/Tapping Valve)		
(www)	Clow R/W Model 2639 (GxF) - OSY (2 1/2" - 3") Post Indicator/Tapping Valve		
	Clow R/W Model 2640 (GxF) - OSY (4" - 10") Post Indicator/Tapping Valve		
	(formerly Clow R/W F6138-OSY Post Indicator/Tapping Valve)		
(xxx)	Ningbo Union Ball Valves (Febco 622UF & 622UFT & Wilkins 850U-QT)(1/2" - 2" Ball Valve QT)		
(ууу)	Victaulic Series 702 (Butterfly valves)		
(zzz)	Kennedy Model KS-RW Figure 7092ABF (FxG) - OSY		
	(formerly Kennedy Series 7092ABF-OSY)		
(aaaa)	Union Model GV12 (flange by groove)-OSY		
(bbbb)	Enbee Model GV12 (flange by groove)-OSY		
(cccc)	Kennedy Model KS-RW Figure 7092 (FxG) - OSY		
	(formerly Kennedy Series 7092 (GxF) - OSY)		

(dddd)	Kennedy Model KS-RW Figure 7592 (FxG) - NRS	
	(formerly Kennedy Series 7592ABF - NRS)	
(eeee)	Kennedy Model KS-RW Figure 7592PABF (FxG) - NRS Post Indicator/Tapping Valve	
	(formerly Kennedy Series 7592PABF-Post Indicator/Tapping Valve)	
(ffff)	Watts 409RW (FxF)- OSY	
(gggg)	Watts 409RW (FxG)- OSY	
(hhhh)	Watts Figure LF-FBV-QT (1/2"-2")	
(iiii)	Wilkins Series 850XL (850TXL) - QT	
(jjjj)	Watts 409 RW 2" - OSY	
(kkkk)	Kennedy Model KS-RW Figure 7093 (GxG) - OSY	
(IIII)	Kennedy Model KS-RW Figure 7593 (GxG) - NRS	
(mmmm)	Kennedy Model KS-RW Figure 7093ABF (GxG) - OSY	
(nnnn)	Kennedy Model KS-RW Figure 7593ABF (GxG) - NRS	
(0000)	Kennedy Model KS-RW Figure 7593PABF (GxG) - NRS Post Indicator	
(pppp)	Watts Figure L-FBV-QT, Ames Figure L-FBV-QT, FEBCO Figure L-FBV-QT	
(qqqq)	Kennedy Figure G300E - Butterfly Valve (4",6")	
(rrrr)	Kennedy Figure 02G - Butterfly Valve (8")	
(ssss)	Wilkins Model 48 (GXF) - NRS (2-1/2" - 12")	
(tttt)	Wilkins Model 48 (FXF) - NRS (2-1/2" - 12")	
(uuuu)	Wilkins Model 48 (GXG) - NRS (2-1/2" - 12") Post Indicator/Tapping Valve	
(vvvv)	Wilkins Model 48 (GXF) - NRS (2-1/2" - 12") Post Indicator/Tapping Valve	
(wwww)	Wilkins Model 48 (FXF) - NRS (2-1/2" - 12") Post Indicator/Tapping Valve	
(xxxx)	Wilkins Model 48 (GXG) - OSY (2-1/2" - 12")	
(уууу)	Wilkins Model 48 (GXF) - OSY (2-1/2" - 12")	
(zzzz)	Wilkins Model 48 (FXF) - OSY (2-1/2" - 12")	
(aaaaa)	Wilkins Model 48 (GXG) - NRS (2-1/2" - 12")	
(bbbbb)	Milwaukee BB-SC100 - Butterfly Valve	
(ccccc)	Milwaukee BB-SCS02 - Butterfly Valve (with gearbox)	
(ddddd)	Flomatic Model NRS	
(eeeee)	Watts Model FBV-FP (FBV-E-FP)-QT	
(fffff)	Watts L-FBV-QT (2 1/2" - 4")	
(ggggg)	Wilkins Model 850MSS	
(hhhhh)	Fortune Series 620/623 (c89520 unleaded bronze)	
(iiiii)	Apollo Series 77B-100 and 77C-100 - QT	
(jjjjjj)	Apollo Series 77BLF-100 and 77CLF-100 - QT	
(kkkkk)	Wilkins Model 49 (GXF) - (2 1/2" - 10")	
(1111)	Wilkins Model 49 (GXG) - (2 1/2" - 10")	
(mmmmm)	Wilkins 850UXL (850TUXL) -QT	
(nnnnn)	Watts Model 405 (2 1/2" - 10" NRS-RW FxG)	

(00000)	ARI HC260 and HC262 Ball Valves - QT
(ррррр)	Febco Model LF622UF & LF622UFT (1/2" - 2" Ball Valve QT)
(qqqqq)	Febco Model LF622F & LF622FT (1/2" - 2" Ball Valve QT)
(rrrrr)	Watts Model LFFBV-FRG & LFFBV-E-FRG (1/2" - 2" Ball Valve QT)
(sssss)	Apollo Series 91B and 91C-QT (1/2"-2")
(ttttt)	Apollo Series 91BLF and 91CLF-QT (1/2"-2")
(uuuuu)	Apollo Model 77B-LFU and 77C-LFU Union Ball Valves - QT (1/2")
(vvvv)	Apollo Series 91BLF-U and 91CLF-U-QT (3/4"-2")
(wwww)	Apollo Series 91B-U and 91C-U-QT (3/4"-2")
(xxxxx)	Apollo Model GV (FXG) - NRS (2-1/2" - 10")
(ууууу)	Apollo Model GV (GXG) - NRS (2-1/2" - 10")
(zzzz)	Apollo Model GV (FXG) - OSY (2-1/2" - 10")
(aaaaaa)	Apollo Model GV (GXG) - OSY (2-1/2" - 10")
(bbbbbb)	Apollo Model GV (FXF) - NRS (2-1/2" - 10")
(cccccc)	Apollo Model GV (FXF) - OSY (2-1/2" - 10")
(dddddd)	Apollo Model 77S-XT (1 1/2"-2" Ball Valve w/Gearbox)
(eeeeee)	Apollo Model 77S-LFXT (1 1/2"-2" Ball Valve w/Gearbox)
(ffffff)	ARI Model PLS-VA Ball Valves -QT (3/4"-2")
(gggggg)	Wilkins Model 48 (GXF) - NRS (2-1/2" - 12")
(hhhhhh)	Wilkins Model 48 (FXF) - NRS (2-1/2" - 12")
(iiiiii)	Wilkins Model 48 (GXG) - NRS (2-1/2" - 10") Post Indicator/Tapping Valve
(iiiiii)	Wilkins Model 48 (GXF) - NRS (2-1/2" - 12") Post Indicator/Tapping Valve
(kkkkkk)	Wilkins Model 48 (FXF) - NRS (2-1/2" - 12") Post Indicator/Tapping Valve
(!!!!!)	Wilkins Model 48 (GXG) - OSY (2-1/2" - 10")
(mmmmmm)	Wilkins Model 48 (GXF) - OSY (2-1/2" - 12")
(nnnnnn)	Wilkins Model 48 (FXF) - OSY (2-1/2" - 12")
(000000)	Wilkins Model 48 (GXG) - NRS (2-1/2" - 10")
4	1

Detector Assembly Meters

The Detector Assemblies contained herein have been evaluated with a specific meter as the detector element of the assembly. That specific meter is coded by a parenthetic letter shown in the "meters" column. The coding of meters is shown in this Section. Other meters having similar performance characteristics to permit the assembly to meet the Standard are shown immediately after the original evaluation meter. The use of any other meter or modified bypass piping invalidates the Approval.

Some of the detector assemblies use a line-size assembly, which is not a standard stock Approved assembly. Increased load are required in these line-size units to allow the assembly to accurately record low flow rates in the bypass meter. Therefore, various 'off the shelf' components can not be assembled and expected to perform satisfactorily. The bypass backflow preventer Approved with the detector assembly is listed under the 'bypass' column. This is only for verification purposes. Should replacement parts or complete bypass be needed, the model number of the complete detector assembly should be used in ordering these components.

А	Hersey Model F-F 5/8" x 3/4"
В	Carlon 5/8" x 3/4"
С	Dandé Model D-3 5/8" x 3/4"
D	Gamon-Calmet 5/8"
E	Hays Acumeter 5/8" x 3/4"
F	Arad 5/8" x 3/4" (Master Meter)
G	Schlumberger 5/8" x 3/4" Model MBRF
Н	Rockwell (Sensus) SR-II 5/8" x 3/4"
1	Hersey Model 430 - 5/8"
J	Elster AMCO Model C700 5/8"x3/4" (Formerly Kent, ABB)
К	Precision 5/8"
L	Neptune Trident 8 5/8"
М	Neptune T-10 5/8" (Lead free compliant version identified with NSF61 mark on meter)
N	Badger Model 25 3/4"
0	Badger 5/8" x 3/4" Model 25 (Lead free compliant version identified with NSF61 mark on meter)
Р	Hersey Model 430 Series II 5/8"
Q	Hersey Model MVR-30 3/4"
R	Neptune T-10 1"
S	Neptune T-10 1 1/2"

Special Notices

From time to time the Foundation issues Special Notices when specific information needs to be brought before the Members of the Foundation. A copy of the notices are sent to Foundation Members as they are published.

Notices are summarized as follows.

Notice 96-001

This notice lists Ames assemblies which have been reported with low check valve readings. Corrections to the problem are discussed.

Notice 97-001

This Notice discusses changes in the Wilkins 975 8" and 10" reduced pressure principle assemblies. A change in the retaining cup in the relief valve stem.

Notice 97-002

This notice identifies Ames 2000SS, 3000SS, and 4000SS series assemblies were discovered to have unapproved components.

Notice 97-003

This notice lists assemblies which were NOT Approved by the Foundation, although advertisements may have implied otherwise.

Notice 98-001

This notice advises members of certain action in the Federal Register regarding cross-connection control programs.

Notice 98-002

This notice advises members of Wilkins 950 series and 975 series modifications.

Notice 99-001

This notice lists assemblies which were NOT Approved by the Foundation, although advertisements may have implied otherwise.

Notice 99-002

This notice lists assemblies which were NOT Approved by the Foundation, although advertisements may have implied otherwise.

Notice 99-003

This notice lists assemblies which were NOT Approved by the Foundation, although advertisements may have implied otherwise.

Notice 01-001

Discuss silicon parts in certain Febco relief valves

Notice 01-002/Revised Notice 01-002-R1

This notice discusses some check valves not approved in certain Ames and Watts assemblies

Notice 01-003

This notice lists assemblies which were NOT Approved by the Foundation, although advertisements may have implied otherwise.

Notice 02-001

This notice explains there are some specific Febco assemblies with unapproved check valve retainers.

Notice 03-001

This notice explains there are some improper markings of model designations on some Wilkins assemblies

Notice 03-002

This notice explains there is the possibility of the interference of the check valves on some Ames and Watts assemblies

Notice 04-001

This notice identifies some Febco 825YA assemblies sold with a dimensional variation

Notice 05-001

This Notice identifies some Ames and Watts assemblies sold with unapproved disc material.

Notice 06-001

This notice identifies unapproved guides found in certain Febco assemblies

Notice 06-002

This notice identifies a change in the design of the Flomatic PVBs

Notice o6-oo3

Notice regarding Cash-Acme Assemblies

Notice 07-001

Out of tolerance springs on Conbraco assemblies

Notice 09-001

Unapproved Third party components are being distributed

Notice 13-001

Modifications to guiding surfaces of the check valves on Wilkins assemblies

Notice 14-001

Clarifies the Approval status of Apollo/Conbraco backflow prevention assemblies

Notice 14-002

Clarifies the method in which the model designation is indicated on the Wilkins 3/4" 950XLD and 975XLD assemblies

Notice 15-001

This notice has been prepared to review Special Notice 14-002 and clarify the USC Approval Status of Wilkins Reduced Pressure Principle Detector Assemblies (RPDAs).

Type: AVB	Manufacturer: Ames	Model: A100
Size: 3/4	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Nov-1991	Renewed: 01-Nov-2015	Bypass:
Type: AVB	Manufacturer: Ames	Model: A100
Size: 1	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Nov-1991	Renewed: 01-Nov-2015	Bypass:
Type: AVB	Manufacturer: Ames	Model: A100
Size: 1 1/2	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Sep-1991	Renewed: 27-Sep-2015	Bypass:
Type: AVB	Manufacturer: Ames	Model: A100
Size: 2	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Aug-1991	Renewed: 21-Aug-2015	Bypass:
Type: AVB	Manufacturer: Watts	Model: 288AM3
Size: 1 1/4	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Aug-1991	Renewed: 12-Aug-2015	Bypass:
Type: AVB	Manufacturer: Watts	Model: 288AM3
Size: 1 1/2	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Sep-1991	Renewed: 27-Sep-2015	Bypass:
Type: AVB	Manufacturer: Watts	Model: 288AM3
Size: 2	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Aug-1991	Renewed: 21-Aug-2015	Bypass:
Type: AVB	Manufacturer: Watts	Model: 288AM3
Size: 2 1/2	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 10-Sep-1991	Renewed: 10-Sep-2015	Bypass:

Type: AVB Size: 3 Manual: 8	Manufacturer: Watts Orientation: VUH 0.25% Pb: No	Model: 288AM3 Meters: Spare Parts Only: No
Approved: 16-Sep-1991	Renewed: 16-Sep-2015	Bypass:
Type: AVB	Manufacturer: Watts	Model: 288AM5
Size: 3/4	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Nov-1991	Renewed: 01-Nov-2015	Bypass:
Type: AVB	Manufacturer: Watts	Model: 288AM5
Size: 1	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Nov-1991	Renewed: 01-Nov-2015	Bypass:
Type: DC	Manufacturer: Ames	Model: 2000-DC
Size: 10	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 04-Aug-1987	Renewed: 02-Aug-2017	Bypass:
Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo Notes: formerly Model DC	,pp,uu,ccc,ddd,ffff,gggg	
Type: DC	Manufacturer: Ames	Model: 2000-DCA
Size: 4	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Jan-1988	Renewed: 11-Jan-2015	Bypass:
Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo Notes: formerly Model DCA	,pp,uu,ccc,ddd,ffff,gggg	
Type: DC	Manufacturer: Ames	Model: 2000-DCA
Size: 6	Orientation: H	Meters:
Size. 0		
	0.25% Pb: No	Spare Parts Only: Yes
Manual: 7 Approved: 11-Jan-1988	0.25% Pb: No Renewed: 11-Jan-2015	Spare Parts Only: Yes Bypass:
Manual: 7	Renewed: 11-Jan-2015	

Type: DC Manufacturer: Ames Size: 8 Orientation: H 0.25% Pb: No Manual: 7 Approved: 11-Jan-1988 Renewed: 11-Jan-2015 Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,ffff,gggg Notes: formerly Model DCA Type: DC Manufacturer: Ames Size: 10 Orientation: H Manual: 7 0.25% Pb: No Approved: 04-Aug-1987 Renewed: 04-Aug-2017 Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,ffff,gggg Notes: formerly Model DC

Type: DC Manufacturer: Ames Size: 4 Orientation: H Manual: 7 0.25% Pb: No Renewed: 11-Jan-2015 Approved: 11-Jan-1988 Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,ffff,gggg Notes: formerly Model DCA

Type: DC Size: 6 Orientation: H 0.25% Pb: No Manual: 7 Approved: 11-Jan-1988 Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,ffff,gggg Notes: formerly Model DCA

Type: DC Manufacturer: Ames Size: 8 Orientation: H 0.25% Pb: No Manual: 7 Approved: 11-Jan-1988 Renewed: 11-Jan-2015 Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,ffff,gggg Notes: formerly Model DCA

Type: DC Size: 1/2 Manual: 9 Approved: 16-Jun-1997 **Shutoffs:** (vv),xx,ooo,hhhh,pppp,rrrrr Notes: Previous 8th Ed. Approval

Manufacturer: Ames **Orientation:** H 0.25% Pb: No Renewed: 16-Jun-2015 Model: 2000-G-DC Meters: Spare Parts Only: Yes

Model: 2000-G-DCA Meters: Spare Parts Only: Yes **Bypass:**

Bypass:

Model: 2000-G-DCA Meters: Spare Parts Only: Yes Bypass:

Model: 2000-G-DCA Meters: Spare Parts Only: Yes Bypass:

Meters: Spare Parts Only: No **Bypass:**

Model: 2000B

Manufacturer: Ames Renewed: 11-Jan-2015 Model: 2000-DCA Meters: Spare Parts Only: Yes Bypass:

Type: DC Size: 1/2 Manual: 8 Approved: 06-Dec-1983 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Notes: Upgraded to 9th Ed.

Type: DC Size: 1/2 Manual: 9 Approved: 16-Jun-1997 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

Type: DC Size: 3/4 Manual: 8 Approved: 05-Apr-1993 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

Type: DC Size: 3/4 Manual: 8 Approved: 27-Aug-1996 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

Type: DC Size: 1 Manual: 8 Approved: 26-Feb-1991 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Notes: Upgraded to 9th Ed.

Type: DC Size: 1 Manual: 9 Approved: 18-May-1998 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Notes: Previous 8th Ed. Approval Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 06-Dec-2016

Manufacturer: Ames

Renewed: 16-Jun-2015

Manufacturer: Ames

Renewed: 05-Apr-2017

Manufacturer: Ames

Renewed: 27-Aug-2014

Manufacturer: Ames

Renewed: 26-Feb-2015

Manufacturer: Ames

Orientation: H

Orientation: H

0.25% Pb: No

Orientation: VU

0.25% Pb: No

Orientation: H

0.25% Pb: No

Orientation: VU

0.25% Pb: No

Model: 2000B Meters: Spare Parts Only: No Bypass:

Type: DC	Manufacturer: Ames	Model: 2000B
Size: 1	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-May-1998	Renewed: 18-May-2016	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 2000B
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Oct-1996	Renewed: 01-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 2000B
Size: 1 1/4	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Oct-1996	Renewed: 01-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 2000B
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-May-1994	Renewed: 24-May-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 2000B
Size: 1 1/2	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 11-Mar-1996	Renewed: 08-Mar-2017	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 2000B
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Jun-1992	Renewed: 30-Jun-2016	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 2000B
Size: 2	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Mar-1996	Renewed: 08-Mar-2017	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		

Type: DC	Manufacturer: Ames	Model: 2000B-FP
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Sep-2009	Renewed: 01-Sep-2015	Bypass:
Shutoffs: (eeeee)		
Type: DC	Manufacturer: Ames	Model: 2000B-FP
Size: 1	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: Model Designation chan	ged to 2000BM1-FP	
Type: DC	Manufacturer: Ames	Model: 2000B-FP
Size: 1 1/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: Model Designation chan	ged to 2000BM2-FP	
Type: DC	Manufacturer: Ames	Model: 2000B-FP
Size: 1 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: Model Designation chan	ged to 2000BM2-FP	
Type: DC	Manufacturer: Ames	Model: 2000B-FP
Size: 2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: Model Designation chan	ged to 2000BM1-FP	
Type: DC	Manufacturer: Ames	Model: 2000BM1-FP
Size: 1	Orientation: H	Meters:
Size: I		
Manual: 9	0.25% Pb: No	Spare Parts Only: No
	0.25% Pb: No Renewed: 01-Sep-2015	Spare Parts Only: No Bypass:

Notes: formerly Model 2000B-FP. Model Change effective beginning with serial #: 028561

Type: DC	Manufacturer: Ames	Model: 2000BM1-FP
Size: 1	Orientation: VU	Meters:
Manual: 9	0.25% Pb : No	Spare Parts Only: No
Approved: 21-Aug-2017	Renewed:	Bypass:
Shutoffs: (eeeee)		
Type: DC	Manufacturer: Ames	Model: 2000BM1-FP
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Sep-2009	Renewed: 01-Sep-2015	Bypass:
Shutoffs: (eeeee)		
Notes: formerly Model 2000B-FF	P. Model Change effective beginning with	n serial #: 039123
Type: DC	Manufacturer: Ames	Model: 2000BM1-FP
Size: 2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Aug-2017	Renewed:	Bypass:
Shutoffs: (eeeee)		
Type: DC	Manufacturer: Ames	Model: 2000BM2-FP
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Sep-2009	Renewed: 01-Sep-2015	Bypass:
Shutoffs: (eeeee)		
Notes: formerly Model 2000B-FF	P. Model Change effective beginning with	n serial #: 017727
Type: DC	Manufacturer: Ames	Model: 2000BM2-FP
Size: 1 1/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Aug-2017	Renewed:	Bypass:
Shutoffs: (eeeee)		
Type: DC	Manufacturer: Ames	Model: 2000BM2-FP
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Sep-2009	Renewed: 01-Sep-2015	Bypass:
Shutoffs: (eeeee)		
Notes: formerly Model 2000B-FF	P. Model Change effective beginning with	n serial #: 034639

Type: DC Manufacturer: Ames Model: 2000BM2-FP Size: 1 1/2 Orientation: VU Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Approved: 21-Aug-2017 **Renewed:** Bypass: Shutoffs: (eeeee) Type: DC Manufacturer: Ames Model: 2000BM3 Size: 3/4 Orientation: H Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Renewed: 27-Mar-2015 Approved: 27-Mar-2000 **Bypass:** Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Type: DC Manufacturer: Ames Model: 2000BM3 Size: 3/4 Orientation: VU Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 27-Mar-2000 Renewed: 27-Mar-2015 Bypass: **Shutoffs:** (vv),xx,ooo,hhhh,pppp,rrrrr Type: DC Manufacturer: Ames Model: 2000BM3-FP Size: 3/4 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 01-Sep-2009 Renewed: 01-Sep-2015 **Bypass:** Shutoffs: (eeeee) Type: DC Manufacturer: Ames Model: 2000CIV Size: 4 Orientation: H Meters: 0.25% Pb: No Manual: 6 Spare Parts Only: No Approved: 15-Jan-1982 Renewed: 15-Jan-2015 Bypass: Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,eee Type: DC Manufacturer: Ames Model: 2000CIV Size: 4 Orientation: VU Meters: 0.25% Pb: No Spare Parts Only: No Manual: 8 Approved: 11-Mar-1996 Renewed: 08-Mar-2017 **Bypass:** Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,eee Type: DC Manufacturer: Ames Model: 2000CIV Size: 6 Orientation: H Meters: Manual: 6 0.25% Pb: No Spare Parts Only: No Approved: 18-May-1982 Renewed: 18-May-2015 Bypass:

Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,eee

Type: DC	Manufacturer: Ames	Model: 2000CIV
Size: 6	Orientation: VU	Meters:
Manual: 8	0.25% Pb : No	Spare Parts Only: No
Approved: 05-Dec-1996	Renewed: 05-Dec-2014	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,		Bypuss.
Type: DC	Manufacturer: Ames	Model: 2000CIV
Size: 8	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Jul-1981	Renewed: 06-Jul-2017	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	uu,eee	
Type: DC	Manufacturer: Ames	Model: 2000CIV
Size: 8	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Dec-1996	Renewed: 05-Dec-2014	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	uu,eee	
Type: DC	Manufacturer: Ames	Model: 2000CIV
Size: 10	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Mar-1983	Renewed: 16-Mar-2016	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	uu,eee	
Type: DC	Manufacturer: Ames	Model: 2000CIV
Size: 10	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Dec-1996	Renewed: 05-Dec-2014	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	uu,eee	
Type: DC	Manufacturer: Ames	Model: 2000SE
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 10-Sep-1996	Renewed: 10-Sep-2014	Bypass:
Shutoffs: (mm),ee,ff,gg,hh,ll,mm	n,oo,pp,tt,uu,ccc,ddd,ffff,gggg	
Type: DC	Manufacturer: Ames	Model: 2000SE
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 22-Nov-1993	Renewed: 22-Nov-2014	Bypass:

Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,ffff,gggg

Type: DC Size: 8 Manual: 8	Manufacturer: Ames Orientation: H 0.25% Pb: No	Model: 2000SE Meters: Spare Parts Only: Yes
Approved: 09-Sep-1992 Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo,	Renewed: 09-Sep-2016 pp,uu,ccc,ddd,ffff,gggg	Bypass:
Type: DC	Manufacturer: Ames	Model: 2000SS
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 05-May-1995 Shutoffs: ii	Renewed: 05-May-2016	Bypass:
Type: DC	Manufacturer: Ames	Model: 2000SS
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 05-May-1995 Shutoffs: ii	Renewed: 05-May-2016	Bypass:
Type: DC	Manufacturer: Ames	Model: 2000SS
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 14-Jul-1995 Shutoffs: ii	Renewed: 14-Jul-2016	Bypass:
Type: DC	Manufacturer: Ames	Model: 2000SS
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 13-Oct-1995 Shutoffs: ii	Renewed: 13-Oct-2016	Bypass:
Type: DC	Manufacturer: Ames	Model: 2000SS
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 13-Oct-1995 Shutoffs: ii	Renewed: 13-Oct-2016	Bypass:
Type: DC	Manufacturer: Ames	Model: 2000SS
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No

Type: DC	Manufacturer: Ames	Model: 2000SS
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 11-Jul-1991	Renewed: 11-Jul-2015	Bypass:
Shutoffs: II,mm,oo,ffff,gggg		
Type: DC	Manufacturer: Ames	Model: 2000SS
Size: 3	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 11-Jul-1991	Renewed: 11-Jul-2015	Bypass:
Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,ddd		
Type: DC	Manufacturer: Ames	Model: 2000SS
Size: 3	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 11-Jul-1991	Renewed: 11-Jul-2015	Bypass:
Shutoffs: II,mm,oo,ffff,gggg		
Type: DC	Manufacturer: Ames	Model: 2000SS
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 11-Jul-1991	Renewed: 11-Jul-2015	Bypass:
Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,ddd		Буразэ.
Type: DC	Manufacturer: Ames	Model: 2000SS
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 11-Jul-1991	Renewed: 11-Jul-2015	Bypass:
Shutoffs: II,mm,oo,ffff,gggg		
Type: DC	Manufacturer: Ames	Model: 2000SS
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Sep-1992	Renewed: 09-Sep-2016	Bypass:
Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,ddc	·	
Type: DC	Manufacturer: Ames	Model: 2000SS
Size : 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-1992	Renewed: 09-Sep-2016	Bypass:

Shutoffs: II,mm,oo,ffff,gggg

Type: DC Manufacturer: Ames Model: 2000SS Size: 8 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: No Approved: 16-Sep-1996 Renewed: 16-Sep-2014 Bypass: Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,ddd Type: DC Manufacturer: Ames Model: 2000SS Size: 8 Orientation: H Meters: 0.25% Pb: Yes Manual: 8 Spare Parts Only: No Renewed: 16-Sep-2014 Approved: 16-Sep-1996 Bypass: Shutoffs: II,mm,oo,ffff,gggg Type: DC Manufacturer: Ames Model: 2000SS Size: 10 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: No Approved: 16-Feb-2001 Renewed: 16-Feb-2016 Bypass: Shutoffs: pp, Type: DC Manufacturer: Ames Model: 2000SS Size: 10 Orientation: H Meters: Manual: 8 0.25% Pb: Yes Spare Parts Only: No Approved: 16-Feb-2001 Renewed: 16-Feb-2016 **Bypass:** Shutoffs: (II),mm,oo Type: DC Manufacturer: Ames Model: 2000SS Size: 12 Orientation: H Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Approved: 22-Jul-2009 Renewed: 22-Jul-2015 Bypass: Shutoffs: pp, Type: DC Manufacturer: Ames Model: 2000SS Size: 12 Orientation: H Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 22-Jul-2009 Renewed: 22-Jul-2015 **Bypass:** Shutoffs: (II),mm,oo Type: DC Model: 2000SS Manufacturer: Ames Size: 12 Orientation: VU Meters: 0.25% Pb: No Spare Parts Only: No Manual: 9 Approved: 22-Feb-2011 Renewed: 22-Feb-2017 Bypass: Shutoffs: pp,

Type: DC	Manufacturer: Ames	Model: 2000SS
Size: 12	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-Feb-2011	Renewed: 22-Feb-2017	Bypass:
Shutoffs: (II),mm,oo		
Type: DC	Manufacturer: Ames	Model: 2000SS-M
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 05-May-1995	Renewed: 05-May-2016	Bypass:
Shutoffs: (tt),ee,ff,gg,hh,ll,mm,oo	p,pp,uu,ccc,ddd,ffff,gggg	
Type: DC	Manufacturer: Ames	Model: 2000SS-M
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 05-May-1995	Renewed: 05-May-2016	Bypass:
Shutoffs: (tt),ee,ff,gg,hh,ll,mm,oo	p,pp,uu,ccc,ddd,ffff,gggg	
Type: DC	Manufacturer: Ames	Model: 200B
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	,rrrr	
Type: DC	Manufacturer: Ames	Model: 200B
Size: 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	,rrrr	
Type: DC	Manufacturer: Ames	Model: 200B
Size: 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	,rrrr	
Type: DC	Manufacturer: Ames	Model: 200B
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:

Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

Type: DC	Manufacturer: Ames	Model: 200B
Size: 3/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrr	r	
Type: DC	Manufacturer: Ames	Model: 200B
Size: 3/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrm	r	
Type: DC	Manufacturer: Ames	Model: 200B
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrm	r	
Type: DC	Manufacturer: Ames	Model: 200B
Size: 1	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrm	r	
Type: DC	Manufacturer: Ames	Model: 200B
Size: 1	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrm	r	
Type: DC	Manufacturer: Ames	Model: 200B
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrm	r	
Type: DC	Manufacturer: Ames	Model: 200B
Size: 1 1/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrr	r	

T		
Type: DC Size: 1 1/4	Manufacturer: Ames Orientation: VU	Model: 200B Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr	Keneweu. 21-Api-2013	Bypass.
Type: DC	Manufacturer: Ames	Model: 200B
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 200B
Size: 1 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 200B
Size: 1 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 200B
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 200B
Size: 2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 200B
Size: 2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffer (w/) wy ooo bbbb pppp rere	-	

2017 © University of Southern California

Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

Type: DC	Manufacturer: Ames	Model: 200B R10
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 200B R10
Size: 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 200B R10
Size: 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 200B R10
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 200B R10
Size: 3/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 200B R10
Size: 3/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 200B-A
Size: 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:

Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

Tana DO		
Type: DC	Manufacturer: Ames	Model: 200B-A
Size: 1	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 200B-A
Size: 1 1/4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 200B-A
Size: 1 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 200B-A
Size: 2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 200B-AR10
Size: 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2013	Renewed: 03-Jul-2016	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 200B-AR10
Size: 3/4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2013	Renewed: 03-Jul-2016	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jul-2004	Renewed: 20-Jul-2016	Bypass:
Shutoffs: (ppp),qqq,nnnnn		

Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Jul-2004	Renewed: 20-Jul-2016	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,dd	dd,gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jul-2004	Renewed: 20-Jul-2016	Bypass:
Shutoffs: (ppp),qqq,nnnnn		
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Jul-2004	Renewed: 20-Jul-2016	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,dd	dd,gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jul-2004	Renewed: 20-Jul-2016	Bypass:
Shutoffs: (ppp),qqq,nnnnn		
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Jul-2004	Renewed: 20-Jul-2016	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,dd	dd,gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jul-2004	Renewed: 20-Jul-2016	Bypass:
Shutoffs: (ppp),qqq,nnnnn		
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Jul-2004	Renewed: 20-Jul-2016	Bypass:

Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jul-2004	Renewed: 20-Jul-2016	Bypass:
Shutoffs: (ppp),qqq,nnnnn		
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Jul-2004	Renewed: 20-Jul-2016	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,dd	dd,gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jul-2004	Renewed: 20-Jul-2016	Bypass:
Shutoffs: (ppp),qqq,nnnnn		
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Jul-2004	Renewed: 20-Jul-2016	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,dd	dd,gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb,	nnnn	
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ffff	,gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No

0.25% Pb: No Renewed: 21-Apr-2015

Approved: 21-Apr-2006

Shutoffs: (ppp),qqq,aaaa,bbbb,nnnnn

Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ffff,g	gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 11-Aug-2004	Renewed: 11-Aug-2016	Bypass:
Shutoffs: ppp,qqq,aaaa,bbbb,nnr	nn	
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 11-Aug-2004	Renewed: 11-Aug-2016	Bypass:
Shutoffs: (yyy),zzz,dddd,eeee,gg	gg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 10-Feb-2006	Renewed: 10-Feb-2015	Bypass:
Shutoffs: ppp,qqq,aaaa,bbbb,nnr	nnn	
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 10-Feb-2006	Renewed: 10-Feb-2015	Bypass:
Shutoffs: (yyy),zzz,dddd,eeee,gg	gg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 02-May-2008	Renewed: 02-May-2017	Bypass:
Shutoffs: ppp,qqq,aaaa,bbbb		
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 02-May-2008	Renewed: 02-May-2017	Bypass:

Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 10	Orientation: VU	Meters:
Manual: 9	0.25% Pb : No	Spare Parts Only: No
Approved: 02-May-2008	Renewed: 02-May-2017	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 10	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Dec-2014	Renewed:	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gg	g,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Colt 200a
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
Shutoffs: (ppp),fff,qqq,yyy,zzz,a	aaa,bbbb,dddd,eeee,gggg,kkkk,llll,mmm	าท,กททท,ททททท
Type: DC	Manufacturer: Ames	Model: Colt 200a
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,ffff,gggg,kkkk,llll,mmn	nm,nnnn,nnnnn
Type: DC	Manufacturer: Ames	Model: Colt 200a
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,ffff,gggg,kkkk,llll,mmn	nm,nnnn,nnnnn
Type: DC	Manufacturer: Ames	Model: Colt 200a
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,ffff,gggg,kkkk,llll,mmn	nm,nnnn,nnnnn
Type: DC	Manufacturer: Ames	Model: Colt 200a
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:

Shutoffs: (ppp),qqq,yyy,zzz,aaaa,bbbb,dddd,eeee,ffff,gggg,kkkk,llll,mmmm,nnnn,nnnnn

Type: DC	Manufacturer: Ames	Model: Colt 200a
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,ffff,gggg,kkkk,llll,mmi	mm,nnnn,nnnnn
Type: DC	Manufacturer: Ames	Model: Colt 200a
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2003	Renewed: 03-Jul-2015	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,ffff,gggg,kkkk,llll,mmi	mm,nnnn,nnnnn
Type: DC	Manufacturer: Ames	Model: Colt 200a
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2003	Renewed: 03-Jul-2015	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,ffff,gggg,kkkk,llll,mmi	mm,nnnn,nnnnn
Type: DC	Manufacturer: Ames	Model: Colt 200N
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,nnnnn		
Type: DC	Manufacturer: Ames	Model: Colt 200N
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,dd	dd,gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Colt 200N
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,nnnnn		
Type: DC	Manufacturer: Ames	Model: Colt 200N
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:

Type: DC Size: 4	Manufacturer: Ames Orientation: VUVD	Model: Colt 200N Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,nnnnn		
Type: DC	Manufacturer: Ames	Model: Colt 200N
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ddd	dd,gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Colt 200N
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,nnnnn		
Type: DC	Manufacturer: Ames	Model: Colt 200N
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ddd	dd,gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Colt 200N
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jan-2013	Renewed: 03-Jan-2016	Bypass:
Shutoffs: ppp,qqq,aaaa,bbbb		
Type: DC	Manufacturer: Ames	Model: Colt 200N
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Jan-2013	Renewed: 03-Jan-2016	Bypass:
Shutoffs: yyy, zzz,dddd,eeee,gg	gg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Colt 200N
Size: 10	Orientation: VUVD	Meters:

Size: 10 Manual: 9 Approved: 01-Sep-2009 Shutoffs: (ppp),qqq Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 01-Sep-2015 Model: Colt 200N Meters: Spare Parts Only: No Bypass:

T		
Type: DC	Manufacturer: Ames	Model: Colt 200N
Size: 10	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 01-Sep-2009	Renewed: 01-Sep-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,dd	dd,gggg,kkkk,lill,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Colt 200Na
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Mar-2003	Renewed: 20-Mar-2015	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,ffff,gggg,kkkk,llll,mmn	ոտ,ոորո,որորո
Type: DC	Manufacturer: Ames	Model: Colt 200Na
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb : No	Spare Parts Only: No
Approved: 20-Mar-2003	Renewed: 20-Mar-2015	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,ffff,gggg,kkkk,llll,mmn	nm,nnnn,nnnnn
Type: DC	Manufacturer: Ames	Model: Colt 200Na
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb : No	Spare Parts Only: No
Approved: 20-Mar-2003	Renewed: 20-Mar-2015	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,ffff,gggg,kkkk,llll,mmn	nm,nnnn,nnnnn
Type: DC	Manufacturer: Ames	Model: Colt 200Na
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb : No	Spare Parts Only: No
Approved: 03-Jul-2003		
••	Renewed: 03-Jul-2015	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	Renewed: 03-Jul-2015 a,bbbb,dddd,eeee,ffff,gggg,kkkk,llll,mmm	
Shutoffs: (ppp),qqq,yyy,zzz,aaa Type: DC Size: 4	a,bbbb,dddd,eeee,ffff,gggg,kkkk,llll,mmn	nm,nnnn,nnnnn
Type: DC	a,bbbb,dddd,eeee,ffff,gggg,kkkk,llll,mmm Manufacturer: Ames	Model: DC
Type: DC Size: 4	a,bbbb,dddd,eeee,ffff,gggg,kkkk,llll,mmm Manufacturer: Ames Orientation: H	Model: DC Meters:
Type: DC Size: 4 Manual: 6	a,bbbb,dddd,eeee,ffff,gggg,kkkk,llll,mmm Manufacturer: Ames Orientation: H 0.25% Pb: No	Model: DC Meters: Spare Parts Only: Yes
Type: DC Size: 4 Manual: 6 Approved: 14-Jun-1985 Shutoffs: oo,pp,ffff,gggg	a,bbbb,dddd,eeee,ffff,gggg,kkkk,llll,mmm Manufacturer: Ames Orientation: H 0.25% Pb: No	Model: DC Meters: Spare Parts Only: Yes
Type: DC Size: 4 Manual: 6 Approved: 14-Jun-1985	a,bbbb,dddd,eeee,ffff,gggg,kkkk,llll,mmm Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 14-Jun-2015	Model: DC Meters: Spare Parts Only: Yes Bypass:
Type: DC Size: 4 Manual: 6 Approved: 14-Jun-1985 Shutoffs: oo,pp,ffff,gggg	Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 14-Jun-2015 Manufacturer: Ames	Model: DC Meters: Spare Parts Only: Yes Bypass: Model: DC Meters:
Type: DC Size: 4 Manual: 6 Approved: 14-Jun-1985 Shutoffs: oo,pp,ffff,gggg Type: DC Size: 6	Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 14-Jun-2015 Manufacturer: Ames Orientation: H	Model: DC Meters: Spare Parts Only: Yes Bypass: Model: DC

Type: DC	Manufacturer: Ames	Model: DC
Size: 8	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 04-Aug-1987	Renewed: 04-Aug-2017	Bypass:
Shutoffs: oo,pp,ffff,gggg		
Type: DC	Manufacturer: Ames	Model: DC
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to 2000-DC	
Type: DC	Manufacturer: Ames	Model: DC
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to 2000-G-DC	
Type: DC	Manufacturer: Ames	Model: DCA
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to 2000-DCA	
Type: DC	Manufacturer: Ames	Model: DCA
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to 2000-G-DCA	
Type: DC	Manufacturer: Ames	Model: DCA
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to 2000-DCA	
Type: DC	Manufacturer: Ames	Model: DCA
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:

Notes: model designation changed to 2000-G-DCA

Type: DC	Manufacturer: Ames	Model: DCA
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb : No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation change	ed to 2000-DCA	
Type: DC	Manufacturer: Ames	Model: DCA
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation change	ed to 2000-G-DCA	
Type: DC	Manufacturer: Ames	Model: LF2000B
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb : Yes	Spare Parts Only: No
Approved: 25-Sep-2013	Renewed: 25-Sep-2016	Bypass:
Shutoffs: (hhhh)		_,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Type: DC	Manufacturer: Ames	Model: LF2000B
Size: 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb : Yes	Spare Parts Only: No
Approved: 25-Sep-2013	Renewed: 25-Sep-2016	Bypass:
Shutoffs: (hhhh)		
Type: DC	Manufacturer: Ames	Model: LF2000BM1
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Sep-2013	Renewed: 25-Sep-2016	Bypass:
Shutoffs: (hhhh)		
Type: DC	Manufacturer: Ames	Model: LF2000BM1
Size: 1	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Sep-2013	Renewed: 25-Sep-2016	Bypass:
Shutoffs: (hhhh)		
Type: DC	Manufacturer: Ames	Model: LF2000BM1
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Sep-2013	Renewed: 25-Sep-2016	Bypass:
Shutoffs: (hhhh)		

Type: DC Size: 2 Manual: 9 Approved: 25-Sep-2013 Shutoffs: (hhhh)

- Type: DC Size: 1 1/4 Manual: 8 Approved: 25-Sep-2013 Shutoffs: (hhhh)
- Type: DC Size: 1 1/4 Manual: 8 Approved: 25-Sep-2013 Shutoffs: (hhhh)
- Type: DC Size: 1 1/2 Manual: 8 Approved: 25-Sep-2013 Shutoffs: (hhhh)

Type: DC Size: 1 1/2 Manual: 8 Approved: 25-Sep-2013 Shutoffs: (hhhh)

Type: DC Size: 3/4 Manual: 9 Approved: 25-Sep-2013 Shutoffs: (hhhh)

Type: DC Size: 3/4 Manual: 9 Approved: 25-Sep-2013 Shutoffs: (hhhh) Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed: 25-Sep-2016

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 25-Sep-2016

Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed: 25-Sep-2016

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 25-Sep-2016

Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed: 25-Sep-2016

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 25-Sep-2016

Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed: 25-Sep-2016 Model: LF2000BM1 Meters: Spare Parts Only: No Bypass:

Model: LF2000BM2 Meters: Spare Parts Only: No Bypass:

Model: LF2000BM3 Meters: Spare Parts Only: No Bypass:

Model: LF2000BM3 Meters: Spare Parts Only: No Bypass: Type: DC Size: 1/2 Manual: 9 Approved: 03-Jul-2013 Shutoffs: (hhhh)

Type: DC Size: 1/2 Manual: 9 Approved: 03-Jul-2013 Shutoffs: (hhhh)

Type: DC Size: 1/2 Manual: 9 Approved: 03-Jul-2013 Shutoffs: (hhhh)

Type: DC Size: 3/4 Manual: 9 Approved: 03-Jul-2013 Shutoffs: (hhhh)

Type: DC Size: 3/4 Manual: 9 Approved: 03-Jul-2013 Shutoffs: (hhhh)

Type: DC Size: 3/4 Manual: 9 Approved: 03-Jul-2013 Shutoffs: (hhhh)

Type: DC Size: 1 Manual: 9 Approved: 14-Jun-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 03-Jul-2016

Manufacturer: Ames Orientation: VD 0.25% Pb: Yes Renewed: 03-Jul-2016

Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed: 03-Jul-2016

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 03-Jul-2016

Manufacturer: Ames Orientation: VD 0.25% Pb: Yes Renewed: 03-Jul-2016

Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed: 03-Jul-2016

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 14-Jun-2015 Model: LF200B Meters: Spare Parts Only: No Bypass:

- 50		
Type: DC	Manufacturer: Ames	Model: LF200B
Size: 1 Manual: 9	Orientation: VD 0.25% Pb: No	Meters:
		Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: LF200B
Size: 1	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: LF200B
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: LF200B
Size: 1 1/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: LF200B
Size: 1 1/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: LF200B
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: LF200B
Size: 1 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffer (141) vy oog bbbb popp rrrrr		

Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

Type: DC	Manufacturer: Ames	Model: LF200B
Size: 1 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: LF200B
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: LF200B
Size: 2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: LF200B
Size: 2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: LF200B R10
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: LF200B R10
Size: 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: LF200B R10
Size: 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:

Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

Type: DC Size: 3/4 Manual: 9 Approved: 14-Jun-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Type: DC Size: 3/4	Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 14-Jun-2015 Manufacturer: Ames Orientation: VD	Model: LF200B R10 Meters: Spare Parts Only: No Bypass: Model: LF200B R10 Meters:
Manual: 9 Approved: 14-Jun-2006	0.25% Pb: No Renewed: 14-Jun-2015	Spare Parts Only: No Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr	Keneweu. 14-301-2013	bypass.
Type: DC Size: 3/4 Manual: 9 Approved: 14-Jun-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr	Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 14-Jun-2015	Model: LF200B R10 Meters: Spare Parts Only: No Bypass:
Type: DC Size: 1 Manual: 9 Approved: 14-Jun-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr	Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 14-Jun-2015	Model: LF200B-A Meters: Spare Parts Only: No Bypass:
Type: DC Size: 1 1/4 Manual: 9 Approved: 14-Jun-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr	Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 14-Jun-2015	Model: LF200B-A Meters: Spare Parts Only: No Bypass:
Type: DC Size: 1 1/2 Manual: 9 Approved: 14-Jun-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr	Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 14-Jun-2015	Model: LF200B-A Meters: Spare Parts Only: No Bypass:
Type: DC Size: 2 Manual: 9 Approved: 14-Jun-2006	Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 14-Jun-2015	Model: LF200B-A Meters: Spare Parts Only: No Bypass:

2017 © University of Southern California

Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

Type: DC Size: 1	Manufacturer: Ames Orientation: H	Model: LFU200B Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Ames	Model: LFU200B
Size: 1	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Ames	Model: LFU200B
Size: 1	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Ames	Model: LFU200B
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Ames	Model: LFU200B
Size: 1 1/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Ames	Model: LFU200B
Size: 1 1/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Ames	Model: LFU200B
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		

Type: DC	Manufacturer: Ames	Model: LFU200B
Size: 1 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Ames	Model: LFU200B
Size: 1 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Ames	Model: LFU200B
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Ames	Model: LFU200B
Size: 2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Ames	Model: LFU200B
Size: 2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Ames	Model: Maxim 200
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jul-2004	Renewed: 20-Jul-2016	Bypass:
Shutoffs: (ppp),qqq,nnnnn		
Type: DC	Manufacturer: Ames	Model: Maxim 200
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Jul-2004	Renewed: 20-Jul-2016	Bypass:

Type: DC	Manufacturer: Ames	Model: Maxim 200
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jul-2004	Renewed: 20-Jul-2016	Bypass:
Shutoffs: (ppp),qqq,nnnnn		
Type: DC	Manufacturer: Ames	Model: Maxim 200
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Jul-2004	Renewed: 20-Jul-2016	Bypass:
Shutoffs: yyy,dddd,eeee,gggg,k	kkk,IIII,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Maxim 200
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jul-2004	Renewed: 20-Jul-2016	Bypass:
Shutoffs: (ppp),qqq,nnnnn		
Type: DC	Manufacturer: Ames	Model: Maxim 200
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Jul-2004	Renewed: 20-Jul-2016	Bypass:
Shutoffs: yyy,dddd,eeee,gggg,ł	kkk,IIII,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Maxim 200
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jul-2004	Renewed: 20-Jul-2016	Bypass:
Shutoffs: (ppp),qqq,nnnnn		
Type: DC	Manufacturer: Ames	Model: Maxim 200
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Jul-2004	Renewed: 20-Jul-2016	Bypass:
Shutoffs: yyy,dddd,eeee,gggg,ł	kkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Maxim 200
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No

0.25% Pb: No Renewed: 21-Apr-2015 Spare Parts Only: No Bypass:

Shutoffs: (ppp),qqq,aaaa,bbbb,nnnnn

Approved: 21-Apr-2006

Type: DC	Manufacturer: Ames	Model: Maxim 200
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ggg	gg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Maxim 200
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb,r	าทททท	
Type: DC	Manufacturer: Ames	Model: Maxim 200
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gg	gg,kkkk,IIII,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Maxim 200
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 11-Aug-2004	Renewed: 11-Aug-2016	Bypass:
Shutoffs: ppp,qqq,aaaa,bbbb,nr	Innn	
Type: DC	Manufacturer: Ames	Model: Maxim 200
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 11-Aug-2004	Renewed: 11-Aug-2016	Bypass:
Shutoffs: (yyy),zzz,dddd,eeee,g	ggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Maxim 200
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 10-Feb-2006	Renewed: 10-Feb-2015	Bypass:
Shutoffs: ppp,qqq,aaaa,bbbb,nr	Innn	
Type: DC	Manufacturer: Ames	Model: Maxim 200
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No

Type: DC	Manufacturer: Ames	Model: Maxim 200
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 02-May-2008	Renewed: 02-May-2017	Bypass:
Shutoffs: ppp,qqq,aaaa,bbbb,nn	nnn	
Type: DC	Manufacturer: Ames	Model: Maxim 200
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 02-May-2008	Renewed: 02-May-2017	Bypass:
Shutoffs: (yyy),zzz,dddd,eeee,gg	999	
Type: DC	Manufacturer: Ames	Model: Maxim 200
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 02-May-2008	Renewed: 02-May-2017	Bypass:
Shutoffs: ppp,qqq,aaaa,bbbb,nn	nnn	
Type: DC	Manufacturer: Ames	Model: Maxim 200
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 02-May-2008	Renewed: 02-May-2017	Bypass:
Shutoffs: (yyy),zzz,dddd,eeee,gg	999	
Type: DC	Manufacturer: Ames	Model: Maxim 200
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Oct-2008	Renewed: 20-Oct-2014	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: DC	Manufacturer: Ames	Model: Maxim 200
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Oct-2008	Renewed: 20-Oct-2014	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ggg	g	
Type: DC	Manufacturer: Ames	Model: Maxim 200
Size: 10	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Oct-2008	Renewed: 20-Oct-2014	Bypass:

Shutoffs: (ppp),qqq,aaaa,bbbb

Type: DC Size: 10 Manual: 9 Approved: 20-Oct-2008 Shutoffs: yyy,zzz,dddd,eeee,gggg Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed: 20-Oct-2014 Model: Maxim 200 Meters: Spare Parts Only: No Bypass:

Type: DC	Manufacturer: Ames	Mod
Size: 2 1/2	Orientation: H	Mete
Manual: 9	0.25% Pb: No	Spar
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Вура
Shutoffs: (yyy),ppp,qqq,zzz,aaa	aa,bbbb,dddd,eeee,gggg,nnnnn	

 Type: DC
 Manufacturer: Ames

 Size: 2 1/2
 Orientation: VU

 Manual: 9
 0.25% Pb: No

 Approved: 07-Oct-2002
 Renewed: 07-Oct-2014

 Shutoffs: (yyy),ppp,qqq,zzz,aaaa,bbbb,dddd,eeee,gggg,nnnnn

 Type: DC
 Manufacturer: Ames

 Size: 3
 Orientation: H

 Manual: 9
 0.25% Pb: No

 Approved: 07-Oct-2002
 Renewed: 07-Oct-2014

 Shutoffs: (yyy),ppp,qqq,zzz,aaaa,bbbb,dddd,eeee,gggg,nnnnn

 Type: DC
 Manufacturer: Ames

 Size: 3
 Orientation: VU

 Manual: 9
 0.25% Pb: No

 Approved: 07-Oct-2002
 Renewed: 07-Oct-2014

 Shutoffs: (yyy),ppp,qqq,zzz,aaaa,bbbb,ddd,eeee,gggg,nnnnn

 Type: DC
 Manufacturer: Ames

 Size: 4
 Orientation: H

 Manual: 9
 0.25% Pb: No

 Approved: 03-Jul-2003
 Renewed: 03-Jul-2015

 Shutoffs: (yyy),ppp,qqq,zzz,aaaa,bbbb,dddd,eeee,gggg,nnnnn

Type: DCManufacturer: AmesSize: 4Orientation: VUManual: 90.25% Pb: NoApproved: 03-Jul-2003Renewed: 03-Jul-2015Shutoffs: (yyy),ppp,qqq,zzz,aaaa,bbbb,dddd,eeee,gggg,nnnnn

Model: Maxim 200a Meters: Spare Parts Only: No Bypass:

Model: Maxim 200a Meters: Spare Parts Only: No Bypass:

Model: Maxim 200a Meters: Spare Parts Only: No Bypass:

Model: Maxim 200a Meters: Spare Parts Only: No Bypass:

Model: Maxim 200a Meters: Spare Parts Only: No Bypass:

Model: Maxim 200a Meters: Spare Parts Only: No Bypass:

Type: DC
Size: 2 1/2
Manual: 9
Approved: 07-Apr-2009
Shutoffs: (ppp),qqq,nnnnn

Type: DCManufacturer: AmesSize: 2 1/2Orientation: VUVDManual: 90.25% Pb: YesApproved: 07-Apr-2009Renewed: 07-Apr-2015Shutoffs: yyy,zzz,dddd,eeee,dddd,gggg,kkkk,llll,mmmm,nnnn

Manufacturer: Ames

Orientation: VUVD

Renewed: 07-Apr-2015

Manufacturer: Ames

Renewed: 07-Apr-2015

Manufacturer: Ames

Renewed: 07-Apr-2015

Orientation: VUVD

0.25% Pb: No

Orientation: VUVD

0.25% Pb: No

0.25% Pb: No

Type: DC Size: 3 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (ppp),qqq,nnnn

Type: DCManufacturer: AmesSize: 3Orientation: VUVDManual: 90.25% Pb: YesApproved: 07-Apr-2009Renewed: 07-Apr-2015Shutoffs: yyy,zzz,dddd,eeee,dddd,gggg,kkkk,llll,mmmm,nnnn

Type: DC Size: 4 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (ppp),qqq,nnnn

Type: DCManufacturer: AmesSize: 4Orientation: VUVDManual: 90.25% Pb: YesApproved: 07-Apr-2009Renewed: 07-Apr-2015Shutoffs: yyy,zzz,dddd,eeee,dddd,gggg,kkkk,llll,mmmm,nnn

Type: DC Size: 6 Manual: 9 Approved: 03-Jan-2013 Shutoffs: ppp,qqq,aaaa,bbbb Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 03-Jan-2016 Model: Maxim 200N Meters: Spare Parts Only: No Bypass:

Model: Maxim 200N Meters: Spare Parts Only: No Bypass:

Model: Maxim 200N Meters: Spare Parts Only: No Bypass:

Model: Maxim 200N Meters: Spare Parts Only: No Bypass:

Model: Maxim 200N Meters: Spare Parts Only: No Bypass:

Model: Maxim 200N Meters: Spare Parts Only: No Bypass:

Model: Maxim 200N Meters: Spare Parts Only: No Bypass:

Type: DC Size: 6 Manual: 9	Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes	Model: Maxim 200N Meters: Spare Parts Only: No
Approved: 03-Jan-2013 Shutoffs: yyy,zzz,dddd,eeee,gg	Renewed: 03-Jan-2016 gg,kkkk,IIII,mmmm,nnnn	Bypass:
Type: DC	Manufacturer: Ames	Model: Maxim 200N
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Sep-2009	Renewed: 01-Sep-2015	Bypass:
Shutoffs: (ppp),qqq,nnnnn		
Type: DC	Manufacturer: Ames	Model: Maxim 200N
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 01-Sep-2009	Renewed: 01-Sep-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gg	gg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Maxim 200Na
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Mar-2003	Renewed: 20-Mar-2015	Bypass:
Shutoffs: (yyy),ppp,qqq,zzz,aaa	a,bbbb,dddd,eeee,gggg,nnnnn	
Type: DC	Manufacturer: Ames	Model: Maxim 200Na
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Mar-2003	Renewed: 20-Mar-2015	Bypass:
Shutoffs: (yyy),ppp,qqq,zzz,aaa	a,bbbb,dddd,eeee,gggg,nnnnn	
Type: DC	Manufacturer: Ames	Model: Maxim 200Na
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2003	Renewed: 03-Jul-2015	Bypass:
Shutoffs: (yyy),ppp,qqq,zzz,aaa	a,bbbb,dddd,eeee,gggg,nnnnn	
Type: DC	Manufacturer: Ames	Model: U200B
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No

Manual: 9 Approved: 21-Apr-2006 **Shutoffs:** (vv),xx,ooo,hhhh,pppp 0.25% Pb: No Renewed: 21-Apr-2015

Bypass:

Type: DC	Manufacturer: Ames	Model: U200B
Size: 1	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Ames	Model: U200B
Size: 1	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Ames	Model: U200B
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Ames	Model: U200B
Size: 1 1/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Ames	Model: U200B
Size: 1 1/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Ames	Model: U200B
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Ames	Model: U200B
Size: 1 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		

Turney DO	Manufactures. Amos	
Type: DC Size: 1 1/2	Manufacturer: Ames Orientation: VU	Model: U200B Meters:
Manual: 9	0.25% Pb: No	
		Spare Parts Only: No
Approved: 21-Apr-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp	Renewed: 21-Apr-2015	Bypass:
Shutons. (w),xx,000,mmm,pppp		
Type: DC	Manufacturer: Ames	Model: U200B
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Ames	Model: U200B
Size : 2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Ames	Model: U200B
Size: 2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Ames	Model: U200BR10
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Ames	Model: U200BR10
Size: 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Ames	Model: U200BR10
Size: 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		

Type: DC	Manufacturer: Ames	Model: U200BR10
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Ames	Model: U200BR10
Size: 3/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Ames	Model: U200BR10
Size: 3/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 1/2DC
Size: 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation changed	to DC4S	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 1/2DC
Size: 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation changed	to DC4S	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 10DC
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation changed	to DC4S	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 10DC
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:

Turner DC	Manufacturer: Apollo/Conbroco	Model: 2.1/2DC
Type: DC Size: 2 1/2	Manufacturer: Apollo/Conbraco Orientation: H	Model: 2 1/2DC Meters:
Manual: 9	0.25% Pb: No	
Approved: 16-Oct-2000	Renewed: 16-Oct-2015	Spare Parts Only: Yes
	Reflewed. 10-001-2015	Bypass:
Shutoffs: (II),mm		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 2 1/2DC
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Oct-2000	Renewed: 16-Oct-2015	Bypass:
Shutoffs: (II),mm		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 2 1/2DC-7
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 23-Oct-2001	Renewed: 23-Oct-2016	Bypass:
Shutoffs: (mm)[#1SOV], (qqq)[#2	2SOV]	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 2 1/2DC-7
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 23-Oct-2001	Renewed: 23-Oct-2016	Bypass:
Shutoffs: (mm)[#1SOV], (qqq)[#2	2SOV]	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 2 1/2DC8
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2016	Bypass:
Shutoffs: (ppp),qqq		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 2 1/2DC8
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2016	Bypass:
Shutoffs: (ppp),qqq		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 2 1/2DCU
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Apr-2001	Renewed: 10-Apr-2016	Bypass:
Shutoffs: (II),mm		

Type: DC	Manufacturer: Apollo/Conbraco	Model: 2 1/2DCU
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb : No	Spare Parts Only: Yes
Approved: 10-Apr-2001	Renewed: 10-Apr-2016	Bypass:
Shutoffs: (II),mm	·····	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 3DC
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Oct-2000	Renewed: 16-Oct-2015	Bypass:
Shutoffs: (II),mm		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 3DC
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Oct-2000	Renewed: 16-Oct-2015	Bypass:
Shutoffs: (II),mm		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 3DC7
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 23-Oct-2001	Renewed: 23-Oct-2016	Bypass:
Shutoffs: (mm)[#1SOV], (qqq)[#	#2SOV]	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 3DC7
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 23-Oct-2001	Renewed: 23-Oct-2016	Bypass:
Shutoffs: (mm)[#1SOV], (qqq)[#	#2SOV]	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 3DC8
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2016	Bypass:
Shutoffs: (ppp),qqq		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 3DC8
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2016	Bypass:
Shutoffs: (ppp),qqq		

Type: DC Size: 3 Manual: 9 Approved: 10-Apr-2001 Shutoffs: (II),mm	Manufacturer: Apollo/Conbraco Orientation: VUVD 0.25% Pb: No Renewed: 10-Apr-2016	Model: 3DCU Meters: Spare Parts Only: Yes Bypass:
Type: DC Size: 3	Manufacturer: Apollo/Conbraco Orientation: VUVD	Model: 3DCU Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Apr-2001 Shutoffs: (II),mm	Renewed: 10-Apr-2016	Bypass:
Type: DC Size: 3 Manual: 8	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No	Model: 40-100-02 Meters: Spare Parts Only: Yes
Approved: 08-Apr-1991 Shutoffs: tt,bb,ee,ll	Renewed: 08-Apr-2015	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-100-03
Size: 3	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Apr-1991 Shutoffs: uu,cc,mm	Renewed: 08-Apr-2015	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-100-05
Size: 3 Manual: 8	Orientation: H 0.25% Pb: No	Meters: Spare Parts Only: Yes
Approved: 08-Dec-1998 Shutoffs: mmm	Renewed: 08-Dec-2016	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-103-02
Size: 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-May-1995 Shutoffs: dd	Renewed: 01-May-2016	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-104-02
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 17-Mar-1989 Shutoffs: dd	Renewed: 17-Mar-2016	Bypass:

Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-104-99T
Size: 3/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	jed to DC40	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-104-A2
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Jun-1993	Renewed: 21-Jun-2017	Bypass:
Shutoffs: dd		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-104-A2T
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 25-Mar-1992	Renewed: 25-Mar-2016	Bypass:
Shutoffs: dd		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-104-T2
Size: 3/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to DC40	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-104-TC2
Size: 3/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to DC40	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-105-02
	Manufacturer: Apollo/Conbraco Orientation: H	Model: 40-105-02 Meters:
Type: DC Size: 1 Manual: 8		
Size: 1 Manual: 8	Orientation: H	Meters:
Size: 1	Orientation: H 0.25% Pb: No	Meters: Spare Parts Only: Yes
Size: 1 Manual: 8 Approved: 17-Mar-1989 Shutoffs: dd	Orientation: H 0.25% Pb: No	Meters: Spare Parts Only: Yes
Size: 1 Manual: 8 Approved: 17-Mar-1989	Orientation: H 0.25% Pb: No Renewed: 17-Mar-2016	Meters: Spare Parts Only: Yes Bypass:
Size: 1 Manual: 8 Approved: 17-Mar-1989 Shutoffs: dd Type: DC	Orientation: H 0.25% Pb: No Renewed: 17-Mar-2016 Manufacturer: Apollo/Conbraco	Meters: Spare Parts Only: Yes Bypass: Model: 40-105-99T

Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-105-A2
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Jun-1993	Renewed: 21-Jun-2017	Bypass:
Shutoffs: dd		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-105-A2T
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 25-Mar-1992	Renewed: 25-Mar-2016	Bypass:
Shutoffs: dd		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-105-T2
Size: 1	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to DC40	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-105-TC2
Size: 1	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chan	ged to DC40	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-106-02
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 06-Apr-1992 Shutoffs: dd	Renewed: 06-Apr-2016	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-106-99T
Size: 1 1/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to DC40	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-106-A2
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Jun-1993	Renewed: 21-Jun-2017	Bypass:
Shutoffs: dd		

Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-106-A2T
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 22-May-1993	Renewed: 22-May-2017	Bypass:
Shutoffs: dd		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-106-T2
Size: 1 1/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to DC40	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-107-02
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 17-Mar-1989	Renewed: 17-Mar-2016	Bypass:
Shutoffs: dd		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-107-99T
Size: 1 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to DC40	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-107-A2
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 22-May-1993	Renewed: 22-May-2017	Bypass:
Shutoffs: dd		
	Manufacturer: Apollo/Conbraco	Model: 40-107-A2T
Type: DC	Manufacturer: Apollo/Conbraco Orientation: H	Model: 40-107-A2T Meters:
Shutoffs: dd Type: DC Size: 1 1/2 Manual: 8	•	
Type: DC Size: 1 1/2 Manual: 8	Orientation: H	Meters:
Type: DC Size: 1 1/2	Orientation: H 0.25% Pb: No	Meters: Spare Parts Only: Yes
Type: DC Size: 1 1/2 Manual: 8 Approved: 22-May-1993 Shutoffs: dd	Orientation: H 0.25% Pb: No	Meters: Spare Parts Only: Yes
Type: DC Size: 1 1/2 Manual: 8 Approved: 22-May-1993	Orientation: H 0.25% Pb: No Renewed: 22-May-2017	Meters: Spare Parts Only: Yes Bypass:
Type: DC Size: 1 1/2 Manual: 8 Approved: 22-May-1993 Shutoffs: dd Type: DC	Orientation: H 0.25% Pb: No Renewed: 22-May-2017 Manufacturer: Apollo/Conbraco	Meters: Spare Parts Only: Yes Bypass: Model: 40-107-T2

Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-108-02
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 17-Mar-1989	Renewed: 17-Mar-2016	Bypass:
Shutoffs: dd		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-108-99T
Size: 2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to DC40	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-108-A2
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 22-May-1993	Renewed: 22-May-2017	Bypass:
Shutoffs: dd		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-108-A2T
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 22-May-1993	Renewed: 22-May-2017	Bypass:
Shutoffs: dd		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-108-T2
Size: 2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to DC40	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-109-02
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Apr-1991	Renewed: 08-Apr-2015	Bypass:
Shutoffs: tt,bb,ee,ll		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-109-03
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Apr-1991	Renewed: 08-Apr-2015	Bypass:
Shutoffs: uu,cc,mm		

Type: DC Size: 2 1/2	Manufacturer: Apollo/Conbraco Orientation: H	Model: 40-109-05 Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Dec-1998 Shutoffs: mmm	Renewed: 08-Dec-2016	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-10A-02
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Apr-1991	Renewed: 08-Apr-2015	Bypass:
Shutoffs: tt,bb,ee,ll		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-10A-03
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Apr-1991	Renewed: 08-Apr-2015	Bypass:
Shutoffs: uu,cc,mm		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-10A-05
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Dec-1998	Renewed: 08-Dec-2016	Bypass:
Shutoffs: mmm		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-10A-06
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-2000 Shutoffs: mm[#1SOV], nnn[#2SOV]	Renewed: 01-Feb-2015	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-10C-02
Size : 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Apr-1991	Renewed: 08-Apr-2015	Bypass:
Shutoffs: tt,bb,ee,ll		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-10C-03
Size : 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Apr-1991	Renewed: 08-Apr-2015	Bypass:
Shutoffs: uu,cc,mm		

Type: DC Size: 6 Manual: 8	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 08 Dec 2016	Model: 40-10C-05 Meters: Spare Parts Only: Yes
Approved: 08-Dec-1998 Shutoffs: mmm	Renewed: 08-Dec-2016	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-10C-06
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-2000 Shutoffs: mm[#1SOV], nnn[#2SOV]	Renewed: 01-Feb-2015	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-10E-02
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No Renewed: 22-Oct-2015	Spare Parts Only: Yes
Approved: 22-Oct-1991 Shutoffs: tt,bb,ee,ll	Renewed: 22-Oct-2015	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-10E-03
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 22-Oct-1991	Renewed: 22-Oct-2015	Bypass:
Shutoffs: uu,cc,mm		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-10E-06
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-2000 Shutoffs: mm[#1SOV], nnn[#2SOV]	Renewed: 01-Feb-2015	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-10G-02
Size: 10	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 13-Apr-1993	Renewed: 13-Apr-2017	Bypass:
Shutoffs: tt,bb,ee,ll		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-10G-03
Size: 10	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 13-Apr-1993	Renewed: 13-Apr-2017	Bypass:
Shutoffs: uu,cc,mm		

Type: DC Size: 10 Manual: 8 Approved: 01-Feb-2000 Shutoffs: mm[#1SOV], nnn[#2SOV]	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 01-Feb-2015	Model: 40-10G-06 Meters: Spare Parts Only: Yes Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4D-100
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Mar-2012 Shutoffs: (yyy), cccc, dddd	Renewed: 11-Mar-2015	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4D-100
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Mar-2009 Shutoffs: (yyy), cccc, dddd	Renewed: 11-Mar-2015	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4D-100
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Mar-2009 Shutoffs: (yyy), cccc, dddd	Renewed: 11-Mar-2015	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4D-100
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Mar-2009 Shutoffs: (yyy), cccc, dddd	Renewed: 11-Mar-2015	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4D-100
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Mar-2009 Shutoffs: (yyy), cccc, dddd	Renewed: 11-Mar-2015	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4D-100
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Mar-2009	Renewed: 11-Mar-2015	Bypass:
Shutoffs: (yyy), cccc, dddd		

Type: DC	Manufacturer: Apollo/Conbraco	Model: 4D-100U	
Size: 2 1/2	Orientation: VUVD	Meters:	
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes	
Approved: 11-Mar-2009	Renewed: 11-Mar-2015	Bypass:	
Shutoffs: (yyy), cccc, dddd			
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4D-100U	
Size: 3	Orientation: VUVD	Meters:	
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes	
Approved: 11-Mar-2009	Renewed: 11-Mar-2015	Bypass:	
Shutoffs: (yyy), cccc, dddd			
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4D-100U	
Size: 4	Orientation: VUVD	Meters:	
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes	
Approved: 11-Mar-2009	Renewed: 11-Mar-2015	Bypass:	
Shutoffs: (yyy), cccc, dddd			
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4DC	
Size: 4	Orientation: H	Meters:	
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes	
Approved: 16-Oct-2000	Renewed: 16-Oct-2015	Bypass:	
Shutoffs: (II),mm			
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4DC	
Size: 4	Orientation: VU	Meters:	
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes	
Approved: 16-Oct-2000	Renewed: 16-Oct-2015	Bypass:	
Shutoffs: (II),mm			
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4DC7	
Size: 4	Orientation: H	Meters:	
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes	
Approved: 23-Oct-2001	Renewed: 23-Oct-2016	Bypass:	
Shutoffs: (mm)[#1SOV], (qqq)[#2S	OV]		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4DC7	
Size: 4	Orientation: VU	Meters:	
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes	

Type: DC	Manufacturer: Apollo/Conbraco	Model: 4DC8
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2016	Bypass:
Shutoffs: (ppp),qqq		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4DC8
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2016	Bypass:
Shutoffs: (ppp),qqq		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4DCU
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Apr-2001	Renewed: 10-Apr-2016	Bypass:
Shutoffs: (II),mm		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4S103
Size: 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to W432100	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4S103
Size: 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to W432100	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4SG-100
Size: 2 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to DC4SG	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4SG-100
Size: 2 1/2	Orientation:	Meters:
		On and Deate Order Ma
Manual:	0.25% Pb: No	Spare Parts Only: No

Type: DC	Manufacturer: Apollo/Conbraco	Model: 4SG-100
Size: 3	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to DC4SG	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4SG-100
Size: 3	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to DC4SG	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4SG-100
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to DC4SG	
	Manufacturer: Apollo/Conbraco	Model: 4SG-100
Type: DC		
Size: 4	Orientation:	Meters:
	·	Meters: Spare Parts Only: No
Size: 4	Orientation:	
Size: 4 Manual:	Orientation: 0.25% Pb: No Renewed:	Spare Parts Only: No
Size: 4 Manual: Approved:	Orientation: 0.25% Pb: No Renewed:	Spare Parts Only: No
Size: 4 Manual: Approved: Notes: model designation	Orientation: 0.25% Pb: No Renewed: changed to DC4SG	Spare Parts Only: No Bypass:
Size: 4 Manual: Approved: Notes: model designation Type: DC	Orientation: 0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco	Spare Parts Only: No Bypass: Model: 4SG-100
Size: 4 Manual: Approved: Notes: model designation Type: DC Size: 6	Orientation: 0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco Orientation:	Spare Parts Only: No Bypass: Model: 4SG-100 Meters:
Size: 4 Manual: Approved: Notes: model designation Type: DC Size: 6 Manual:	Orientation: 0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Spare Parts Only: No Bypass: Model: 4SG-100 Meters: Spare Parts Only: No
Size: 4 Manual: Approved: Notes: model designation Type: DC Size: 6 Manual: Approved:	Orientation: 0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Spare Parts Only: No Bypass: Model: 4SG-100 Meters: Spare Parts Only: No
Size: 4 Manual: Approved: Notes: model designation Type: DC Size: 6 Manual: Approved: Notes: model designation	Orientation: 0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DC4SG	Spare Parts Only: No Bypass: Model: 4SG-100 Meters: Spare Parts Only: No Bypass:
Size: 4 Manual: Approved: Notes: model designation Type: DC Size: 6 Manual: Approved: Notes: model designation	Orientation: 0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco	Spare Parts Only: No Bypass: Model: 4SG-100 Meters: Spare Parts Only: No Bypass: Model: 4SG-100
Size: 4 Manual: Approved: Notes: model designation Type: DC Size: 6 Manual: Approved: Notes: model designation Type: DC Size: 6	Orientation: 0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco Orientation:	Spare Parts Only: No Bypass: Model: 4SG-100 Meters: Spare Parts Only: No Bypass: Model: 4SG-100 Meters:
Size: 4 Manual: Approved: Notes: model designation Type: DC Size: 6 Manual: Approved: Notes: model designation Type: DC Size: 6 Manual:	Orientation: 0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Spare Parts Only: No Bypass: Model: 4SG-100 Meters: Spare Parts Only: No Bypass: Model: 4SG-100 Meters: Spare Parts Only: No
Size: 4 Manual: Approved: Notes: model designation Type: DC Size: 6 Manual: Approved: Notes: model designation Type: DC Size: 6 Manual: Approved: Notes: 100	Orientation: 0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Spare Parts Only: No Bypass: Model: 4SG-100 Meters: Spare Parts Only: No Bypass: Model: 4SG-100 Meters: Spare Parts Only: No
Size: 4 Manual: Approved: Notes: model designation Type: DC Size: 6 Manual: Approved: Notes: model designation Size: 6 Manual: Approved: Notes: model designation	Orientation: 0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DC4SG	Spare Parts Only: No Bypass: Model: 4SG-100 Meters: Spare Parts Only: No Bypass: Model: 4SG-100 Meters: Spare Parts Only: No Bypass:
Size: 4 Manual: Approved: Notes: model designation Type: DC Size: 6 Manual: Approved: Notes: model designation Type: DC Size: 6 Manual: Approved: Notes: model designation Type: DC	Orientation: 0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco	Spare Parts Only: No Bypass: Model: 4SG-100 Meters: Spare Parts Only: No Bypass: Model: 4SG-100 Meters: Spare Parts Only: No Bypass: Model: 4SG-100

Type: DC	Manufacturer: Apollo/Conbraco	Model: 4SG-100
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation change		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4SG-100U
Size: 2 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation change	ged to DC4SGN	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4SG-100U
Size: 3	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to DC4SGN	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4SG-100U
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to DC4SGN	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4SG-100U
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to DC4SGN	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4SG-100U
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation change	ged to DC4SGN	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 6DC
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Oct-2000	Renewed: 16-Oct-2015	Bypass:
Shutoffs: (II),mm		

Type: DC	Manufacturer: Apollo/Conbraco	Model: 6DC
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Oct-2000	Renewed: 16-Oct-2015	Bypass:
Shutoffs: (II),mm		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 6DC7
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 23-Oct-2001	Renewed: 23-Oct-2016	Bypass:
Shutoffs: (mm)[#1SOV], (qqq)[#2	SOV]	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 6DC7
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 23-Oct-2001	Renewed: 23-Oct-2016	Bypass:
Shutoffs: (mm)[#1SOV], (qqq)[#2	SOV]	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 6DC8
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2016	Bypass:
Shutoffs: (ppp),qqq		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 6DC8
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2016	Bypass:
Shutoffs: (ppp),qqq		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 6DCU
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Apr-2001	Renewed: 10-Apr-2016	Bypass:
Shutoffs: (II),mm		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 8DC
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Jan-2003	Renewed: 16-Jan-2015	Bypass:
Shutoffs: (mm),ll		

Type: DC	Manufacturer: Apollo/Conbraco	Model: 8DC
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Jan-2003	Renewed: 16-Jan-2015	Bypass:
Shutoffs: (mm),ll		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 8DC8
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2016	Bypass:
Shutoffs: (ppp),qqq		2,5200
Type: DC	Manufacturer: Apollo/Conbraco	Model: 8DC8
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2016	Bypass:
Shutoffs: (ppp),qqq		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC40
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Jun-1996	Renewed: 27-Jun-2017	Bypass:
Shutoffs: (dd)		
Notes: formerly 40-104-99T, 40-	104-T2, 40-104-TC2	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC40
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Jun-1996	Renewed: 27-Jun-2017	Bypass:
Shutoffs: (dd)		
Notes: formerly 40-105-99T, 40-	105-T2, 40-105-TC2	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC40
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 09-Oct-1996	Renewed: 09-Oct-2014	Bypass:
Shutoffs: (dd)		

Type: DC	Manufacturer: Apollo/Conbraco	Model: DC40
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 09-Oct-1996	Renewed: 09-Oct-2014	Bypass:
Shutoffs: (dd)		
Notes: formerly 40-107-99T, 40-	107-T2	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC40
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 09-Oct-1996	Renewed: 09-Oct-2014	Bypass:
Shutoffs: (dd)		
Notes: formerly 40-108-99T, 40-	108-T2	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4A
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Apr-2011	Renewed: 27-Apr-2017	Bypass:
Shutoffs: (iiiiii),sssss		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4A
Size: 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Apr-2011	Renewed: 27-Apr-2017	Bypass:
Shutoffs: (iiiii),sssss		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4A
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Apr-2011	Renewed: 27-Apr-2017	Bypass:
Shutoffs: (iiiiii),sssss		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4A
Size: 3/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Apr-2011	Renewed: 06-Apr-2017	Bypass:
Shutoffs: (iiiii),sssss		

Type: DC Size: 1	Manufacturer: Apollo/Conbraco Orientation: H	Model: DC4A Meters:
Manual: 9	0.25% Pb : No	Spare Parts Only: No
Approved: 27-Sep-2011	Renewed: 27-Sep-2014	Bypass:
Shutoffs: (iiiii),sssss,wwww		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4A
Size: 1	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Apr-2011	Renewed: 06-Apr-2017	Bypass:
Shutoffs: (iiiii),sssss,wwwww		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4A
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Feb-2012	Renewed: 07-Feb-2015	Bypass:
Shutoffs: (iiiii),sssss,wwwww		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4A
Size: 1 1/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Feb-2012	Renewed: 07-Feb-2015	Bypass:
Shutoffs: (iiiii),sssss,wwwww		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4A
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Feb-2012	Renewed: 07-Feb-2015	Bypass:
Shutoffs: (iiiii),sssss,wwwww		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4A
Size: 1 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Feb-2012	Renewed: 07-Feb-2015	Bypass:
Shutoffs: (iiiii),sssss,wwwww		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4A
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Feb-2012	Renewed: 07-Feb-2015	Bypass:
Shutoffs: (iiiii),sssss,wwww		

Type: DC Size: 2 Manual: 9 Approved: 27-Mar-2012 Shutoffs: (iiiiii),sssss,wwww Type: DC Size: 1/2 Manual: 9 Approved: 18-Sep-2000 Shutoffs: (dd)	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: No Renewed: 27-Mar-2015 Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 18-Sep-2015	Model: DC4A Meters: Spare Parts Only: No Bypass: Model: DC4S Meters: Spare Parts Only: No Bypass:
Notes: formerly 1/2DC		
Type: DC Size: 1/2 Manual: 9 Approved: 18-Sep-2000 Shutoffs: (dd) Notes: formerly 1/2DC	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: No Renewed: 18-Sep-2015	Model: DC4S Meters: Spare Parts Only: No Bypass:
Type: DC Size: 10 Manual: 9 Approved: 16-Jan-2003 Shutoffs: (mm),II, xxxxx, zzzzz, b Notes: formerly 10DC	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 16-Jan-2015 obbbbb, cccccc	Model: DC4S Meters: Spare Parts Only: No Bypass:
Type: DC Size: 10 Manual: 9 Approved: 16-Jan-2003 Shutoffs: (mm),II, xxxxx, zzzzz, b Notes: formerly 10DC	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: No Renewed: 16-Jan-2015	Model: DC4S Meters: Spare Parts Only: No Bypass:
Type: DC Size: 2 1/2 Manual: 9 Approved: 18-Oct-2007 Shutoffs: (yyy)ppp,qqq,ttt Notes: formerly 4SG-100	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 18-Oct-2016	Model: DC4SG Meters: Spare Parts Only: No Bypass:

Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4SG
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Oct-2007	Renewed: 18-Oct-2016	Bypass:
Shutoffs: (yyy)ppp,qqq,ttt		
Notes: formerly 4SG-100		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4SG
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Sep-2007	Renewed: 25-Sep-2016	Bypass:
Shutoffs: (yyy)ppp,qqq,ttt		
Notes: formerly 4SG-100		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4SG
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Sep-2007	Renewed: 25-Sep-2016	Bypass:
Shutoffs: (yyy)ppp,qqq,ttt		
Notes: formerly 4SG-100		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4SG
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Sep-2007	Renewed: 25-Sep-2016	Bypass:
Shutoffs: (yyy)ppp,qqq,ttt		
Notes: formerly 4SG-100		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4SG
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Sep-2007	Renewed: 25-Sep-2016	Bypass:
Shutoffs: (yyy)ppp,qqq,ttt		
Notes: formerly 4SG-100		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4SG
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Sep-2007	Renewed: 25-Sep-2016	Bypass:
Shutoffe: (www)ppp aga ttt		

Shutoffs: (yyy)ppp,qqq,ttt **Notes:** formerly 4SG-100

Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4SG
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Sep-2007	Renewed: 25-Sep-2016	Bypass:
Shutoffs: (yyy)ppp,qqq,ttt		
Notes: formerly 4SG-100		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4SG
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Sep-2007	Renewed: 25-Sep-2016	Bypass:
Shutoffs: (yyy)ppp,qqq,ttt, xxxxx, Notes: formerly 4SG-100	, yyyyy, zzzz, aaaaaa	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4SG
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Sep-2007	Renewed: 25-Sep-2016	Bypass:
Notes: formerly 4SG-100		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4SGN
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Oct-2007	Renewed: 18-Oct-2016	Bypass:
Shutoffs: (yyy)ppp,qqq,ttt Notes: formerly 4SG-100U		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4SGN
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Oct-2007	Renewed: 18-Oct-2016	Bypass:
Shutoffs: (yyy)ppp,qqq,ttt		
Notes: formerly 4SG-100U		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4SGN
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Oct-2007	Renewed: 18-Oct-2016	Bypass:

Shutoffs: (yyy)ppp,qqq,ttt Notes: formerly 4SG-100U

Turner DO		
Type: DC Size: 6	Manufacturer: Apollo/Conbraco Orientation: VUVD	Model: DC4SGN Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Sep-2007	Renewed: 25-Sep-2016	Bypass:
Shutoffs: (yyy)ppp,qqq,ttt Notes: formerly 4SG-100U		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4SGN
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Sep-2007	Renewed: 25-Sep-2016	Bypass:
Shutoffs: (yyy)ppp,qqq,ttt		
Notes: formerly 4SG-100U		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 1/2	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 27-Apr-2011	Renewed: 27-Apr-2017	Bypass:
Shutoffs: (jjjjj),ttttt, uuuuu		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 1/2	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 27-Apr-2011	Renewed: 27-Apr-2017	Bypass:
Shutoffs: (jjjjj),ttttt, uuuuu		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 27-Apr-2011	Renewed: 27-Apr-2017	Bypass:
Shutoffs: (jjjjj),ttttt		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 3/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 06-Apr-2011	Renewed: 06-Apr-2017	Bypass:
Shutoffs: (jjjjj),ttttt		

Type: DC Size: 1 Manual: 9 Approved: 27-Sep-2011 Shutoffs: (jjjjj),ttttt,vvvvv	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: Yes Renewed: 27-Sep-2014	Model: DCLF4A Meters: Spare Parts Only: No Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 1		Meters:
Manual: 9	0.25% Pb: Yes Renewed: 06-Apr-2017	Spare Parts Only: No Bypass:
Approved: 06-Apr-2011 Shutoffs: (jjjjj),ttttt,vvvvv	Keneweu. 00-Api-2017	Bypass.
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Feb-2012	Renewed: 07-Feb-2015	Bypass:
Shutoffs: (jjjjj),ttttt,vvvvv		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 1 1/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Feb-2012 Shutoffs: (jjjjj),ttttt,vvvvv	Renewed: 07-Feb-2015	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Feb-2012	Renewed: 07-Feb-2015	Bypass:
Shutoffs: (jjjjj),ttttt,vvvvv		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 1 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Feb-2012	Renewed: 07-Feb-2015	Bypass:
Shutoffs: (jjjjj),ttttt,vvvvv		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Feb-2012	Renewed: 07-Feb-2015	Bypass:
Shutoffs: (jjjjj),ttttt,vvvvv		

Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 27-Mar-2012	Renewed: 27-Mar-2015	Bypass:
Shutoffs: (jjjjj),ttttt,vvvvv		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 2 1/2	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2013	Renewed: 05-Nov-2016	Bypass:
Shutoffs: (yyy), cccc, dddd, mmi	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 2 1/2	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2013	Renewed: 05-Nov-2016	Bypass:
Shutoffs: (yyy), cccc, dddd, mmi	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 3	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2013	Renewed: 05-Nov-2016	Bypass:
Shutoffs: (yyy), cccc, dddd, mmi	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 3	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2013	Renewed: 05-Nov-2016	Bypass:
Shutoffs: (yyy), cccc, dddd, mmi	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 4	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 24-Jun-2013	Renewed: 24-Jun-2016	Bypass:
Shutoffs: (yyy), cccc, dddd, mmi	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Type: DC Size: 4	Manufacturer: Apollo/Conbraco Orientation: VU	Model: DCLF4A Meters:

Shutoffs: (yyy), cccc, dddd, mmmm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa

Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 6	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 24-Jun-2013	Renewed: 24-Jun-2016	Bypass:
Shutoffs: (yyy), cccc, dddd, mm	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 6	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 24-Jun-2013	Renewed: 24-Jun-2016	Bypass:
Shutoffs: (yyy), cccc, dddd, mm	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 8	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-May-2014	Renewed: 15-May-2017	Bypass:
Shutoffs: (yyy), cccc, dddd, mm	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 8	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-May-2014	Renewed: 15-May-2017	Bypass:
Shutoffs: (yyy), cccc, dddd, mm	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4AN
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 10-Jun-2014	Renewed: 10-Jun-2017	Bypass:
Shutoffs: (yyy), cccc, dddd, mm	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4AN
Size: 3	Orientation: VUVD	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Apr-2014	Renewed: 08-Apr-2017	Bypass:
Shutoffs: (yyy), cccc, dddd, mm	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4AN
0:	Orientation: VUVD	Meters:
Size: 4		
Size: 4 Manual: 10	0.25% Pb: Yes	Spare Parts Only: No

	Manufacturer: Apollo/Conbraco	Model: DCLF4AN
Size: 6	Orientation: VUVD	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-Apr-2014	Renewed: 15-Apr-2017	Bypass:
Shutoffs: (yyy), cccc, dddd, mm	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4AN
Size: 8	Orientation: VUVD	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Feb-2014	Renewed: 20-Feb-2017	Bypass:
Shutoffs: (yyy), cccc, dddd, mm	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4AR
Size: 2 1/2	Orientation: H	Meters:
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Nov-2015	Renewed:	Bypass:
, γ	nnnn, xxxxx, yyyyy, zzzzz, aaaaaa rooved spool between the #2 ck and #2 SO\	/ - assembly length: min. 34" and max. 47
Notes: Integral Stainless Steel g 1/8"	rooved spool between the #2 ck and #2 SO	
Notes: Integral Stainless Steel g 1/8" Type: DC	nooved spool between the #2 ck and #2 SON	Model: DCLF4AR
Notes: Integral Stainless Steel g 1/8" Type: DC Size: 2 1/2	Manufacturer: Apollo/Conbraco Orientation: VU	Model: DCLF4AR Meters:
Notes: Integral Stainless Steel g 1/8" Type: DC Size: 2 1/2 Manual: 10	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: No	Model: DCLF4AR Meters: Spare Parts Only: No
Notes: Integral Stainless Steel g 1/8" Type: DC Size: 2 1/2 Manual: 10 Approved: 09-Nov-2015	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: No Renewed:	Model: DCLF4AR Meters:
Notes: Integral Stainless Steel g 1/8" Type: DC Size: 2 1/2 Manual: 10 Approved: 09-Nov-2015 Shutoffs: (cccc), dddd, mmmm,	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: No Renewed: nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	Model: DCLF4AR Meters: Spare Parts Only: No Bypass:
Notes: Integral Stainless Steel g 1/8" Type: DC Size: 2 1/2 Manual: 10 Approved: 09-Nov-2015 Shutoffs: (cccc), dddd, mmmm,	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: No Renewed:	Model: DCLF4AR Meters: Spare Parts Only: No Bypass:
Notes: Integral Stainless Steel g 1/8" Type: DC Size: 2 1/2 Manual: 10 Approved: 09-Nov-2015 Shutoffs: (cccc), dddd, mmmm, Notes: Integral Stainless Steel g 1/8"	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: No Renewed: nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	Model: DCLF4AR Meters: Spare Parts Only: No Bypass:
Notes: Integral Stainless Steel g 1/8" Type: DC Size: 2 1/2 Manual: 10 Approved: 09-Nov-2015 Shutoffs: (cccc), dddd, mmmm, Notes: Integral Stainless Steel g 1/8" Type: DC	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: No Renewed: nnnn, xxxxx, yyyyy, zzzzz, aaaaaa rooved spool between the #2 ck and #2 SO	Model: DCLF4AR Meters: Spare Parts Only: No Bypass: / - assembly length: min. 34" and max. 47
Notes: Integral Stainless Steel g 1/8" Type: DC Size: 2 1/2 Manual: 10 Approved: 09-Nov-2015 Shutoffs: (cccc), dddd, mmmm, Notes: Integral Stainless Steel g 1/8" Type: DC Size: 3	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: No Renewed: nnnn, xxxxx, yyyyy, zzzzz, aaaaaa rooved spool between the #2 ck and #2 SON	Model: DCLF4AR Meters: Spare Parts Only: No Bypass: / - assembly length: min. 34" and max. 47 Model: DCLF4AR
Notes: Integral Stainless Steel g 1/8" Type: DC Size: 2 1/2 Manual: 10 Approved: 09-Nov-2015 Shutoffs: (cccc), dddd, mmmm, Notes: Integral Stainless Steel g	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: No Renewed: nnnn, xxxxx, yyyyy, zzzzz, aaaaaa rooved spool between the #2 ck and #2 SON Manufacturer: Apollo/Conbraco Orientation: H	Model: DCLF4AR Meters: Spare Parts Only: No Bypass: / - assembly length: min. 34" and max. 47 Model: DCLF4AR Meters:
Notes: Integral Stainless Steel g 1/8" Type: DC Size: 2 1/2 Manual: 10 Approved: 09-Nov-2015 Shutoffs: (cccc), dddd, mmmm, Notes: Integral Stainless Steel g 1/8" Type: DC Size: 3 Manual: 10 Approved: 09-Nov-2015	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: No Renewed: nnnn, xxxxx, yyyyy, zzzzz, aaaaaa rooved spool between the #2 ck and #2 SON Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No	Model: DCLF4AR Meters: Spare Parts Only: No Bypass: / - assembly length: min. 34" and max. 47 Model: DCLF4AR Meters: Spare Parts Only: No
Notes: Integral Stainless Steel g 1/8" Type: DC Size: 2 1/2 Manual: 10 Approved: 09-Nov-2015 Shutoffs: (cccc), dddd, mmmm, Notes: Integral Stainless Steel g 1/8" Type: DC Size: 3 Manual: 10 Approved: 09-Nov-2015 Shutoffs: (cccc), dddd, mmmm,	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: No Renewed: nnnn, xxxxx, yyyyy, zzzzz, aaaaaa rooved spool between the #2 ck and #2 SON Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed:	Model: DCLF4AR Meters: Spare Parts Only: No Bypass: / - assembly length: min. 34" and max. 47 Model: DCLF4AR Meters: Spare Parts Only: No Bypass:

Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4AR
Size: 3	Orientation: VU	Meters:
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Nov-2015	Renewed:	Bypass:
Shutoffs: (cccc), dddd, mmmm,	nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Notes: Integral Stainless Steel gr 1/8"	rooved spool between the #2 ck and #2 SO\	/ - assembly length: min. 35" and max. 48
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4AR
Size: 4	Orientation: H	Meters:
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Sep-2015	Renewed:	Bypass:
Shutoffs: (cccc), dddd, mmmm,	nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Notes: Integral Stainless Steel gr 62 1/4"	rooved spool between the #2 ck and #2 SO\	/ - assembly length: min. 37 3/8" and max.
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4AR
Size: 4	Orientation: VU	Meters:
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Sep-2015	Renewed:	Bypass:
Shutoffs: (cccc), dddd, mmmm,	nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Notes: Integral Stainless Steel gr 62 1/4"	rooved spool between the #2 ck and #2 SO\	/ - assembly length: min. 37 3/8" and max.
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4AR
Size: 6	Orientation: H	Meters:
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Sep-2015	Renewed:	Bypass:
Shutoffs: (cccc), dddd, mmmm,	nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Notes: Integral Stainless Steel gr 1/4"	rooved spool between the #2 ck and #2 SO\	/ - assembly length: min. 46" and max. 71
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4AR
Size: 6	Orientation: VU	Meters:
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Sep-2015	Renewed:	Bypass:
Shutoffs: (cccc), dddd, mmmm,	nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Notes: Integral Stainless Steel g	rooved spool between the #2 ck and #2 SO\	/ - assembly length: min. 46" and max. 71

1/4"

Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4AR
Size: 8	Orientation: H	Meters:
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Dec-2015	Renewed:	Bypass:
Shutoffs: (cccc), dddd, mmmm,	nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Notes: Integral Stainless Steel g 86"	prooved spool between the #2 ck and #2 SO	/ - assembly length: min. 55 3/4" and max.
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4AR
Size: 8	Orientation: VU	Meters:
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Dec-2015	Renewed:	Bypass:
Shutoffs: (cccc), dddd, mmmm,	nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Notes: Integral Stainless Steel g 86"	prooved spool between the #2 ck and #2 SO	/ - assembly length: min. 55 3/4" and max.
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4SG
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 23-Jan-2015	Renewed:	Bypass:
Shutoffs: (yyy), cccc, dddd, mm	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4SG
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 23-Jan-2015	Renewed:	Bypass:
Shutoffs: (yyy), cccc, dddd, mm	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4SG
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 23-Jan-2015	Renewed:	Bypass:
Shutoffs: (yyy), cccc, dddd, mm	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4SG
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 23-Jan-2015	Renewed:	Bypass:
	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	

Type: DC	Manufacturary Apollo/Conbrasa	Model: DCLF4SG
Size: 4	Manufacturer: Apollo/Conbraco Orientation: H	Model: Delr436
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 23-Jan-2015	Renewed:	Bypass:
	mm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa	Dypass.
	, , , , , , , , , , , , , , , , , , ,	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4SG
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 23-Jan-2015	Renewed:	Bypass:
Shutoffs: (yyy), cccc, dddd, mm	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4SG
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 23-Jan-2015	Renewed:	Bypass:
Shutoffs: (yyy), cccc, dddd, mm	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4SG
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 23-Jan-2015	Renewed:	Bypass:
Shutoffs: (yyy), cccc, dddd, mm	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: DC	Manufacturer: Apollo/Conbraco	Model: W432100
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Oct-2007	Renewed: 18-Oct-2016	Bypass:
Shutoffs: (dd)		
Notes: formerly 4S103		
Type: DC	Manufacturer: Apollo/Conbraco	Model: W432100
Size: 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Oct-2007	Renewed: 18-Oct-2016	Bypass:
Shutoffs: (dd)		

Type: DC	Manufacturer: ARI	Model: DC 501
Size: 3/4	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Mar-2017	Renewed:	Bypass:
Shutoffs: (int)	Keneweu.	υγρασο.
	Manufacturer: ARI	Model: DC 501
Type: DC Size: 1 1/4		Meters:
Manual: 10	0.25% Pb: Yes	
	Renewed:	Spare Parts Only: No
Approved: 20-Mar-2017 Shutoffs: (int)	Kenewea:	Bypass:
Type: DC	Manufacturer: ARI	Model: DC 501
Size: 1 1/2	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Mar-2017	Renewed:	Bypass:
Shutoffs: (int)		
Type: DC	Manufacturer: ARI	Model: DC 501
Size: 2	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Mar-2017	Renewed:	Bypass:
Shutoffs: (int)		
Type: DC	Manufacturer: ARI	Model: DC 500
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jan-2013	Renewed: 03-Jan-2016	Bypass:
Shutoffs: (00000), ii, 000		
Type: DC	Manufacturer: ARI	Model: DC 500
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	Bypass:
Shutoffs: (00000)		
Type: DC	Manufacturer: ARI	Model: DC 500
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 02-Mar-2007	Renewed: 02-Mar-2016	Bypass:
Shutoffs: (ii),000, 00000, ffffff		

Type: DC Size: 3/4 Orientation: H Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 18-Feb-2014 Renewed: 18-Feb-2017 Bypass: Shutoffs: (00000), ffffff Type: DC Manufacturer: ARI Model: DC 500 Size: 1 Orientation: H Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Approved: 02-Mar-2007 Renewed: 02-Mar-2016 Bypass: Shutoffs: (ii),000, 00000 Type: DC Manufacturer: ARI Model: DC 500 Size: 1 Orientation: H Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 18-Feb-2014 Renewed: 18-Feb-2017 Bypass: Shutoffs: (00000) Type: DC Manufacturer: ARI Model: DC 500 Size: 1 1/4 Orientation: H Meters: **Manual:** 10 0.25% Pb: Yes Spare Parts Only: No Approved: 08-Jan-2014 Renewed: 08-Jan-2017 **Bypass:** Shutoffs: (00000), ffffff Type: DC Manufacturer: ARI Model: DC 500 Size: 1 1/2 Orientation: H Meters: 0.25% Pb: Yes **Manual:** 10 Spare Parts Only: No Approved: 08-Jan-2014 Renewed: 08-Jan-2017 Bypass: Shutoffs: (00000), ffffff Type: DC Model: DC 500 Manufacturer: ARI Size: 2 Orientation: H Meters: 0.25% Pb: Yes **Manual:** 10 Spare Parts Only: No Approved: 08-Jan-2014 Renewed: 08-Jan-2017 **Bypass:** Shutoffs: (00000), ffffff Type: DC Manufacturer: Backflow Direct Model: Deringer 20 Size: 2 1/2 Orientation: H Meters: 0.25% Pb: Yes Spare Parts Only: No **Manual:** 10 Approved: 21-Dec-2015 **Renewed:** Bypass: Shutoffs: (int)

Manufacturer: ARI

Model: DC 500

Type: DC Size: 2 1/2 Manual: 10 Approved: 21-Dec-2015 Shutoffs: (int)	Manufacturer: Backflow Direct Orientation: VU 0.25% Pb: Yes Renewed:	Model: Deringer 20 Meters: Spare Parts Only: No Bypass:
Type: DC	Manufacturer: Backflow Direct	Model: Deringer 20
Size: 3	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 21-Dec-2015 Shutoffs: (int)	Renewed:	Bypass:
Type: DC	Manufacturer: Backflow Direct	Model: Deringer 20
Size: 3	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 21-Dec-2015 Shutoffs: (int)	Renewed:	Bypass:
Type: DC	Manufacturer: Backflow Direct	Model: Deringer 20
Size: 4	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 30-Sep-2015 Shutoffs: (int)	Renewed:	Bypass:
Type: DC	Manufacturer: Backflow Direct	Model: Deringer 20
Size: 4	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 30-Sep-2015 Shutoffs: (int)	Renewed:	Bypass:
Type: DC	Manufacturer: Backflow Direct	Model: Deringer 20
Size: 8	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 23-Dec-2016 Shutoffs: (int)	Renewed:	Bypass:
Type: DC	Manufacturer: Backflow Direct	Model: Deringer 20
Size: 8	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 23-Dec-2016	Renewed:	Bypass:
Shutoffs: (int)		

Type: DC Size: 6 Manual: 10 Approved: 23-Dec-2016 Shutoffs: (int)	Manufacturer: Backflow Direct Orientation: H 0.25% Pb: Yes Renewed:	Model: Deringer 20X Meters: Spare Parts Only: No Bypass:
Type: DC Size: 6	Manufacturer: Backflow Direct Orientation: VU	Model: Deringer 20X Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 23-Dec-2016 Shutoffs: (int)	Renewed:	Bypass:
Type: DC	Manufacturer: Cash Acme	Model: DC 500
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 19-Apr-2012 Shutoffs: (ii),000	Renewed: 19-Apr-2015	Bypass:
Type: DC	Manufacturer: Cash Acme	Model: DC 500
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 19-Apr-2012 Shutoffs: (ii),000	Renewed: 19-Apr-2015	Bypass:
Type: DC	Manufacturer: Cash Acme	Model: DC100
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 20-Oct-2008 Shutoffs: (ii)	Renewed: 20-Oct-2014	Bypass:
Type: DC	Manufacturer: Cash Acme	Model: DC100
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 20-Oct-2008 Shutoffs: (ii)	Renewed: 20-Oct-2014	Bypass:
Type: DC	Manufacturer: Cash Acme	Model: DC100
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 20-Oct-2008	Renewed: 20-Oct-2014	Bypass:
Shutoffs: (ii)		

Type: DC	Manufacturer: Cash Acme	Model: DC100
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 20-Oct-2008	Renewed: 20-Oct-2014	Bypass:
Shutoffs: (ii)		
Type: DC	Manufacturer: Cla-Val	Model: D4
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 22-Jun-1989	Renewed: 22-Jun-2016	Bypass:
Shutoffs: (gg),hh,qq,rr		
Type: DC	Manufacturer: Cla-Val	Model: D4
Size: 10	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 22-Jun-1989	Renewed: 22-Jun-2016	Bypass:
Shutoffs: (gg),hh,qq,rr		
Type: DC	Manufacturer: Conbraco	Model:
Size:	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: See Apollo/Conbraco		
Type: DC	Manufacturer: Febco	Model: 750
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (ppp),qqq		
Type: DC	Manufacturer: Febco	Model: 750
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gg	gg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Febco	Model: 750
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:

Shutoffs: (ppp),qqq

Type: DC	Manufacturer: Febco	Model: 750
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb : Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,dd	dd,gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Febco	Model: 750
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (ppp),qqq		
Type: DC	Manufacturer: Febco	Model: 750
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,dd	dd,gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Febco	Model : 750
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (ppp),qqq		
Type: DC	Manufacturer: Febco	Model: 750
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,dd	dd,gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Febco	Model: 750
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (ppp),qqq		
Type: DC	Manufacturer: Febco	Model: 750
Size: 4	Orientation: H	Meters:
0126. 4		
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No

Type: DC	Manufacturer: Febco	Model: 750
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (ppp),qqq		
Type: DC	Manufacturer: Febco	Model: 750
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ddd	ld,gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Febco	Model: 750
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: DC	Manufacturer: Febco	Model: 750
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: zzz,dddd,eeee,ffff,gggg	g,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Febco	Model: 750
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: DC	Manufacturer: Febco	Model: 750
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: zzz,dddd,eeee,ffff,gggg	g,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Febco	Model: 750
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (vvv) ppp and agaa bb	bb	

Shutoffs: (yyy),ppp,qqq,aaaa,bbbb

2017 $\ensuremath{\mathbb{C}}$ University of Southern California

Type: DC	Manufacturer: Febco	Model: 750
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (yyy),zzz,dddd,eeee,g	ggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Febco	Model: 750
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (yyy),ppp,qqq,aaaa,bb	bb	
Type: DC	Manufacturer: Febco	Model: 750
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (yyy),zzz,dddd,eeee,g	ggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Febco	Model: 750
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: DC	Manufacturer: Febco	Model: 750
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ffff,	gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Febco	Model: 750
Size: 10	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: DC	Manufacturer: Febco	Model: 750
Size: 10	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:

Type: DC	Manufacturer: Febco	Model: 750N
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (ppp),qqq		
Type: DC	Manufacturer: Febco	Model: 750N
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: zzz,dddd,eeee,dddd,g	ggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Febco	Model: 750N
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (ppp),qqq		
Type: DC	Manufacturer: Febco	Model: 750N
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: zzz,dddd,eeee,dddd,g	ggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Febco	Model: 750N
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (ppp),qqq		
Type: DC	Manufacturer: Febco	Model: 750N
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: zzz,dddd,eeee,dddd,g	ggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Febco	Model: 750N
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:

Shutoffs: (ppp),qqq

Type: DC	Manufacturer: Febco	Model: 750N
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: zzz,dddd,eeee,dddd,g	gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Febco	Model: 805 Type YD
Size: 2 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to 805YD	
Type: DC	Manufacturer: Febco	Model: 805 Type YD
Size: 3	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to 805YD	
Type: DC	Manufacturer: Febco	Model: 805 Type YD
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to 805YD	
Type: DC	Manufacturer: Febco	Model: 805 Type YD
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to 805YD	
Type: DC	Manufacturer: Febco	Model: 805 Type YD
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to 805YD	
Type: DC	Manufacturer: Febco	Model: 805 Type YD
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:

Notes: model designation changed to 805YD

Type: DC Manufacturer: Febco Model: 805Y Size: 3/4 Orientation: H Meters: 0.25% Pb: No Spare Parts Only: Yes Manual: 6 Approved: 13-May-1982 Renewed: 13-May-2015 Bypass: Shutoffs: ii,fff,jjj,000 Type: DC Manufacturer: Febco Model: 805Y Size: 1 Orientation: H Meters: 0.25% Pb: No Manual: 6 Spare Parts Only: Yes Renewed: 13-May-2015 Approved: 13-May-1982 Bypass: Shutoffs: ii,fff,jjj,ooo Type: DC Manufacturer: Febco Model: 805Y Size: 1 1/2 Orientation: H Meters: 0.25% Pb: No Manual: 6 Spare Parts Only: Yes Approved: 05-Jan-1983 Renewed: 05-Jan-2016 Bypass: Shutoffs: ii,fff,jjj,000 Type: DC Manufacturer: Febco Model: 805Y **Size:** 2 Orientation: H Meters: Manual: 6 0.25% Pb: No Spare Parts Only: Yes Approved: 05-Jan-1983 Renewed: 05-Jan-2016 **Bypass:** Shutoffs: ii,fff,ooo Type: DC Manufacturer: Febco Model: 805YB Size: 3/4 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: No Approved: 04-May-1994 Renewed: 04-May-2015 Bypass: Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable seats beginning with Serial No. A105801 Type: DC Manufacturer: Febco Model: 805YB Size: 3/4 Orientation: VU Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 16-Apr-1996 Renewed: 16-Apr-2017 Bypass:

Notes: Replaceable seats beginning with Serial No. A105801

Shutoffs: (ii),fff,jjj,ooo

Type: DC	Manufacturer: Febco	Model: 805YD	
Size: 2 1/2	Orientation: H	Meters:	
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes	
Approved: 31-May-1987	Renewed: 31-May-2017	Bypass:	
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,uu	u,zzz,ffff,gggg		
Notes: formerly 805 Type YD			
Type: DC	Manufacturer: Febco	Model: 805YD	
Size: 3	Orientation: H	Meters:	
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes	
Approved: 31-May-1987	Renewed: 31-May-2017	Bypass:	
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,uu	u,zzz,ffff,gggg		
Notes: formerly 805 Type YD			
Type: DC	Manufacturer: Febco	Model: 805YD	
Size: 4	Orientation: H	Meters:	
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes	
		Bypacci	
Approved: 31-May-1987	Renewed: 31-May-2017	Bypass:	
Approved: 31-May-1987 Shutoffs: (ee),ff,ll,mm,oo,pp,tt,ut	•	Dypass.	
	•	Буразэ.	
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,ut Notes: formerly 805 Type YD	•	Model: 805YD	
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,uu Notes: formerly 805 Type YD	u,zzz,ffff,gggg		
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,uu Notes: formerly 805 Type YD Type: DC Size: 6	u,zzz,ffff,gggg Manufacturer: Febco	Model: 805YD	
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,uu Notes: formerly 805 Type YD Type: DC Size: 6 Manual: 7	u,zzz,ffff,gggg Manufacturer: Febco Orientation: H	Model: 805YD Meters:	
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,uu Notes: formerly 805 Type YD Type: DC Size: 6 Manual: 7 Approved: 31-May-1987	u,zzz,ffff,gggg Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 31-May-2017	Model: 805YD Meters: Spare Parts Only: Yes	
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,uu Notes: formerly 805 Type YD Type: DC Size: 6 Manual: 7 Approved: 31-May-1987 Shutoffs: (ee),ff,ll,mm,oo,pp,tt,uu	u,zzz,ffff,gggg Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 31-May-2017	Model: 805YD Meters: Spare Parts Only: Yes	
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,uu Notes: formerly 805 Type YD Type: DC Size: 6 Manual: 7 Approved: 31-May-1987 Shutoffs: (ee),ff,ll,mm,oo,pp,tt,uu Notes: formerly 805 Type YD	u,zzz,ffff,gggg Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 31-May-2017	Model: 805YD Meters: Spare Parts Only: Yes	
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,uu Notes: formerly 805 Type YD Type: DC Size: 6 Manual: 7 Approved: 31-May-1987 Shutoffs: (ee),ff,ll,mm,oo,pp,tt,uu Notes: formerly 805 Type YD	u,zzz,ffff,gggg Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 31-May-2017 u,zzz,ffff,gggg	Model: 805YD Meters: Spare Parts Only: Yes Bypass:	
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,uu Notes: formerly 805 Type YD Type: DC Size: 6 Manual: 7 Approved: 31-May-1987 Shutoffs: (ee),ff,ll,mm,oo,pp,tt,uu Notes: formerly 805 Type YD Type: DC Size: 8	u,zzz,ffff,gggg Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 31-May-2017 u,zzz,ffff,gggg Manufacturer: Febco	Model: 805YD Meters: Spare Parts Only: Yes Bypass: Model: 805YD	
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,uu Notes: formerly 805 Type YD Type: DC Size: 6 Manual: 7 Approved: 31-May-1987 Shutoffs: (ee),ff,ll,mm,oo,pp,tt,uu Notes: formerly 805 Type YD Type: DC Size: 8 Manual: 7	Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 31-May-2017 u,zzz,ffff,gggg Manufacturer: Febco Orientation: H	Model: 805YD Meters: Spare Parts Only: Yes Bypass: Model: 805YD Meters:	
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,uu Notes: formerly 805 Type YD Type: DC Size: 6 Manual: 7 Approved: 31-May-1987 Shutoffs: (ee),ff,ll,mm,oo,pp,tt,uu Notes: formerly 805 Type YD Type: DC Size: 8 Manual: 7 Approved: 31-May-1987	Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 31-May-2017 u,zzz,ffff,gggg Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 31-May-2017	Model: 805YD Meters: Spare Parts Only: Yes Bypass: Model: 805YD Meters: Spare Parts Only: Yes	
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,uu Notes: formerly 805 Type YD Type: DC Size: 6 Manual: 7 Approved: 31-May-1987 Shutoffs: (ee),ff,ll,mm,oo,pp,tt,uu Notes: formerly 805 Type YD Type: DC Size: 8 Manual: 7 Approved: 31-May-1987 Shutoffs: (ee),ff,ll,mm,oo,pp,tt,uu	Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 31-May-2017 u,zzz,ffff,gggg Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 31-May-2017	Model: 805YD Meters: Spare Parts Only: Yes Bypass: Model: 805YD Meters: Spare Parts Only: Yes	
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,ut	Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 31-May-2017 u,zzz,ffff,gggg Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 31-May-2017	Model: 805YD Meters: Spare Parts Only: Yes Bypass: Model: 805YD Meters: Spare Parts Only: Yes	
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,ut Notes: formerly 805 Type YD Type: DC Size: 6 Manual: 7 Approved: 31-May-1987 Shutoffs: (ee),ff,ll,mm,oo,pp,tt,ut Notes: formerly 805 Type YD Type: DC Size: 8 Manual: 7 Approved: 31-May-1987 Shutoffs: (ee),ff,ll,mm,oo,pp,tt,ut Notes: formerly 805 Type YD	u,zzz,ffff,gggg Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 31-May-2017 u,zzz,ffff,gggg Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 31-May-2017 u,zzz,ffff,gggg	Model: 805YD Meters: Spare Parts Only: Yes Bypass: Model: 805YD Meters: Spare Parts Only: Yes Bypass:	
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,ut Notes: formerly 805 Type YD Type: DC Size: 6 Manual: 7 Approved: 31-May-1987 Shutoffs: (ee),ff,ll,mm,oo,pp,tt,ut Notes: formerly 805 Type YD Type: DC Size: 8 Manual: 7 Approved: 31-May-1987 Shutoffs: (ee),ff,ll,mm,oo,pp,tt,ut Notes: formerly 805 Type YD	Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 31-May-2017 u,zzz,ffff,gggg Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 31-May-2017 u,zzz,ffff,gggg Manufacturer: Febco	Model: 805YD Meters: Spare Parts Only: Yes Bypass: Model: 805YD Meters: Spare Parts Only: Yes Bypass: Model: 805YD	
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,ut Notes: formerly 805 Type YD Type: DC Size: 6 Manual: 7 Approved: 31-May-1987 Shutoffs: (ee),ff,ll,mm,oo,pp,tt,ut Notes: formerly 805 Type YD Type: DC Size: 8 Manual: 7 Approved: 31-May-1987 Shutoffs: (ee),ff,ll,mm,oo,pp,tt,ut Notes: formerly 805 Type YD Type: DC Size: 10	Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 31-May-2017 u,zzz,ffff,gggg Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 31-May-2017 u,zzz,ffff,gggg Manufacturer: Febco Orientation: H	Model: 805YD Meters: Spare Parts Only: Yes Bypass: Model: 805YD Meters: Spare Parts Only: Yes Bypass: Model: 805YD Meters: Bypass:	

Type: DC	Manufacturer: Febco	Model: 805YR
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb : No	Spare Parts Only: Yes
Approved: 22-Jan-1993	Renewed: 22-Jan-2017	Bypass:
Shutoffs: ii,fff,jjj,ooo		
Type: DC	Manufacturer: Febco	Model: 805YR
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 22-Jan-1993	Renewed: 22-Jan-2017	Bypass:
Shutoffs: ii,fff,jjj,ooo		
Type: DC	Manufacturer: Febco	Model: 850
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Nov-1997	Renewed: 21-Nov-2015	Bypass:
Shutoffs: (fff),000		
Type: DC	Manufacturer: Febco	Model: 850
Size: 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 13-Apr-2000	Renewed: 13-Apr-2015	Bypass:
Shutoffs: (fff),000		
Type: DC	Manufacturer: Febco	Model: 850
Size: 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Dec-1999	Renewed: 17-Dec-2014	Bypass:
Shutoffs: (fff),000		
Type: DC	Manufacturer: Febco	Model: 850
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Nov-1997	Renewed: 21-Nov-2015	Bypass:
Shutoffs: (fff),jjj,ooo		
Type: DC	Manufacturer: Febco	Model: 850
Size: 3/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 10-Apr-2000	Renewed: 10-Apr-2015	Bypass:
Shutoffs: (fff),jjj,ooo		

Type: DC	Manufacturer: Febco	Model: 850
Size: 3/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Dec-1999	Renewed: 17-Dec-2014	Bypass:
Shutoffs: (fff),jjj,ooo		
Type: DC	Manufacturer: Febco	Model: 850
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Nov-1997	Renewed: 21-Nov-2015	Bypass:
Shutoffs: (fff),jjj,000		
Type: DC	Manufacturer: Febco	Model: 850
Size: 1	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jan-2000	Renewed: 14-Jan-2015	Bypass:
Shutoffs: (fff),jjj,000		
Type: DC	Manufacturer: Febco	Model: 850
Size: 1	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Sep-2000	Renewed: 07-Sep-2015	Bypass:
Shutoffs: (fff),jjj,000		
Type: DC	Manufacturer: Febco	Model: 850
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Nov-1997	Renewed: 21-Nov-2015	Bypass:
Shutoffs: (fff),jjj,ooo		
Type: DC	Manufacturer: Febco	Model: 850
Size: 1 1/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 13-Apr-2000	Renewed: 13-Apr-2015	Bypass:
Shutoffs: (fff),jjj,ooo		
Type: DC	Manufacturer: Febco	Model: 850
Size: 1 1/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Jul-1999	Renewed: 10-Jul-2017	Bypass:
Shutoffs: (fff),jjj,000		

Type: DC	Manufacturer: Febco	Model: 850
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 19-Feb-1998	Renewed: 19-Feb-2016	Bypass:
Shutoffs: (fff),jjj,000		
Type: DC	Manufacturer: Febco	Model: 850
Size: 1 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 13-Apr-2000	Renewed: 13-Apr-2015	Bypass:
Shutoffs: (fff),jjj,000		
Type: DC	Manufacturer: Febco	Model: 850
Size: 1 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Jul-1999	Renewed: 10-Jul-2017	Bypass:
Shutoffs: (fff),jjj,000		
Type: DC	Manufacturer: Febco	Model: 850
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 19-Feb-1998	Renewed: 19-Feb-2016	Bypass:
Shutoffs: (fff),000		
Type: DC	Manufacturer: Febco	Model: 850
Size: 2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 10-Apr-2000 Shutoffs: (fff),000	Renewed: 10-Apr-2015	Bypass:
Type: DC	Manufacturer: Febco	Model: 850
Size: 2	Orientation: VU	Meters:
Manual: 9	0.25% Pb : No	Spare Parts Only: No
Approved: 17-Jul-1999	Renewed: 10-Jul-2017	Bypass:
Shutoffs: (fff),000		
Type: DC	Manufacturer: Febco	Model: 850
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 14-Mar-1997	Renewed: 14-Mar-2015	Bypass:

Shutoffs: (ee),ff,ll,mm,oo,pp,tt,uu,zzz,cccc,ffff,gggg

Type: DC	Manufacturer: Febco	Model: 850
Size: 2 1/2	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 19-Mar-1997	Renewed: 19-Mar-2015	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,zzz,cccc,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 850
Size: 3	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 14-Mar-1997	Renewed: 14-Mar-2015	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,zzz,cccc,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 850
Size: 3	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 19-Mar-1997	Renewed: 19-Mar-2015	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,zzz,cccc,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 850
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 04-May-1994	Renewed: 04-May-2015	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,nnn,zzz,cccc,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 850
Size: 4	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 07-Feb-1995	Renewed: 07-Feb-2016	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,nnn,zzz,cccc,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 850
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 04-May-1994	Renewed: 04-May-2015	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,nnn,zzz,cccc,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 850
Type: DC Size: 6	Manufacturer: Febco Orientation: VU	Model: 850 Meters:

T		
Type: DC	Manufacturer: Febco	Model: 850
Size: 8 Manual: 8	Orientation: H	Meters:
	0.25% Pb: No	Spare Parts Only: Yes
Approved: 04-Oct-1995	Renewed: 04-Oct-2016	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,IIIII,222,0000,IIII,99999	
Type: DC	Manufacturer: Febco	Model: 850
Size: 8	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 14-Oct-1996	Renewed: 14-Oct-2014	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,nnn,zzz,cccc,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 850F
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb : No	Spare Parts Only: Yes
Approved: 28-Sep-2001	Renewed: 28-Sep-2016	Bypass:
Shutoffs: fff,jjj		
Type: DC	Manufacturer: Febco	Model: 850F
Size: 3/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb : No	Spare Parts Only: No
Approved: 28-Sep-2001	Renewed: 28-Sep-2016	Bypass:
Shutoffs: (fff),jjj		
Type: DC	Manufacturer: Febco	Model: 850F
Size: 3/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 28-Sep-2001	Renewed: 28-Sep-2016	Bypass:
Shutoffs: (fff),jjj		
Type: DC	Manufacturer: Febco	Model: 850U
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Oct-1998	Renewed: 12-Oct-2016	Bypass:
Shutoffs: (kkk)		
Type: DC	Manufacturer: Febco	Model: 850U
Size: 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Oct-2000	Renewed: 16-Oct-2015	Bypass:
Shutoffs: (kkk)		

Type: DC	Manufacturer: Febco	Model: 850U
Size: 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Dec-1999	Renewed: 17-Dec-2014	Bypass:
Shutoffs: (kkk)		
Type: DC	Manufacturer: Febco	Model: 850U
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Mar-1999	Renewed: 08-Mar-2017	Bypass:
Shutoffs: (kkk)		
Type: DC	Manufacturer: Febco	Model: 850U
Size: 3/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Oct-2000	Renewed: 16-Oct-2015	Bypass:
Shutoffs: (kkk)		
Type: DC	Manufacturer: Febco	Model: 850U
Size: 3/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Dec-1999	Renewed: 17-Dec-2014	Bypass:
Shutoffs: (kkk)		
Type: DC	Manufacturer: Febco	Model: 850U
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Aug-1999	Renewed: 04-Aug-2017	Bypass:
Shutoffs: (kkk)		
Type: DC	Manufacturer: Febco	Model: 850U
Size: 1	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jan-2000	Renewed: 14-Jan-2015	Bypass:
Shutoffs: (kkk)		
Type: DC	Manufacturer: Febco	Model: 850U
Size: 1	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Oct-2000	Renewed: 16-Oct-2015	Bypass:
Shutoffs: (kkk)		

Type: DC Manufacturer: Febco Model: 850U Size: 1 1/4 Orientation: H Meters: 0.25% Pb: No Spare Parts Only: No Manual: 9 Approved: 12-Oct-1998 Renewed: 12-Oct-2016 Bypass: Shutoffs: (kkk) Type: DC Manufacturer: Febco Model: 850U Size: 1 1/4 Orientation: VD Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Renewed: 16-Oct-2015 Approved: 16-Oct-2000 Bypass: Shutoffs: (kkk) Type: DC Manufacturer: Febco Model: 850U Size: 1 1/4 Orientation: VU Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Renewed: 04-Aug-2017 Approved: 04-Aug-1999 Bypass: Shutoffs: (kkk) Type: DC Manufacturer: Febco Model: 850U Size: 1 1/2 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 12-Oct-1998 Renewed: 12-Oct-2016 **Bypass:** Shutoffs: (kkk) Type: DC Manufacturer: Febco Model: 850U Size: 1 1/2 Orientation: VD Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Approved: 16-Oct-2000 Renewed: 16-Oct-2015 Bypass: Shutoffs: (kkk) Type: DC Manufacturer: Febco Model: 850U Size: 1 1/2 Orientation: VU Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 04-Aug-1999 Renewed: 04-Aug-2017 **Bypass:** Shutoffs: (kkk) Type: DC Manufacturer: Febco Model: 850U Size: 2 Orientation: H Meters: Spare Parts Only: No Manual: 9 0.25% Pb: No Approved: 12-Oct-1998 Renewed: 12-Oct-2016 Bypass: Shutoffs: (kkk)

Type: DC	Manufacturer: Febco	Model: 850U
Size: 2	Orientation: VD	Meters:
Manual: 9	0.25% Pb : No	Spare Parts Only: No
Approved: 16-Oct-2000	Renewed: 16-Oct-2015	Bypass:
Shutoffs: (kkk)		
Type: DC	Manufacturer: Febco	Model: 850U
Size: 2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Aug-1999	Renewed: 04-Aug-2017	Bypass:
Shutoffs: (kkk)		
Type: DC	Manufacturer: Febco	Model: 857
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Aug-2006	Renewed: 01-Aug-2015	Bypass:
Shutoffs: (oo), gg, hh,ll, mm, pp,	, tt, uu, yy, fff	
Type: DC	Manufacturer: Febco	Model: 857
Size: 2 1/2	Orientation: VU	Meters:
Manual: 8	0.25% Pb : No	Spare Parts Only: Yes
Approved: 01-Aug-2006	Renewed: 01-Aug-2015	Bypass:
Shutoffs: (oo), gg, hh,ll, mm, pp,	-	
Type: DC	Manufacturer: Febco	Model: 857
Size: 3	Orientation: H	Meters:
Manual: 8	0.25% Pb : No	Spare Parts Only: Yes
Approved: 01-Aug-2006	Renewed: 01-Aug-2015	Bypass:
Shutoffs: (oo), gg, hh,ll, mm, pp,	-	
Type: DC	Manufacturer: Febco	Model: 857
Size: 3	Orientation: VU	Meters:
Manual: 8	0.25% Pb : No	Spare Parts Only: Yes
Approved: 01-Aug-2006	Renewed: 01-Aug-2015	Bypass:
Shutoffs: (oo), gg, hh,ll, mm, pp,	-	
Type: DC	Manufacturer: Febco	Model: 870
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes

Shutoffs: ee,ff,ll,mm,oo,pp,tt,uu,zzz,ffff,gggg

Type: DC	Manufacturer: Febco	Model: 870
Size: 3	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Mar-1995	Renewed: 10-Mar-2016	Bypass:
Shutoffs: ee,ff,ll,mm,oo,pp,tt,uu,	zzz,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 870
Size: 4	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 04-May-1994	Renewed: 04-May-2015	Bypass:
Shutoffs: ee,ff,ll,mm,oo,pp,tt,uu,2	zzz,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 870
Size: 6	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 04-May-1994	Renewed: 04-May-2015	Bypass:
Shutoffs: ee,ff,ll,mm,oo,pp,tt,uu,	zzz,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 870
Size: 8	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 24-May-1994	Renewed: 24-May-2015	Bypass:
Shutoffs: ee,ff,ll,mm,oo,pp,tt,uu,	zzz,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 870
Size: 10	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 04-Oct-1996	Renewed: 04-Oct-2014	Bypass:
Shutoffs: ee,ff,ll,mm,oo,pp,tt,uu,z	zzz,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 870V
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Mar-1996	Renewed: 08-Mar-2017	Bypass:
Shutoffs: (ee),ff,II,mm,oo.pp,tt,uu	u,zzz,cccc,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 870V
	Orientation: VUVU	Meters:
Size: 2 1/2		
Size: 2 1/2 Manual: 8	0.25% Pb: No	Spare Parts Only: Yes

Shutoffs: (ee),ff,ll,mm,oo.pp,tt,uu,zzz,cccc,ffff,gggg

Type: DC	Manufacturer: Febco	Model: 870V
Size: 3	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Mar-1996	Renewed: 08-Mar-2017	Bypass:
Shutoffs: (ee),ff,ll,mm,oo.pp,tt,u	u,zzz,cccc,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 870V
Size: 3	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Mar-1996	Renewed: 08-Mar-2017	Bypass:
Shutoffs: (ee),ff,ll,mm,oo.pp,tt,u	u,zzz,cccc,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 870V
Size: 4	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Mar-1996	Renewed: 08-Mar-2017	Bypass:
Shutoffs: (ee),ff,ll,mm,oo.pp,tt,u	u,zzz,cccc,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 870V
Size: 4	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Mar-1996	Renewed: 08-Mar-2017	Bypass:
Shutoffs: (ee),ff,ll,mm,oo.pp,tt,u	u,zzz,cccc,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 870V
Size: 6	Orientation: VUVD	Meters:
		Welers.
	0.25% Pb: No	Spare Parts Only: Yes
Manual: 8		
Manual: 8 Approved: 08-Mar-1996	0.25% Pb: No Renewed: 08-Mar-2017	Spare Parts Only: Yes
Manual: 8 Approved: 08-Mar-1996 Shutoffs: (ee),ff,ll,mm,oo.pp,tt,u	0.25% Pb: No Renewed: 08-Mar-2017	Spare Parts Only: Yes
Manual: 8 Approved: 08-Mar-1996 Shutoffs: (ee),ff,II,mm,oo.pp,tt,u Type: DC	0.25% Pb: No Renewed: 08-Mar-2017 u,zzz,cccc,ffff,gggg	Spare Parts Only: Yes Bypass:
Manual: 8 Approved: 08-Mar-1996 Shutoffs: (ee),ff,ll,mm,oo.pp,tt,u Type: DC Size: 6	0.25% Pb: No Renewed: 08-Mar-2017 u,zzz,cccc,ffff,gggg Manufacturer: Febco	Spare Parts Only: Yes Bypass: Model: 870V
Manual: 8 Approved: 08-Mar-1996 Shutoffs: (ee),ff,ll,mm,oo.pp,tt,u Type: DC Size: 6 Manual: 8	0.25% Pb: No Renewed: 08-Mar-2017 u,zzz,cccc,ffff,gggg Manufacturer: Febco Orientation: VUVU	Spare Parts Only: Yes Bypass: Model: 870V Meters:
Manual: 8 Approved: 08-Mar-1996 Shutoffs: (ee),ff,ll,mm,oo.pp,tt,u Type: DC Size: 6 Manual: 8 Approved: 08-Mar-1996	0.25% Pb: No Renewed: 08-Mar-2017 u,zzz,cccc,ffff,gggg Manufacturer: Febco Orientation: VUVU 0.25% Pb: No Renewed: 08-Mar-2017	Spare Parts Only: Yes Bypass: Model: 870V Meters: Spare Parts Only: Yes
Manual: 8 Approved: 08-Mar-1996 Shutoffs: (ee),ff,ll,mm,oo.pp,tt,u Type: DC Size: 6 Manual: 8 Approved: 08-Mar-1996 Shutoffs: (ee),ff,ll,mm,oo.pp,tt,u	0.25% Pb: No Renewed: 08-Mar-2017 u,zzz,cccc,ffff,gggg Manufacturer: Febco Orientation: VUVU 0.25% Pb: No Renewed: 08-Mar-2017	Spare Parts Only: Yes Bypass: Model: 870V Meters: Spare Parts Only: Yes
Manual: 8 Approved: 08-Mar-1996 Shutoffs: (ee),ff,ll,mm,oo.pp,tt,u Type: DC Size: 6 Manual: 8 Approved: 08-Mar-1996 Shutoffs: (ee),ff,ll,mm,oo.pp,tt,u	0.25% Pb: No Renewed: 08-Mar-2017 u,zzz,cccc,ffff,gggg Manufacturer: Febco Orientation: VUVU 0.25% Pb: No Renewed: 08-Mar-2017 u,zzz,cccc,ffff,gggg	Spare Parts Only: Yes Bypass: Model: 870V Meters: Spare Parts Only: Yes Bypass:
Manual: 8 Approved: 08-Mar-1996 Shutoffs: (ee),ff,ll,mm,oo.pp,tt,u Type: DC Size: 6 Manual: 8 Approved: 08-Mar-1996 Shutoffs: (ee),ff,ll,mm,oo.pp,tt,u	0.25% Pb: No Renewed: 08-Mar-2017 u,zzz,cccc,ffff,gggg Manufacturer: Febco Orientation: VUVU 0.25% Pb: No Renewed: 08-Mar-2017 u,zzz,cccc,ffff,gggg Manufacturer: Febco	Spare Parts Only: Yes Bypass: Model: 870V Meters: Spare Parts Only: Yes Bypass: Model: 870V

Type: DC	Manufacturer: Febco	Model: 870V
Size: 8	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 06-Jan-1997	Renewed: 06-Jan-2017	Bypass:
Shutoffs: (ee),ff,ll,mm,oo.pp,tt,u	u,zzz,cccc,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 870V
Size: 10	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 11-Jul-1997	Renewed: 11-Jul-2015	Bypass:
Shutoffs: (ee),ff,ll,mm,oo.pp,tt,u	u,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Febco	Model: 870V
Size: 10	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 11-Jul-1997	Renewed: 11-Jul-2015	Bypass:
Shutoffs: (ee),ff,ll,mm,oo.pp,tt,u	u,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Febco	Model: LF850
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: (qqqqq), hhhh		
Type: DC	Manufacturer: Febco	Model: LF850
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: (qqqqq), hhhh		
Type: DC	Manufacturer: Febco	Model: LF850
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: (qqqqq), hhhh		
Type: DC	Manufacturer: Febco	Model: LF850
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: (qqqqq), hhhh		

Type: DC	Manufacturer: Febco	Model: LF850
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: (qqqqq), hhhh		
Type: DC	Manufacturer: Febco	Model: LF850
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: (qqqqq), hhhh		
Type: DC	Manufacturer: Febco	Model: LF850
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-May-2012	Renewed: 22-May-2015	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,cccc	;,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Febco	Model: LF850
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-May-2012	Renewed: 22-May-2015	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,cccc	;,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Febco	Model: LF850
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-May-2012	Renewed: 22-May-2015	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,cccc	;,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Febco	Model: LF850
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-May-2012	Renewed: 22-May-2015	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,cccc	;,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Febco	Model: LF850
	Manufacturer: Febco Orientation: H	Model: LF850 Meters:
Type: DC Size: 4 Manual: 9		

Type: DC	Manufacturer: Febco	Model: LF850
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-May-2012	Renewed: 22-May-2015	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,cccc	;,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Febco	Model: LF850
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-May-2012	Renewed: 22-May-2015	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,cccc	;,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Febco	Model: LF850
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-May-2012	Renewed: 22-May-2015	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,cccc	;,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Febco	Model: LF850
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-May-2012	Renewed: 22-May-2015	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,cccc	,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Febco	Model: LF850
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-May-2012	Renewed: 22-May-2015	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,cccc	;,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Febco	Model: LF850
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 24-Jun-2013	Renewed: 24-Jun-2016	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,cccc	;,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Febco	Model: LF850
C :	Orientation: VU	Meters:
Size: 10		
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No

Type: DC Manufacturer: Febco Model: LF850U Size: 1/2 Orientation: H Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Renewed: 03-Sep-2016 Approved: 03-Sep-2013 Bypass: Shutoffs: (ppppp), hhhh Type: DC Manufacturer: Febco Model: LF850U Size: 3/4 Orientation: H Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Renewed: 03-Sep-2016 Approved: 03-Sep-2013 **Bypass:** Shutoffs: (ppppp), hhhh Type: DC Manufacturer: Febco Model: LF850U Size: 1 Orientation: H Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 03-Sep-2013 Renewed: 03-Sep-2016 Bypass: Shutoffs: (ppppp), hhhh Type: DC Manufacturer: Febco Model: LF850U Size: 1 1/4 Orientation: H Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 03-Sep-2013 Renewed: 03-Sep-2016 **Bypass:** Shutoffs: (ppppp), hhhh Type: DC Manufacturer: Febco Model: LF850U Size: 1 1/2 Orientation: H Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 03-Sep-2013 Renewed: 03-Sep-2016 Bypass: Shutoffs: (ppppp), hhhh Type: DC Manufacturer: Febco Model: LF850U Size: 2 Orientation: H Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 03-Sep-2013 Renewed: 03-Sep-2016 **Bypass:** Shutoffs: (ppppp), hhhh Type: DC Manufacturer: Febco Model: LF870V Size: 2 1/2 Orientation: VUVD Meters: Spare Parts Only: No Manual: 9 0.25% Pb: Yes Approved: 09-Aug-2012 Renewed: 09-Aug-2015 Bypass: Shutoffs: (mm), II, oo, pp, zzz, cccc, dddd, eeee, ffff, gggg, nnnnn

Type: DC	Manufacturer: Febco	Model: LF870V
Size: 2 1/2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Aug-2012	Renewed: 09-Aug-2015	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,cccc	,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Febco	Model: LF870V
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-May-2012	Renewed: 22-May-2015	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,cccc	,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Febco	Model: LF870V
Size: 3	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-May-2012	Renewed: 22-May-2015	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,cccc	,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Febco	Model: LF870V
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-May-2012	Renewed: 22-May-2015	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,cccc	,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Febco	Model: LF870V
Size: 4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-May-2012	Renewed: 22-May-2015	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,cccc	,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Febco	Model: LF870V
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-May-2012	Renewed: 22-May-2015	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,cccc	,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Febco	Model: LF870V
Size: 6	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No

Shutoffs: (mm),II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Type: DC	Manufacturer: Febco	Model: LF870V
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-May-2012	Renewed: 22-May-2015	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,cccc	dddd,eeee,ffff,gggg,nnnnn,	
Type: DC	Manufacturer: Febco	Model: LF870V
Size: 8	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-May-2012	Renewed: 22-May-2015	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,cccc	ddd,eeee,ffff,gggg,nnnnn;	
Type: DC	Manufacturer: Flomatic	Model: DCV
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 04-May-1994	Renewed: 04-May-2015	Bypass:
Shutoffs: ii		
Type: DC	Manufacturer: Flomatic	Model: DCV
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 04-May-1994	Renewed: 04-May-2015	Bypass:
Shutoffs: ii		
Type: DC	Manufacturer: Flomatic	Model: DCV
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-May-1995	Renewed: 10-May-2016	Bypass:
Shutoffs: ii		
Type: DC	Manufacturer: Flomatic	Model: DCV
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-May-1995	Renewed: 10-May-2016	Bypass:
Shutoffs: ii		
Type: DC	Manufacturer: Flomatic	Model: DCV
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 14-Feb-1997	Renewed: 14-Feb-2015	Bypass:

Type: DC	Manufacturer: Flomatic	Model: DCV
Size: 3	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 14-Feb-1997	Renewed: 14-Feb-2015	Bypass:
Shutoffs: (gg),hh,jj,kk,ll,mm,yy,z	22,000,000	
Type: DC	Manufacturer: Flomatic	Model: DCV
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Jul-1999	Renewed: 01-Jul-2017	Bypass:
Shutoffs: (gg),hh,jj,kk,ll,mm,yy,	zz,ccc,ddd,ddddd	
Type: DC	Manufacturer: Flomatic	Model: DCV
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 01-Jul-1999	Renewed: 01-Jul-2017	Bypass:
Shutoffs: ddddd		
Type: DC	Manufacturer: Flomatic	Model: DCV
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 31-Jan-2002	Renewed: 31-Jan-2017	Bypass:
Shutoffs: (gg),hh,jj,kk,ll,mm,yy,	zz,ccc,ddd,ddddd	
Type: DC	Manufacturer: Flomatic	Model: DCV
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 31-Jan-2002	Renewed: 31-Jan-2017	Bypass:
Shutoffs: ddddd		
Type: DC	Manufacturer: Flomatic	Model: DCV
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 09-Nov-2004	Renewed: 09-Nov-2016	Bypass:
Shutoffs: (mm), hh, jj, kk, ll, gg,		
Type: DC	Manufacturer: Flomatic	Model: DCVE
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 07-Jun-2001	Renewed: 07-Jun-2016	Bypass:

Shutoffs: (hhhhh)

Type: DC	Manufacturer: Flomatic	Model: DCVE
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 07-Jun-2001	Renewed: 07-Jun-2016	Bypass:
Shutoffs: (hhhhh)		
Type: DC	Manufacturer: Flomatic	Model: DCVE
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 07-Jun-2001	Renewed: 07-Jun-2016	Bypass:
Shutoffs: (hhhhh)		
Type: DC	Manufacturer: Flomatic	Model: DCVE
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 07-Jun-2001	Renewed: 07-Jun-2016	Bypass:
Shutoffs: (hhhhh)		
Type: DC	Manufacturer: Hersey	Model: 2
Size: 3	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Dec-1978	Renewed: 27-Dec-2014	Bypass:
Shutoffs: tt,bb,qq,iii,III		
Type: DC	Manufacturer: Hersey	Model: 2
Size: 4	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Dec-1978	Renewed: 27-Dec-2014	Bypass:
Shutoffs: tt,bb,qq,iii,III		
Type: DC	Manufacturer: Hersey	Model: 2
Size: 6	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 22-Dec-1978	Renewed: 22-Dec-2014	Bypass:
Shutoffs: tt,bb,qq,iii,III		
Type: DC	Manufacturer: Hersey	Model: 2
Size: 8	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 06-Jul-1981	Renewed: 06-Jul-2017	Bypass:
Shutoffs: tt,bb,qq,iii,III		

- 50		
Type: DC	Manufacturer: Hersey	Model: 2
Size: 10	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 19-Feb-1982	Renewed: 19-Feb-2015	Bypass:
Shutoffs: tt,bb,qq,iii,III		
Type: DC	Manufacturer: Neptune	Model:
Size:	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: See Wilkins		
Type: DC	Manufacturer: Watts	Model: 007
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Sep-1990	Renewed: 30-Sep-2014	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	uu,yy,ffff,gggg	
Type: DC	Manufacturer: Watts	Model: 007
Size: 2 1/2	Orientation: VU	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 27-Aug-1996	Renewed: 27-Aug-2014	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	uu,yy,ffff,gggg	
Type: DC	Manufacturer: Watts	Model: 007
Size: 3	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Sep-1990	Renewed: 30-Sep-2014	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	uu,yy,eee,ffff,gggg	
Type: DC	Manufacturer: Watts	Model: 007
Size: 3	Orientation: VU	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 27-Aug-1996	Renewed: 27-Aug-2014	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	uu,yy,eee,ffff,gggg	
Type: DC	Manufacturer: Watts	Model: 007M1-FP
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 01-Sep-2009	Renewed: 01-Sep-2015	Bypass:

Shutoffs: (eeeee)

Type: DC Size: 2 Manual: 9 Approved: 01-Sep-2009 Shutoffs: (eeeee)

Approved: 10-Dec-1993

Approved: 10-Dec-1993

Shutoffs: (vv),xx,ooo,hhhh,pppp

Shutoffs: (vv),xx,ooo,hhhh,pppp

Type: DC

Size: 3/4

Manual: 8

Type: DC

Manual: 8

Type: DC

Size: 3/4

Manual: 8

Approved: 26-Feb-1991

Shutoffs: vv,xx,ooo,hhhh,pppp

Size: 1

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 01-Sep-2015

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 10-Dec-2014

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 10-Dec-2014

Manufacturer: Watts

Orientation: H

0.25% Pb: Yes

Type: DC Size: 1 1/2 Manual: 8 Approved: 27-Sep-1994 Shutoffs: vv,xx,ooo,hhhh,pppp

Type: DC Size: 2 Manual: 8 Approved: 27-Sep-1994 Shutoffs: (vv),xx,ooo,hhhh,pppp Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 27-Sep-2015

Manufacturer: Watts

Renewed: 26-Feb-2015

Orientation: H

0.25% Pb: No

Renewed: 27-Sep-2015

Model: 007M1-FP Meters: Spare Parts Only: No Bypass:

Model: 007M1PCQT Meters: Spare Parts Only: No Bypass:

Model: 007M1PCQT Meters: Spare Parts Only: No Bypass:

Model: 007M1PCQT Meters: Spare Parts Only: Yes Bypass:

Model: 007M1PCQT Meters: Spare Parts Only: No Bypass:

Model: 007M1QT Meters: Spare Parts Only: Yes Bypass:

		Mictel 3.	
Manual: 8	0.25% Pb: No	Spare Parts Only: No	
Approved: 26-Feb-1991	Renewed: 26-Feb-2015	Bypass:	
Shutoffs: (vv),xx,ooo,hhhh,pppp			
Notes: Upgraded to 9th Ed.			
Type: DC	Manufacturer: Watts	Model: 007M1QT	
Size: 1	Orientation: H	Meters:	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 18-May-1998	Renewed: 18-May-2016	Bypass:	
Shutoffs: (vv),xx,ooo,hhhh,pppp			
Notes: Previous 8th Ed. Approval			
Type: DC	Manufacturer: Watts	Model: 007M1QT	
Size: 1	Orientation: VU	Meters:	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 18-May-1998	Renewed: 18-May-2016	Bypass:	
Shutoffs: (vv),xx,ooo,hhhh,pppp			
Type: DC	Manufacturer: Watts	Model: 007M1QT	
Size: 1 1/2	Orientation: H	Meters:	
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes	
Approved: 30-Jun-1992	Renewed: 30-Jun-2016	Bypass:	
Shutoffs: vv,xx,ooo,hhhh,pppp			
Type: DC	Manufacturer: Watts	Model: 007M1QT	
Size: 2	Orientation: H	Meters:	
Manual: 8	0.25% Pb: No	Spare Parts Only: No	
Approved: 30-Jun-1992	Renewed: 30-Jun-2016	Bypass:	
Shutoffs: (vv),xx,ooo,hhhh,pppp			
Type: DC	Manufacturer: Watts	Model: 007M1QT	
Size: 2	Orientation: VU	Meters:	
Manual: 8	0.25% Pb: No	Spare Parts Only: No	
Approved: 08-Mar-1996	Renewed: 08-Mar-2017	Bypass:	
Shutoffe: (141) xx ago bbbb pppp			

Manufacturer: Watts

Orientation: H

Model: 007M1QT

Meters:

Shutoffs: (vv),xx,ooo,hhhh,pppp

Type: DC

Size: 1

Type: DC Size: 1 1/4 Manual: 9 Approved: 01-Sep-2009 Shutoffs: (eeeee)

Approved: 01-Sep-2009

Approved: 09-Dec-1996

Shutoffs: (vv),xx,ooo,hhhh,pppp

Shutoffs: (eeeee)

Type: DC

Size: 1 1/2

Manual: 9

Type: DC

Size: 1 1/4

Manual: 8

Type: DC

Size: 1 1/4

Manual: 8

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 01-Sep-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 01-Sep-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 09-Dec-2014

Manufacturer: Watts Approved: 09-Dec-1996 Shutoffs: (vv),xx,ooo,hhhh,pppp

Type: DC Size: 1 1/2 Manual: 8 Approved: 12-Sep-1994 Shutoffs: (vv),xx,ooo,hhhh,pppp

Type: DC Size: 3/4 Manual: 8 Approved: 05-Apr-1993 Shutoffs: (vv),xx,ooo,hhhh,pppp

Type: DC Size: 3/4 Manual: 8 Approved: 27-Aug-1996 **Shutoffs:** (vv),xx,ooo,hhhh,pppp

Orientation: VU 0.25% Pb: No Renewed: 09-Dec-2014

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 12-Sep-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 05-Apr-2017

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 27-Aug-2014 Model: 007M2-FP Meters: Spare Parts Only: No Bypass:

Model: 007M2-FP Meters: Spare Parts Only: No Bypass:

Model: 007M2PCQT Meters: Spare Parts Only: No Bypass:

Model: 007M2PCQT Meters: Spare Parts Only: No **Bypass:**

Model: 007M2PCQT Meters: Spare Parts Only: No Bypass:

Model: 007M2QT Meters: Spare Parts Only: No **Bypass:**

Model: 007M2QT Meters: Spare Parts Only: No Bypass:

Type: DC	Manufacturer: Watts	Model: 007M2QT
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Oct-1996	Renewed: 01-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: 007M2QT
Size: 1 1/4	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Oct-1996	Renewed: 01-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: 007M2QT
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-May-1994	Renewed: 24-May-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: 007M2QT
Size: 1 1/2	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 11-Mar-1996	Renewed: 08-Mar-2017	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: 007M3-FP
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Sep-2009	Renewed: 01-Sep-2015	Bypass:
Shutoffs: (eeeee)		
Type: DC	Manufacturer: Watts	Model: 007M3QT
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Oct-1999	Renewed: 18-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: 007M3QT
Size: 3/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Oct-1999	Renewed: 18-Oct-2014	Bypass:
Shutoffer (14) yy aco bbbb pppp		

Shutoffs: (vv),xx,ooo,hhhh,pppp

Type: DC	Manufacturer: Watts	Model: 007PCQT
Size: 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Feb-1995	Renewed: 17-Feb-2016	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: 007PCQT
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Sep-1994	Renewed: 27-Sep-2015	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: 007PCQT
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Sep-1994	Renewed: 27-Sep-2015	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: 007QT
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Jun-1997	Renewed: 16-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Notes: Previous 8th Ed. Approval		
Type: DC	Manufacturer: Watts	Model: 007QT
Size: 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Dec-1993	Renewed: 08-Dec-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Notes: Upgraded to 9th Ed.		
Type: DC	Manufacturer: Watts	Model: 007QT
Size: 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Jun-1997	Renewed: 16-Jun-2015	Bypass:
Shutoffs: (vv),xx,pppp,rrrrr		

Notes: Previous 8th Ed. Approval

notes:	υμ

Type: DC Size: 3/4 Manual: 8 Approved: 10-Dec-1993 Shutoffs: vv,xx,ooo,hhhh,pppp

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 10-Dec-2014 Model: 007SSM1PCQT Meters: Spare Parts Only: Yes Bypass:

Model: 007QT Meters: Spare Parts Only: Yes **Bypass:**

Manufacturer: Watts **Orientation:** H 0.25% Pb: No

Orientation: H 0.25% Pb: No Renewed: 11-Jan-2015

Manufacturer: Watts

Manufacturer: Watts Orientation: H 0.25% Pb: No

Model: 007QT Meters: Spare Parts Only: No Bypass:

> Model: 007QT Meters: Spare Parts Only: Yes **Bypass:**

> Model: 007QT Meters: Spare Parts Only: Yes Bypass:

> Model: 007QT Meters: Spare Parts Only: Yes **Bypass:**

Renewed: 21-Jul-2015

Orientation: H 0.25% Pb: No Renewed: 21-Jul-2015

Manufacturer: Watts

Size: 1/2 Manual: 8 Approved: 19-Apr-1996 Shutoffs: pppp,rrrrr Notes: Upgraded to 9th Ed.

Type: DC

Type: DC

Size: 3/4

Manual: 7

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 19-Apr-2017

Approved: 11-Jan-1988 Renewed: 11-Jan-2015

Type: DC Size: 1 Manual: 7 Approved: 11-Jan-1988 Shutoffs: pppp,rrrrr

Shutoffs: pppp,rrrrr

Type: DC Size: 1 1/2 Manual: 7 Approved: 21-Jul-1988 Shutoffs: pppp,rrrrr Notes: Upgraded to 9th Ed.

Type: DC Size: 2 Manual: 7 Approved: 21-Jul-1988 Shutoffs: pppp,rrrrr Notes: Upgraded to 9th Ed.

Type: DC Size: 1 Manual: 8 Approved: 10-Dec-1993 Shutoffs: vv,xx,ooo,hhhh,pppp Type: DC Size: 3/4 Manual: 8 Approved: 26-Feb-1991	Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 10-Dec-2014 Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 26-Feb-2015	Model: 007SSM1PCQT Meters: Spare Parts Only: Yes Bypass: Model: 007SSM1QT Meters: Spare Parts Only: Yes Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: DC Size: 1 Manual: 8 Approved: 26-Feb-1991 Shutoffs: vv,xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 26-Feb-2015	Model: 007SSM1QT Meters: Spare Parts Only: Yes Bypass:
Type: DC Size: 1 1/2 Manual: 8 Approved: 27-Sep-1994 Shutoffs: vv,xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 27-Sep-2015	Model: 007SSPCQT Meters: Spare Parts Only: Yes Bypass:
Type: DC Size: 2 Manual: 8 Approved: 27-Sep-1994 Shutoffs: vv,xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 27-Sep-2015	Model: 007SSPCQT Meters: Spare Parts Only: Yes Bypass:
Type: DC Size: 3/4 Manual: 7 Approved: 11-Jan-1988 Shutoffs: pppp	Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 11-Jan-2015	Model: 007SSQT Meters: Spare Parts Only: Yes Bypass:
Type: DC Size: 1 Manual: 7 Approved: 11-Jan-1988 Shutoffs: pppp	Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 11-Jan-2015	Model: 007SSQT Meters: Spare Parts Only: Yes Bypass:

Type: DC	Manufacturer: Watts	Model: 007SSQT
Size: 1 1/2	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Jul-1988	Renewed: 21-Jul-2015	Bypass:
Shutoffs: pppp		
Type: DC	Manufacturer: Watts	Model: 007SSQT
Size: 2	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Jul-1988	Renewed: 21-Jul-2015	Bypass:
Shutoffs: pppp		
Type: DC	Manufacturer: Watts	Model: 700
Size: 2 1/2	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Jan-1981	Renewed: 10-Jan-2017	Bypass:
Type: DC	Manufacturer: Watts	Model: 700
Size: 3	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Jan-1981	Renewed: 10-Jan-2017	Bypass:
Type: DC	Manufacturer: Watts	Model: 709
Size: 2 1/2	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Jun-1986	Renewed: 12-Jun-2016	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	uu,ww,yy,ffff,gggg	
Type: DC	Manufacturer: Watts	Model: 709
Size: 3	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Jun-1986	Renewed: 12-Jun-2016	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	uu,ww,yy,eee,ffff,gggg	
Type: DC	Manufacturer: Watts	Model: 709
Size: 4	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Jan-1982	Renewed: 15-Jan-2015	Bypass:

Type: DC	Manufacturer: Watts	Model: 709
Size: 4	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 11-Mar-1996	Renewed: 08-Mar-2017	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	uu,ww,yy,eee,ffff,gggg	
Type: DC	Manufacturer: Watts	Model: 709
Size: 6	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 18-May-1982	Renewed: 18-May-2015	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	uu,ww,yy,eee,ffff,gggg	
Type: DC	Manufacturer: Watts	Model: 709
Size: 6	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Dec-1996	Renewed: 05-Dec-2014	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	uu,ww,yy,eee,ffff,gggg	
Type: DC	Manufacturer: Watts	Model: 709
Size: 8	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Jul-1981	Renewed: 06-Jul-2017	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	uu,ww,yy,eee,ffff,gggg	
Type: DC	Manufacturer: Watts	Model: 709
Type. DC		Motoro
	Orientation: VU	Meters:
Size: 8	Orientation: VU 0.25% Pb: No	Spare Parts Only: No
Size: 8 Manual: 8		
Size: 8 Manual: 8 Approved: 05-Dec-1996	0.25% Pb: No Renewed: 05-Dec-2014	Spare Parts Only: No
Size: 8 Manual: 8 Approved: 05-Dec-1996 Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	0.25% Pb: No Renewed: 05-Dec-2014	Spare Parts Only: No
Size: 8 Manual: 8 Approved: 05-Dec-1996 Shutoffs: (oo),gg,hh,ll,mm,pp,tt, Type: DC	0.25% Pb: No Renewed: 05-Dec-2014 uu,ww,yy,eee,ffff,gggg	Spare Parts Only: No Bypass:
Size: 8 Manual: 8 Approved: 05-Dec-1996 Shutoffs: (oo),gg,hh,ll,mm,pp,tt, Type: DC Size: 10	0.25% Pb: No Renewed: 05-Dec-2014 uu,ww,yy,eee,ffff,gggg Manufacturer: Watts	Spare Parts Only: No Bypass: Model: 709
Size: 8 Manual: 8 Approved: 05-Dec-1996 Shutoffs: (oo),gg,hh,ll,mm,pp,tt, Type: DC Size: 10 Manual: 6	0.25% Pb: No Renewed: 05-Dec-2014 uu,ww,yy,eee,ffff,gggg Manufacturer: Watts Orientation: H	Spare Parts Only: No Bypass: Model: 709 Meters:
Size: 8 Manual: 8 Approved: 05-Dec-1996 Shutoffs: (oo),gg,hh,ll,mm,pp,tt, Type: DC Size: 10 Manual: 6 Approved: 16-Mar-1983 Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	0.25% Pb: No Renewed: 05-Dec-2014 uu,ww,yy,eee,ffff,gggg Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 16-Mar-2016	Spare Parts Only: No Bypass: Model: 709 Meters: Spare Parts Only: No
Size: 8 Manual: 8 Approved: 05-Dec-1996 Shutoffs: (oo),gg,hh,ll,mm,pp,tt, Type: DC Size: 10 Manual: 6 Approved: 16-Mar-1983 Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	0.25% Pb: No Renewed: 05-Dec-2014 uu,ww,yy,eee,ffff,gggg Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 16-Mar-2016	Spare Parts Only: No Bypass: Model: 709 Meters: Spare Parts Only: No
Size: 8 Manual: 8 Approved: 05-Dec-1996 Shutoffs: (oo),gg,hh,ll,mm,pp,tt, Type: DC Size: 10 Manual: 6 Approved: 16-Mar-1983	0.25% Pb: No Renewed: 05-Dec-2014 uu,ww,yy,eee,ffff,gggg Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 16-Mar-2016 uu,ww,yy,eee,ffff,gggg	Spare Parts Only: No Bypass: Model: 709 Meters: Spare Parts Only: No Bypass:
Size: 8 Manual: 8 Approved: 05-Dec-1996 Shutoffs: (oo),gg,hh,ll,mm,pp,tt, Type: DC Size: 10 Manual: 6 Approved: 16-Mar-1983 Shutoffs: (oo),gg,hh,ll,mm,pp,tt, Type: DC	0.25% Pb: No Renewed: 05-Dec-2014 uu,ww,yy,eee,ffff,gggg Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 16-Mar-2016 uu,ww,yy,eee,ffff,gggg Manufacturer: Watts	Spare Parts Only: No Bypass: Model: 709 Meters: Spare Parts Only: No Bypass: Model: 709

Type: DC	Manufacturer: Watts	Model: 709BB
Size: 2 1/2	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jul-1982	Renewed: 20-Jul-2015	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,u	u,yy,ffff,gggg	
Type: DC	Manufacturer: Watts	Model: 709BB
Size: 3	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jul-1982	Renewed: 20-Jul-2015	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,u	u,yy,ffff,gggg	
Type: DC	Manufacturer: Watts	Model: 709QT
Size: 3/4	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 04-Aug-1982	Renewed: 04-Aug-2015	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: 709QT
Size: 1	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 04-Aug-1982	Renewed: 04-Aug-2015	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: 709QT
Size: 1 1/2	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Apr-1982	Renewed: 21-Apr-2015	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: 709QT
Size: 2	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Apr-1982	Renewed: 21-Apr-2015	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: 719AQT
Size: 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
	Renewed: 04-Oct-2014	Bypass:

Type: DC	Manufacturer: Watts	Model: 719AQT
Size: 1	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: 719AQT
Size: 1 1/4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: 719AQT
Size: 1 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: 719AQT
Size: 2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: 719AQTR10
Size: 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2013	Renewed: 03-Jul-2016	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: 719AQTR10
Size: 3/4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2013	Renewed: 03-Jul-2016	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: 719QT
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		

Type: DC	Manufacturer: Watts	Model: 719QT
Size: 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: 719QT
Size: 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: 719QT
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: 719QT
Size: 3/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: 719QT
Size: 3/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: 719QT
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: 719QT
Size: 1	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		

Type: DC	Manufacturer: Watts	Model: 719QT
Size: 1	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrr		
Type: DC	Manufacturer: Watts	Model: 719QT
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrr		
Type: DC	Manufacturer: Watts	Model: 719QT
Size: 1 1/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrr		
Type: DC	Manufacturer: Watts	Model: 719QT
Size: 1 1/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrr		
Type: DC	Manufacturer: Watts	Model: 719QT
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrr		
Type: DC	Manufacturer: Watts	Model: 719QT
Size: 1 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrr		
Type: DC	Manufacturer: Watts	Model: 719QT
Size: 1 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrr		

Type: DC	Manufacturer: Watts	Model: 719QT
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: 719QT
Size: 2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: 719QT
Size: 2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: 719QTR10
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrrr		
Type: DC	Manufacturer: Watts	Model: 719QTR10
Size: 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrrr		
Type: DC	Manufacturer: Watts	Model: 719QTR10
Size: 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrrr		
Type: DC	Manufacturer: Watts	Model: 719QTR10
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffe: (141) xx and bbbb pppp referre		

Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrrr

Page 128 of 631

Type: DC	Manufacturer: Watts	Model: 719QTR10
Size: 3/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	,rrrrr	
Type: DC	Manufacturer: Watts	Model: 719QTR10
Size: 3/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	,rrrrr	
Type: DC	Manufacturer: Watts	Model: 757
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2016	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: DC	Manufacturer: Watts	Model: 757
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2016	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ggg	gg,kkkk,llll,mmmm,nnnn,nnnnn	
Type: DC	Manufacturer: Watts	Model: 757
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2016	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: DC	Manufacturer: Watts	Model: 757
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2016	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ggg	gg,kkkk,llll,mmmm,nnnn,nnnnn	
Type: DC	Manufacturer: Watts	Model: 757
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2016	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		

Type: DC	Manufacturer: Watts	Model: 757
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2016	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ggg	ıg,kkkk,llll,mmmm,nnnn,nnnnn	
Type: DC	Manufacturer: Watts	Model: 757
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2016	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: DC	Manufacturer: Watts	Model: 757
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2016	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ggg	ıg,kkkk,llll,mmmm,nnnn,nnnnn	
Type: DC	Manufacturer: Watts	Model: 757
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2016	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: DC	Manufacturer: Watts	Model: 757
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2016	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ggg	ıg,kkkk,lill,mmmm,nnnn,nnnnn	
Type: DC	Manufacturer: Watts	Model: 757
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2016	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: DC	Manufacturer: Watts	Model: 757
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No

Type: DC	Manufacturer: Watts	Model: 757
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: DC	Manufacturer: Watts	Model: 757
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ggg	gg,kkkk,llll,mmmm,nnnn,nnnnn	
Type: DC	Manufacturer: Watts	Model: 757
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: DC	Manufacturer: Watts	Model: 757
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ggg	gg,kkkk,llll,mmmm,nnnn,nnnnn	
Type: DC	Manufacturer: Watts	Model: 757
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Sep-2004	Renewed: 16-Sep-2016	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: DC	Manufacturer: Watts	Model: 757
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 16-Sep-2004	Renewed: 16-Sep-2016	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ggg	gg,kkkk,llll,mmmm,nnnn,nnnnn	
Type: DC	Manufacturer: Watts	Model: 757
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 10-Feb-2006	Renewed: 10-Feb-2015	Bypass:

Shutoffs: (ppp),qqq,aaaa,bbbb

Type: DC	Manufacturer: Watts	Model: 757
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 10-Feb-2006	Renewed: 10-Feb-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ggg	gg,kkkk,llll,mmmm,nnnn,nnnnn	
Type: DC	Manufacturer: Watts	Model: 757
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 02-May-2008	Renewed: 02-May-2017	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: DC	Manufacturer: Watts	Model: 757
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 02-May-2008	Renewed: 02-May-2017	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ggg	gg,kkkk,llll,mmmm,nnnn,nnnnn	
Type: DC	Manufacturer: Watts	Model: 757
Size: 10	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 02-May-2008	Renewed: 02-May-2017	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: DC	Manufacturer: Watts	Model: 757
Size: 10	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 02-May-2008	Renewed: 02-May-2017	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ggg	gg,kkkk,llll,mmmm,nnnn,nnnnn	
Type: DC	Manufacturer: Watts	Model: 757a
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,	,nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 757a
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No

Shutoffs: (ppp),qqq,yyy,zzz,aaaa,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,nnnn,nnnn

Type: DC	Manufacturer: Watts	Model: 757a
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	aa,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm	i,nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 757a
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	aa,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm	i,nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 757a
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	aa,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm	i,nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 757a
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	aa,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm	ո,որոր,որորո
Type: DC	Manufacturer: Watts	Model: 757a
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2003	Renewed: 03-Jul-2015	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	aa,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm	i,nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 757a
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2003	Renewed: 03-Jul-2015	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	aa,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm	i,nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 757N
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,nnnnn		

Type: DC	Manufacturer: Watts	Model: 757N
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,dd	dd,gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Watts	Model: 757N
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,nnnnn		
Type: DC	Manufacturer: Watts	Model: 757N
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,dd	dd,gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Watts	Model: 757N
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,nnnnn		
Type: DC	Manufacturer: Watts	Model: 757N
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,dd	dd,gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Watts	Model: 757N
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,nnnnn		
	Manufacturer: Watts	Model: 757N
Type: DC		
Type: DC Size: 6	Orientation: VUVD	Meters:
	Orientation: VUVD 0.25% Pb: Yes	Meters: Spare Parts Only: No

Type: DC	Manufacturer: Watts	Model: 757N
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jan-2013	Renewed: 03-Jan-2016	Bypass:
Shutoffs: ppp,qqq,aaaa,bbbb		
Type: DC	Manufacturer: Watts	Model: 757N
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Jan-2013	Renewed: 03-Jan-2016	Bypass:
Shutoffs: yyy, zzz,dddd,eeee,ggg	gg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Watts	Model: 757N
Size: 10	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Sep-2009	Renewed: 01-Sep-2015	Bypass:
Shutoffs: (ppp),qqq		
Type: DC	Manufacturer: Watts	Model: 757N
Size: 10	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 01-Sep-2009	Renewed: 01-Sep-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ddd	d,gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Watts	Model: 757Na
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Mar-2003	Renewed: 20-Mar-2015	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,	,nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 757Na
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Mar-2003	Renewed: 20-Mar-2015	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,	,nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 757Na
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Mar-2003	Renewed: 20-Mar-2015	Bypass:

Shutoffs: (ppp),qqq,yyy,zzz,aaaa,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,nnnn,nnnn

Type: DC	Manufacturer: Watts	Model: 757Na	
Size: 6	Orientation: VUVD	Meters:	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 03-Jul-2003	Renewed: 03-Jul-2015	Bypass:	
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,		
Type: DC	Manufacturer: Watts	Model: 757NQT	
Size: 2 1/2	Orientation: VUVD	Meters:	
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 04-Dec-2009	Renewed: 04-Dec-2015	Bypass:	
Shutoffs: fffff			
Type: DC	Manufacturer: Watts	Model: 757NQT	
Size: 3	Orientation: VUVD	Meters:	
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 04-Dec-2009	Renewed: 04-Dec-2015	Bypass:	
Shutoffs: fffff			
Type: DC	Manufacturer: Watts	Model: 757NQT	
Size: 4	Orientation: VUVD	Meters:	
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 04-Dec-2009	Renewed: 04-Dec-2015	Bypass:	
Shutoffs: fffff			
Type: DC	Manufacturer: Watts	Model: 757QT	
Size: 2 1/2	Orientation: H	Meters:	
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 04-Dec-2009 Shutoffs: fffff	Renewed: 04-Dec-2015	Bypass:	
Type: DC	Manufacturer: Watts	Model: 757QT	
Size: 2 1/2	Orientation: VU	Meters:	
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 04-Dec-2009	Renewed: 04-Dec-2015	Bypass:	
Shutoffs: fffff			
Type: DC	Manufacturer: Watts	Model: 757QT	
Size: 3	Orientation: H	Meters:	
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 04-Dec-2009	Renewed: 04-Dec-2015	Bypass:	
Shutoffs: fffff			

Type: DC	Manufacturer: Watts	Model: 757QT
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 04-Dec-2009	Renewed: 04-Dec-2015	Bypass:
Shutoffs: fffff		
Type: DC	Manufacturer: Watts	Model: 757QT
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 04-Dec-2009	Renewed: 04-Dec-2015	Bypass:
Shutoffs: fffff		
Type: DC	Manufacturer: Watts	Model: 757QT
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 04-Dec-2009	Renewed: 04-Dec-2015	Bypass:
Shutoffs: fffff		
Type: DC	Manufacturer: Watts	Model: 767
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2016	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,	,nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 767
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2016	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,	,nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 767
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2016	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,	,nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 767
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2016	Bypass:
	a bbbb dddd eeee aaaa kkkk lill mmmm	

Shutoffs: (ppp),qqq,yyy,zzz,aaaa,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,nnnn,nnnn

Type: DC	Manufacturer: Watts	Model: 767
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm	nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 767
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm	,nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model : 767
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Sep-2004	Renewed: 16-Sep-2016	Bypass:
Shutoffs: (yyy),ppp,qqq,zzz,aaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm	nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 767
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
	Renewed: 10-Feb-2015	Bypass:
Approved: 10-Feb-2006	Renewed: 10-Feb-2015 a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm	
Approved: 10-Feb-2006 Shutoffs: (yyy),ppp,qqq,zzz,aaa		
Approved: 10-Feb-2006 Shutoffs: (yyy),ppp,qqq,zzz,aaa Type: DC	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm	nnnn,nnnnn
Approved: 10-Feb-2006 Shutoffs: (yyy),ppp,qqq,zzz,aaa Type: DC Size: 8	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm Manufacturer: Watts	Model: 767
Approved: 10-Feb-2006 Shutoffs: (yyy),ppp,qqq,zzz,aaa Type: DC Size: 8 Manual: 9	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm Manufacturer: Watts Orientation: H	Model: 767 Meters:
Approved: 10-Feb-2006 Shutoffs: (yyy),ppp,qqq,zzz,aaa Type: DC Size: 8 Manual: 9 Approved: 02-May-2008	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm Manufacturer: Watts Orientation: H 0.25% Pb: No	Model: 767 Meters: Spare Parts Only: No
Approved: 10-Feb-2006 Shutoffs: (yyy),ppp,qqq,zzz,aaa Type: DC Size: 8 Manual: 9 Approved: 02-May-2008 Shutoffs: (yyy), ppp, qqq,zzz, aa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 02-May-2017	Model: 767 Meters: Spare Parts Only: No
Approved: 10-Feb-2006 Shutoffs: (yyy),ppp,qqq,zzz,aaa Type: DC Size: 8 Manual: 9 Approved: 02-May-2008 Shutoffs: (yyy), ppp, qqq,zzz, aa	a,bbbb,dddd,eeee,gggg,kkkk,IIII,mmmm Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 02-May-2017 aaa, bbbb, dddd, eeee, ffff, gggg,nnnnn	Model: 767 Meters: Spare Parts Only: No Bypass:
Approved: 10-Feb-2006 Shutoffs: (yyy),ppp,qqq,zzz,aaa Type: DC Size: 8 Manual: 9 Approved: 02-May-2008 Shutoffs: (yyy), ppp, qqq,zzz, aa Type: DC Size: 8	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 02-May-2017 aaa, bbbb, dddd, eeee, ffff, gggg,nnnnn Manufacturer: Watts	Model: 767 Meters: Spare Parts Only: No Bypass: Model: 767
Approved: 10-Feb-2006 Shutoffs: (yyy),ppp,qqq,zzz,aaa Type: DC Size: 8 Manual: 9 Approved: 02-May-2008 Shutoffs: (yyy), ppp, qqq,zzz, aa Type: DC Size: 8 Manual: 9	a,bbbb,dddd,eeee,gggg,kkkk,IIII,mmmm Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 02-May-2017 aaa, bbbb, dddd, eeee, ffff, gggg,nnnnn Manufacturer: Watts Orientation: VU	Model: 767 Meters: Spare Parts Only: No Bypass: Model: 767 Meters:
Approved: 10-Feb-2006 Shutoffs: (yyy),ppp,qqq,zzz,aaa Type: DC Size: 8 Manual: 9 Approved: 02-May-2008 Shutoffs: (yyy), ppp, qqq,zzz, aa Type: DC Size: 8 Manual: 9 Approved: 02-May-2008	a,bbbb,dddd,eeee,gggg,kkkk,IIII,mmmm Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 02-May-2017 aaa, bbbb, dddd, eeee, ffff, gggg,nnnnn Manufacturer: Watts Orientation: VU 0.25% Pb: No	Model: 767 Meters: Spare Parts Only: No Bypass: Model: 767 Meters: Spare Parts Only: No
Approved: 10-Feb-2006 Shutoffs: (yyy),ppp,qqq,zzz,aaa Type: DC Size: 8 Manual: 9 Approved: 02-May-2008 Shutoffs: (yyy), ppp, qqq,zzz, aa Type: DC Size: 8 Manual: 9 Approved: 02-May-2008 Shutoffs: (yyy), ppp, qqq,zzz, aa	A,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 02-May-2017 Aaaa, bbbb, dddd, eeee, ffff, gggg,nnnnn Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 02-May-2017	Model: 767 Meters: Spare Parts Only: No Bypass: Model: 767 Meters: Spare Parts Only: No
Approved: 10-Feb-2006 Shutoffs: (yyy),ppp,qqq,zzz,aaa Type: DC Size: 8 Manual: 9 Approved: 02-May-2008 Shutoffs: (yyy), ppp, qqq,zzz, aa Type: DC Size: 8 Manual: 9 Approved: 02-May-2008	A,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 02-May-2017 aaa, bbbb, dddd, eeee, ffff, gggg,nnnnn Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 02-May-2017 aaa, bbbb, dddd, eeee, ffff, gggg,nnnnn	Model: 767 Meters: Spare Parts Only: No Bypass: Model: 767 Meters: Spare Parts Only: No Bypass:
Approved: 10-Feb-2006 Shutoffs: (yyy),ppp,qqq,zzz,aaa Type: DC Size: 8 Manual: 9 Approved: 02-May-2008 Shutoffs: (yyy), ppp, qqq,zzz, aa Type: DC Size: 8 Manual: 9 Approved: 02-May-2008 Shutoffs: (yyy), ppp, qqq,zzz, aa Type: DC	A,bbbb,dddd,eeee,gggg,kkkk,IIII,mmmm Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 02-May-2017 aaa, bbbb, dddd, eeee, ffff, gggg,nnnnn Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 02-May-2017 aaa, bbbb, dddd, eeee, ffff, gggg,nnnnn Manufacturer: Watts	Model: 767 Meters: Spare Parts Only: No Bypass: Model: 767 Meters: Spare Parts Only: No Bypass: Model: 767

Type: DC	Manufacturer: Watts	Model: 767
Size: 10	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Oct-2008	Renewed: 20-Oct-2014	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,gggg	
Type: DC	Manufacturer: Watts	Model: 767a
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm	,nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 767a
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm	,nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 767a
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm	,nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 767a
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
	Renewed: 07-Oct-2014	Bypass:
Approved: 07-Oct-2002	Renewed: 07-Oct-2014 a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm	
Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,yyy,zzz,aaa		
Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,yyy,zzz,aaa Type: DC	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm	,nnnn,nnnnn
Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,yyy,zzz,aaa Type: DC Size: 4	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm Manufacturer: Watts	,nnnn,nnnnn Model: 767a
Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,yyy,zzz,aaa Type: DC Size: 4 Manual: 9	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm Manufacturer: Watts Orientation: H	,nnnn,nnnnn Model: 767a Meters:
Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,yyy,zzz,aaa Type: DC Size: 4 Manual: 9 Approved: 03-Jul-2003	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm Manufacturer: Watts Orientation: H 0.25% Pb: No	Model: 767a Meters: Spare Parts Only: No Bypass:
Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,yyy,zzz,aaa Type: DC Size: 4 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,yyy,zzz,aaa	Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 03-Jul-2015	Model: 767a Meters: Spare Parts Only: No Bypass:
Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,yyy,zzz,aaa Type: DC Size: 4 Manual: 9 Approved: 03-Jul-2003	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 03-Jul-2015 a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm	,nnnn,nnnnn Model: 767a Meters: Spare Parts Only: No Bypass: ,nnnn,nnnn
Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,yyy,zzz,aaa Type: DC Size: 4 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,yyy,zzz,aaa Type: DC	Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 03-Jul-2015 a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm Manufacturer: Watts	Model: 767a Meters: Spare Parts Only: No Bypass: ,nnnn,nnnnn

Type: DC	Manufacturer: Watts	Model: 767N
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,dddo	d,eeee,dddd,gggg,kkkk,llll,mmmm,nnnn	,nnnnn
Type: DC	Manufacturer: Watts	Model: 767N
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,dddo	d,eeee,dddd,gggg,kkkk,llll,mmmm,nnnn	,nnnnn
Type: DC	Manufacturer: Watts	Model: 767N
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,dddd	d,eeee,dddd,gggg,kkkk,llll,mmmm,nnnn	,nnnnn
Type: DC	Manufacturer: Watts	Model: 767N
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jan-2013	Renewed: 03-Jan-2016	Bypass:
Shutoffs: ppp,qqq,aaaa,bbbb		
Type: DC	Manufacturer: Watts	Model: 767N
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Jan-2013	Renewed: 03-Jan-2016	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ggg	gg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Watts	Model: 767N
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Sep-2009	Renewed: 01-Sep-2015	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,dddo	d,eeee,dddd,gggg,kkkk,llll,mmmm,nnnn	,nnnnn
Type: DC	Manufacturer: Watts	Model: 767Na
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No

Type: DC	Manufacturer: Watts	Model: 767Na
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Mar-2003	Renewed: 20-Mar-2015	Bypass:
••	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,	
		,
Type: DC	Manufacturer: Watts	Model: 767Na
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2003	Renewed: 03-Jul-2015	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,	nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 770
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb : No	Spare Parts Only: Yes
Approved: 20-May-1992	Renewed: 20-May-2016	Bypass:
Shutoffs: oo,gg,hh,ll,mm,pp,tt,u	u,yy	
Type: DC	Manufacturer: Watts	Model: 770
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 13-Jan-1993	Renewed: 13-Jan-2017	Bypass:
Shutoffs: oo,gg,hh,ll,mm,pp,tt,u	u,yy	
Type: DC	Manufacturer: Watts	Model: 770QTFDA
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 12-Jan-1993	Renewed: 13-Jan-2017	Bypass:
Shutoffs: ww		
Type: DC	Manufacturer: Watts	Model: 770QTFDA
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 12-Jan-1993	Renewed: 13-Jan-2017	Bypass:
Shutoffs: ww		
Type: DC	Manufacturer: Watts	Model: 772
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Jul-1992	Renewed: 01-Jul-2016	Bypass:
Shutoffs: oo,yy		

Size: 10 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: Yes Approved: 13-Jan-1993 Renewed: 13-Jan-2017 Bypass: Shutoffs: oo,yy 	Type: DC	Manufacturer: Watts	Model: 772
Approved:13-Jan-1993 Shutoffs:Renewed:13-Jan-2017 Bypass:Bypass:Shutoffs:0.yyType:DCManufacturer:WattsModel:774Size:2.1/2Orientation:HMeters:Manufacturer:Manual:80.25% Pb: NoSpare Parts Only: NoApproved:11-Jul-1991Renewed:11-Jul-2015Bypass:Shutoffs:(th).ee, ff.gg.hh.pp.uu.ccc.,dddModel:774Size:2.1/2Orientation:HMeters:Manual:80.25% Pb: YesSpare Parts Only: NoApproved:11-Jul-1991Renewed:11-Jul-2015Shutoffs:I.m.yoo.ffff.ggggSpare Parts Only: NoApproved:11-Jul-1991Renewed:11-Jul-2015Bypass:Shutoffs:U.m.yoo.ffff.gggggSpare Parts Only: NoApproved:11-Jul-1991Renewed:11-Jul-2015Size:3Orientation: HMeters:Manual:80.25% Pb: NoSpare Parts Only: NoApproved:11-Jul-1991Renewed:11-Jul-2015Bypass:Shutoffs:(th).ef.ff.gg.hh.pp.uu.ccc.dddType:DCManufacturer:WattsManual:80.25% Pb: YesSpare Parts Only: NoApproved:11-Jul-1991Renewed:11-Jul-2015Bypass:Shutoffs:II.Jul-1991Renewed:Shutoffs:II.Jul-1991Renewed:11-Jul-2015Bypass:Shutoffs: <td< th=""><th>Size: 10</th><th>Orientation: H</th><th>Meters:</th></td<>	Size: 10	Orientation: H	Meters:
Shutoffs: oo,yy Type: DC Manufacturer: Watts Model: 774 Size: 2 1/2 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 11-Jul-1991 Renewed: 11-Jul-2015 Bypass: Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,ddd Type: DC Manufacturer: Watts Model: 774 Size: 2 1/2 Orientation: H Meters: Manual: 8 0.25% Pb: Yes Spare Parts Only: No Approved: 11-Jul-1991 Renewed: 11-Jul-2015 Bypass: Shutoffs: II,mm,oo,fff,gggg Type: DC Manufacturer: Watts Model: 774 Size: 3 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 11-Jul-1991 Renewed: 11-Jul-2015 Bypass: Shutoffs: II,mm,oo,fff,gggg Type: DC Manufacturer: Watts Model: 774 Size: 3 Orientation: H Meters: Manual: 8 0.25% Pb: No Approved: 11-Jul-1991 Renewed: 11-Jul-2015 Bypass: Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,ddd Type: DC Manufacturer: Watts Model: 774 Size: 3 Orientation: H Meters: Manual: 8 0.25% Pb: Yes Spare Parts Only: No Approved: 11-Jul-1991 Renewed: 11-Jul-2015 Bypass: Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,ddd Type: DC Manufacturer: Watts Model: 774 Size: 4 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 11-Jul-1991 Renewed: 11-Jul-2015 Bypass: Shutoffs: II,mm,oo,fff,gggg	Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Type: DC Manufacturer: Watts Model: 774 Size: 2: 1/2 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 11-Jul-1991 Renewed: 11-Jul-2015 Bypass: Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,ddd Manufacturer: Watts Model: 774 Size: 2: 1/2 Orientation: H Meters: Manual: 8 0.25% Pb: Yes Spare Parts Only: No Approved: 11-Jul-1991 Renewed: 11-Jul-2015 Bypass: Shutoffs: II,mm.oo,fff.gggg Manufacturer: Watts Model: 774 Size: 3 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 11-Jul-1991 Renewed: 11-Jul-2015 Bypass: Shutoffs: II,mm.oo,fff.gggg Manufacturer: Watts Model: 774 Size: 3 Orientation: H Meters: Manual: 8 0.25% Pb: Yes Spare Parts Only: No Approved: 11-Jul-1991 Renewed: 11-Jul-2015 Bypass: Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,ddd Model: 774 Size: 3 Type: DC Manufacturer: Watts Model: 774 Size: 3 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 11-Jul-1991	Approved: 13-Jan-1993	Renewed: 13-Jan-2017	Bypass:
Size: 2:1/2 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 11-Jul-1991 Renewed: 11-Jul-2015 Bypass: Shutoffs: (It),ee,ff,gg,hh,pp,uu,ccc,ddd	Shutoffs: oo,yy		
Manual: 80.25% Pb: NoSpare Parts Only: NoApproved: 11-Jul-1991Renewed: 11-Jul-2015Bypass:Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,dddModel: 774Size: 2 1/2Orientation: HMeters:Manual: 80.25% Pb: YesSpare Parts Only: NoApproved: 11-Jul-1991Renewed: 11-Jul-2015Bypass:Shutoffs: II,mm,oo,fff,ggggSpare Parts Only: NoType: DCManufacturer: WattsModel: 774Size: 3Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: NoApproved: 11-Jul-1991Renewed: 11-Jul-2015Bypass:Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,dddSpare Parts Only: NoApproved: 11-Jul-1991Renewed: 11-Jul-2015Bypass:Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,dddType: DCManufacturer: WattsModel: 774Size: 3Orientation: HMeters:Manual: 80.25% Pb: YesSpare Parts Only: NoApproved: 11-Jul-1991Renewed: 11-Jul-2015Bypass:Shutoffs: II,mm,oo,fff,gggType: DCManufacturer: WattsModel: 774Size: 4Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: NoApproved: 11-Jul-1991Renewed: 11-Jul-2015Bypass:Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,dddType: DCManufacturer: WattsModel: 774Size: 4Orientation: HMeters:Manual: 80.25% Pb: NoSpare	Type: DC	Manufacturer: Watts	Model: 774
Approved: 11-Jul-1991Renewed: 11-Jul-2015Bypass:Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,dddManufacturer: WattsModel: 774Size: 2 1/2Orientation: HMeters:Manual: 80.25% Pb: YesSpare Parts Only: NoApproved: 11-Jul-1991Renewed: 11-Jul-2015Bypass:Shutoffs: II,mm,oo,fff,ggggType: DCManufacturer: WattsModel: 774Size: 3Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: NoApproved: 11-Jul-1991Renewed: 11-Jul-2015Bypass:Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,dddSpare Parts Only: NoType: DCManufacturer: WattsModel: 774Size: 3Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: NoApproved: 11-Jul-1991Renewed: 11-Jul-2015Bypass:Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,dddType: DCManufacturer: WattsModel: 774Size: 3Orientation: HMeters:Manual: 8Approved: 11-Jul-1991Renewed: 11-Jul-2015Bypass:Shutoffs: II,mm,oo,fff,ggggType: DCManufacturer: WattsModel: 774Size: 4Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: NoApproved: 11-Jul-1991Renewed: 11-Jul-2015Bypass:Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,dddSpare Parts Only: NoType: DCManufacturer: WattsModel: 774Size: 4Orientation: HMeters:Manual: 80.25% Pb: NoSpare P	Size: 2 1/2	Orientation: H	Meters:
Shutoffs: (tt), ee, ff,gg, hh,pp,uu,ccc,ddd Type: DC Manufacturer: Watts Model: 774 Size: 2 1/2 Orientation: H Meters: Manual: 8 0.25% Pb; Yes Spare Parts Only: No Approved: 11-Jul-1991 Renewed: 11-Jul-2015 Bypass: Shutoffs: II,mm,oo,fff,gggg Type: DC Manufacturer: Watts Model: 774 Size: 3 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 11-Jul-1991 Renewed: 11-Jul-2015 Bypass: Shutoffs: (tt), ee, ff, gg, hh, pp, uu, ccc, ddd Type: DC Manufacturer: Watts Model: 774 Size: 3 Orientation: H Meters: Model: 774 Size: 3 Orientation: H Meters: Manual: 8 0.25% Pb: Yes Spare Parts Only: No Approved: 11-Jul-1991 Renewed: 11-Jul-2015 Bypass: Shutoffs: II,mm,oo,ffft,gggg Type: DC Manufacturer: Watts Model: 774 Size: 4 Orientation: H Meters: Model: 774 Size: 4 Orientation: H Meters: Model: 774 Size: 4 Orientation: H	Manual: 8	0.25% Pb: No	Spare Parts Only: No
Type: DC Manufacturer: Watts Model: 774 Size: 2 1/2 Orientation: H Meters: Manual: 8 0.25% Pb: Yes Spare Parts Only: No Approved: 11-Jul-1991 Renewed: 11-Jul-2015 Bypass: Shutoffs: II,mm.oo,fff.gggg Model: 774 Type: DC Manufacturer: Watts Model: 774 Size: 3 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 11-Jul-1991 Renewed: 11-Jul-2015 Bypass: Shutoffs: (it),ee,ff,gg,hh,pp,uu,ccc,ddd Model: 774 Size: 3 Type: DC Manufacturer: Watts Model: 774 Size: 3 Orientation: H Meters: Manual: 8 0.25% Pb: Yes Spare Parts Only: No Approved: 11-Jul-1991 Renewed: 11-Jul-2015 Bypass: Shutoffs: II,mm.oo,fff.gggg Type: DC Manufacturer: Watts Model: 774 Size: 4 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 11-Jul-1991 Renewed: 11-Jul-2015 Bypass: Shutoffs: II,mm.oo,fff.gggg Renewed: 11-Jul-2015 Bypass: Shutoffs: II,mm.oo,fff.gggg Difference: Watts Model: 774 Size: 4 Ori	Approved: 11-Jul-1991	Renewed: 11-Jul-2015	Bypass:
Size: 2 1/2Orientation: HMeters:Manual: 80.25% Pb: YesSpare Parts Only: NoApproved: 11-Jul-1991Renewed: 11-Jul-2015Bypass:Shutoffs: II,mm,oo,fff,ggggBanual: 2Type: DCManufacturer: WattsModel: 774Size: 3Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: NoApproved: 11-Jul-1991Renewed: 11-Jul-2015Bypass:Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,dddModel: 774Size: 3Orientation: HMeters:Manual: 80.25% Pb: YesSpare Parts Only: NoApproved: 11-Jul-1991Renewed: 11-Jul-2015Bypass:Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,dddModel: 774Size: 3Orientation: HMeters:Manual: 80.25% Pb: YesSpare Parts Only: NoApproved: 11-Jul-1991Renewed: 11-Jul-2015Bypass:Shutoffs: II,mm,oo,fff,ggggType: DCManufacturer: WattsModel: 774Size: 4Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: NoApproved: 11-Jul-1991Renewed: 11-Jul-2015Bypass:Shutoffs: I(t),ee,ff,gg,hh,pp,uu,ccc,dddSpare Parts Only: NoType: DCManufacturer: WattsModel: 774Size: 4Orientation: HMeters:Manual: 80.25% Pb: YesSpare Parts Only: NoShutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,dddSpare Parts Only: No	Shutoffs: (tt),ee,ff,gg,hh,pp,uu,c	cc,ddd	
Manual: 80.25% Pb: YesSpare Parts Only: NoApproved: 11-Jul-1991Renewed: 11-Jul-2015Bypass:Shutoffs: II,mm,oo,fff.ggggType: DCManufacturer: WattsModel: 774Size: 3Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: NoApproved: 11-Jul-1991Renewed: 11-Jul-2015Bypass:Shutoffs: (tt),ee,ff.gg,hh,pp,uu,ccc,dddSpare Parts Only: NoType: DCManufacturer: WattsModel: 774Size: 3Orientation: HMeters:Manual: 80.25% Pb: YesSpare Parts Only: NoApproved: 11-Jul-1991Renewed: 11-Jul-2015Bypass:Shutoffs: (tt),ee,ff.ggggSpare Parts Only: NoApproved: 11-Jul-1991Renewed: 11-Jul-2015Bypass:Shutoffs: II,mm,oo,ffff.ggggType: DCManufacturer: WattsModel: 774Size: 4Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: NoApproved: 11-Jul-1991Renewed: 11-Jul-2015Bypass:Shutoffs: (tt),ee,ff.gg,hh,pp,uu,ccc,dddSpare Parts Only: NoType: DCManufacturer: WattsModel: 774Size: 4Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: NoApproved: 11-Jul-1991Renewed: 11-Jul-2015Bypass:Shutoffs: (tt),ee,ff.gg,hh,pp,uu,ccc,dddSpare Parts Only: NoType: DCManufacturer: WattsModel: 774Size: 4Orientation: HMeters: <td>Type: DC</td> <td>Manufacturer: Watts</td> <td>Model: 774</td>	Type: DC	Manufacturer: Watts	Model: 774
Approved: 11-Jul-1991 Shutoffs: II,mm,oo,fff,ggggRenewed: 11-Jul-2015 Bypass:Bypass:Type: DC Manual: 8 Approved: 11-Jul-1991 State: 3 Manual: 8 	Size: 2 1/2	Orientation: H	Meters:
Shutoffs: II,mm,oo,fff,gggg Type: DC Manufacturer: Watts Model: 774 Size: 3 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 11-Jul-1991 Renewed: 11-Jul-2015 Bypass: Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,ddd Type: DC Manufacturer: Watts Model: 774 Size: 3 Orientation: H Meters: Manual: 8 0.25% Pb: Yes Spare Parts Only: No Approved: 11-Jul-1991 Renewed: 11-Jul-2015 Bypass: Shutoffs: II,mm,oo,ffff,gggg Type: DC Manufacturer: Watts Model: 774 Size: 4 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 11-Jul-1991 Renewed: 11-Jul-2015 Bypass: Shutoffs: II,mm,oo,ffff,gggg Type: DC Manufacturer: Watts Model: 774 Size: 4 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 11-Jul-1991 Renewed: 11-Jul-2015 Bypass: Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,ddd Type: DC Manufacturer: Watts Model: 774 Size: 4 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 11-Jul-1991 Renewed: 11-Jul-2015 Bypass: Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,ddd Type: DC Manufacturer: Watts Model: 774 Size: 4 Orientation: H Meters: Manual: 8 0.25% Pb: Yes Spare Parts Only: No Approved: 11-Jul-1991 Renewed: 11-Jul-2015 Bypass: Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,ddd	Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Type: DCManufacturer: WattsModel: 774Size: 3Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: NoApproved: 11-Jul-1991Renewed: 11-Jul-2015Bypass:Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,dddModel: 774Type: DCManufacturer: WattsModel: 774Size: 3Orientation: HMeters:Manual: 80.25% Pb: YesSpare Parts Only: NoApproved: 11-Jul-1991Renewed: 11-Jul-2015Bypass:Shutoffs: II,mm,oo,ffff,ggggSpare Parts Only: NoType: DCManufacturer: WattsModel: 774Size: 4Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: NoApproved: 11-Jul-1991Renewed: 11-Jul-2015Bypass:Shutoffs: II,mm,oo,ffff,ggggSpare Parts Only: NoApproved: 11-Jul-1991Renewed: 11-Jul-2015Bypass:Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,dddSpare Parts Only: NoType: DCManufacturer: WattsModel: 774Size: 4Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: NoType: DCManufacturer: WattsModel: 774Size: 4Orientation: HMeters:Manual: 80.25% Pb: YesSpare Parts Only: No	Approved: 11-Jul-1991	Renewed: 11-Jul-2015	Bypass:
Size: 3 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 11-Jul-1991 Renewed: 11-Jul-2015 Bypass: Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,dd Type: DC Manufacturer: Watts Model: 774 Size: 3 Orientation: H Meters: Manual: 8 0.25% Pb: Yes Spare Parts Only: No Approved: 11-Jul-1991 Renewed: 11-Jul-2015 Bypass: Shutoffs: II,mm,oo,fff,gggg Type: DC Manufacturer: Watts Model: 774 Size: 4 Orientation: H Meters: Manual: 8 0.25% Pb: No Approved: 11-Jul-1991 Renewed: 11-Jul-2015 Bypass: Shutoffs: II,mm,oo,fff,gggg Type: DC Manufacturer: Watts Model: 774 Size: 4 Orientation: H Meters: Manual: 8 0.25% Pb: No Approved: 11-Jul-1991 Renewed: 11-Jul-2015 Bypass: Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,ddd Type: DC Manufacturer: Watts Model: 774 Size: 4 Orientation: H Meters: Manual: 8 0.25% Pb: No Approved: 11-Jul-1991 Renewed: 11-Jul-2015 Bypass: Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,ddd Type: DC Manufacturer: Watts Model: 774 Size: 4 Orientation: H Meters: Manual: 8 0.25% Pb: No	Shutoffs: II,mm,oo,ffff,gggg		
Manual: 80.25% Pb: NoSpare Parts Only: NoApproved: 11-Jul-1991Renewed: 11-Jul-2015Bypass:Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,dddModel: 774Size: 3Orientation: HMeters:Manual: 80.25% Pb: YesSpare Parts Only: NoApproved: 11-Jul-1991Renewed: 11-Jul-2015Bypass:Shutoffs: II,mm,oo,ffff,ggggSpare Parts Only: NoType: DCManufacturer: WattsModel: 774Size: 4Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: NoApproved: 11-Jul-1991Renewed: 11-Jul-2015Bypass:Shutoffs: II,mm,oo,ffff,ggggType: DCManufacturer: WattsModel: 774Size: 4Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: NoApproved: 11-Jul-1991Renewed: 11-Jul-2015Bypass:Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,dddSpare Parts Only: NoType: DCManufacturer: WattsModel: 774Size: 4Orientation: HMeters:Manual: 80.25% Pb: YesSpare Parts Only: No	Type: DC	Manufacturer: Watts	Model: 774
Approved: 11-Jul-1991 Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,dddRenewed: 11-Jul-2015Bypass:Type: DC Size: 3 Manual: 8Manufacturer: Watts Orientation: H Renewed: 11-Jul-2015Model: 774Manual: 8 Approved: 11-Jul-1991 Size: 4 Manual: 80.25% Pb: Yes Renewed: 11-Jul-2015Spare Parts Only: No Bypass: Bypass: Shutoffs: II,mm,oo,ffff,ggggType: DC Size: 4 Manual: 8 Manual: 8 Approved: 11-Jul-1991 Size: 4Manufacturer: Watts Orientation: H Meters: Meters: Manual: 8 Model: 774Manual: 8 Approved: 11-Jul-1991 Size: 4 Manufacturer: Watts Manual: 8 Approved: 11-Jul-1991 Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,dddManufacturer: Watts Model: 774 Meters: Manual: 8 Model: 774Type: DC Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,dddManufacturer: Watts Model: 774 Model: 774 Model: 774 Model: 774 Model: 774Type: DC Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,dddManufacturer: Watts Model: 774 Model: 774 Model: 774 Model: 774 Size: 4 Model: 774 Size: 4 Manual: 8Model: 774 Meters: Manual: 8	Size: 3	Orientation: H	Meters:
Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,ddd Manufacturer: Watts Model: 774 Size: 3 Orientation: H Meters: Manual: 8 0.25% Pb: Yes Spare Parts Only: No Approved: 11-Jul-1991 Renewed: 11-Jul-2015 Bypass: Shutoffs: II,mm,oo,ffff,gggg Type: DC Manufacturer: Watts Model: 774 Size: 4 Orientation: H Meters: Model: 774 Size: 4 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 11-Jul-1991 Renewed: 11-Jul-2015 Bypass: Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,ddd Type: DC Manufacturer: Watts Model: 774 Size: 4 Orientation: H Meters: Bypass: Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,ddd Type: DC Manufacturer: Watts Model: 774 Size: 4 Orientation: H Meters: Model: 774 Size: 4 Orientation: H Meters: Manual: 8 0.25% Pb: Yes Spare Parts Only: No	Manual: 8	0.25% Pb: No	Spare Parts Only: No
Type: DCManufacturer: WattsModel: 774Size: 3Orientation: HMeters:Manual: 80.25% Pb: YesSpare Parts Only: NoApproved: 11-Jul-1991Renewed: 11-Jul-2015Bypass:Shutoffs: II,mm,oo,ffff,ggggType: DCManufacturer: WattsModel: 774Size: 4Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: NoApproved: 11-Jul-1991Renewed: 11-Jul-2015Bypass:Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,dddSpare Parts Only: NoType: DCManufacturer: WattsModel: 774Size: 4Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: NoApproved: 11-Jul-1991Renewed: 11-Jul-2015Bypass:Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,dddModel: 774Size: 4Orientation: HMeters:Manual: 80.25% Pb: YesSpare Parts Only: No	Approved: 11-Jul-1991	Renewed: 11-Jul-2015	Bypass:
Size: 3Orientation: HMeters:Manual: 80.25% Pb: YesSpare Parts Only: NoApproved: 11-Jul-1991Renewed: 11-Jul-2015Bypass:Shutoffs: II,mm,oo,ffff,ggggModel: 774Type: DCManufacturer: WattsModel: 774Size: 4Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: NoApproved: 11-Jul-1991Renewed: 11-Jul-2015Bypass:Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,dddSpare Parts Only: NoType: DCManufacturer: WattsModel: 774Size: 4Orientation: HMeters:Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,dddModel: 774Size: 4Orientation: HMeters:Manual: 80.25% Pb: YesSpare Parts Only: No	Shutoffs: (tt),ee,ff,gg,hh,pp,uu,c	cc,ddd	
Manual: 8 Approved: 11-Jul-1991 Shutoffs: II,mm,oo,ffff,gggg0.25% Pb: Yes Renewed: 11-Jul-2015Spare Parts Only: No Bypass:Type: DC Size: 4Manufacturer: Watts Orientation: HModel: 774Manual: 8 Approved: 11-Jul-1991 Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,ddd0.25% Pb: No Renewed: 11-Jul-2015Spare Parts Only: NoType: DC Manual: 8Manufacturer: Watts Orientation: HMeters: Meters:Manual: 8 Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,dddManufacturer: Watts Orientation: HModel: 774Size: 4 Manual: 8Orientation: HModel: 774Manual: 8 Size: 4Orientation: HMeters: Model: 774Size: 4 Manual: 8Orientation: HMeters: Model: 774Manual: 80.25% Pb: YesModel: 774	Type: DC	Manufacturer: Watts	Model: 774
Approved: 11-Jul-1991 Shutoffs: II,mm,oo,ffff,ggggRenewed: 11-Jul-2015Bypass:Type: DC Size: 4 Manual: 8 Approved: 11-Jul-1991 Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,dddManufacturer: Watts Manufacturer: Watts Manufacturer: Watts Manufacturer: Watts Manufacturer: Watts Manufacturer: Watts Manufacturer: Watts Model: 774Type: DC Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,dddManufacturer: Watts Manufacturer: Watts Model: 774 Model: 774Type: DC Size: 4 Manufacturer: WattsModel: 774 Model: 774 Meters: Manufacturer: Watts Model: 774 Meters: Meters: Manufacturer: Watts Meters: Manufacturer: Watts Model: 774 Meters: Manufacturer: Watts Meters: Meters: Meters: Manufacture: Watts Meters: Meters: Manufacture: Watts Meters: Meters: Meters: Meters: Manufacture: Watts Meters: Meters: Meters: Meters: Manufacture: Watts Meters: Met	Size: 3	Orientation: H	Meters:
Shutoffs: II,mm,oo,ffff,ggggType: DCManufacturer: WattsModel: 774Size: 4Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: NoApproved: 11-Jul-1991Renewed: 11-Jul-2015Bypass:Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,dddType: DCManufacturer: WattsModel: 774Size: 4Orientation: HMeters:Manual: 80.25% Pb: YesSpare Parts Only: No	Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Type: DCManufacturer: WattsModel: 774Size: 4Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: NoApproved: 11-Jul-1991Renewed: 11-Jul-2015Bypass:Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,dddType: DCManufacturer: WattsModel: 774Size: 4Orientation: HMeters:Manual: 80.25% Pb: YesSpare Parts Only: No	Approved: 11-Jul-1991	Renewed: 11-Jul-2015	Bypass:
Size: 4Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: NoApproved: 11-Jul-1991Renewed: 11-Jul-2015Bypass:Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,dddType: DCManufacturer: WattsModel: 774Size: 4Orientation: HMeters:Manual: 80.25% Pb: YesSpare Parts Only: No	Shutoffs: II,mm,oo,ffff,gggg		
Manual: 80.25% Pb: NoSpare Parts Only: NoApproved: 11-Jul-1991Renewed: 11-Jul-2015Bypass:Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,dddType: DCManufacturer: WattsModel: 774Size: 4Orientation: HMeters:Manual: 80.25% Pb: YesSpare Parts Only: No	Type: DC	Manufacturer: Watts	Model: 774
Approved: 11-Jul-1991Renewed: 11-Jul-2015Bypass:Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,dddManufacturer: WattsModel: 774Type: DCManufacturer: WattsModel: 774Size: 4Orientation: HMeters:Manual: 80.25% Pb: YesSpare Parts Only: No	Size: 4	Orientation: H	Meters:
Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,ddd Type: DC Manufacturer: Watts Model: 774 Size: 4 Orientation: H Meters: Manual: 8 0.25% Pb: Yes Spare Parts Only: No	Manual: 8	0.25% Pb: No	Spare Parts Only: No
Type: DCManufacturer: WattsModel: 774Size: 4Orientation: HMeters:Manual: 80.25% Pb: YesSpare Parts Only: No	Approved: 11-Jul-1991	Renewed: 11-Jul-2015	Bypass:
Size: 4Orientation: HMeters:Manual: 80.25% Pb: YesSpare Parts Only: No	Shutoffs: (tt),ee,ff,gg,hh,pp,uu,c	cc,ddd	
Manual: 80.25% Pb: YesSpare Parts Only: No	Type: DC	Manufacturer: Watts	Model: 774
	Size: 4	Orientation: H	Meters:
Approved: 11-Jul-1991 Renewed: 11-Jul-2015 Bypass:	Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
	Approved: 11-Jul-1991	Renewed: 11-Jul-2015	Bypass:

Shutoffs: II,mm,oo,ffff,gggg

Type: DC	Manufacturer: Watts	Model: 774
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Sep-1992	Renewed: 09-Sep-2016	Bypass:
Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,		Dypass.
Type: DC	Manufacturer: Watts	Model: 774
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-1992	Renewed: 09-Sep-2016	Bypass:
Shutoffs: II,mm,oo,ffff,gggg		
Type: DC	Manufacturer: Watts	Model: 774
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Sep-1996	Renewed: 16-Sep-2014	Bypass:
Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,	,ddd	
Type: DC	Manufacturer: Watts	Model: 774
Size : 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 16-Sep-1996	Renewed: 16-Sep-2014	Bypass:
Shutoffs: II,mm,oo,ffff,gggg		
Type: DC	Manufacturer: Watts	Model: 774
Size: 10	Orientation: H	Meters:
Manual: 8	0.25% Pb : Yes	Spare Parts Only: No
Approved: 16-Feb-2001	Renewed: 16-Feb-2016	Bypass:
Shutoffs: (II),mm,ffff,gggg		
Type: DC	Manufacturer: Watts	Model: 774
Size: 12	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Jan-2010	Renewed: 12-Jan-2016	Bypass:
Shutoffs: hh,gg		
Type: DC	Manufacturer: Watts	Model: 774
Size: 12	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Jan-2010	Renewed: 12-Jan-2016	Bypass:
Shutoffs: (II),mm		

Type: DC	Manufacturer: Watts	Model: 774
Size: 12	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Mar-2011	Renewed: 21-Mar-2017	Bypass:
Shutoffs: pp,		
Type: DC	Manufacturer: Watts	Model: 774
Size: 12	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 21-Mar-2011	Renewed: 21-Mar-2017	Bypass:
Shutoffs: (II),mm,oo		
Type: DC	Manufacturer: Watts	Model: 774X
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 10-Sep-1996	Renewed: 10-Sep-2014	Bypass:
Shutoffs: (mm),ee,ff,gg,hh,ll,oo,	pp,tt,uu,ccc,ddd,ffff,gggg	
Type: DC	Manufacturer: Watts	Model: 774X
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 22-Nov-1993	Renewed: 22-Nov-2014	Bypass:
Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo	,pp,uu,ccc,ddd,ffff,gggg	
Type: DC	Manufacturer: Watts	Model: 774X
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 09-Sep-1992	Renewed: 09-Sep-2016	Bypass:
Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo	,pp,uu,ccc,ddd,ffff,gggg	
Type: DC	Manufacturer: Watts	Model: 775QT
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-2000	Renewed: 01-Feb-2015	Bypass:
Shutoffs: int		
Type: DC	Manufacturer: Watts	Model: 775QT
Size: 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-2000	Renewed: 01-Feb-2015	Bypass:
Shutoffs: int		

	Manufacturer: Watts	Model: 775QT
Type: DC Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb : No	Spare Parts Only: Yes
Approved: 01-Feb-2000	Renewed: 01-Feb-2015	Bypass:
Shutoffs: int		Dypass.
Type: DC	Manufacturer: Watts	Model: 775QT
Size: 3/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-2000	Renewed: 01-Feb-2015	Bypass:
Shutoffs: int		
Type: DC	Manufacturer: Watts	Model: 775QT
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 12-Aug-1999	Renewed: 12-Aug-2017	Bypass:
Shutoffs: int		
Type: DC	Manufacturer: Watts	Model: 775QT
Size: 1	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 12-Aug-1999	Renewed: 12-Aug-2017	Bypass:
Shutoffs: int		
Type: DC	Manufacturer: Watts	Model: 775QT
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 07-Sep-2000	Renewed: 07-Sep-2015	Bypass:
Shutoffs: int		
Type: DC	Manufacturer: Watts	Model: 775QT
Size: 1 1/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 07-Sep-2000	Renewed: 07-Sep-2015	Bypass:
Shutoffs: int		
Type: DC	Manufacturer: Watts	Model: 775QT
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 07-Sep-2000	Renewed: 07-Sep-2015	Bypass:
Shutoffs: int	-	

Type: DC Size: 1 1/2 Manual: 9 Approved: 07-Sep-2000 Shutoffs: int

- Type: DC Size: 2 Manual: 9 Approved: 28-Mar-2002 Shutoffs: int
- Type: DC Size: 2 Manual: 9 Approved: 28-Mar-2002 Shutoffs: int
- Type: DC Size: 2 1/2 Manual: 9 Approved: 12-Jan-2010 Shutoffs: (oo)

Type: DC Size: 3 Manual: 9 Approved: 12-Jan-2010 Shutoffs: (oo)

Type: DC Size: 1 Manual: 9 Approved: 13-Mar-2015 Shutoffs: (hhhh),rrrrr

Type: DC Size: 1 Manual: 9 Approved: 13-Mar-2015 Shutoffs: (hhhh),rrrrr Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 07-Sep-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 28-Mar-2017

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 28-Mar-2017

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 12-Jan-2016

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 12-Jan-2016

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: Model: 775QT Meters: Spare Parts Only: Yes Bypass:

Model: 775QT Meters: Spare Parts Only: Yes Bypass:

Model: 775QT Meters: Spare Parts Only: Yes Bypass:

Model: LF007 Meters: Spare Parts Only: No Bypass:

Model: LF007 Meters: Spare Parts Only: No Bypass:

Model: LF007M1PCQT Meters: Spare Parts Only: No Bypass:

Model: LF007M1PCQT Meters: Spare Parts Only: No Bypass: Type: DC Size: 2 Manual: 9 Approved: 13-Mar-2015 Shutoffs: (hhhh),rrrrr

Type: DC Size: 2 Manual: 9 Approved: 13-Mar-2015 Shutoffs: (hhhh),rrrr

Type: DC Size: 1 Manual: 9 Approved: 11-Jan-2008 Shutoffs: (hhhh),rrrrr

Type: DC Size: 1 Manual: 9 Approved: 11-Jan-2008 Shutoffs: (hhhh),rrrrr

Type: DC Size: 2 Manual: 9 Approved: 11-Jan-2008 Shutoffs: (hhhh),rrrrr

Type: DC Size: 2 Manual: 9 Approved: 11-Jan-2008 Shutoffs: (hhhh),rrrrr

Type: DC Size: 1 1/4 Manual: 8 Approved: 11-Jan-2008 Shutoffs: (hhhh),rrrrr Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed:

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 11-Jan-2017

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 11-Jan-2017

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 11-Jan-2017

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 11-Jan-2017

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 11-Jan-2017 Model: LF007M1PCQT Meters: Spare Parts Only: No Bypass:

Model: LF007M1PCQT Meters: Spare Parts Only: No Bypass:

Model: LF007M1QT Meters: Spare Parts Only: No Bypass:

Model: LF007M2QT Meters: Spare Parts Only: No Bypass: Type: DC Size: 1 1/4 Manual: 8 Approved: 11-Jan-2008 Shutoffs: (hhhh),rrrrr

Type: DC Size: 1 1/2 Manual: 8 Approved: 11-Jan-2008 Shutoffs: (hhhh),rrrrr

Type: DC Size: 1 1/2 Manual: 8 Approved: 11-Jan-2008 Shutoffs: (hhhh),rrrrr

Type: DC Size: 3/4 Manual: 9 Approved: 13-Mar-2015 Shutoffs: (hhhh),rrrrr

Type: DC Size: 3/4 Manual: 9 Approved: 13-Mar-2015 Shutoffs: (hhhh),rrrrr

Type: DC Size: 3/4 Manual: 9 Approved: 11-Jan-2008 Shutoffs: (hhhh),rrrrr

Type: DC Size: 3/4 Manual: 9 Approved: 11-Jan-2008 Shutoffs: (hhhh),rrrrr Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 11-Jan-2017

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 11-Jan-2017

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 11-Jan-2017

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed:

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 11-Jan-2017

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 11-Jan-2017 Model: LF007M2QT Meters: Spare Parts Only: No Bypass:

Model: LF007M2QT Meters: Spare Parts Only: No Bypass:

Model: LF007M2QT Meters: Spare Parts Only: No Bypass:

Model: LF007M3PCQT Meters: Spare Parts Only: No Bypass:

Model: LF007M3PCQT Meters: Spare Parts Only: No Bypass:

Model: LF007M3QT Meters: Spare Parts Only: No Bypass:

Model: LF007M3QT Meters: Spare Parts Only: No Bypass:

Type: DC	Manufacturer: Watts	Model: LF007PCQT
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 13-Mar-2015	Renewed:	Bypass:
Shutoffs: (hhhh),rrrrr		
Type: DC	Manufacturer: Watts	Model: LF007PCQT
Size: 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 13-Mar-2015	Renewed:	Bypass:
Shutoffs: (hhhh),rrrrr		
Type: DC	Manufacturer: Watts	Model: LF007QT
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 11-Jan-2008	Renewed: 11-Jan-2017	Bypass:
Shutoffs: (hhhh),rrrrr		
Type: DC	Manufacturer: Watts	Model: LF007QT
Size: 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 11-Jan-2008	Renewed: 11-Jan-2017	Bypass:
Shutoffs: (hhhh),rrrrr		
Type: DC	Manufacturer: Watts	Model: LF709
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Jan-2010	Renewed: 12-Jan-2016	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,cccc	c,dddd,eeee,ffff,ggggg,nnnnn	
Type: DC	Manufacturer: Watts	Model: LF709
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Jan-2010	Renewed: 12-Jan-2016	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,cccc	c,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Watts	Model: LF709
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 27-Jul-2012	Renewed: 27-Jul-2015	Bypass:

Manufacturer: Watts	Model: LF709
Orientation: VU	Meters:
0.25% Pb: Yes	Spare Parts Only: No
Renewed: 27-Jul-2015	Bypass:
c,dddd,eeee,ffff,gggg,nnnnn	
Manufacturer: Watts	Model: LF709
Orientation: H	Meters:
0.25% Pb: Yes	Spare Parts Only: No
Renewed: 27-Jul-2015	Bypass:
c,dddd,eeee,ffff,gggg,nnnnn	
Manufacturer: Watts	Model: LF709
Orientation: VU	Meters:
0.25% Pb: Yes	Spare Parts Only: No
Renewed: 27-Jul-2015	Bypass:
c,dddd,eeee,ffff,ggggg,nnnnn	
Manufacturer: Watts	Model: LF709
Orientation: H	Meters:
0.25% Pb: Yes	Spare Parts Only: No
Renewed: 01-Jul-2016	Bypass:
c,dddd,eeee,ffff,gggg,nnnnn	
Manufacturer: Watts	Model: LF709
Orientation: VU	Meters:
0.25% Pb: Yes	Spare Parts Only: No
Renewed: 01-Jul-2016	Bypass:
c,dddd,eeee,ffff,gggg,nnnnn	
Manufacturer: Watts	Model: LF709
Orientation: H	Meters:
0.25% Pb: Yes	Spare Parts Only: No
Renewed: 01-Jul-2016	Bypass:
c,dddd,eeee,ffff,ggggg,nnnnn	
Manufacturer: Watts	Model: LF709
Orientation: VU	Meters:
Orientation: VU 0.25% Pb: Yes	Meters: Spare Parts Only: No
	Orientation: VU 0.25% Pb: Yes Renewed: 27-Jul-2015 c,dddd,eeee,ffff,gggg,nnnn Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 27-Jul-2015 c,dddd,eeee,ffff,gggg,nnnn Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 27-Jul-2015 c,dddd,eeee,ffff,gggg,nnnn Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 01-Jul-2016 c,dddd,eeee,ffff,gggg,nnnn Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 01-Jul-2016 c,dddd,eeee,ffff,gggg,nnnn Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 01-Jul-2016 c,dddd,eeee,ffff,gggg,nnnn

Type: DC Size: 1 Manual: 9 Approved: 22-Aug-2005 Shutoffs: (vv),xx,ooo,pppp,rrrrr	Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 22-Aug-2014	Model: LF719AQT Meters: Spare Parts Only: No Bypass:
Type: DC	Manufacturer: Watts	Model: LF719AQT
Size: 1	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-Aug-2005 Shutoffs: hhhh,rrrrr	Renewed: 22-Aug-2014	Bypass:
Type: DC	Manufacturer: Watts	Model: LF719AQT
Size: 1 1/4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: (vv),xx,ooo,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: LF719AQT
Size: 1 1/4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-Aug-2005 Shutoffs: hhhh,rrrrr	Renewed: 22-Aug-2014	Bypass:
Type: DC	Manufacturer: Watts	Model: LF719AQT
Size: 1 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: (vv),xx,ooo,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: LF719AQT
Size: 1 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: hhhh,rrrrr		
Type: DC	Manufacturer: Watts	Model: LF719AQT
Size: 2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: (vv),xx,ooo,pppp,rrrrr		

Type: DC Size: 2 Manual: 9 Approved: 22-Aug-2005 Shutoffs: hhhh,rrrrr

Type: DC Size: 1/2 Manual: 9 Approved: 03-Jul-2013 Shutoffs: (hhhh)

Type: DC Size: 1/2 Manual: 9 Approved: 03-Jul-2013 Shutoffs: (hhhh)

Type: DC Size: 1/2 Manual: 9 Approved: 03-Jul-2013 Shutoffs: (hhhh)

Type: DC Size: 3/4 Manual: 9 Approved: 03-Jul-2013 Shutoffs: (hhhh)

Type: DC Size: 3/4 Manual: 9 Approved: 03-Jul-2013 Shutoffs: (hhhh)

Type: DC Size: 3/4 Manual: 9 Approved: 03-Jul-2013 Shutoffs: (hhhh) Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: 22-Aug-2014

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 03-Jul-2016

Manufacturer: Watts Orientation: VD 0.25% Pb: Yes Renewed: 03-Jul-2016

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 03-Jul-2016

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 03-Jul-2016

Manufacturer: Watts Orientation: VD 0.25% Pb: Yes Renewed: 03-Jul-2016

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 03-Jul-2016 Model: LF719AQT Meters: Spare Parts Only: No Bypass:

Model: LF719QT Meters: Spare Parts Only: No Bypass:

Type: DC Size: 1 Manual: 9 Approved: 22-Aug-2005 Shutoffs: (vv),xx,ooo,pppp,rrrrr Type: DC Size: 1 Manual: 9 Approved: 22-Aug-2005 Shutoffs: hhhh,rrrr	Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 22-Aug-2014 Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 22-Aug-2014	Model: LF719QT Meters: Spare Parts Only: No Bypass: Model: LF719QT Meters: Spare Parts Only: No Bypass:
Type: DC Size: 1 Manual: 9 Approved: 22-Aug-2005 Shutoffs: (vv),xx,ooo,pppp,rrrrr	Manufacturer: Watts Orientation: VD 0.25% Pb: No Renewed: 22-Aug-2014	Model: LF719QT Meters: Spare Parts Only: No Bypass:
Type: DC Size: 1 Manual: 9 Approved: 22-Aug-2005 Shutoffs: hhhh,rrrrr	Manufacturer: Watts Orientation: VD 0.25% Pb: Yes Renewed: 22-Aug-2014	Model: LF719QT Meters: Spare Parts Only: No Bypass:
Type: DC Size: 1 Manual: 9 Approved: 22-Aug-2005 Shutoffs: (vv),xx,ooo,pppp,rrrrr	Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 22-Aug-2014	Model: LF719QT Meters: Spare Parts Only: No Bypass:
Type: DC Size: 1 Manual: 9 Approved: 22-Aug-2005 Shutoffs: hhhh,rrrrr	Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 22-Aug-2014	Model: LF719QT Meters: Spare Parts Only: No Bypass:
Type: DC Size: 1 1/4 Manual: 9 Approved: 22-Aug-2005 Shutoffs: (vv),xx,ooo,pppp,rrrrr	Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 22-Aug-2014	Model: LF719QT Meters: Spare Parts Only: No Bypass:

Type: DC Size: 1 1/4 Manual: 9 Approved: 22-Aug-2005 Shutoffs: hhhh,rrrr

Approved: 22-Aug-2005

Approved: 22-Aug-2005

Approved: 22-Aug-2005

Approved: 22-Aug-2005

Shutoffs: hhhh,rrrrr

Shutoffs: (vv),xx,ooo,pppp,rrrrr

Shutoffs: hhhh,rrrrr

Shutoffs: (vv),xx,ooo,pppp,rrrrr

Type: DC

Size: 1 1/4

Manual: 9

Type: DC

Size: 1 1/2

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 22-Aug-2014

Manufacturer: Watts Orientation: VD 0.25% Pb: No Renewed: 22-Aug-2014

Manufacturer: Watts Orientation: VD 0.25% Pb: Yes Renewed: 22-Aug-2014

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 22-Aug-2014

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 22-Aug-2014

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 22-Aug-2014

Manual: 9 Approved: 22-Aug-2005 Shutoffs: (vv),xx,ooo,pppp,rrrrr

Type: DC Size: 1 1/2 Manual: 9 Approved: 22-Aug-2005 Shutoffs: hhhh,rrrr Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 22-Aug-2014 Model: LF719QT Meters: Spare Parts Only: No Bypass:

Type: DC	Manufacturer: Watts	Model: LF719QT
Size: 1 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: (vv),xx,ooo,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: LF719QT
Size: 1 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: hhhh,rrrrr		
Type: DC	Manufacturer: Watts	Model: LF719QT
Size: 1 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: (vv),xx,ooo,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: LF719QT
Size: 1 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: hhhh,rrrrr		
Type: DC	Manufacturer: Watts	Model: LF719QT
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: (vv),xx,ooo,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: LF719QT
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: hhhh,rrrrr		
Type: DC	Manufacturer: Watts	Model: LF719QT
Size: 2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: (vv),xx,ooo,pppp,rrrrr		

Type: DC	Manufacturer: Watts	Model: LF719QT
Size: 2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: hhhh,rrrrr	J. J	2, 1400.
Type: DC	Manufacturer: Watts	Model: LF719QT
Size: 2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: (vv),xx,ooo,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: LF719QT
Size: 2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: hhhh,rrrrr		
Type: DC	Manufacturer: Watts	Model: LF719QTR10
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,r	rrrr	
Type: DC	Manufacturer: Watts	Model: LF719QTR10
Size: 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,r	rrrr	
Type: DC	Manufacturer: Watts	Model: LF719QTR10
Size: 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,r	rrrr	
Type: DC	Manufacturer: Watts	Model: LF719QTR10
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:

Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

Type: DC	Manufacturer: Watts	Model: LF719QTR10
Size: 3/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Time: DO	Manager Manager Martha	
Type: DC Size: 3/4	Manufacturer: Watts	Model: LF719QTR10
	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: LFU719QT
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: (vv),xx,ooo,pppp		
Type: DC	Manufacturer: Watts	Model: LFU719QT
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: hhhh		
Type: DC	Manufacturer: Watts	Model: LFU719QT
Size: 1	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: (vv),xx,ooo,pppp	Ū.	
	•• • • • • • • • • • • • • • • • • • • •	
Type: DC	Manufacturer: Watts	Model: LFU719QT
Size: 1	Orientation: VD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: hhhh		
Type: DC	Manufacturer: Watts	Model: LFU719QT
Size: 1	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: (vv),xx,ooo,pppp	-	

Type: DC Size: 1 Manual: 9 Approved: 22-Aug-2005 Shutoffs: hhhh

- Type: DC Size: 1 1/4 Manual: 9 Approved: 22-Aug-2005 Shutoffs: (vv),xx,000,pppp
- Type: DC Size: 1 1/4 Manual: 9 Approved: 22-Aug-2005 Shutoffs: hhhh

Type: DC Size: 1 1/4 Manual: 9 Approved: 22-Aug-2005 Shutoffs: (vv),xx,000,pppp

Type: DC Size: 1 1/4 Manual: 9 Approved: 22-Aug-2005 Shutoffs: hhhh

Type: DC Size: 1 1/4 Manual: 9 Approved: 22-Aug-2005 Shutoffs: (vv),xx,ooo,pppp

Type: DC Size: 1 1/4 Manual: 9 Approved: 22-Aug-2005 Shutoffs: hhhh Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 22-Aug-2014

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 22-Aug-2014

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 22-Aug-2014

Manufacturer: Watts Orientation: VD 0.25% Pb: No Renewed: 22-Aug-2014

Manufacturer: Watts Orientation: VD 0.25% Pb: Yes Renewed: 22-Aug-2014

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 22-Aug-2014

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 22-Aug-2014 Model: LFU719QT Meters: Spare Parts Only: No Bypass:

Model: LFU719QT Meters: Spare Parts Only: No Bypass: Type: DC Size: 1 1/2 Manual: 9 Approved: 22-Aug-2005 Shutoffs: (vv),xx,ooo,pppp

Type: DC Size: 1 1/2 Manual: 9 Approved: 22-Aug-2005 Shutoffs: hhhh

Type: DC Size: 1 1/2 Manual: 9 Approved: 22-Aug-2005 Shutoffs: (vv),xx,ooo,pppp

Type: DC Size: 1 1/2 Manual: 9 Approved: 22-Aug-2005 Shutoffs: hhhh

Type: DC Size: 1 1/2 Manual: 9 Approved: 22-Aug-2005 Shutoffs: (vv),xx,ooo,pppp

Type: DC Size: 1 1/2 Manual: 9 Approved: 22-Aug-2005 Shutoffs: hhhh

Type: DC Size: 2 Manual: 9 Approved: 22-Aug-2005 Shutoffs: (vv),xx,ooo,pppp Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 22-Aug-2014

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 22-Aug-2014

Manufacturer: Watts Orientation: VD 0.25% Pb: No Renewed: 22-Aug-2014

Manufacturer: Watts Orientation: VD 0.25% Pb: Yes Renewed: 22-Aug-2014

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 22-Aug-2014

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 22-Aug-2014

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 22-Aug-2014 Model: LFU719QT Meters: Spare Parts Only: No Bypass:

Model: LFU719QT Meters: Spare Parts Only: No Bypass: Type: DC Size: 2 Manual: 9 Approved: 22-Aug-2005 Shutoffs: hhhh

Type: DC Size: 2 Manual: 9 Approved: 22-Aug-2005 Shutoffs: (vv),xx,000,pppp

Type: DC Size: 2 Manual: 9 Approved: 22-Aug-2005 Shutoffs: hhhh

Type: DC Size: 2 Manual: 9 Approved: 22-Aug-2005 Shutoffs: (vv),xx,ooo,pppp

Type: DC Size: 2 Manual: 9 Approved: 22-Aug-2005 Shutoffs: hhhh

Type: DC Size: 1 Manual: 9 Approved: 18-May-1998 Shutoffs: (hhh)

Type: DC Size: 1 Manual: 9 Approved: 18-May-1998 Shutoffs: (hhh) Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 22-Aug-2014

Manufacturer: Watts Orientation: VD 0.25% Pb: No Renewed: 22-Aug-2014

Manufacturer: Watts Orientation: VD 0.25% Pb: Yes Renewed: 22-Aug-2014

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 22-Aug-2014

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 22-Aug-2014

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 18-May-2016

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 18-May-2016 Model: LFU719QT Meters: Spare Parts Only: No Bypass:

Model: SS007M1QT Meters: Spare Parts Only: No Bypass:

Model: SS007M1QT Meters: Spare Parts Only: No Bypass: Type: DC Size: 1/2 Manual: 9 Approved: 11-Sep-2000 Shutoffs: (hhh)

- Type: DC Size: 1/2 Manual: 9 Approved: 11-Sep-2000 Shutoffs: (hhh)
- Type: DC Size: 3/4 Manual: 9 Approved: 07-Sep-2000 Shutoffs: (hhh)

Type: DC Size: 3/4 Manual: 9 Approved: 07-Sep-2000 Shutoffs: (hhh)

Type: DC Size: 3/4 Manual: 8 Approved: 10-Dec-1994 Shutoffs: (vv),xx,ooo,hhhh,pppp

Type: DC Size: 3/4 Manual: 8 Approved: 10-Dec-1994 Shutoffs: (vv),xx,ooo,hhhh,pppp

Type: DC Size: 3/4 Manual: 8 Approved: 10-Dec-1994 Shutoffs: (vv),xx,ooo,hhhh,pppp Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 11-Sep-2015

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 11-Sep-2015

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 07-Sep-2015

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 07-Sep-2015

Manufacturer: Watts Orientation: VDVD 0.25% Pb: No Renewed: 10-Dec-2015

Manufacturer: Watts Orientation: VDVU 0.25% Pb: No Renewed: 10-Dec-2015

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 10-Dec-2015 Model: SS007M3QT Meters: Spare Parts Only: No Bypass:

Model: U007M1APCQT Meters: Spare Parts Only: No Bypass:

Model: U007M1APCQT Meters: Spare Parts Only: No Bypass:

Model: U007M1APCQT Meters: Spare Parts Only: No Bypass:

Type: DC Size: 3/4 Manual: 8 Approved: 10-Dec-1994 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: VUVU 0.25% Pb: No Renewed: 10-Dec-2015	Model: U007M1APCQT Meters: Spare Parts Only: No Bypass:
Type: DC Size: 2 Manual: 8 Approved: 27-Sep-1994 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: VDVD 0.25% Pb: No Renewed: 27-Sep-2015	Model: U007M1APCQT Meters: Spare Parts Only: No Bypass:
Type: DC Size: 2 Manual: 8 Approved: 27-Sep-1994 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: VDVU 0.25% Pb: No Renewed: 27-Sep-2015	Model: U007M1APCQT Meters: Spare Parts Only: No Bypass:
Type: DC Size: 2 Manual: 8 Approved: 27-Sep-1994 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 27-Sep-2015	Model: U007M1APCQT Meters: Spare Parts Only: No Bypass:
Type: DC Size: 2 Manual: 8 Approved: 27-Sep-1994 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: VUVU 0.25% Pb: No Renewed: 27-Sep-2015	Model: U007M1APCQT Meters: Spare Parts Only: No Bypass:
Type: DC Size: 3/4 Manual: 8 Approved: 24-Feb-1994 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: VDVD 0.25% Pb: No Renewed: 24-Feb-2015	Model: U007M1AQT Meters: Spare Parts Only: No Bypass:
Type: DC Size: 3/4 Manual: 8 Approved: 24-Feb-1994 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: VDVU 0.25% Pb: No Renewed: 24-Feb-2015	Model: U007M1AQT Meters: Spare Parts Only: No Bypass:

Type: DC Size: 3/4 Manual: 8 Approved: 24-Feb-1994 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 24-Feb-2015	Model: U007M1AQT Meters: Spare Parts Only: No Bypass:
Type: DC Size: 3/4	Manufacturer: Watts Orientation: VUVU	Model: U007M1AQT Meters:
Size: 3/4 Manual: 8	0.25% Pb: No	
Approved: 24-Feb-1994	Renewed: 24-Feb-2015	Spare Parts Only: No Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	Kenewed. 24-1 60-2013	Dypass.
Type: DC	Manufacturer: Watts	Model: U007M1AQT
Size: 2	Orientation: VDVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Feb-1994 Shutoffs: (vv),xx,ooo,hhhh,pppp	Renewed: 24-Feb-2015	Bypass:
Type: DC	Manufacturer: Watts	Model: U007M1AQT
Size: 2	Orientation: VDVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Feb-1994	Renewed: 24-Feb-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007M1AQT
Size: 2	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Feb-1994 Shutoffs: (vv),xx,ooo,hhhh,pppp	Renewed: 24-Feb-2015	Bypass:
Type: DC	Manufacturer: Watts	Model: U007M1AQT
Size: 2	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Feb-1994	Renewed: 24-Feb-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007M1PCQT
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 10-Dec-1993	Renewed: 10-Dec-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		

- 50		
Type: DC	Manufacturer: Watts	Model: U007M1PCQT
Size: 1	Orientation: H 0.25% Pb: No	Meters:
Manual: 8		Spare Parts Only: No
Approved: 10-Dec-1993	Renewed: 10-Dec-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007M1PCQT
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Sep-1994	Renewed: 27-Sep-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007M1PCQT
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Sep-1994	Renewed: 27-Sep-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007M1QT
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-1993	Renewed: 28-Aug-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007M1QT
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-1993	Renewed: 30-Aug-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007M1QT
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 20-Oct-1993	Renewed: 20-Oct-2014	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007M1QT
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Oct-1993	Renewed: 20-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		

Type: DC Size: 1 1/2 Manual: 8 Approved: 06-Sep-1994 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: VDVD 0.25% Pb: No Renewed: 06-Sep-2015	Model: U007M2AQT Meters: Spare Parts Only: No Bypass:
Type: DC	Manufacturer: Watts	Model: U007M2AQT
Size: 1 1/2	Orientation: VDVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Sep-1994	Renewed: 06-Sep-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007M2AQT
Size: 1 1/2	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Sep-1994	Renewed: 06-Sep-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007M2AQT
Size: 1 1/2	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Sep-1994	Renewed: 06-Sep-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007M2QT
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Oct-1996	Renewed: 01-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007M2QT
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Sep-1994	Renewed: 06-Sep-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007PCQT
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Dec-1993	Renewed: 10-Dec-2014	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		

Type: DC	Manufacturer: Watts	Model: U007PCQT
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Dec-1993	Renewed: 10-Dec-2014	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007PCQT
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Sep-1994	Renewed: 27-Sep-2015	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007PCQT
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Sep-1994	Renewed: 27-Sep-2015	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007QT
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Mar-1999	Renewed: 08-Mar-2017	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007QT
Size: 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Mar-1999	Renewed: 08-Mar-2017	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007QT
Size: 3/4	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Jan-1988	Renewed: 11-Jan-2015	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007QT
Size: 1	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Jan-1988	Renewed: 11-Jan-2015	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		

Type: DC Manufacturer: Watts Model: U007QT Size: 1 1/2 Orientation: H Meters: 0.25% Pb: No Manual: 7 Spare Parts Only: Yes Approved: 21-Jul-1988 Renewed: 21-Jul-2015 Bypass: Shutoffs: vv,xx,ooo,hhhh,pppp Type: DC Manufacturer: Watts Model: U007QT Size: 2 Orientation: H Meters: 0.25% Pb: No Manual: 7 Spare Parts Only: Yes Renewed: 21-Jul-2015 Approved: 21-Jul-1988 Bypass: Shutoffs: vv,xx,ooo,hhhh,pppp Type: DC Manufacturer: Watts Model: U007SSPCQT Size: 3/4 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: Yes Approved: 10-Dec-1993 Renewed: 10-Dec-2014 Bypass: Shutoffs: vv,xx,pppp Type: DC Manufacturer: Watts Model: U007SSPCQT Size: 1 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: Yes Renewed: 10-Dec-2014 Approved: 10-Dec-1993 **Bypass:** Shutoffs: vv,xx,pppp Type: DC Manufacturer: Watts Model: U007SSPCQT Size: 1 1/2 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: Yes Approved: 27-Sep-1994 Renewed: 27-Sep-2015 Bypass: Shutoffs: vv,xx,pppp Type: DC Manufacturer: Watts Model: U007SSPCQT Size: 2 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: Yes Approved: 27-Sep-1994 Renewed: 27-Sep-2015 **Bypass:** Shutoffs: vv,xx,pppp Type: DC Manufacturer: Watts Model: U007SSQT Size: 3/4 Orientation: H Meters: 0.25% Pb: No Manual: 7 Spare Parts Only: Yes Approved: 11-Jan-1988 Renewed: 11-Jan-2015 Bypass: Shutoffs: vv,xx,pppp

Type: DC	Manufacturer: Watts	Model: U007SSQT
Size: 1	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Jan-1988	Renewed: 11-Jan-2015	Bypass:
Shutoffs: vv,xx,pppp		
Type: DC	Manufacturer: Watts	Model: U007SSQT
Size: 1 1/2	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Jul-1988	Renewed: 21-Jul-2015	Bypass:
Shutoffs: vv,xx,pppp		
Type: DC	Manufacturer: Watts	Model: U007SSQT
Size: 2	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Jul-1988	Renewed: 21-Jul-2015	Bypass:
Shutoffs: vv,xx,pppp		
Type: DC	Manufacturer: Watts	Model: U719QT
Size: 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation change	ged to U719QTR10	
Type: DC	Manufacturer: Watts	Model: U719QT
Size: 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chan	ged to U719QTR10	
Type: DC	Manufacturer: Watts	Model: U719QT
Size: 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chan	ged to U719QTR10	
Type: DC	Manufacturer: Watts	Model: U719QT
	Manufacturer: Watts Orientation:	Model: U719QT Meters:
Type: DC Size: 3/4 Manual:		

Notes: model designation changed to U719QTR10

Type: DC	Manufacturer: Watts	Model: U719QT
Size: 3/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to U719QTR10	
Type: DC	Manufacturer: Watts	Model: U719QT
Size: 3/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to U719QTR10	
Type: DC	Manufacturer: Watts	Model: U719QT
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U719QT
Size: 1	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U719QT
Size: 1	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U719QT
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U719QT
Size: 1 1/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:

Shutoffs: (vv),xx,ooo,hhhh,pppp

Type: DC	Manufacturer: Watts	Model: U719QT
Size: 1 1/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U719QT
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U719QT
Size: 1 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U719QT
Size: 1 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U719QT
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U719QT
Size: 2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U719QT
Size: 2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		

Type: DC Size: 1/2 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (vv),xx,ooo,hhhh,pppp Notes: formerly U719QT

Type: DC Size: 1/2 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (vv),xx,ooo,hhhh,pppp Notes: formerly U719QT

Type: DC Size: 1/2 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (vv),xx,ooo,hhhh,pppp Notes: formerly U719QT

Type: DC Size: 3/4 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (vv),xx,ooo,hhhh,pppp Notes: formerly U719QT

Type: DC Size: 3/4 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (vv),xx,ooo,hhhh,pppp Notes: formerly U719QT

Type: DC Size: 3/4 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (vv),xx,ooo,hhhh,pppp Notes: formerly U719QT Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Watts

Renewed: 04-Oct-2014

Orientation: VD

0.25% Pb: No

Orientation: H

0.25% Pb: No

Orientation: VU

0.25% Pb: No

Orientation: VD

0.25% Pb: No

Orientation: H

0.25% Pb: No

Model: U719QTR10 Meters: Spare Parts Only: No Bypass:

Type: DC	Manufacturer: Wilkins	Model: 350
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Jul-2005	Renewed: 06-Jul-2017	Bypass:
Shutoffs: (ii),000		
Notes: Testcocks: Female Threa	aded End or 45 degree male SAE flare	
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 3/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Jul-2005	Renewed: 06-Jul-2017	Bypass:
Shutoffs: (ii),000		
Notes: Testcocks: Female Threa	aded End or 45 degree male SAE flare	
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
		Bypass:
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Dypass.
Shutoffs: (ii),000		bypass.
Shutoffs: (ii),000	aded End or 45 degree male SAE flare	bypass.
Shutoffs: (ii),ooo Notes: Testcocks: Female Threa		Model: 350
Shutoffs: (ii),ooo Notes: Testcocks: Female Threa Type: DC	aded End or 45 degree male SAE flare	
Shutoffs: (ii),ooo Notes: Testcocks: Female Threa Type: DC Size: 1	aded End or 45 degree male SAE flare Manufacturer: Wilkins	Model: 350
Shutoffs: (ii),000	aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: VU	Model: 350 Meters:
Shutoffs: (ii),000 Notes: Testcocks: Female Threa Type: DC Size: 1 Manual: 9	aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: VU 0.25% Pb: No	Model: 350 Meters: Spare Parts Only: No
Shutoffs: (ii),000 Notes: Testcocks: Female Threa Type: DC Size: 1 Manual: 9 Approved: 21-Apr-2006 Shutoffs: (ii),000	aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: VU 0.25% Pb: No	Model: 350 Meters: Spare Parts Only: No
Shutoffs: (ii),000 Notes: Testcocks: Female Threa Type: DC Size: 1 Manual: 9 Approved: 21-Apr-2006 Shutoffs: (ii),000 Notes: Testcocks: Female Threa	Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 21-Apr-2015	Model: 350 Meters: Spare Parts Only: No
Shutoffs: (ii),000 Notes: Testcocks: Female Threa Type: DC Size: 1 Manual: 9 Approved: 21-Apr-2006 Shutoffs: (ii),000 Notes: Testcocks: Female Threa Type: DC	Aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 21-Apr-2015 aded End or 45 degree male SAE flare	Model: 350 Meters: Spare Parts Only: No Bypass:
Shutoffs: (ii),000 Notes: Testcocks: Female Threa Type: DC Size: 1 Manual: 9 Approved: 21-Apr-2006 Shutoffs: (ii),000 Notes: Testcocks: Female Threa Type: DC Size: 1 1/4	Aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 21-Apr-2015 Aded End or 45 degree male SAE flare Manufacturer: Wilkins	Model: 350 Meters: Spare Parts Only: No Bypass: Model: 350
Shutoffs: (ii),000 Notes: Testcocks: Female Threa Type: DC Size: 1 Manual: 9 Approved: 21-Apr-2006 Shutoffs: (ii),000 Notes: Testcocks: Female Threa Type: DC Size: 1 1/4 Manual: 9	Aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 21-Apr-2015 Aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H	Model: 350 Meters: Spare Parts Only: No Bypass: Model: 350 Meters:
Shutoffs: (ii),000 Notes: Testcocks: Female Threa Type: DC Size: 1 Manual: 9 Approved: 21-Apr-2006 Shutoffs: (ii),000 Notes: Testcocks: Female Threa Type: DC Size: 1 1/4 Manual: 9 Approved: 08-Jan-2009	Aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 21-Apr-2015 Aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: No	Model: 350 Meters: Spare Parts Only: No Bypass: Model: 350 Meters: Spare Parts Only: No
Shutoffs: (ii),000 Notes: Testcocks: Female Threa Type: DC Size: 1 Manual: 9 Approved: 21-Apr-2006 Shutoffs: (ii),000 Notes: Testcocks: Female Threa Type: DC Size: 1 1/4 Manual: 9 Approved: 08-Jan-2009 Shutoffs: (int)	Aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 21-Apr-2015 Aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: No	Model: 350 Meters: Spare Parts Only: No Bypass: Model: 350 Meters: Spare Parts Only: No
Shutoffs: (ii),000 Notes: Testcocks: Female Threa Type: DC Size: 1 Manual: 9 Approved: 21-Apr-2006 Shutoffs: (ii),000 Notes: Testcocks: Female Threa Type: DC Size: 1 1/4 Manual: 9 Approved: 08-Jan-2009 Shutoffs: (int) Type: DC	Aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 21-Apr-2015 Aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 08-Jan-2015	Model: 350 Meters: Spare Parts Only: No Bypass: Model: 350 Meters: Spare Parts Only: No Bypass:
Shutoffs: (ii),000 Notes: Testcocks: Female Threa Type: DC Size: 1 Manual: 9 Approved: 21-Apr-2006 Shutoffs: (ii),000	Aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 21-Apr-2015 Aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 08-Jan-2015 Manufacturer: Wilkins	Model: 350 Meters: Spare Parts Only: No Bypass: Model: 350 Meters: Spare Parts Only: No Bypass: Model: 350
Shutoffs: (ii),000 Notes: Testcocks: Female Threa Type: DC Size: 1 Manual: 9 Approved: 21-Apr-2006 Shutoffs: (ii),000 Notes: Testcocks: Female Threa Type: DC Size: 1 1/4 Manual: 9 Approved: 08-Jan-2009 Shutoffs: (int) Type: DC Size: 1 1/4	aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 21-Apr-2015 aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 08-Jan-2015 Manufacturer: Wilkins Orientation: VU	Model: 350 Meters: Spare Parts Only: No Bypass: Model: 350 Meters: Spare Parts Only: No Bypass: Model: 350 Meters:

	Manufacturer: Wilkins	Model: 350
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Jan-2009	Renewed: 08-Jan-2015	Bypass:
Shutoffs: (int)		
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 1 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Jan-2009	Renewed: 08-Jan-2015	Bypass:
Shutoffs: (int)		
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Jan-2009	Renewed: 08-Jan-2015	Bypass:
Shutoffs: (int)		
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Jan-2009	Renewed: 08-Jan-2015	Bypass:
Shutoffs: (int)		
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Sep-2001	Renewed: 05-Sep-2016	Bypass:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp mm,nnnnnn Notes: Up to serial number J352		v,zzzz,kkkkk,ggggggg,hhhhhh,jjjjjj,kkkkkk,mmmr
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb : Yes	Spare Parts Only: No

Type: DC	Manufacturer: Wilkins	Model: 350
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:
Shutoffs:		
	zz,dddd,ssss,tttt,vvvv,wwww,yyyy,z	zzzz,kkkkk,ggggggg,hhhhhh,jjjjjj,kkkkkk,mmmm
mm,nnnnn		
Notes: Serial number J35214 and highe)r	
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Apr-2002	Renewed: 03-Apr-2017	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,tttt,vvvv	,wwww,yyyy,zzzz,kkkkk,gggggg,hł	hhhh,jjjjjj,kkkkk,mmmmmm,nnnnn
Notes: Up to serial number J35214		
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Sep-2001	Renewed: 05-Sep-2016	Bypass:
Shutoffs:		
(gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qqq,z; mm,nnnnn	zz,dddd,ssss,tttt,vvvv,wwww,yyyy,z	zzzz,kkkkk,ggggggg,hhhhhh,jjjjjj,kkkkkk,mmmm
Notes: Up to serial number J35214		
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,tttt,vvvv	,wwww,yyyy,zzzz,kkkkk,gggggg,hł	hhhh,jjjjjj,kkkkk,mmmmmm,nnnnnn
Notes: Serial number J35214 and higher	er	
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,tttt,vvvv	,wwww,yyyy,zzzz,kkkkk,gggggg,hł	hhhh,jjjjjj,kkkkkk,mmmmmm,nnnnnn

Type: DC	Manufacturer: Wilkins	Model: 350
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Apr-2002	Renewed: 03-Apr-2017	Bypass:
Shutoffs:		
	o,qqq,zzz,dddd,ssss,tttt,vvvv,wwww,yyyy	ı,zzzz,kkkkk,ggggggg,hhhhhh,jjjjjj,kkkkkk,mmmm
mm,nnnnnn Notes: Up to serial number J352	21.4	
	.14	
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Sep-1999	Renewed: 15-Sep-2014	Bypass:
Shutoffs:		
	o,qqq,vvv,www,zzz,dddd,eeee,ssss,tttt,v	vvv,wwww,yyyy,zzzz,kkkkk,gggggg,hhhhhh,jjjjjj,k
kkkkk,mmmmmm,nnnnnn		
Notes: Up to serial number J352	14	
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb : Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	ww,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkł	x,ggggggg,hhhhhh,jjjjjj,kkkkkk,mmmmmm,nnnnnn
Notes: Serial number J35214 an	id higher	
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb : No	Spare Parts Only: No
Approved: 07-Sep-2000	Renewed: 07-Sep-2015	Bypass:
Shutoffs:		
(gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,pp kkkkk,mmmmmm,nnnnnn	o,qqq,vvv,www,zzz,dddd,eeee,ssss,tttt,v	vvv,wwww,yyyy,zzzz,kkkkk,gggggg,hhhhhh,jjjjjj,k
Notes: Up to serial number J352	14	
		N 11 050
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:
Snutotts: (gg),nh,ppp,qqq,vvv,w	ww,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk	x,ggggggg,hhhhhh,jjjjjj,kkkkkk,mmmmmm,nnnnnn

Type: DC	Manufacturer: Wilkins	Model: 350
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	/www,sssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk	x,ggggggg,hhhhhh,jjjjjj,kkkkk,mmmmmm,nnnnnn
Notes: Serial number J35214 ar	nd higher	
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Oct-1999	Renewed: 18-Oct-2014	Bypass:
Shutoffs:		
(gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,pp	p,qqq,vvv,www,zzz,dddd,eeee,ssss,tttt,v	vvv,wwww,yyyy,zzzz,kkkkk,gggggg,hhhhhh,jjjjjj,k
kkkkk,mmmmmm,nnnnnn		
Notes: Up to serial number J352	214	
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Dec-1999	Renewed: 17-Dec-2014	Bypass:
Shutoffs:		
(gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,pp kkkkk,mmmmmm,nnnnnn	p,qqq,vvv,www,zzz,dddd,eeee,ssss,tttt,v	vvv,wwww,yyyy,zzzz,kkkkk,gggggg,hhhhhh,jjjjjj,k
Notes: Up to serial number J352	214	
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:
		k,gggggg,hhhhhh,jjjjjj,kkkkkk,mmmmmm,nnnnnn
Notes: Serial number J35214 ar		,999999,,,,,,,,,,,,,,,,,,,,,,
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	/ww,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk	k,ggggggg,hhhhhh,jjjjjj,kkkkk,mmmmmm,nnnnn

Type: DC	Manufacturer: Wilkins	Model: 350
Size: 8 Manual: 9	Orientation: H 0.25% Pb: No	Meters:
Approved: 08-Mar-2002	Renewed: 08-Mar-2017	Spare Parts Only: No Bypass:
Shutoffs:	Nenewed. 00-mai-2017	Dypass.
	p,qqq,vvv,www,zzz,dddd,eeee,ssss,tttt,v	vvv,wwww,yyyy,zzzz,kkkkk,gggggg,hhhhhh,jjjjjj,k
kkkkk,mmmmmm,nnnnnn		
Notes: Up to serial number J352	214	
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Jan-2003	Renewed: 16-Jan-2015	Bypass:
Shutoffs:		
(gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,pp kkkkk,mmmmmm,nnnnn	p,qqq,vvv,www,zzz,dddd,eeee,ssss,tttt,v	vvv,wwww,yyyy,zzzz,kkkkk,ggggggg,hhhhhh,jjjjjj,k
Notes: Up to serial number J352	214	
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	/ww,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk	x,ggggggg,hhhhhh,jjjjjj,kkkkk,mmmmmm,nnnnnn
Notes: Serial number J35214 ar	nd higher	
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 28-Aug-2002	Renewed: 28-Aug-2014	Bypass:
Shutoffs:		
(gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,pp kkkkk,mmmmmm,nnnnnn	p,qqq,vvv,www,zzz,dddd,eeee,ssss,tttt,v	vvv,wwww,yyyy,zzzz,kkkkk,ggggggg,hhhhhh,jjjjjj,k
Notes: Up to serial number J352	214	
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	/ww,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkk	s,gggggg,hhhhhh,jjjjjj,kkkkk,mmmmmm,nnnnn

Type: DC	Manufacturer: Wilkins	Model: 350
Size: 10	Orientation: VU	Meters:
Manual: 9	0.25% Pb : No	Spare Parts Only: No
Approved: 14-Mar-2003	Renewed: 14-Mar-2015	Bypass:
Shutoffs:		
(gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp	p,qqq,vvv,www,zzz,dddd,eeee,ssss,tttt,v	vvv,wwww,yyyy,zzzz,kkkkk,gggggg,hhhhhh,jjjjjj,k
kkkkk,mmmmmm,nnnnnn		
Notes: Up to serial number J352	214	
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 10	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	ww,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk	x,ggggggg,hhhhhh,jjjjjj,kkkkkk,mmmmmm,nnnnn
Notes: Serial number J35214 an	nd higher	
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 12	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 10-Feb-2009	Renewed: 10-Feb-2015	Bypass:
Shutoffs: (hh),ssss,tttt,vvvv,wwv	ww,yyyy,zzzz,kkkkk,ggggggg,hhhhhh,jjjjjj,ł	<pre><kkkkk,mmmmmm,nnnnnn< pre=""></kkkkk,mmmmmm,nnnnnn<></pre>
Notes: Up to serial number J352	214	
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 12	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:
Shutoffs: (hh),ssss,tttt,vvvv,wwv	ww,yyyy,zzzz,kkkkk,ggggggg,hhhhhh,jjjjjj,ł	<pre><kkkkk,mmmmmm,nnnnnn< pre=""></kkkkk,mmmmmm,nnnnnn<></pre>
Notes: Serial number J35214 an	nd higher	
Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,st	sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,gc	ggggg,iiiiii,jjjjjj,llllll,mmmmmm,oooooo
Notes: Serial number J35214 an	nd higher	

Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb : No	Spare Parts Only: No
Approved: 22-Jun-2005	Renewed: 22-Jun-2017	Bypass:
Shutoffs:		
(ppp),sss,ttt,qqq,yyy,zzz,dddd,ss	ss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII	,gggggg,iiiiii,jjjjjj,lllll,mmmmmm,oooooo
Notes: Up to serial number U26	097	
Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Jun-2005	Renewed: 22-Jun-2017	Bypass:
Shutoffs:		
(ppp),sss,ttt,qqq,yyy,zzz,dddd,ss	ss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII	,gggggg,iiiiii,jjjjjj,lllll,mmmmmm,oooooo
Notes: Up to serial number U26	097	
Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb : Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,go	ggggg,iiiiiii,jjjjjj,llllll,mmmmmm,oooooo
Notes: Serial number U26097 a	nd higher	
Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,llll	ll,ggggggg,iiiiiii,jjjjjj,llllll,mmmmmm,oooooo
Notes: Serial number U26097 a	nd higher	
Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Jun-2005	Renewed: 22-Jun-2017	Bypass:
Shutoffs:		
(ppp),sss,ttt,qqq,yyy,zzz,dddd,ss	ss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII	,gggggg,iiiiii,jjjjjj,llllll,mmmmmm,oooooo
Notes: Up to serial number U26	097	

2017 © University of Southern California

Type: DC Size: 3	Manufacturer: Wilkins Orientation: VU	Model: 350A Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Jun-2005	Renewed: 22-Jun-2017	Bypass:
Shutoffs:		_)[****
	ss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll,	gggggg,iiiiii,jjjjj,lllll,mmmmmm,oooooo
Notes: Up to serial number U260	097	
Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,llll	l,gggggg,iiiiii,jjjjjj,llllll,mmmmmm,oooooo
Notes: Serial number U26097 ar	nd higher	
Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Mar-2004	Renewed: 16-Mar-2016	Bypass:
Shutoffs:		
(ppp),qqq,sss,ttt,www,yyy,zzz,dd	dd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaa	a,kkkkk,lllll,gggggg,iiiiii,jjjjjj,llllll,mmmmmm,ooooo
0		
Notes: Up to serial number U260	097	
Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,llll	l,gggggg,iiiiii,jjjjjj,llllll,mmmmmm,oooooo
Notes: Serial number U26097 ar	nd higher	
Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Mar-2004	Renewed: 16-Mar-2016	Bypass:
Shutoffs:		
(ppp),qqq,sss,ttt,www,yyy,zzz,dd	dd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaa	a,kkkkk,lllll,gggggg,iiiiii,jjjjjj,llllll,mmmmmm,ooooo
0		
Notes: Up to serial number U260	097	

Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb : Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,llll	l,gggggg,iiiiii,jjjjjj,llllll,mmmmmm,oooooo
Notes: Serial number U26097 an	nd higher	
Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Nov-2003	Renewed: 25-Nov-2015	Bypass:
Shutoffs:		
(ppp),qqq,sss,ttt,www,yyy,zzz,dc	dd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaa	a,kkkkk,lllll,gggggg,iiiiii,jjjjjj,lllll,mmmmmm,ooooo
0		
Notes: Up to serial number U26	097	
Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,llll	l,gggggg,iiiiii,jjjjjj,llllll,mmmmmm,oooooo
Notes: Serial number U26097 and	nd higher	
Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb : No	Spare Parts Only: No
Approved: 25-Nov-2003	Renewed: 25-Nov-2015	Bypass:
Shutoffs:		
(ppp),qqq,sss,ttt,www,yyy,zzz,dc	ldd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaa	a,kkkkk,lllll,ggggggg,iiiiii,jjjjjj,llllll,mmmmmm,ooooo
0		
Notes: Up to serial number U26	097	
Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:
•••	sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,llll	
Notes: Serial number U26097 and		

Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Feb-2004	Renewed: 12-Feb-2016	Bypass:
Shutoffs:		
(ppp),qqq,sss,ttt,www,yyy,zzz,dd	ldd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaa	a,kkkkk,lllll,gggggg,iiiiii,jjjjjj,llllll,mmmmmm,ooooo
0		
Notes: Up to serial number U260	097	
Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb : Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,ss	sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,llll	l,gggggg,iiiiii,jjjjjj,lllll,mmmmmm,oooooo
Notes: Serial number U26097 ar	nd higher	
Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Feb-2004	Renewed: 12-Feb-2016	Bypass:
Shutoffs:		
(ppp),qqq,sss,ttt,www,yyy,zzz,dd	dd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaa	a,kkkkk,IIIII,gggggg,iiiiii,jjjjjj,IIIIII,mmmmmm,ooooo
0		
Notes: Up to serial number U260	097	
Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,st	sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,llll	l,gggggg,iiiiii,jjjjjj,lllll,mmmmmm,oooooo
Notes: Serial number U26097 ar	nd higher	
Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Apr-2006	Renewed: 06-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,ss	sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,llll	l,gggggg,iiiiii,jjjjjj,lllll,mmmmmm,oooooo

Notes: Up to serial number U26097

Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:
	ss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,llll	l,gggggg,iiiiiii,jjjjjj,llllll,mmmmmm,oooooo
Notes: Serial number U26097 an	d higher	
Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 10	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Apr-2006	Renewed: 06-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,ss	ss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll	l,gggggg,iiiiii,jjjjjj,lllll,mmmmmm,oooooo
Notes: Up to serial number U260	97	
Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 10	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
ivialiual. 9		
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:
Approved: 09-Sep-2010		Bypass:
Approved: 09-Sep-2010	Renewed: 09-Sep-2016 ss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll	Bypass:
Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,ss Notes: Serial number U26097 an	Renewed: 09-Sep-2016 ss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll	Bypass:
Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,ss Notes: Serial number U26097 an Type: DC	Renewed: 09-Sep-2016 sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll d higher	Bypass: l,gggggg,iiiiiii,jjjjjj,llllll,mmmmmm,oooooo
Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,ss Notes: Serial number U26097 an Type: DC Size: 2 1/2	Renewed: 09-Sep-2016 sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll d higher Manufacturer: Wilkins	Bypass: I,gggggg,iiiiiii,jjjjjj,IIIIII,mmmmmm,oooooo Model: 350AR
Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,ss Notes: Serial number U26097 an Type: DC Size: 2 1/2 Manual: 9	Renewed: 09-Sep-2016 sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,llll d higher Manufacturer: Wilkins Orientation: H	Bypass: I,gggggg,iiiiiii,jjjjjj,IIIIII,mmmmmm,oooooo Model: 350AR Meters:
Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,ss Notes: Serial number U26097 an Type: DC Size: 2 1/2 Manual: 9	Renewed: 09-Sep-2016 sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,llll d higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No	Bypass: I,gggggg,iiiiiii,jjjjjj,IIIIII,mmmmmm,oooooo Model: 350AR Meters: Spare Parts Only: No
Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,ss Notes: Serial number U26097 an Type: DC Size: 2 1/2 Manual: 9 Approved: 16-Jun-2010 Shutoffs:	Renewed: 09-Sep-2016 sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,llll d higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No	Bypass: I,gggggg,iiiiiii,jjjjjj,IIIIII,mmmmmm,oooooo Model: 350AR Meters: Spare Parts Only: No Bypass:
Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,ss Notes: Serial number U26097 an Type: DC Size: 2 1/2 Manual: 9 Approved: 16-Jun-2010 Shutoffs: (ppp),sss,ttt,qqq,yyy,zzz,dddd,sss	Renewed: 09-Sep-2016 sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII d higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 16-Jun-2016	Bypass: I,gggggg,iiiiiii,jjjjjj,IIIIII,mmmmmm,oooooo Model: 350AR Meters: Spare Parts Only: No Bypass:
Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,ss Notes: Serial number U26097 an Type: DC Size: 2 1/2 Manual: 9 Approved: 16-Jun-2010 Shutoffs: (ppp),sss,ttt,qqq,yyy,zzz,dddd,sss Notes: Integral grooved spool be	Renewed: 09-Sep-2016 sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII d higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 16-Jun-2016	Bypass: I,ggggggg,iiiiiii,jjjjjj,IIIIII,mmmmmm,oooooo Model: 350AR Meters: Spare Parts Only: No Bypass: ggggggg,iiiiiii,jjjjjj,IIIIII,mmmmmm,oooooo
Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,ss Notes: Serial number U26097 an Type: DC Size: 2 1/2 Manual: 9 Approved: 16-Jun-2010 Shutoffs: (ppp),sss,ttt,qqq,yyy,zzz,dddd,sss Notes: Integral grooved spool be serial number U26097 Type: DC	Renewed: 09-Sep-2016 sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIII d higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 16-Jun-2016 ss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII, tween the #2 ck and #2 SOV - assembly	Bypass: I,gggggg,iiiiii,jjjjjj,IIIIII,mmmmm,oooooo Model: 350AR Meters: Spare Parts Only: No Bypass: ggggggg,iiiiii,jjjjjj,IIIIII,mmmmmm,oooooo (length: min. 34 1/4" and max. 47 1/8" Up to
Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,ss Notes: Serial number U26097 an Type: DC Size: 2 1/2 Manual: 9 Approved: 16-Jun-2010 Shutoffs: (ppp),sss,ttt,qqq,yyy,zzz,dddd,sss Notes: Integral grooved spool be serial number U26097	Renewed: 09-Sep-2016 sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIII d higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 16-Jun-2016 ss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII, tween the #2 ck and #2 SOV - assembly Manufacturer: Wilkins	Bypass: I,ggggggg,iiiiiii,jjjjjj,IIIIII,mmmmmm,oooooo Model: 350AR Meters: Spare Parts Only: No Bypass: ggggggg,iiiiiii,jjjjjj,IIIIII,mmmmmm,oooooo ggggggg,iiiiiii,jjjjjj,IIIIII,mmmmmm,ooooooo (length: min. 34 1/4" and max. 47 1/8" Up to Model: 350AR

(ppp),sss,ttt,qqq,yyy,zzz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll,gggggg,iiiiii,jjjjjj,llllll,mmmmmm,oooooo **Notes:** Only Serial No. C00102 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 34 1/4" and max. 47 1/8"

Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Jun-2010	Renewed: 16-Jun-2016	Bypass:

(ppp),sss,ttt,qqq,yyy,zzz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll,gggggg,iiiiiii,jjjjjj,llllll,mmmmmm,oooooo

Notes: Only Serial No. C00102 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 34 1/4" and max. 47 1/8"

Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:

Shutoffs:

(ppp),sss,ttt,qqq,yyy,zzz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll,gggggg,iiiiii,jjjjj,llllll,mmmmmm,oooooo Notes: Only Serial No. C00102 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 34 1/4" and max. 47 1/8"

Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Jun-2010	Renewed: 16-Jun-2016	Bypass:
Shutoffs:		

Shutoffs:

(ppp),sss,ttt,qqq,yyy,zzz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll,gggggg,iiiiii,jjjjj,llllll,mmmmmm,oooooo

Notes: Only Serial No. C00102 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 34 3/4" and max. 48 1/8"

Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:
Shutoffs:		

(ppp),sss,ttt,qqq,yyy,zzz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll,gggggg,iiiiii,jjjjj,llllll,mmmmmm,oooooo Notes: Only Serial No. C00102 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 34 3/4" and max. 48 1/8"

Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Jun-2010	Renewed: 16-Jun-2016	Bypass:

(ppp),sss,ttt,qqq,yyy,zzz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll,gggggg,iiiiiii,jjjjjj,llllll,mmmmmm,oooooo

Notes: Only Serial No. C00102 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 35 3/4" and max. 62 1/4"

Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:

Shutoffs:

(ppp),sss,ttt,qqq,yyy,zzz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll,ggggggg,iiiiii,jjjjjj,llllll,mmmmmm,oooooo **Notes:** Only Serial No. C00102 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 34 3/4" and max. 48 1/8"

Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:

Shutoffs:

(ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll,ggggggg,iiiiiii,jjjjjj,llllll,mmmmmm,ooooo o

Notes: Only Serial No. C00102 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 42 1/2" and max. 71 1/4"

Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:
Shutoffs:		
(ppp),qqq,sss,ttt,www,yyy,zzz,dc	ldd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaa	a,kkkkk,lllll,gggggg,iiiiii,jjjjj,llllll,mmmmmm,ooooo
0		

Notes: Only Serial No. C00102 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 35 3/4" and max. 62 1/4"

Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:

(ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll,ggggggg,iiiiii,jjjjjj,lllll,mmmmmm,ooooo o

Notes: Only Serial No. C00102 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 57 7/8" and max. 86"

Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:

Shutoffs:

(ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll,ggggggg,iiiiii,jjjjjj,lllll,mmmmmm,ooooo o

Notes: Only Serial No. C00102 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 35 3/4" and max. 62 1/4"

Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs:		

(ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll,ggggggg,iiiiiii,jjjjjj,llllll,mmmmmm,ooooo o

Notes: Only Serial No. C00102 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 61 3/8" and max. 100 5/8"

Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:

Shutoffs:

(ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll,ggggggg,iiiiii,jjjjjj,lllll,mmmmmm,ooooo o

Notes: Only Serial No. C00102 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 42 1/2" and max. 71 1/4"

Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:

(ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll,ggggggg,iiiiii,jjjjjj,lllll,mmmmmm,ooooo o

Notes: Only Serial No. C00102 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 34 1/4" and max. 47 1/8"

Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:

Shutoffs:

(ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll,ggggggg,iiiiii,jjjjjj,lllll,mmmmmm,ooooo o

Notes: Only Serial No. C00102 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 42 1/2" and max. 71 1/4"

Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs:		

(ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll,ggggggg,iiiiii,jjjjjj,lllll,mmmmmm,ooooo o

Notes: Only Serial No. C00102 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 34 1/4" and max. 47 1/8"

Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:

Shutoffs:

(ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll,ggggggg,iiiiii,jjjjjj,llllll,mmmmmm,ooooo o

Notes: Only Serial No. C00102 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 57 7/8" and max. 86"

Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:

(ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll,ggggggg,iiiiii,jjjjjj,lllll,mmmmmm,ooooo o

Notes: Only Serial No. C00102 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 34 1/4" and max. 47 1/8"

Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:

Shutoffs:

(ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll,ggggggg,iiiiii,jjjjjj,lllll,mmmmmm,ooooo o

Notes: Only Serial No. C00102 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 57 7/8" and max. 86"

Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs:		

(ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll,ggggggg,iiiiiii,jjjjjj,llllll,mmmmmm,ooooo o

Notes: Only Serial No. C00102 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 34 1/4" and max. 47 1/8"

Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:

Shutoffs:

(ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll,ggggggg,iiiiiii,jjjjjj,llllll,mmmmmm,ooooo o

Notes: Only Serial No. C00102 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 61 3/8" and max. 100 5/8"

Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 10	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:

(ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll,ggggggg,iiiiii,jjjjjj,lllll,mmmmmm,ooooo o

Notes: Only Serial No. C00102 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 34 1/4" and max. 47 1/8"

Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 10	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:

Shutoffs:

(ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll,ggggggg,iiiiii,jjjjjj,lllll,mmmmmm,ooooo o

Notes: Only Serial No. C00102 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 61 3/8" and max. 100 5/8"

Type: DC	Manufacturer: Wilkins	Model: 350ARXL
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Jun-2010	Renewed: 05-Jun-2016	Bypass:

Shutoffs: (gg),hh,ppp,qqq,ssss,tttt,vvvv,wwww,yyyy,zzzz

Notes: Only Serial No. C00102 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 34 1/4" and max. 47 1/8"

Type: DC	Manufacturer: Wilkins	Model: 350ARXL
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Jun-2010	Renewed: 05-Jun-2016	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,t	ttt,vvvv,wwww,yyyy,zzzz	

Notes: Only Serial No. C00102 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 34 3/4" and max. 48 1/8"

Type: DC	Manufacturer: Wilkins	Model: 350ARXL
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Jun-2010	Renewed: 05-Jun-2016	Bypass:

Shutoffs: (gg),hh,ppp,qqq,ssss,tttt,vvvv,wwww,yyyy,zzzz

Notes: Only Serial No. C00102 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 34 3/4" and max. 48 1/8"

Type: DC	Manufacturer: Wilkins	Model: 350ARXL
SOV with length: min. 42 1/2" and ma	ax. 71 1/4"	
•	•	gral grooved spool between the #2 ck and #2
Shutoffs: (gg),hh,ppp,qqq,vvv,www,		
Approved: 05-Jun-2010	Renewed: 05-Jun-2016	Bypass:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Size: 6	Orientation: H	Meters:
Type: DC	Manufacturer: Wilkins	Model: 350ARXL
SOV with length: min. 42 1/2" and ma	•	gral grooved spool between the #2 ck and #2
Shutoffs: (gg),hh,ppp,qqq,vvv,www,		
Approved: 05-Jun-2010	Renewed: 05-Jun-2016	Bypass:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Size: 4	Orientation: VU	Meters:
Type: DC	Manufacturer: Wilkins	Model: 350ARXL
	higher approved. These have an Inte	gral grooved spool between the #2 ck and #2
Shutoffs: (gg),hh,ppp,qqq,vvv,www,	,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Approved: 05-Jun-2010	Renewed: 05-Jun-2016	Bypass:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Type: DC Size: 4	Manufacturer: Wilkins Orientation: H	Model: 350ARXL Meters:
Tomas DO		

Shutoffs: (gg),hh,ppp,qqq,vvv,www,ssss,tttt,vvvv,wwww,yyyy,zzzz

Notes: Only Serial No. C00102 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 57 7/8" and max. 86"

Spare Parts Only: No

Bypass:

0.25% Pb: Yes

Renewed: 05-Jun-2016

Approved: 05-Jun-2010

Manual: 9

Type: DC	Manufacturer: Wilkins	Model: 350ARXL
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Jun-2010	Renewed: 05-Jun-2016	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	/ww,ssss,tttt,vvvv,wwww,yyyy,zzzz	
•		egral grooved spool between the #2 ck and #2
SOV with length: min. 57 7/8" an	d max. 86"	
Type: DC	Manufacturer: Wilkins	Model: 350ARXL
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Jun-2010	Renewed: 05-Jun-2016	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	/ww,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Notes: Only Serial No. C00102 a	and higher approved. These have an Inte	egral grooved spool between the #2 ck and #2
SOV with length: min. 61 3/8" an	d max. 100 5/8"	
Type: DC	Manufacturer: Wilkins	Model: 350ARXL
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Jun-2010	Renewed: 05-Jun-2016	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	/ww,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Notes: Only Serial No. C00102 a SOV with length: min. 61 3/8" an	•	egral grooved spool between the #2 ck and #2
Type: DC	Manufacturer: Wilkins	Model: 350ARXL
Size: 10	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Jun-2010	Renewed: 05-Jun-2016	Bypass:
Shutoffs: (hh),ssss,tttt,xxxx,yyy	y,zzzz,aaaaa	
Notes: Integral grooved spool be	etween the #2 ck and #2 SOV - assembly	y length: min. 61 3/8" and max. 100 5/8"
Type: DC	Manufacturer: Wilkins	Model: 350AST
Size: 2 1/2	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 29-Nov-2011	Renewed: 29-Oct-2014	Bypass:
	uu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll,gggg	
Type: DC	Manufacturer: Wilkins	Model: 350AST
Size: 2 1/2	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Nov-2012	Renewed: 09-Nov-2015	Bypass:
Shutoffs: (ppp),qqq,yyy,ssss,uu	uu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll,gggg	gg,iiiiii,jjjjjj,llllll,mmmmmm,oooooo

	Manufacturary Wilking	Model: 350AST
Type: DC	Manufacturer: Wilkins	
Size: 3	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 29-Nov-2011	Renewed: 29-Oct-2014	Bypass:
Snutotts: (ppp),qqq,yyy,ssss,uuuu,vv\	/v,xxxx,yyyy,aaaaa,kkkkk,lllll,gggggg,iiiii	I,JJJJJ,IIIIII,MMMMMM,000000
Type: DC	Manufacturer: Wilkins	Model: 350AST
Size: 3	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Nov-2012	Renewed: 09-Nov-2015	Bypass:
Shutoffs: (ppp),qqq,yyy,ssss,uuuu,vvv	/v,xxxx,yyyy,aaaaa,kkkkk,lllll,gggggg,iiiii	i,jjjjjj,IIIIII,mmmmmm,oooooo
Type: DC	Manufacturer: Wilkins	Model: 350AST
Size: 4	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 29-Nov-2011	Renewed: 29-Oct-2014	Bypass:
	/v,xxxx,yyyy,aaaaa,kkkkk,lllll,gggggg,iiiii	
(PFF), 444, 55, 50000, 5000, 5000, 5000, 5000, 5000, 5	· · · · · · · · · · · · · · · · · · ·	
Type: DC	Manufacturer: Wilkins	Model: 350AST
Size: 4	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Nov-2012	Renewed: 09-Nov-2015	Bypass:
Shutoffs: (ppp),qqq,yyy,ssss,uuuu,vvv	/v,xxxx,yyyy,aaaaa,kkkkk,lllll,gggggg,iiiii	i,jjjjjj,llllll,mmmmmm,oooooo
Type: DC	Manufacturer: Wilkins	Model: 350AST
Size: 6	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 27-Mar-2012	Renewed: 27-Mar-2015	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,xxxx,yy	yyy,aaaaa,kkkkk,lllll,gggggg,iiiiii,jjjjjj,llllll,	mmmmmm,000000
Type: DC	Manufacturer: Wilkins	Model: 350AST
Size: 6	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 24-Oct-2012	Renewed: 24-Oct-2015	Bypass:
••	yyy,aaaaa,kkkkk,lllll,gggggg,iiiiii,jjjjjj,llllll,	
		H 1 1 05040 T
Type: DC	Manufacturer: Wilkins	Model: 350AST
Size : 8	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Feb-2014	Renewed: 20-Feb-2017	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,xxxx,yy	yyy,aaaaa,kkkkk,lllll,gggggg,iiiiiii,jjjjjj,llllll,l	mmmmmm,000000

Type: DC	Manufacturer: Wilkins	Model: 350AST
Size: 8	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Feb-2014	Renewed: 20-Feb-2017	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxxx,yyyy,aaaaa,kkkkk,lllll,gggggg,iiiiii,jjjjj	j,IIIII,mmmmmm,oooooo
Type: DC	Manufacturer: Wilkins	Model: 350AST
Size: 10	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Feb-2014	Renewed: 20-Feb-2017	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxx,yyyy,aaaaa,kkkkk,lllll,gggggg,iiiiii,jjjj	j,IIIII,mmmmmm,oooooo
Type: DC	Manufacturer: Wilkins	Model: 350AST
Size: 10	Orientation: VU	Meters:
Manual: 10	0.25% Pb : Yes	Spare Parts Only: No
Approved: 20-Feb-2014	Renewed: 20-Feb-2017	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxx,yyyy,aaaaa,kkkkk,lllll,gggggg,iiiiii,jjjj	j,IIIII,mmmmmm,oooooo
Type: DC	Manufacturer: Wilkins	Model: 350ASTR
Size: 2 1/2	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
	Denowed	Bypass:
Approved: 12-Jun-2015	Renewed:	Dypass .
	uu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll,ggggg	
Shutoffs: (ppp),qqq,yyy,ssss,uu Notes: Integral Stainless Steel g	uu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII,gggg	gg,iiiiii,jjjjjj,lllll,mmmmmm,oooooo
Shutoffs: (ppp),qqq,yyy,ssss,uu Notes: Integral Stainless Steel g 47 1/8"	uu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII,gggg	gg,iiiiii,jjjjjj,lllll,mmmmmm,oooooo
Shutoffs: (ppp),qqq,yyy,ssss,uu Notes: Integral Stainless Steel g 47 1/8" Type: DC	uu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII,ggggg rooved spool between the #2 ck and #2	gg,iiiiii,jjjjjj,IIIIII,mmmmmm,oooooo SOV - assembly length: min. 34 1/4" and max
Shutoffs: (ppp),qqq,yyy,ssss,uu Notes: Integral Stainless Steel g 47 1/8" Type: DC Size: 2 1/2	uu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII,ggggg rooved spool between the #2 ck and #2 Manufacturer: Wilkins	gg,iiiiii,jjjjjj,IIIIII,mmmmmm,oooooo SOV - assembly length: min. 34 1/4" and max Model: 350ASTR
Shutoffs: (ppp),qqq,yyy,ssss,uu Notes: Integral Stainless Steel g 47 1/8" Type: DC Size: 2 1/2 Manual: 10	uu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll,ggggg rooved spool between the #2 ck and #2 Manufacturer: Wilkins Orientation: VU	gg,iiiiii,jjjjj,lllll,mmmmmm,oooooo SOV - assembly length: min. 34 1/4" and max Model: 350ASTR Meters:
Shutoffs: (ppp),qqq,yyy,ssss,uu Notes: Integral Stainless Steel g 47 1/8" Type: DC Size: 2 1/2 Manual: 10 Approved: 12-Jun-2015	uu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII,ggggg rooved spool between the #2 ck and #2 Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes	gg,iiiiii,jjjjj,IIIIII,mmmmmm,oooooo SOV - assembly length: min. 34 1/4" and max Model: 350ASTR Meters: Spare Parts Only: No Bypass:
Notes: Integral Stainless Steel g 47 1/8" Type: DC Size: 2 1/2 Manual: 10 Approved: 12-Jun-2015 Shutoffs: (ppp),qqq,yyy,ssss,uu	uu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll,ggggg rooved spool between the #2 ck and #2 Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: uu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll,ggggg	gg,iiiiii,jjjjj,IIIIII,mmmmmm,oooooo SOV - assembly length: min. 34 1/4" and max Model: 350ASTR Meters: Spare Parts Only: No Bypass:
Shutoffs: (ppp),qqq,yyy,ssss,uu Notes: Integral Stainless Steel g 47 1/8" Type: DC Size: 2 1/2 Manual: 10 Approved: 12-Jun-2015 Shutoffs: (ppp),qqq,yyy,ssss,uu Notes: Integral Stainless Steel g	uu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll,ggggg rooved spool between the #2 ck and #2 Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: uu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll,ggggg	gg,iiiiii,jjjjjj,IIIIII,mmmmmm,oooooo SOV - assembly length: min. 34 1/4" and max Model: 350ASTR Meters: Spare Parts Only: No Bypass: gg,iiiiii,jjjjjj,IIIIII,mmmmmm,oooooo
Shutoffs: (ppp),qqq,yyy,ssss,uu Notes: Integral Stainless Steel g 47 1/8" Type: DC Size: 2 1/2 Manual: 10 Approved: 12-Jun-2015 Shutoffs: (ppp),qqq,yyy,ssss,uu Notes: Integral Stainless Steel g 47 1/8"	uu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII,ggggg rooved spool between the #2 ck and #2 Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: uu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII,ggggg rooved spool between the #2 ck and #2	gg,iiiiii,jjjjjj,IIIIII,mmmmmm,oooooo SOV - assembly length: min. 34 1/4" and max Model: 350ASTR Meters: Spare Parts Only: No Bypass: gg,iiiiii,jjjjjj,IIIII,mmmmmm,oooooo SOV - assembly length: min. 34 1/4" and max
Shutoffs: (ppp),qqq,yyy,ssss,uu Notes: Integral Stainless Steel g 47 1/8" Type: DC Size: 2 1/2 Manual: 10 Approved: 12-Jun-2015 Shutoffs: (ppp),qqq,yyy,ssss,uu Notes: Integral Stainless Steel g 47 1/8"	uu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII,ggggg rooved spool between the #2 ck and #2 Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: uu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII,ggggg rooved spool between the #2 ck and #2 Manufacturer: Wilkins	gg,iiiiii,jjjjjj,IIIIII,mmmmm,oooooo SOV - assembly length: min. 34 1/4" and max Model: 350ASTR Meters: Spare Parts Only: No Bypass: gg,iiiiii,jjjjjj,IIIII,mmmmmm,oooooo SOV - assembly length: min. 34 1/4" and max Model: 350ASTR

Type: DC	Manufacturer: Wilkins	Model: 350ASTR
Size: 3	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Jun-2015	Renewed:	Bypass:
Shutoffs: (ppp),qqq,yyy,ssss,uu	uu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll,gggg	ggg,iiiiii,jjjjjj,lllll,mmmmmm,oooooo
Notes: Integral Stainless Steel g 48 1/8"	prooved spool between the #2 ck and #2	SOV - assembly length: min. 34 3/4" and max.
Type: DC	Manufacturer: Wilkins	Model: 350ASTR
Size: 4	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Jun-2015	Renewed:	Bypass:
Shutoffs: (ppp),qqq,yyy,ssss,uu	uu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll,gggg	ggg,iiiiii,jjjjjj,lllll,mmmmmm,oooooo
Notes: Integral Stainless Steel g 62 1/4"	rooved spool between the #2 ck and #2	2 SOV - assembly length: min. 35 3/4" and max.
Type: DC	Manufacturer: Wilkins	Model: 350ASTR
Size: 4	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Jun-2015	Renewed:	Bypass:
Shutoffs: (ppp),qqq,yyy,ssss,uu	uu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll,gggg	ggg,iiiiii,jjjjjj,lllll,mmmmmm,oooooo
Notes: Integral Stainless Steel g 62 1/4"	rooved spool between the #2 ck and #2	2 SOV - assembly length: min. 35 3/4" and max.
Type: DC	Manufacturer: Wilkins	Model: 350ASTR
Size: 6	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Jun-2015	Renewed:	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxxx,yyyy,aaaaa,kkkkk,lllll,gggggg,iiiiii,jjj	jjj,IIIII,mmmmmm,oooooo
Notes: Integral Stainless Steel g 71 1/4"	rooved spool between the #2 ck and #2	2 SOV - assembly length: min. 42 1/2" and max.
Type: DC	Manufacturer: Wilkins	Model: 350ASTR
Size: 6	Orientation: VU	Meters:
		Spore Dorte Only No
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Manual: 10 Approved: 12-Jun-2015	0.25% Pb: Yes Renewed:	Bypass:

Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 42 1/2" and max. 71 1/4"

Type: DC	Manufacturer: Wilkins	Model: 350ASTR
Size: 8	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Feb-2014	Renewed: 25-Feb-2017	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxxx,yyyy,aaaaa,kkkkk,lllll,gggggg,iiiiii,jjjj	jj,IIIIII,mmmmmm,oooooo
Notes: Integral Stainless Steel g 86"	prooved spool between the #2 ck and #2	SOV - assembly length: min. 48 3/4" and max.
Type: DC	Manufacturer: Wilkins	Model: 350ASTR
Size: 8	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Feb-2014	Renewed: 25-Feb-2017	Bypass:
	xxxx,yyyy,aaaaa,kkkkk,lllll,gggggg,iiiiii,jjjj prooved spool between the #2 ck and #2	jj,IIIII,mmmmmm,oooooo SOV - assembly length: min. 48 3/4" and max.
Type: DC	Manufacturer: Wilkins	Model: 350ASTR
Size: 10	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Feb-2014	Renewed: 25-Feb-2017	Bypass:
	xxxx,yyyy,aaaaa,kkkkk,IIIII,gggggg,iiiiii,jjjj grooved spool between the #2 ck and #2	SOV - assembly length: min. 52 5/8" and max.
Type: DC	Manufacturer: Wilkins	Model: 350ASTR
Size: 10	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Feb-2014	Renewed: 25-Feb-2017	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxxx,yyyy,aaaaa,kkkkk,lllll,gggggg,iiiiii,jjjj	jj,IIIIII,mmmmmm,oooooo
Notes: Integral Stainless Steel g 100 5/8"	prooved spool between the #2 ck and #2	SOV - assembly length: min. 52 5/8" and max.
Type: DC	Manufacturer: Wilkins	Model: 350AXL
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No

Renewed: 14-Apr-2016

Approved: 14-Apr-2010

Shutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa

Bypass:

Size 2 1/2Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Shutoffs: (ppp),qq,ass,ttt,yy,sss,uuuu,vvvv,xxx,yyy,aaaaaBypass:Type: DCManufacturer: WilkinsModel: 350AXLSize 2 1/2Orientation: VUMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Shutoffs: (ppp),qq,ass,ttt,yy,sss,uuuu,vvvv,xxx,yyy,aaaaaBypass:Type: DCManufacturer: WilkinsModel: 350AXLSize: 3Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Shutoffs: (ppp),qq,ass,ttt,yy,sss,uuuu,vvvv,xxx,yyy,aaaaaSpare Parts Only: NoApproved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Shutoffs: (ppp),qq,ass,ttt,yy,sss,uuuu,vvv,xxx,yyy,aaaaaModel: 350AXLType: DCManufacturer: WilkinsModel: 350AXLSize: 3Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Shutoffs: (ppp),qq,ass,ttt,yy,sss,uuuu,vvv,xxxx,yyy,aaaaaModel: 350AXLType: DCManufacturer: WilkinsModel: 350AXLSize: 3Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Shutoffs: (ppp),qqq	Type: DC	Manufacturer: Wilkins	Model: 350AXL
Approved:14-Apr-2010Renewed:14-Apr-2016Bypass:Shutoffs:(ppp),qqq,sss,ttt,yyy,ssss,uuuu,vvv,xxxx,yyyy,aaaaaModel:350AXLType:DCManufacturer:WilkinsModel:350AXLSkie:21/2Orientation:VUMeters:Manual:90.25% Pb: NoSpare Parts Only: NoApproved:14-Apr-2010Renewed:14-Apr-2016Bypass:Shutoffs:(ppp),qqq,sss,ttt,yyy,ssss,uuuu,vvv,xxxx,yyyy,aaaaaModel:350AXLType:DCManufacturer:WilkinsModel:350AXLSize:21/2Orientation:VUMeters:Manual:90.25% Pb: YesSpare Parts Only: NoApproved:14-Apr-2010Renewed:14-Apr-2016Bypass:Stutoffs:(ppp),qqq,sss,ttt,yyy,ssss,uuuu,vvv,xxxx,yyyy,aaaaaType:DCManufacturer:WilkinsManual:90.25% Pb: NoSpare Parts Only: NoApproved:14-Apr-2010Renewed:14-Apr-2016Bypass:Shutoffs:(ppp),qqq,sss,ttt,yyy,ssss,uuuu,vvv,xxxx,yyy,aaaaaType:DCManufacturer:WilkinsManual:90.25% Pb: YesSpare Parts Only: NoApproved:14-Apr-2010Renewed:14-Apr-2016Bypass:Shutoffs:(ppp),qqq,sss,ttt,yyy,ssss,uuuu,vvv,xxxx,yyyy,aaaaaType:DCManufacturer:WilkinsManual:90.25% Pb: NoSpare Parts Only: NoShutoffs:(pp		Orientation: H	Meters:
Shutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuuu,vvv,xxxx,yyy,aaaaa Model: 350AXL Type: DC Manufacturer: Wilkins Model: 350AXL Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 14-Apr-2010 Renewed: 14-Apr-2016 Bypass: Shutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuuu,vvv,xxxx,yyy,aaaaa Model: 350AXL Type: DC Manufacturer: Wilkins Model: 350AXL Size: 2 1/2 Orientation: VU Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 14-Apr-2010 Renewed: 14-Apr-2016 Bypass: Shutoffs: (ppp),qqq,sss,ttt,yy,ssss,uuuu,vvv,xxxx,yyy,aaaaa Model: 350AXL Size: 3 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 14-Apr-2010 Renewed: 14-Apr-2016 Bypass: Shutoffs: (ppp),qqq,sss,ttt,yy,ssss,uuuu,vvv,xxxx,yyy,aaaaa Model: 350AXL Size: 3 Type: DC Manufacturer: Wilkins Model: 350AXL Size: 3 Shutoffs: (ppp),qqq,sss,ttt,yy,ssss,uuuu,vvv,xxxx,yyy,aaaaa Model: 350AXL Size: 3 Type: DC Manufacturer: Wilkins Model: 350AXL Size: 3 Size:	Manual: 9	0.25% Pb : Yes	Spare Parts Only: No
Type: DCManufacturer: WilkinsModel: 350AXLSize: 2 1/2Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Shutoffs: (ppp),qq,sss,ttt,yyy,ssss,uuuu,vvv,xxxx,yyyy,aaaaaModel: 350AXLType: DCManufacturer: WilkinsModel: 350AXLManual: 90.25% Pb: YesSpare Parts Only: NoApproved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Shutoffs: (ppp),qq,sss,ttt,yyy,ssss,uuuu,vvv,xxxx,yyyy,aaaaaModel: 350AXLType: DCManufacturer: WilkinsModel: 350AXLSize: 3Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Shutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuuu,vvv,xxxx,yyyy,aaaaaSpare Parts Only: NoApproved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Shutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuuu,vvv,xxxx,yyyy,aaaaaModel: 350AXLSize: 3Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Shutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuuu,vvv,xxxx,yyy,aaaaaModel: 350AXLSize: 3Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Shutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuuu,vvv,xxxx,yyy,aaaaaModel: 350AXLSize: 3Orientation: VU </th <th>Approved: 14-Apr-2010</th> <th>Renewed: 14-Apr-2016</th> <th>Bypass:</th>	Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
NameOrientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Shutoffs: (ppp), qq.sss.ttt.yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaModel: 350AXLType: DCManufacturer: WilkinsModel: 350AXLSize: 2 1/2Orientation: VUMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Shutoffs: (ppp), qq.sss,ttt,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaModel: 350AXLType: DCManufacturer: WilkinsModel: 350AXLSize: 3Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Shutoffs: (ppp),qq.sss,ttt,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaSpare Parts Only: NoApproved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Shutoffs: (ppp),qq.sss,ttt,yyy,ssss,uuuu,vvvv,xxxx,yyy,aaaaaModel: 350AXLType: DCManufacturer: WilkinsModel: 350AXLSize: 3Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Shutoffs: (ppp),qq.sss,ttt,yyy,ssss,uuuu,vvv,xxxx,yyy,aaaaaSpare Parts Only: NoApproved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Shutoffs: (ppp),qq.sss,ttt,yyy,ssss,uuuu,vvv,xxxx,yyy,aaaaaModel: 350AXLType: DCManufacturer: WilkinsModel: 350AXLManual: 90.25% Pb:	Shutoffs: (ppp),qqq,sss,ttt,yyy,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Shutoffs: (ppp), qqq,sss,ttt,yyy,ssss,uuuu,vvv,xxxx,yyyy,aaaaaModel: 350AXLType: DCManufacturer: WilkinsModel: 350AXLManual: 90.25% Pb: YesSpare Parts Only: NoApproved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Shutoffs: (ppp), qqq,sss,ttt,yyy,ssss,uuuu,vvv,xxxx,yyy,aaaaaModel: 350AXLType: DCManufacturer: WilkinsModel: 350AXLSize: 3Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Shutoffs: (ppp), qq,sss,ttt,yyy,ssss,uuuu,vvv,xxxx,yyy,aaaaaModel: 350AXLType: DCManufacturer: WilkinsModel: 350AXLSize: 3Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Shutoffs: (ppp), qq,sss,ttt,yyy,ssss,uuuu,vvvv,xxxx,yyy,aaaaaModel: 350AXLSize: 3Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Shutoffs: (ppp), qqq,sss,ttt,yyy,ssss,uuuu,vvv,xxxx,yyy,aaaaaModel: 350AXLSize: 3Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Shutoffs: (ppp), qqq,sss,ttt,yyy,ssss,uuuu,vvv,xxxx,yyy,aaaaa	Type: DC	Manufacturer: Wilkins	Model: 350AXL
Approved:14-Apr-2010Renewed:14-Apr-2016Bypass:Shutoffs:(ppp),qqq,sss,ttt,yyy,ssss,uuuu,vvv,xxx,yyyy,aaaaaModel:350AXLType: DCManufacturer:WilkinsModel:350AXLManual:90.25% Pb: YesSpare Parts Only: NoApproved:14-Apr-2010Renewed:14-Apr-2016Bypass:Shutoffs:(ppp),qqq,sss,ttt,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaModel:350AXLType: DCManufacturer:WilkinsModel:350AXLSize:3Orientation: HMeters:Manual:90.25% Pb: NoSpare Parts Only: NoApproved:14-Apr-2010Renewed:14-Apr-2016Bypass:Shutoffs:(ppp),qqq,sss,ttt,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaType: DCManufacturer:WilkinsManual: 90.25% Pb: NoSpare Parts Only: NoApproved:14-Apr-2010Renewed:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved:14-Apr-2010Renewed:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved:14-Apr-2010Renewed:Size: 3Orientation: VUMeters:Shutoffs:(ppp),qqq,sss,ttt,yyy,ssss,uuuu,vvvv,xxxx,yyy,aaaaaType: DCManufacturer:WilkinsShutoffs:(ppp),qqq,sss,ttt,yyy,ssss,uuuu,vvvv,xxxx,yyy,aaaaaType: DCManufacturer:WilkinsShutoffs:(pp),qqq,sss,ttt,yyy,ssss,uuuu,vvvv,xxxx,yyy,aaaaaType: DCManufacturer:	Size: 2 1/2	Orientation: VU	Meters:
Shutoffs: (ppp),qq,sss,ttt,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa Type: DC Manufacturer: Wilkins Model: 350AXL Size: 2 1/2 Orientation: VU Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 14-Apr-2010 Renewed: 14-Apr-2016 Bypass: Shutoffs: (ppp),qq,sss,ttt,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa Model: 350AXL Type: DC Manufacturer: Wilkins Model: 350AXL Size: 3 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 14-Apr-2010 Renewed: 14-Apr-2016 Bypass: Shutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa Model: 350AXL Size: 3 Orientation: H Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 14-Apr-2010 Renewed: 14-Apr-2016 Bypass: Shutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa Model: 350AXL Size: 3 Type: DC Manufacturer: Wilkins Model: 350AXL Meters: Size: 3 Orientation: VU Meters: Model: 350AXL Size: 3 Orientation: VU Meters: Spare	Manual: 9	0.25% Pb: No	Spare Parts Only: No
Type: DCManufacturer: WilkinsModel: 350AXLSize: 2 1/2Orientation: VUMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Shutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaModel: 350AXLType: DCManufacturer: WilkinsModel: 350AXLSize: 3Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Shutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaStaters:Type: DCManufacturer: WilkinsModel: 350AXLSize: 3Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Size: 3Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Shutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaModel: 350AXLSize: 3Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Shutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuuu,vvvv,xxxx,yyy,aaaaaSpare Parts Only: NoApproved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Shutoffs: (pp),qqq,sss,ttt,yyy,ssss,uuuu,vvv,xxxx,yyy,aaaaaSpare Parts Only: NoApproved: 14-Apr-2010Renewed: 14-Apr-2016Bypa	Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Size: 2 1/2Orientation: VUMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Shutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaModel: 350AXLType: DCManufacturer: WilkinsModel: 350AXLSize: 3Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Shutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaSize: 3Model: 350AXLType: DCManufacturer: WilkinsModel: 350AXLSize: 3Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Shutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaSize: 3Model: 350AXLSize: 3Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoShutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuuu,vvvv,xxxx,yyy,aaaaaSize: 3Type: DCManufacturer: WilkinsModel: 350AXLSize: 3Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Shutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaSize: 3Type: DCManufacturer: WilkinsModel: 350AXLSize: 3Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: No<	Shutoffs: (ppp),qqq,sss,ttt,yyy,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Shutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaModel: 350AXLType: DCManufacturer: WilkinsModel: 350AXLSize: 3Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Shutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaSpare Parts Only: NoApproved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Shutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaModel: 350AXLType: DCManufacturer: WilkinsModel: 350AXLSize: 3Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Shutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaSooAXLType: DCManufacturer: WilkinsModel: 350AXLSize: 3Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Shutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaSpare Parts Only: NoApproved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Shutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaSpare Parts Only: NoApproved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Shutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaSpare Pa	Type: DC	Manufacturer: Wilkins	Model: 350AXL
Approved:14-Apr-2010Renewed:14-Apr-2016Bypass:Shutoffs:(ppp),qq,sss,ttt,yyy,ssss,uuu,vvvv,xxxx,yyyy,aaaaaModel:350AXLType:DCManufacturer:WilkinsModel:350AXLSize:3Orientation:HMeters:Manual:90.25% Pb:NoSpare PartsOnly:NoApproved:14-Apr-2010Renewed:14-Apr-2016Bypass:Stutoffs:(ppp),qq,sss,ttt,yyy,ssss,uuu,vvvv,xxxx,yyyy,aaaaaType:DCManufacturer:WilkinsModel:350AXLSize:3Orientation:HMeters:Manual:90.25% Pb:YesSpare PartsOnly:NoApproved:14-Apr-2010Renewed:14-Apr-2016Bypass:Shutoffs:(ppp),qq,sss,ttt,yyy,ssss,uuu,vvvv,xxxx,yyyy,aaaaaSpare PartsOnly:NoApproved:14-Apr-2010Renewed:14-Apr-2016Bypass:Shutoffs:(ppp),qq,sss,ttt,yyy,ssss,uuu,vvvv,xxxx,yyyy,aaaaaModel:350AXLType:DCManufacturer:WilkinsModel:350AXLSize:3Orientation:VUMeters:Manual:90.25% Pb:NoSpare PartsOnly:NoApproved:14-Apr-2010Renewed:14-Apr-2016Bypass:Shutoffs:(ppp),qq,sss,ttt,yyy,ssss,uuu,vvvv,xxxx,yyyy,aaaaaSpare PartsOnly:NoApproved:14-Apr-2010Renewed:14-Apr-2016Bypass: </td <td>Size: 2 1/2</td> <td>Orientation: VU</td> <td>Meters:</td>	Size: 2 1/2	Orientation: VU	Meters:
Shutoffs: (ppp).qqq.sss.ttt,yyy,ssss.uuuu,vvvv,xxxx,yyyy,aaaaa Type: DC Manufacturer: Wilkins Model: 350AXL Size: 3 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 14-Apr-2010 Renewed: 14-Apr-2016 Bypass: Shutoffs: (ppp).qqq.sss.ttt,yyy,ssss.uuuu,vvvv,xxxx,yyyy,aaaaa Model: 350AXL Type: DC Manufacturer: Wilkins Model: 350AXL Size: 3 Orientation: H Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 14-Apr-2010 Renewed: 14-Apr-2016 Bypass: Shutoffs: (ppp).qqq.sss.ttt,yyy,ssss.uuuu,vvvv,xxxx,yyyy,aaaaa Spare Parts Only: No Approved: 14-Apr-2010 Renewed: 14-Apr-2016 Bypass: Shutoffs: (ppp).qqq.sss.ttt,yy,ssss.uuuu,vvvv,xxxx,yyyy,aaaaa Model: 350AXL Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 14-Apr-2010 Kenewed: 14-Apr-2016 Bypass: Shutoffs: (ppp).qqq.sss.ttt,yyy,ssss.uuuu,vvvv,xxxx,yyyy,aaaaa Spare Parts Only: No Approved: 14-Apr-2010 Renewed: 14-Apr-2016 Bypass: Shutoffs: (ppp).qqq.sss.ttt,yyy,ssss.uuuu,vvvv,xxxx,yyyy,aaaaaa Type: DC </td <td>Manual: 9</td> <td>0.25% Pb: Yes</td> <td>Spare Parts Only: No</td>	Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Type: DCManufacturer: WilkinsModel: 350AXLSize: 3Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Shutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuu,vvvv,xxxx,yyyy,aaaaaBypass:Type: DCManufacturer: WilkinsModel: 350AXLSize: 3Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Shutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaSpare Parts Only: NoApproved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Shutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaModel: 350AXLSize: 3Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Shutoffs: (ppp),qq,sss,ttt,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaSpare Parts Only: NoApproved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Shutoffs: (ppp),qq,sss,ttt,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaSpare Parts Only: NoType: DCManufacturer: WilkinsModel: 350AXLSize: 3Orientation: VUMeters:Size: 3Orientation: VUMeters:Manual: 90.25% Pb: YesSpare Parts Only: No	Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Normal Size: 3Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Shutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuu,vvvv,xxxx,yyyy,aaaaaBypass:Type: DCManufacturer: WilkinsModel: 350AXLSize: 3Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Shutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuu,vvvv,xxxx,yyyy,aaaaaSize: 3Model: 350AXLType: DCManufacturer: WilkinsModel: 350AXLSize: 3Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Shutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuu,vvvv,xxxx,yyyy,aaaaaModel: 350AXLType: DCManufacturer: WilkinsModel: 350AXLShutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuu,vvvv,xxxx,yyy,aaaaaBypass:Type: DCManufacturer: WilkinsModel: 350AXLShutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuu,vvvv,xxxx,yyy,aaaaaType: DCManufacturer: WilkinsType: DCManufacturer: WilkinsModel: 350AXLSize: 3Orientation: VUMeters:Size: 3Orientation: VUMeters:Manual: 90.25% Pb: YesSpare Parts Only: No	Shutoffs: (ppp),qqq,sss,ttt,yyy,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Shutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuWodel: 350AXLType: DCManufacturer: WilkinsModel: 350AXLManual: 90.25% Pb: YesSpare Parts Only: NoApproved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Shutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuWodel: 4-Apr-2016Bypass:Shutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuWodel: 350AXLModel: 350AXLSize: 3Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Size: 3Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Type: DCManufacturer: WilkinsModel: 350AXLShutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuWodel: 4-Apr-2016Bypass:Type: DCManufacturer: WilkinsModel: 350AXLShutoffs: (ppp),qqq,sss,ttt,yyy,sss,uuWodel: 4-Apr-2016Bypass:Type: DCManufacturer: WilkinsModel: 350AXLSize: 3Orientation: VUMeters:Size: 3Orientation: VUMeters:Manual: 90.25% Pb: YesSpare Parts Only: No	Type: DC	Manufacturer: Wilkins	Model: 350AXL
Approved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Shutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaModel: 350AXLType: DCManufacturer: WilkinsModel: 350AXLSize: 3Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Shutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaBypass:Type: DCManufacturer: WilkinsModel: 350AXLSize: 3Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Type: DCManufacturer: WilkinsModel: 350AXLSize: 3Orientation: VUMeters:Shutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaSpare Parts Only: NoType: DCManufacturer: WilkinsModel: 350AXLSize: 3Orientation: VUMeters:Size: 3Orientation: VUMeters:Manual: 90.25% Pb: YesSpare Parts Only: No	Size: 3	Orientation: H	Meters:
Shutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaType: DCManufacturer: WilkinsModel: 350AXLSize: 3Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Shutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaModel: 350AXLType: DCManufacturer: WilkinsModel: 350AXLSize: 3Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Shutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaSpare Parts Only: NoType: DCManufacturer: WilkinsModel: 350AXLShutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaSpare Parts Only: NoType: DCManufacturer: WilkinsModel: 350AXLSize: 3Orientation: VUMeters:Size: 3Orientation: VUMeters:Manual: 90.25% Pb: YesSpare Parts Only: No	Manual: 9	0.25% Pb: No	Spare Parts Only: No
Type: DCManufacturer: WilkinsModel: 350AXLSize: 3Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Shutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuu,vvvv,xxxx,yyyy,aaaaaModel: 350AXLType: DCManufacturer: WilkinsModel: 350AXLSize: 3Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Shutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuu,vvvv,xxxx,yyy,aaaaaSpare Parts Only: NoType: DCManufacturer: WilkinsModel: 350AXLSize: 3Orientation: VUMeters:Shutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuuu,vvvv,xxxx,yyy,aaaaaType: DCManufacturer: WilkinsManual: 90.25% Pb: YesSpare Parts Only: No	Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Size: 3 Orientation: H Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 14-Apr-2010 Renewed: 14-Apr-2016 Bypass: Shutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuu,vvvv,xxxx,yyyy,aaaaa Type: DC Manufacturer: Wilkins Model: 350AXL Size: 3 Orientation: VU Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 14-Apr-2010 Renewed: 14-Apr-2016 Bypass: Shutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuu,vvvv,xxxx,yyyy,aaaaa Type: DC Manufacturer: Wilkins Model: 350AXL Size: 3 Orientation: VU Meters: Shutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuu,vvvv,xxxx,yyyy,aaaaa Type: DC Manufacturer: Wilkins Model: 350AXL Size: 3 Orientation: VU Meters: Shutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuu,vvvv,xxxx,yyyy,aaaaa	Shutoffs: (ppp),qqq,sss,ttt,yyy,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Shutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaBypass:Type: DCManufacturer: WilkinsModel: 350AXLSize: 3Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Shutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaSpare Parts Only: NoType: DCManufacturer: WilkinsModel: 350AXLShutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaBypass:Type: DCManufacturer: WilkinsModel: 350AXLSize: 3Orientation: VUMeters:Manual: 90.25% Pb: YesSpare Parts Only: No	Type: DC	Manufacturer: Wilkins	Model: 350AXL
Approved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Shutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaModel: 350AXLType: DCManufacturer: WilkinsModel: 350AXLSize: 3Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Shutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuuv,vvvv,xxxx,yyyy,aaaaaSpare Parts Only: NoType: DCManufacturer: WilkinsModel: 350AXLSize: 3Orientation: VUMeters:Size: 3Orientation: VUMeters:Manual: 90.25% Pb: YesSpare Parts Only: No	Size: 3	Orientation: H	Meters:
Shutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaType: DCManufacturer: WilkinsModel: 350AXLSize: 3Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Shutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaType: DCManufacturer: WilkinsModel: 350AXLModel: 350AXLSize: 3Orientation: VUMeters:Manual: 90.25% Pb: YesSpare Parts Only: No	Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Type: DCManufacturer: WilkinsModel: 350AXLSize: 3Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Shutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaModel: 350AXLType: DCManufacturer: WilkinsModel: 350AXLSize: 3Orientation: VUMeters:Manual: 90.25% Pb: YesSpare Parts Only: No	Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Size: 3Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Shutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuu,vvvv,xxxx,yyyy,aaaaaBypass:Type: DCManufacturer: WilkinsModel: 350AXLSize: 3Orientation: VUMeters:Manual: 90.25% Pb: YesSpare Parts Only: No	Shutoffs: (ppp),qqq,sss,ttt,yyy,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Shutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuuvvvv,xxxx,yyyy,aaaaaBypass:Type: DCManufacturer: WilkinsModel: 350AXLSize: 3Orientation: VUMeters:Manual: 90.25% Pb: YesSpare Parts Only: No	Type: DC	Manufacturer: Wilkins	Model: 350AXL
Approved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:Shutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuu,vvvv,xxxx,yyyy,aaaaaBypass:Type: DCManufacturer: WilkinsModel: 350AXLSize: 3Orientation: VUMeters:Manual: 90.25% Pb: YesSpare Parts Only: No	Size: 3	Orientation: VU	Meters:
Shutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa Type: DC Manufacturer: Wilkins Model: 350AXL Size: 3 Orientation: VU Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No	Manual: 9	0.25% Pb: No	Spare Parts Only: No
Type: DCManufacturer: WilkinsModel: 350AXLSize: 3Orientation: VUMeters:Manual: 90.25% Pb: YesSpare Parts Only: No	Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Size: 3Orientation: VUMeters:Manual: 90.25% Pb: YesSpare Parts Only: No	Shutoffs: (ppp),qqq,sss,ttt,yyy,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Manual: 9 0.25% Pb: Yes Spare Parts Only: No	Type: DC	Manufacturer: Wilkins	Model: 350AXL
	Size: 3	Orientation: VU	Meters:
Approved: 14-Apr-2010Renewed: 14-Apr-2016Bypass:	Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
	Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:

Shutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa

Type: DC	Manufacturer: Wilkins	Model: 350AXL
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 350AXL
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 350AXL
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 350AXL
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 350AXL
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: (ppp),sss,ttt,qqq,yyy,z	zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 350AXL
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: (ppp),sss,ttt,qqq,yyy,z	zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 350AXL
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
	Renewed: 14-Apr-2016	

Shutoffs: (ppp),sss,ttt,qqq,yyy,zzz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa

Type: DC	Manufacturer: Wilkins	Model: 350AXL
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: (ppp),sss,ttt,qqq,yyy,z	zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	a
Type: DC	Manufacturer: Wilkins	Model: 350AXL
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	х,уууу,ааааа
Type: DC	Manufacturer: Wilkins	Model: 350AXL
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	х,уууу,ааааа
Type: DC	Manufacturer: Wilkins	Model: 350AXL
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	х,уууу,ааааа
Type: DC	Manufacturer: Wilkins	Model: 350AXL
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	х,уууу,ааааа
Type: DC	Manufacturer: Wilkins	Model: 350AXL
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	х,уууу,ааааа
Type: DC	Manufacturer: Wilkins	Model: 350AXL
Size: 10	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	

Type: DC	Manufacturer: Wilkins	Model: 350D	
Size: 3/4	Orientation: H	Meters:	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 19-May-2009	Renewed: 19-May-2015	Bypass:	
Shutoffs: (ii), ooo			
Type: DC	Manufacturer: Wilkins	Model: 350D	
Size: 3/4	Orientation: VU	Meters:	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 22-Jun-2009	Renewed: 22-Jun-2015	Bypass:	
Shutoffs: (ii), ooo			
Type: DC	Manufacturer: Wilkins	Model: 350XL	
Size: 3/4	Orientation: H	Meters:	
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 30-Aug-2006	Renewed: 30-Aug-2015	Bypass:	
Shutoffs: (iiii)			
	aded End or 45 degree male SAE flare		
	aded End or 45 degree male SAE flare Manufacturer: Wilkins	Model: 350XL	
Notes: Testcocks: Female Threa		Model: 350XL Meters:	
Notes: Testcocks: Female Threa	Manufacturer: Wilkins		
Notes: Testcocks: Female Threa Type: DC Size: 3/4	Manufacturer: Wilkins Orientation: VU	Meters:	
Notes: Testcocks: Female Threa Type: DC Size: 3/4 Manual: 9	Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes	Meters: Spare Parts Only: No	
Notes: Testcocks: Female Threa Type: DC Size: 3/4 Manual: 9 Approved: 30-Aug-2006 Shutoffs: (iiii)	Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes	Meters: Spare Parts Only: No	
Notes: Testcocks: Female Threa Type: DC Size: 3/4 Manual: 9 Approved: 30-Aug-2006 Shutoffs: (iiii)	Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 30-Aug-2015	Meters: Spare Parts Only: No	
Notes: Testcocks: Female Threa Type: DC Size: 3/4 Manual: 9 Approved: 30-Aug-2006 Shutoffs: (iiii) Notes: Testcocks: Female Threa	Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 30-Aug-2015 aded End or 45 degree male SAE flare	Meters: Spare Parts Only: No Bypass:	
Notes: Testcocks: Female Threa Type: DC Size: 3/4 Manual: 9 Approved: 30-Aug-2006 Shutoffs: (iiii) Notes: Testcocks: Female Threa Type: DC	Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 30-Aug-2015 aded End or 45 degree male SAE flare Manufacturer: Wilkins	Meters: Spare Parts Only: No Bypass: Model: 350XL	
Notes: Testcocks: Female Threa Type: DC Size: 3/4 Manual: 9 Approved: 30-Aug-2006 Shutoffs: (iiii) Notes: Testcocks: Female Threa Type: DC Size: 1	Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 30-Aug-2015 aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H	Meters: Spare Parts Only: No Bypass: Model: 350XL Meters:	
Notes: Testcocks: Female Threa Type: DC Size: 3/4 Manual: 9 Approved: 30-Aug-2006 Shutoffs: (iiii) Notes: Testcocks: Female Threa Type: DC Size: 1 Manual: 9	Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 30-Aug-2015 aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes	Meters: Spare Parts Only: No Bypass: Model: 350XL Meters: Spare Parts Only: No	
Notes: Testcocks: Female Threa Type: DC Size: 3/4 Manual: 9 Approved: 30-Aug-2006 Shutoffs: (iiii) Notes: Testcocks: Female Threa Type: DC Size: 1 Manual: 9 Approved: 27-Oct-2006 Shutoffs: (iiii)	Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 30-Aug-2015 aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes	Meters: Spare Parts Only: No Bypass: Model: 350XL Meters: Spare Parts Only: No	
Notes: Testcocks: Female Threa Type: DC Size: 3/4 Manual: 9 Approved: 30-Aug-2006 Shutoffs: (iiii) Notes: Testcocks: Female Threa Type: DC Size: 1 Manual: 9 Approved: 27-Oct-2006 Shutoffs: (iiii)	Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 30-Aug-2015 aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 27-Oct-2015	Meters: Spare Parts Only: No Bypass: Model: 350XL Meters: Spare Parts Only: No	
Notes: Testcocks: Female Threa Type: DC Size: 3/4 Manual: 9 Approved: 30-Aug-2006 Shutoffs: (iiii) Notes: Testcocks: Female Threa Type: DC Size: 1 Manual: 9 Approved: 27-Oct-2006 Shutoffs: (iiii) Notes: Testcocks: Female Threa	Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 30-Aug-2015 aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 27-Oct-2015	Meters: Spare Parts Only: No Bypass: Model: 350XL Meters: Spare Parts Only: No Bypass:	
Notes: Testcocks: Female Threa Type: DC Size: 3/4 Manual: 9 Approved: 30-Aug-2006 Shutoffs: (iiii) Notes: Testcocks: Female Threa Type: DC Size: 1 Manual: 9 Approved: 27-Oct-2006 Shutoffs: (iiii) Notes: Testcocks: Female Threa Type: DC	Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 30-Aug-2015 aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 27-Oct-2015 aded End or 45 degree male SAE flare Manufacturer: Wilkins	Meters: Spare Parts Only: No Bypass: Model: 350XL Meters: Spare Parts Only: No Bypass: Model: 350XL	
Notes: Testcocks: Female Threa Type: DC Size: 3/4 Manual: 9 Approved: 30-Aug-2006 Shutoffs: (iiii) Notes: Testcocks: Female Threa Type: DC Size: 1 Manual: 9 Approved: 27-Oct-2006 Shutoffs: (iiii) Notes: Testcocks: Female Threa Type: DC Size: 1	Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 30-Aug-2015 aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 27-Oct-2015 aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: VU	Meters: Spare Parts Only: No Bypass: Model: 350XL Meters: Spare Parts Only: No Bypass: Model: 350XL Meters: Model: 350XL	

2017 © University of Southern California

Type: DC Size: 1 1/4 Manual: 9 Approved: 08-Jan-2009 Shutoffs: (int)

- Type: DC Size: 1 1/4 Manual: 9 Approved: 08-Jan-2009 Shutoffs: (int)
- Type: DC Size: 1 1/2 Manual: 9 Approved: 08-Jan-2009 Shutoffs: (int)
- Type: DC Size: 1 1/2 Manual: 9 Approved: 08-Jan-2009 Shutoffs: (int)
- Type: DC Size: 2 Manual: 9 Approved: 08-Jan-2009 Shutoffs: (int)
- Type: DC Size: 2 Manual: 9 Approved: 08-Jan-2009 Shutoffs: (int)
- Type: DC
 M

 Size: 2 1/2
 C

 Manual: 9
 O

 Approved: 14-Apr-2010
 F

 Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,zzz,dddd
 F

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 08-Jan-2015

Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 08-Jan-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 08-Jan-2015

Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 08-Jan-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 08-Jan-2015

Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 08-Jan-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 14-Apr-2016 Model: 350XL Meters: Spare Parts Only: No Bypass:

Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,	tttt,vvvv,wwww,yyyy,zzzz	
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	zzz,dddd	
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,	tttt,vvvv,wwww,yyyy,zzzz	
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	zzz,dddd	
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,	tttt,vvvv,wwww,yyyy,zzzz	
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	zzz,dddd	
	Manufacturer: Wilkins	Model: 350XL
Type: DC		
	Orientation: VU	Meters:
Type: DC Size: 3 Manual: 9	Orientation: VU 0.25% Pb: Yes	Meters: Spare Parts Only: No

Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	zzz,dddd,eeee	
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	/ww,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	zzz,dddd,eeee	
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	/ww,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	zzz,dddd,eeee	
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	vww,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:

Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,zzz,dddd,eeee

Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	ww,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	zzz,dddd,eeee	
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	ww,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	zzz,dddd,eeee	
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	ww,ssss,tttt,vvvv,wwww,yyyy,zzzz	
	Manufacturer: Wilkins	Model: 350XL
Type: DC		
	Orientation: H	Meters:
Size: 10	Orientation: H 0.25% Pb: No	Meters: Spare Parts Only: No
Size: 10 Manual: 9		
Size: 10 Manual: 9 Approved: 25-Mar-2010	0.25% Pb: No Renewed: 25-Mar-2016	Spare Parts Only: No
Size: 10 Manual: 9 Approved: 25-Mar-2010 Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	0.25% Pb: No Renewed: 25-Mar-2016	Spare Parts Only: No
Type: DC Size: 10 Manual: 9 Approved: 25-Mar-2010 Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz, Type: DC Size: 10	0.25% Pb: No Renewed: 25-Mar-2016 zzz,dddd,eeee	Spare Parts Only: No Bypass:
Size: 10 Manual: 9 Approved: 25-Mar-2010 Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz, Type: DC	0.25% Pb: No Renewed: 25-Mar-2016 zzz,dddd,eeee Manufacturer: Wilkins	Spare Parts Only: No Bypass: Model: 350XL

Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 10	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,z	zzz,dddd,eeee	
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 10	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,ss	sss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 12	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs: (hh),ssss,tttt,uuuu,vvv	v,wwww,xxxx,yyyy,zzzz,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 450
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,t Notes: Serial number K01185 ar	tttt,vvvv,wwww,yyyy,zzzz,kkkkk,ggggggg,h nd higher	nhhhhh,jjjjjj,kkkkkk,mmmmmm,nnnnnn
		•• • • • • • •
Type: DC	Manufacturer: Wilkins	Model: 450
	Orientation: VUVD	Meters:
		On the Dente On the Ma
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Manual: 9 Approved: 24-Jan-2002	0.25% Pb: No Renewed: 24-Jan-2017	Spare Parts Only: No Bypass:
Manual: 9 Approved: 24-Jan-2002 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp	Renewed: 24-Jan-2017	Bypass:
Size: 2 1/2 Manual: 9 Approved: 24-Jan-2002 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp mm,nnnnnn Notes: Up to serial number K011	Renewed: 24-Jan-2017 p,qqq,zzz,dddd,ssss,tttt,vvvv,wwww,yyyy	
Manual: 9 Approved: 24-Jan-2002 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp mm,nnnnnn	Renewed: 24-Jan-2017 p,qqq,zzz,dddd,ssss,tttt,vvvv,wwww,yyyy	Bypass:
Manual: 9 Approved: 24-Jan-2002 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp mm,nnnnn Notes: Up to serial number K011 Type: DC	Renewed: 24-Jan-2017 o,qqq,zzz,dddd,ssss,tttt,vvvv,wwww,yyyy	Bypass: ,zzzz,kkkkk,ggggggg,hhhhhh,jjjjjj,kkkkkk,mmmr
Manual: 9 Approved: 24-Jan-2002 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp mm,nnnnnn Notes: Up to serial number K011	Renewed: 24-Jan-2017 o,qqq,zzz,dddd,ssss,tttt,vvvv,wwww,yyyy 185 Manufacturer: Wilkins	Bypass: r,zzzz,kkkkk,ggggggg,hhhhhhh,jjjjjjj,kkkkkk,mmmr Model: 450

Notes: Serial number K01185 and higher

Type: DC	Manufacturer: Wilkins	Model: 450
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Jan-2002	Renewed: 24-Jan-2017	Bypass:
Shutoffs:		
	,zzz,dddd,ssss,tttt,vvvv,wwww,yyyy	,zzzz,kkkkk,gggggg,hhhhhh,jjjjjj,kkkkkk,mmmm
mm,nnnnn		
Notes: Up to serial number K01185		
Type: DC	Manufacturer: Wilkins	Model: 450
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Apr-2000	Renewed: 12-Apr-2015	Bypass:
Shutoffs:		
(ppp),qqq,sss,ttt,www,yyy,zzz,dddd,e	eee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	a,kkkkk,lllll,gggggg,iiiiii,jjjjjj,lllll,mmmmmm,ooooo
0		
Notes: Up to serial number K01185		
Type: DC	Manufacturer: Wilkins	Model: 450
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,yyy,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkk	kk,lllll,gggggg,iiiiii,jjjjjj,llllll,mmmmmm,oooooo
Notes: Serial number K01185 and hig	Jher	
Type: DC	Manufacturer: Wilkins	Model: 450
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 24-May-2000	Renewed: 24-May-2015	Bypass:
Shutoffs:		
(ppp),qqq,sss,ttt,www,yyy,zzz,dddd,ee	eee,ssss,uuuu,vvvv,xxxx,yyyy,aaaa	a,kkkkk,lllll,gggggg,iiiiii,jjjjjj,llllll,mmmmmm,ooooo
0		
Notes: Up to serial number K01185		
Type: DC	Manufacturer: Wilkins	Model: 450
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:
		kk,IIIII,gggggg,iiiiii,jjjjjj,IIIIII,mmmmmm,oooooo
Notes: Serial number K01185 and hig		

Type: DC	Manufacturer: Wilkins	Model: 450
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Shutoffs:		
(ppp),qqq,sss,ttt,www,yyy,zzz,dd	ldd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaa	a,kkkkk,lllll,gggggg,iiiiii,jjjjjj,llllll,mmmmmm,ooooo
0		
Notes: Up to serial number K011	185	
Type: DC	Manufacturer: Wilkins	Model: 450
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number K01185 ar		<kk,iiiii,gggggg,iiiiii,jjjjjj,iiiiii,mmmmmm,oooooo< th=""></kk,iiiii,gggggg,iiiiii,jjjjjj,iiiiii,mmmmmm,oooooo<>
Type: DC	Manufacturer: Wilkins	Model: 450
Size: 10	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 11-Sep-2003	Renewed: 11-Sep-2015	Bypass:
(ppp),qqq,sss,ttt,www,zzz,dddd,e Notes: Up to serial number K011		kkk,IIIII,gggggg,iiiiii,jjjjjj,IIIIII,mmmmmm,oooooo
Type: DC	Manufacturer: Wilkins	Model: 450
Size: 10	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number K01185 ar		IIII,gggggg,iiiiii,jjjjj,IIIIII,mmmmmm,oooooo
Type: DC	Manufacturer: Wilkins	Model: 450XL
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,t	ttt,vvv,wwww,yyyy,zzzz	
Type: DC	Manufacturer: Wilkins	Model: 450XL
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,t	ttt,vvv,wwww,yyyy,zzzz	

Type: DC	Manufacturer: Wilkins	Model: 450XL
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,t	ttt,vvvv,wwww,yyyy,zzzz	
Type: DC	Manufacturer: Wilkins	Model: 450XL
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	ww,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: DC	Manufacturer: Wilkins	Model: 450XL
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	ww,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: DC	Manufacturer: Wilkins	Model: 450XL
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	ww,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: DC	Manufacturer: Wilkins	Model: 450XL
e .		
Size: 6	Orientation: VUVD	Meters:
	Orientation: VUVD 0.25% Pb: No	Meters: Spare Parts Only: No
Manual: 9		
Manual: 9 Approved: 14-Apr-2010	0.25% Pb: No	Spare Parts Only: No
Manual: 9 Approved: 14-Apr-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,w	0.25% Pb: No Renewed: 14-Apr-2016	Spare Parts Only: No
Manual: 9 Approved: 14-Apr-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,w Type: DC	0.25% Pb: No Renewed: 14-Apr-2016 www,ssss,tttt,vvvv,wwww,yyyy,zzzz	Spare Parts Only: No Bypass:
Manual: 9 Approved: 14-Apr-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,w Type: DC Size: 6	0.25% Pb: No Renewed: 14-Apr-2016 www,ssss,tttt,vvvv,wwww,yyyy,zzzz Manufacturer: Wilkins	Spare Parts Only: No Bypass: Model: 450XL
Manual: 9 Approved: 14-Apr-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,w Type: DC Size: 6 Manual: 9	0.25% Pb: No Renewed: 14-Apr-2016 www,ssss,tttt,vvvv,wwww,yyyy,zzzz Manufacturer: Wilkins Orientation: VUVD	Spare Parts Only: No Bypass: Model: 450XL Meters:
Manual: 9 Approved: 14-Apr-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,w Type: DC Size: 6 Manual: 9 Approved: 14-Apr-2010	0.25% Pb: No Renewed: 14-Apr-2016 www,ssss,tttt,vvvv,wwww,yyyy,zzzz Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes	Spare Parts Only: No Bypass: Model: 450XL Meters: Spare Parts Only: No
Manual: 9 Approved: 14-Apr-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,w Type: DC Size: 6 Manual: 9 Approved: 14-Apr-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,w	0.25% Pb: No Renewed: 14-Apr-2016 www,ssss,tttt,vvvv,wwww,yyyy,zzzz Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 14-Apr-2016	Spare Parts Only: No Bypass: Model: 450XL Meters: Spare Parts Only: No
Manual: 9 Approved: 14-Apr-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,w Type: DC Size: 6 Manual: 9 Approved: 14-Apr-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,w	0.25% Pb: No Renewed: 14-Apr-2016 www,ssss,tttt,vvvv,wwww,yyyy,zzzz Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 14-Apr-2016 www,ssss,tttt,vvvv,wwww,yyyy,zzzz	Spare Parts Only: No Bypass: Model: 450XL Meters: Spare Parts Only: No Bypass:
Manual: 9 Approved: 14-Apr-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,w Type: DC Size: 6 Manual: 9 Approved: 14-Apr-2010	0.25% Pb: No Renewed: 14-Apr-2016 www,ssss,tttt,vvvv,wwww,yyyy,zzzz Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 14-Apr-2016 www,ssss,tttt,vvvv,wwww,yyyy,zzzz Manufacturer: Wilkins	Spare Parts Only: No Bypass: Model: 450XL Meters: Spare Parts Only: No Bypass: Model: 450XL

Shutoffs: (gg),hh,ppp,qqq,vvv,www,ssss,tttt,vvvv,wwww,yyyy,zzzz

Type: DC	Manufacturer: Wilkins	Model: 450XL
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	ww,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: DC	Manufacturer: Wilkins	Model: 450XL
Size: 10	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	ww,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: DC	Manufacturer: Wilkins	Model: 450XL
Size: 10	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs: (hh),ssss,tttt,xxxx,yyyy	/,ZZZ,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 550
Size: 3/4	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Oct-1976	Renewed: 11-Oct-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 550
Size: 1	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Oct-1976	Renewed: 11-Oct-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 550
Size: 1 1/4	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Oct-1976	Renewed: 11-Oct-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 550
Size: 1 1/2	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Oct-1976	Renewed: 11-Oct-2015	Bypass:

Type: DC	Manufacturer: Wilkins	Model: 550
Size: 1 1/2	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Oct-1976	Renewed: 11-Oct-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 550
Size: 2	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Oct-1976	Renewed: 11-Oct-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 550
Size: 2 1/2	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 25-Sep-1986	Renewed: 25-Sep-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 550
Size: 3	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 20-Aug-1979	Renewed: 20-Aug-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 550
Size: 4	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 20-Jun-1980	Renewed: 20-Jun-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 550
Size: 6	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 06-Jul-1981	Renewed: 06-Jul-2017	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 550A
Size: 3/4	Orientation: H	Meters:
	0.25% Pb: No	Spare Parts Only: Yes
Manual: 7	0.23 /01 D. NO	opare rans only. Tes

Type: DC	Manufacturer: Wilkins	Model: 550A
Size: 1	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 17-Apr-1987	Renewed: 17-Apr-2017	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 550M
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 15-Mar-1989	Renewed: 15-Mar-2016	Bypass:
Shutoffs: (ppp),sss,ttt,qqq,yyy,z Notes: 4"x4"x8" Manifold Forme	zzz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa erly MBD	3
Type: DC	Manufacturer: Wilkins	Model: 550M
Size: 10	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Apr-1983 Shutoffs: (ppp),sss,ttt,qqq,yyy,z	Renewed: 11-Apr-2016 zzz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	Bypass:
••	zzz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Shutoffs: (ppp),sss,ttt,qqq,yyy,z Notes: 6"x6"x10" Manifold Form	zzz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Shutoffs: (ppp),sss,ttt,qqq,yyy,z Notes: 6"x6"x10" Manifold Form Type: DC	zzz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa nerly MBD Manufacturer: Wilkins Orientation: H	Model: 950 Meters:
Shutoffs: (ppp),sss,ttt,qqq,yyy,z Notes: 6"x6"x10" Manifold Form Type: DC Size: 3/4	Manufacturer: Wilkins Orientation: H 0.25% Pb: No	Model: 950 Meters: Spare Parts Only: Yes
Shutoffs: (ppp),sss,ttt,qqq,yyy,z Notes: 6"x6"x10" Manifold Form Type: DC Size: 3/4 Manual: 8	zzz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa nerly MBD Manufacturer: Wilkins Orientation: H	Model: 950 Meters:
Shutoffs: (ppp),sss,ttt,qqq,yyy,z Notes: 6"x6"x10" Manifold Form Type: DC Size: 3/4 Manual: 8 Approved: 18-Jul-1991	Manufacturer: Wilkins Orientation: H 0.25% Pb: No	Model: 950 Meters: Spare Parts Only: Yes Bypass:
Shutoffs: (ppp),sss,ttt,qqq,yyy,z Notes: 6"x6"x10" Manifold Form Type: DC Size: 3/4 Manual: 8 Approved: 18-Jul-1991	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 18-Jul-2015	Model: 950 Meters: Spare Parts Only: Yes Bypass:
Shutoffs: (ppp),sss,ttt,qqq,yyy,z Notes: 6"x6"x10" Manifold Form Type: DC Size: 3/4 Manual: 8 Approved: 18-Jul-1991 Shutoffs: (ppp),sss,ttt,qqq,yyy,z	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 18-Jul-2015	Model: 950 Meters: Spare Parts Only: Yes Bypass:
Shutoffs: (ppp),sss,ttt,qqq,yyy,z Notes: 6"x6"x10" Manifold Form Type: DC Size: 3/4 Manual: 8 Approved: 18-Jul-1991 Shutoffs: (ppp),sss,ttt,qqq,yyy,z Type: DC Size: 1	zzz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa nerly MBD Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 18-Jul-2015 zzz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa Manufacturer: Wilkins	Model: 950 Meters: Spare Parts Only: Yes Bypass: Model: 950
Shutoffs: (ppp),sss,ttt,qqq,yyy,z Notes: 6"x6"x10" Manifold Form Type: DC Size: 3/4 Manual: 8 Approved: 18-Jul-1991 Shutoffs: (ppp),sss,ttt,qqq,yyy,z Type: DC Size: 1 Manual: 8	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 18-Jul-2015 zzz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa Manufacturer: Wilkins Orientation: H	Model: 950 Meters: Spare Parts Only: Yes Bypass: Model: 950 Meters:
Shutoffs: (ppp),sss,ttt,qqq,yyy,z Notes: 6"x6"x10" Manifold Form Type: DC Size: 3/4 Manual: 8 Approved: 18-Jul-1991 Shutoffs: (ppp),sss,ttt,qqq,yyy,z Type: DC Size: 1 Manual: 8 Approved: 18-Jul-1991	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 18-Jul-2015 zzz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa Manufacturer: Wilkins Orientation: H 0.25% Pb: No	Model: 950 Meters: Spare Parts Only: Yes Bypass: Model: 950 Meters: Spare Parts Only: Yes Bypass:
Shutoffs: (ppp),sss,ttt,qqq,yyy,z Notes: 6"x6"x10" Manifold Form Type: DC Size: 3/4 Manual: 8 Approved: 18-Jul-1991 Shutoffs: (ppp),sss,ttt,qqq,yyy,z Type: DC Size: 1 Manual: 8 Approved: 18-Jul-1991	Anerly MBD Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 18-Jul-2015 ZZZ,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 18-Jul-2015	Model: 950 Meters: Spare Parts Only: Yes Bypass: Model: 950 Meters: Spare Parts Only: Yes Bypass:
Shutoffs: (ppp),sss,ttt,qqq,yyy,z Notes: 6"x6"x10" Manifold Form Type: DC Size: 3/4 Manual: 8 Approved: 18-Jul-1991 Shutoffs: (ppp),sss,ttt,qqq,yyy,z Type: DC Size: 1 Manual: 8 Approved: 18-Jul-1991 Shutoffs: (ppp),sss,ttt,qqq,yyy,z	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 18-Jul-2015 zzz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 18-Jul-2015 zzz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	Model: 950 Meters: Spare Parts Only: Yes Bypass: Model: 950 Meters: Spare Parts Only: Yes Bypass:
Shutoffs: (ppp),sss,ttt,qqq,yyy,z Notes: 6"x6"x10" Manifold Form Type: DC Size: 3/4 Manual: 8 Approved: 18-Jul-1991 Shutoffs: (ppp),sss,ttt,qqq,yyy,z Type: DC Size: 1 Manual: 8 Approved: 18-Jul-1991 Shutoffs: (ppp),sss,ttt,qqq,yyy,z Type: DC	Ameriy MBD Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 18-Jul-2015 ZZZ,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 18-Jul-2015 ZZZ,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa Manufacturer: Wilkins	Model: 950 Meters: Spare Parts Only: Yes Bypass: Model: 950 Meters: Spare Parts Only: Yes Bypass: Model: 950

Type: DC	Manufacturer: Wilkins	Model: 950
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 05-Apr-1991	Renewed: 05-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,	уууу,ааааа
Type: DC	Manufacturer: Wilkins	Model: 950
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 05-Apr-1991	Renewed: 05-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,	уууу,ааааа
Type: DC	Manufacturer: Wilkins	Model: 950
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 26-Nov-1991	Renewed: 26-Nov-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,	уууу,ааааа
Type: DC	Manufacturer: Wilkins	Model: 950
Size: 3	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Nov-1991	Renewed: 08-Nov-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,	уууу,ааааа
Type: DC	Manufacturer: Wilkins	Model: 950
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
	0.25% Pb: No Renewed: 08-Nov-2015	Spare Parts Only: Yes Bypass:
Approved: 08-Nov-1991		Bypass:
Approved: 08-Nov-1991 Shutoffs: (ppp),qqq,sss,ttt,www,	Renewed: 08-Nov-2015	Bypass:
Approved: 08-Nov-1991 Shutoffs: (ppp),qqq,sss,ttt,www, Type: DC	Renewed: 08-Nov-2015 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,	Bypass: ,yyyy,aaaaa
Approved: 08-Nov-1991 Shutoffs: (ppp),qqq,sss,ttt,www, Type: DC Size: 4	Renewed: 08-Nov-2015 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx, Manufacturer: Wilkins	Bypass: ,yyyy,aaaaa Model: 950
Approved: 08-Nov-1991 Shutoffs: (ppp),qqq,sss,ttt,www, Type: DC Size: 4 Manual: 8	Renewed: 08-Nov-2015 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx, Manufacturer: Wilkins Orientation: VU	Bypass: yyyyy,aaaaa Model: 950 Meters:
Type: DC Size: 4 Manual: 8 Approved: 29-Aug-1995	Renewed: 08-Nov-2015 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx, Manufacturer: Wilkins Orientation: VU 0.25% Pb: No	Bypass: ,yyyyy,aaaaa Model: 950 Meters: Spare Parts Only: Yes Bypass:
Approved: 08-Nov-1991 Shutoffs: (ppp),qqq,sss,ttt,www, Type: DC Size: 4 Manual: 8 Approved: 29-Aug-1995	Renewed: 08-Nov-2015 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx, Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 29-Aug-2016	Bypass: ,yyyyy,aaaaa Model: 950 Meters: Spare Parts Only: Yes Bypass:
Approved: 08-Nov-1991 Shutoffs: (ppp),qqq,sss,ttt,www, Type: DC Size: 4 Manual: 8 Approved: 29-Aug-1995 Shutoffs: (ppp),qqq,sss,ttt,www,	Renewed: 08-Nov-2015 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx, Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 29-Aug-2016 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,	Bypass: yyyyy,aaaaa Model: 950 Meters: Spare Parts Only: Yes Bypass: yyyyy,aaaaa
Approved: 08-Nov-1991 Shutoffs: (ppp),qqq,sss,ttt,www, Type: DC Size: 4 Manual: 8 Approved: 29-Aug-1995 Shutoffs: (ppp),qqq,sss,ttt,www,	Renewed: 08-Nov-2015 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx, Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 29-Aug-2016 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx, Manufacturer: Wilkins	Bypass: yyyyy,aaaaa Model: 950 Meters: Spare Parts Only: Yes Bypass: yyyyy,aaaaa Model: 950

Type: DC	Manufacturer: Wilkins	Model: 950
Size: 6	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Aug-1995	Renewed: 29-Aug-2016	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss	uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 950
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Mar-1989	Renewed: 18-Mar-2016	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss	uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 950
Size: 8	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Aug-1995	Renewed: 29-Aug-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	y,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 950
Size: 10	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Apr-1994	Renewed: 12-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	y,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 950A
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jul-1991	Renewed: 18-Jul-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	y,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 950A
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jul-1991	Renewed: 18-Jul-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	y,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 950A
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jul-1991	Renewed: 18-Jul-2015	Bypass:
Shutoffs: ii		

Type: DC	Manufacturer: Wilkins	Model: 950A	
Size: 1 1/2	Orientation: H	Meters:	
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes	
Approved: 18-Jul-1991	Renewed: 18-Jul-2015	Bypass:	
Shutoffs: ii			
Type: DC	Manufacturer: Wilkins	Model: 950A	
Size: 2	Orientation: H	Meters:	
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes	
Approved: 18-Jul-1991	Renewed: 18-Jul-2015	Bypass:	
Shutoffs: ii			
Type: DC	Manufacturer: Wilkins	Model: 950XL	
Size: 3/4	Orientation: H	Meters:	
Manual: 8	0.25% Pb: No	Spare Parts Only: No	
Approved: 02-Nov-1992	Renewed: 02-Nov-2016	Bypass:	
Shutoffs: (ii),000			
Notes: Testcocks: Female Threa	aded End or 45 degree male SAE flare		
Type: DC	Manufacturer: Wilkins	Model: 950XL	
Size: 3/4	Orientation: VU	Meters:	
Manual: 8	0.25% Pb : No	Spare Parts Only: No	
Approved: 12-Dec-1996	Renewed: 12-Dec-2014	Bypass:	
Shutoffs: (ii),000			
Notes: Testcocks: Female Threa	aded End or 45 degree male SAE flare		
Type: DC	Manufacturer: Wilkins	Model: 950XL	
Size: 1	Orientation: H	Meters:	
Manual: 8	0.25% Pb: No	Spare Parts Only: No	
Approved: 02-Nov-1992	Renewed: 02-Nov-2016	Bypass:	
Shutoffs: (ii),000			
Notes: Testcocks: Female Threa	aded End or 45 degree male SAE flare		
Type: DC	Manufacturer: Wilkins	Model: 950XL	
Size: 1 1/4	Orientation: H	Meters:	
Manual: 8	0.25% Pb: No	Spare Parts Only: No	
Approved: 02-Nov-1992	Renewed: 02-Nov-2016	Bypass:	

Shutoffs: (ii),000,ggg

Type: DC	Manufacturer: Wilkins	Model: 950XL	
Size: 1 1/2	Orientation: H	Meters:	
Manual: 8	0.25% Pb: No	Spare Parts Only: No	
Approved: 02-Nov-1992	Renewed: 02-Nov-2016	Bypass:	
Shutoffs: (ii),000			
Type: DC	Manufacturer: Wilkins	Model: 950XL	
Size: 2	Orientation: H	Meters:	
Manual: 8	0.25% Pb: No	Spare Parts Only: No	
Approved: 02-Nov-1992	Renewed: 02-Nov-2016	Bypass:	
Shutoffs: (ii),bbb,ooo			
Type: DC	Manufacturer: Wilkins	Model: 950XLD	
Size: 3/4	Orientation: H	Meters:	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 15-Sep-1999	Renewed: 15-Sep-2014	Bypass:	
Shutoffs: (ii),000			
Notes: Up to Serial # 3863324 7	Festcocks: Female Threaded End or 45 d	legree male SAE flare	
Type: DC	Manufacturer: Wilkins	Model: 950XLD	
Size: 3/4	Orientation: H	Meters:	
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 15-Sep-1999	Renewed: 15-Sep-2014	Bypass:	
Shutoffs: (ii),000			
Notes: Starting at Serial # 3863	325 Testcocks: Female Threaded End or	45 degree male SAE flare	
Type: DC	Manufacturer: Wilkins	Model: 950XLD	
Size: 3/4	Orientation: H	Meters:	
Manual: 10	0.25% Pb: No	Spare Parts Only: No	
Approved: 03-Jul-2013	Renewed: 03-Jul-2016	Bypass:	
Shutoffs: (iiii)			
Notes: Up to Serial # 3863324 1	Festcocks: Female Threaded End or 45 d	legree male SAE flare	
Type: DC	Manufacturer: Wilkins	Model: 950XLD	
Size: 3/4	Orientation: H	Meters:	
		Spare Parts Only: No	
Manual: 10	0.25% Pb: Yes	opare r arts only. No	
Manual: 10 Approved: 03-Jul-2013	0.25% PD: Yes Renewed: 03-Jul-2016	Bypass:	

Type: DC	Manufacturer: Wilkins	Model: 950XLD
Size: 3/4	Orientation: VU	Meters:
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2013	Renewed: 03-Jul-2016	Bypass:
Shutoffs: (iiii)		
Notes: Up to Serial # 3863324 T	estcocks: Female Threaded End or 45 d	egree male SAE flare
Type: DC	Manufacturer: Wilkins	Model: 950XLD
Size: 3/4	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Jul-2013	Renewed: 03-Jul-2016	Bypass:
Shutoffs: (iiii)		
Notes: Starting at Serial # 38633	25 Testcocks: Female Threaded End or	45 degree male SAE flare
Type: DC	Manufacturer: Wilkins	Model: 950XLD
Size: 3/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: OF lap 2000	Renewed: 05-Jan-2017	Bypass:
Approved. 05-Jan-2000		
Shutoffs: (ii),000	estcocks: Female Threaded End or 45 d	egree male SAE flare
Shutoffs: (ii),ooo Notes: Up to Serial # 3863324 T		egree male SAE flare Model: 950XLD
Shutoffs: (ii),ooo Notes: Up to Serial # 3863324 T Type: DC	estcocks: Female Threaded End or 45 d	
Shutoffs: (ii),ooo Notes: Up to Serial # 3863324 T Type: DC Size: 3/4	estcocks: Female Threaded End or 45 d Manufacturer: Wilkins	Model: 950XLD
Shutoffs: (ii),ooo Notes: Up to Serial # 3863324 T Type: DC Size: 3/4 Manual: 9	estcocks: Female Threaded End or 45 d Manufacturer: Wilkins Orientation: VU	Model: 950XLD Meters:
Shutoffs: (ii),ooo Notes: Up to Serial # 3863324 T Type: DC Size: 3/4 Manual: 9 Approved: 05-Jan-2000	estcocks: Female Threaded End or 45 d Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes	Model: 950XLD Meters: Spare Parts Only: No
Shutoffs: (ii),000 Notes: Up to Serial # 3863324 T Type: DC Size: 3/4 Manual: 9 Approved: 05-Jan-2000 Shutoffs: (ii),000	estcocks: Female Threaded End or 45 d Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes	Model: 950XLD Meters: Spare Parts Only: No Bypass:
Shutoffs: (ii),000 Notes: Up to Serial # 3863324 T Type: DC Size: 3/4 Manual: 9 Approved: 05-Jan-2000 Shutoffs: (ii),000 Notes: Starting at Serial # 38633	estcocks: Female Threaded End or 45 d Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 05-Jan-2017	Model: 950XLD Meters: Spare Parts Only: No Bypass:
Shutoffs: (ii),000 Notes: Up to Serial # 3863324 T Type: DC Size: 3/4 Manual: 9 Approved: 05-Jan-2000 Shutoffs: (ii),000 Notes: Starting at Serial # 38633	estcocks: Female Threaded End or 45 d Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 05-Jan-2017	Model: 950XLD Meters: Spare Parts Only: No Bypass: 45 degree male SAE flare
Shutoffs: (ii),000 Notes: Up to Serial # 3863324 T Type: DC Size: 3/4 Manual: 9 Approved: 05-Jan-2000 Shutoffs: (ii),000 Notes: Starting at Serial # 38633 Type: DC Size: 3/4	estcocks: Female Threaded End or 45 d Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 05-Jan-2017 225 Testcocks: Female Threaded End or Manufacturer: Wilkins	Model: 950XLD Meters: Spare Parts Only: No Bypass: 45 degree male SAE flare Model: 950XLT
Shutoffs: (ii),000 Notes: Up to Serial # 3863324 T Type: DC Size: 3/4 Manual: 9 Approved: 05-Jan-2000 Shutoffs: (ii),000 Notes: Starting at Serial # 38633 Type: DC Size: 3/4 Manual: 9	estcocks: Female Threaded End or 45 d Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 05-Jan-2017 225 Testcocks: Female Threaded End or Manufacturer: Wilkins Orientation: H	Model: 950XLD Meters: Spare Parts Only: No Bypass: 45 degree male SAE flare Model: 950XLT Meters:
Shutoffs: (ii),000 Notes: Up to Serial # 3863324 T Type: DC Size: 3/4 Manual: 9 Approved: 05-Jan-2000 Shutoffs: (ii),000 Notes: Starting at Serial # 38633 Type: DC Size: 3/4 Manual: 9 Approved: 09-May-1997	estcocks: Female Threaded End or 45 d Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 05-Jan-2017 325 Testcocks: Female Threaded End or Manufacturer: Wilkins Orientation: H 0.25% Pb: No	Model: 950XLD Meters: Spare Parts Only: No Bypass: 45 degree male SAE flare Model: 950XLT Meters: Spare Parts Only: No
Shutoffs: (ii),000 Notes: Up to Serial # 3863324 T Type: DC Size: 3/4 Manual: 9 Approved: 05-Jan-2000 Shutoffs: (ii),000 Notes: Starting at Serial # 38633 Type: DC Size: 3/4 Manual: 9 Approved: 09-May-1997 Shutoffs: (ii),000	estcocks: Female Threaded End or 45 d Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 05-Jan-2017 325 Testcocks: Female Threaded End or Manufacturer: Wilkins Orientation: H 0.25% Pb: No	Model: 950XLD Meters: Spare Parts Only: No Bypass: 45 degree male SAE flare Model: 950XLT Meters: Spare Parts Only: No
Shutoffs: (ii),000 Notes: Up to Serial # 3863324 T Type: DC Size: 3/4 Manual: 9 Approved: 05-Jan-2000 Shutoffs: (ii),000 Notes: Starting at Serial # 38633 Type: DC Size: 3/4 Manual: 9 Approved: 09-May-1997 Shutoffs: (ii),000 Notes: Testcocks: Female Threa	estcocks: Female Threaded End or 45 d Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 05-Jan-2017 325 Testcocks: Female Threaded End or Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 09-May-2015	Model: 950XLD Meters: Spare Parts Only: No Bypass: 45 degree male SAE flare Model: 950XLT Meters: Spare Parts Only: No
Shutoffs: (ii),000 Notes: Up to Serial # 3863324 T Type: DC Size: 3/4 Manual: 9 Approved: 05-Jan-2000 Shutoffs: (ii),000 Notes: Starting at Serial # 38633 Type: DC Size: 3/4 Manual: 9 Approved: 09-May-1997 Shutoffs: (ii),000 Notes: Testcocks: Female Threa Type: DC	estcocks: Female Threaded End or 45 d Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 05-Jan-2017 325 Testcocks: Female Threaded End or Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 09-May-2015	Model: 950XLD Meters: Spare Parts Only: No Bypass: 45 degree male SAE flare Model: 950XLT Meters: Spare Parts Only: No Bypass:
Type: DC Size: 3/4 Manual: 9 Approved: 05-Jan-2000 Shutoffs: (ii),000 Notes: Starting at Serial # 38633 Type: DC Size: 3/4 Manual: 9 Approved: 09-May-1997 Shutoffs: (ii),000	estcocks: Female Threaded End or 45 d Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 05-Jan-2017 225 Testcocks: Female Threaded End or Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 09-May-2015 aded End or 45 degree male SAE flare Manufacturer: Wilkins	Model: 950XLD Meters: Spare Parts Only: No Bypass: 45 degree male SAE flare Model: 950XLT Meters: Spare Parts Only: No Bypass: Model: 950XLT
Shutoffs: (ii),000 Notes: Up to Serial # 3863324 T Type: DC Size: 3/4 Manual: 9 Approved: 05-Jan-2000 Shutoffs: (ii),000 Notes: Starting at Serial # 38633 Type: DC Size: 3/4 Manual: 9 Approved: 09-May-1997 Shutoffs: (ii),000 Notes: Testcocks: Female Threa Type: DC Size: 1	estcocks: Female Threaded End or 45 d Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 05-Jan-2017 325 Testcocks: Female Threaded End or Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 09-May-2015 aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H	Model: 950XLD Meters: Spare Parts Only: No Bypass: 45 degree male SAE flare Model: 950XLT Meters: Spare Parts Only: No Bypass: Model: 950XLT Meters:

Type: DC
Size: 1 1/4
Manual: 9
Approved: 19-Jun-1998
Shutoffs: (ii),000

- Type: DC Size: 1 1/2 Manual: 9 Approved: 09-Apr-1998 Shutoffs: (ii),000
- Type: DC Size: 2 Manual: 9 Approved: 09-Apr-1998 Shutoffs: (ii),000,bbbbb,ccccc
- Type: DC Size: 3/4 Manual: 9 Approved: 21-Aug-2009 Shutoffs: (iiii) Notes: Testcocks: Female Threaded End or 45 degree male SAE flare

Type: DC Manufacturer: Wilkins Size: 1 Orientation: H 0.25% Pb: Yes Manual: 9 Approved: 21-Aug-2009 Renewed: 21-Aug-2015 Shutoffs: (iiii) Notes: Testcocks: Female Threaded End or 45 degree male SAE flare

Type: DC Size: 1 1/4 Manual: 9 Approved: 21-Aug-2009 Shutoffs: (iiii)

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 19-Jun-2016

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 09-Apr-2016

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 09-Apr-2016

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 21-Aug-2015

Model: 950XLT Meters: Spare Parts Only: No Bypass:

Model: 950XLT Meters: Spare Parts Only: No Bypass:

Model: 950XLT Meters: Spare Parts Only: No Bypass:

Model: 950XLT2 Meters: Spare Parts Only: No Bypass:

Model: 950XLT2 Meters: Spare Parts Only: No Bypass:

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 21-Aug-2015 Model: 950XLT2 Meters: Spare Parts Only: No Bypass:

Type: DC		
Size: 1 1/2		
Manual: 9		
Approved: 21-Aug-2009		
Shutoffs: (iiii)		

Type: DC Size: 2 Manual: 9 Approved: 21-Aug-2009 Shutoffs: (iiii)

Type: DCManufacturer: WilkinsSize: 3/4Orientation: HManual: 90.25% Pb: YesApproved: 22-Feb-2011Renewed: 22-Feb-2017Shutoffs: (mmmm)Notes: Testcocks: Female Threaded End or 45 degree male SAE flare

Type: DC Size: 2 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (bbbbb)

Type: DC Size: 2 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (ccccc)

Type: DC Size: 3/4 Manual: 9 Approved: 14-Aug-2006 Shutoffs: (ggg),xxx Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 22-Feb-2017

Manufacturer: Wilkins

Renewed: 21-Aug-2015

Manufacturer: Wilkins

Renewed: 21-Aug-2015

Orientation: H

0.25% Pb: Yes

Orientation: H

0.25% Pb: Yes

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 22-Feb-2017

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 14-Aug-2015 Model: 950XLT2 Meters: Spare Parts Only: No Bypass:

Model: 950XLT2 Meters: Spare Parts Only: No Bypass:

Model: 950XLT2U Meters: Spare Parts Only: No Bypass:

Model: 950XLTBF Meters: Spare Parts Only: No Bypass:

Model: 950XLTBFSS Meters: Spare Parts Only: No Bypass:

Model: 950XLTU Meters: Spare Parts Only: No Bypass:

Type: DC	Manufacturer: Wilkins	Model: 950XLTU	
Size: 1	Orientation: H	Meters:	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 14-Aug-2006	Renewed: 14-Aug-2015	Bypass:	
Shutoffs: (ggg),xxx			
Type: DC	Manufacturer: Wilkins	Model: 950XLU	
Size: 3/4	Orientation: H	Meters:	
Manual: 8	0.25% Pb : No	Spare Parts Only: No	
Approved: 15-Feb-1994	Renewed: 15-Feb-2015	Bypass:	
Shutoffs: (ggg),xxx			
Notes: Testcocks: Female Threa	aded End or 45 degree male SAE flare		
Type: DC	Manufacturer: Wilkins	Model: 950XLU	
Size: 1	Orientation: H	Meters:	
Manual: 8	0.25% Pb: No	Spare Parts Only: No	
	Renewed: 15-Feb-2015	Bypass:	
Approved: 15-Feb-1994	Renewed: 15-rep-2015	- 71	
Approved: 15-Feb-1994 Shutoffs: (ggg),xxx	Renewed: 13-Feb-2015	_,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
Shutoffs: (ggg),xxx	aded End or 45 degree male SAE flare		
Shutoffs: (ggg),xxx		Model: 950XLU	
Shutoffs: (ggg),xxx Notes: Testcocks: Female Threa Type: DC	aded End or 45 degree male SAE flare		
Shutoffs: (ggg),xxx Notes: Testcocks: Female Threa	aded End or 45 degree male SAE flare Manufacturer: Wilkins	Model: 950XLU	
Shutoffs: (ggg),xxx Notes: Testcocks: Female Threa Type: DC Size: 1 1/2	aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H	Model: 950XLU Meters:	
Shutoffs: (ggg),xxx Notes: Testcocks: Female Threa Type: DC Size: 1 1/2 Manual: 8	aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: No	Model: 950XLU Meters: Spare Parts Only: No	
Shutoffs: (ggg),xxx Notes: Testcocks: Female Threa Type: DC Size: 1 1/2 Manual: 8 Approved: 15-Feb-1994 Shutoffs: (ggg),xxx	aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: No	Model: 950XLU Meters: Spare Parts Only: No	
Shutoffs: (ggg),xxx Notes: Testcocks: Female Threa Type: DC Size: 1 1/2 Manual: 8 Approved: 15-Feb-1994 Shutoffs: (ggg),xxx Type: DC	aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 15-Feb-2015	Model: 950XLU Meters: Spare Parts Only: No Bypass:	
Shutoffs: (ggg),xxx Notes: Testcocks: Female Threa Type: DC Size: 1 1/2 Manual: 8 Approved: 15-Feb-1994 Shutoffs: (ggg),xxx Type: DC Size: 2	aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 15-Feb-2015 Manufacturer: Wilkins	Model: 950XLU Meters: Spare Parts Only: No Bypass: Model: 950XLU	
Shutoffs: (ggg),xxx Notes: Testcocks: Female Threa Type: DC Size: 1 1/2 Manual: 8 Approved: 15-Feb-1994 Shutoffs: (ggg),xxx Type: DC Size: 2 Manual: 8	Aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 15-Feb-2015 Manufacturer: Wilkins Orientation: H	Model: 950XLU Meters: Spare Parts Only: No Bypass: Model: 950XLU Meters:	
Shutoffs: (ggg),xxx Notes: Testcocks: Female Threa Type: DC Size: 1 1/2 Manual: 8 Approved: 15-Feb-1994	Aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 15-Feb-2015 Manufacturer: Wilkins Orientation: H 0.25% Pb: No	Model: 950XLU Meters: Spare Parts Only: No Bypass: Model: 950XLU Meters: Spare Parts Only: No	
Shutoffs: (ggg),xxx Notes: Testcocks: Female Threa Type: DC Size: 1 1/2 Manual: 8 Approved: 15-Feb-1994 Shutoffs: (ggg),xxx Type: DC Size: 2 Manual: 8 Approved: 15-Feb-1994	Aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 15-Feb-2015 Manufacturer: Wilkins Orientation: H 0.25% Pb: No	Model: 950XLU Meters: Spare Parts Only: No Bypass: Model: 950XLU Meters: Spare Parts Only: No	
Shutoffs: (ggg),xxx Notes: Testcocks: Female Threa Type: DC Size: 1 1/2 Manual: 8 Approved: 15-Feb-1994 Shutoffs: (ggg),xxx Type: DC Size: 2 Manual: 8 Approved: 15-Feb-1994 Shutoffs: (ggg),xxx	Aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 15-Feb-2015 Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 15-Feb-2015	Model: 950XLU Meters: Spare Parts Only: No Bypass: Model: 950XLU Meters: Spare Parts Only: No Bypass:	
Shutoffs: (ggg),xxx Notes: Testcocks: Female Threa Type: DC Size: 1 1/2 Manual: 8 Approved: 15-Feb-1994 Shutoffs: (ggg),xxx Type: DC Size: 2 Manual: 8 Approved: 15-Feb-1994 Shutoffs: (ggg),xxx	aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 15-Feb-2015 Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 15-Feb-2015 Manufacturer: Wilkins	Model: 950XLU Meters: Spare Parts Only: No Bypass: Model: 950XLU Meters: Spare Parts Only: No Bypass: Model: MBD	

Notes: 4"x4"x8" Manifold, Model designation changed to 550M

Type: DC	Manufacturer: Wilkins	
Size: 10	Orientation:	
Manual:	0.25% Pb: No	
Approved:	Renewed:	
Notes: 6"x6"x10" Manifold, Model designation changed to 550M		

Model: MBD Meters: Spare Parts Only: No Bypass:

Type: DCDA	Manufacturer: Ames	Model: 3000-1SS
Size: 12	Orientation: H	Meters: (N), H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Dec-2009	Renewed: 04-Dec-2015	Bypass: Ames 200B 3/4" (H); Watts 719QT 3/4" (H)

Shutoffs: (mm), II

Type: DCDA	Manufacturer: Ames	Model: 3000-1SS
Size: 12	Orientation: VU	Meters: (N), H,I,J,K,L,I
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Feb-2011	Renewed: 22-Feb-2017	Bypass: Ames 200B 3
		719QT 3/4" (VU)

Manufacturer: Ames

Renewed: 16-Jun-2015

Orientation: H

0.25% Pb: No

Shutoffs: (mm), II

Type: DCDA	
Size: 2	
Manual: 9	
Approved: 16-Jun-1997	

Shutoffs: (bbb),jjjj,rrrrr

Type: DCDA	Manufacturer: Ames
Size: 2	Orientation: VU
Manual: 9	0.25% Pb: No
Approved: 16-Jun-1997	Renewed: 16-Jun-2015
Shutoffs: (bbb),jjjj,rrrrr	

Model: 3000-1SS Meters: (N), H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 200B 3/4" (VU); Watts

Model: 3000B Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000B 1/2" (H), Watts 007QT 1/2" (H)

Model: 3000B
Meters:
(H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q
Spare Parts Only: No
Bypass: Ames 2000B 1/2" (VU), Watts
007QT 1/2" (VU)

Type: DCDA	Manufacturer: Ames	Model: 3000B-FP
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	(H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q Spare Parts Only: No
		Bypass: Ames 2000B 1/2" (H), Watts
Approved: 01-Sep-2009	Renewed: 01-Sep-2015	007QT 1/2" (H)
Shutoffs: (eeeee)		
Type: DCDA	Manufacturer: Ames	Model: 3000BM1
Size: 2	Orientation: H	Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 19-Jun-2015	Renewed:	Bypass: Ames 2000B 1/2" (H), Watts 007QT 1/2" (H)
Shutoffs: (eeeee), bbb, jjjj,rrrrr		
Type: DCDA	Manufacturer: Ames	Model: 3000BM1
Size: 2	Orientation: VU	Meters:
		(H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No Bypass: Ames 2000B 1/2" (VU), Watts
Approved: 19-Jun-2015	Renewed:	007QT 1/2" (VU)
Shutoffs: (eeeee), bbb, jjjj,rrrrr		
Type: DCDA	Manufacturer: Ames	Model: 3000CIV
Size: 4	Orientation: H	Meters:
		(N),A,B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q
Manual: 6	0.25% Pb: No	Spare Parts Only: No Bypass: Ames 2000B 1/2"(H),Watts
Approved: 27-Jul-1987	Renewed: 27-Jul-2017	007QT 1/2"(H)
Shutoffs: (pp),hh,uu,eee		
Type: DCDA	Manufacturer: Ames	Model: 3000CIV
Size: 4	Orientation: VU	Meters:
		(N),A,B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No Bypass: Ames 2000B 1/2"(VU),Watts
Approved: 27-Aug-1996	Renewed: 27-Aug-2014	007QT 1/2"(VU)
Shutoffs: (pp),hh,uu,eee		

Type: DCDA	Manufacturer: Ames	Model: 3000CIV
Size: 6	Orientation: H	Meters:
		(N),A,B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Jul-1987	Renewed: 27-Jul-2017	Bypass: Ames 2000B 1/2"(H),Watts 007QT 1/2"(H)
Shutoffs: (pp),hh,uu,eee		
Type: DCDA	Manufacturer: Ames	Model: 3000CIV
Size: 6	Orientation: VU	Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Dec-1996	Renewed: 05-Dec-2014	Bypass: Ames 2000B 1/2" (VU), Watts 007QT 1/2" (VU)
Shutoffs: (pp),hh,mm,uu,eee		
Type: DCDA	Manufacturer: Ames	Model: 3000CIV
Size: 8	Orientation: H	Meters: (N),A,B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 19-Apr-1987	Renewed: 19-Apr-2017	Bypass: Ames 2000B 1/2"(H),Watts 007QT 1/2"(H)
Shutoffs: (pp),hh,mm,uu,eee		
Type: DCDA	Manufacturer: Ames	Model: 3000CIV
Size: 8	Orientation: VU	Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Dec-1996	Renewed: 05-Dec-2014	Bypass: Ames 2000B 1/2" (VU), Watts 007QT 1/2" (VU)
Shutoffs: (pp),hh,mm,uu,eee		
Type: DCDA	Manufacturer: Ames	Model: 3000CIV
Size: 10	Orientation: H	Meters: (N),E,F,G,H,I,J,K,L,M,O,P,Q
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Jul-1987	Renewed: 27-Jul-2017	Bypass: Ames 2000B 1/2"(H),Watts 007QT 1/2"(H)

Type: DCDA	Manufacturer: Ames	Model: 3000CIV
Size: 10	Orientation: VU	
Manual: 8	0.25% Pb: No	(H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q Spare Parts Only: No
Approved: 05-Dec-1996	Renewed: 05-Dec-2014	Bypass: Ames 2000B 1/2" (VU), Watts
Shutoffs: (pp),hh,mm,uu,eee		007QT 1/2" (VU)
Type: DCDA	Manufacturer: Ames	Model: 3000DCDA
Size: 4	Orientation: H	Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Jan-1988	Renewed: 11-Jan-2015	Bypass: Watts 007QT 3/4" (H)
Shutoffs: uu,ee,ff,gg,hh,mm,oo, Notes: formerly DCDA	pp,ccc,ddd,ffff,gggg	
Type: DCDA	Manufacturer: Ames	Model: 3000DCDA
Size : 6	Orientation: H	Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Jan-1988	Renewed: 11-Jan-2015	Bypass: Watts 709QT 3/4" (H)
Shutoffs: uu,ee,ff,gg,hh,mm,oo,	pp,ccc,ddd,ffff,gggg	
Notes: formerly DCDA-I		
Type: DCDA	Manufacturer: Ames	Model: 3000DCDA
Size: 8	Orientation: H	Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Jan-1988	Renewed: 11-Jan-2015	Bypass: Watts 007QT 3/4" (H)
Shutoffs: uu,ee,ff,gg,hh,mm,oo, Notes: formerly DCDA	pp,ccc,ddd,ffff,gggg	
Type: DCDA	Manufacturer: Ames	Model: 3000DCDC
Size: 10	Orientation: H	Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 7	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Aug-1987	Renewed: 04-Aug-2017	Bypass: Watts007M2QT 3/4" (H),Wat 709QT 3/4" (H), Ames 2000B 3/4" (H)
Shutoffs: (uu),ee,ff,gg,hh,oo,pp	,ccc,ddd,ffff,gggg	

Type: DCDA	Manufacturer: Ames	Model: 3000GDCDA
Size: 4	Orientation: H	Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Jan-1988	Renewed: 11-Jan-2015	Bypass: Watts 007QT 3/4" (H)
Shutoffs: uu,ee,ff,gg,hh,mm,oo,	pp,ccc,ddd,ffff,gggg	
Notes: formerly DCDA		
Type: DCDA	Manufacturer: Ames	Model: 3000GDCDA
Size: 6	Orientation: H	Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Jan-1988	Renewed: 11-Jan-2015	Bypass: Watts 709QT 3/4" (H)
Shutoffs: uu,ee,ff,gg,hh,mm,oo,	pp,ccc,ddd,ffff,gggg	
Notes: formerly DCDA-I		
Type: DCDA	Manufacturer: Ames	Model: 3000GDCDA
Size: 8	Orientation: H	Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Jan-1988	Renewed: 11-Jan-2015	Bypass: Watts 007QT 3/4" (H)
Shutoffs: uu,ee,ff,gg,hh,mm,oo,	pp,ccc,ddd,ffff,gggg	
Notes: formerly DCDA		
Type: DCDA	Manufacturer: Ames	Model: 3000GDCDC
Size: 10	Orientation: H	Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 04-Aug-1987	Renewed: 04-Aug-2017	Bypass: Watts 709QT 3/4" (H)
Shutoffs: uu,ee,ff,gg,hh,oo,pp,c	cc,ddd,ffff,gggg	
Notes: formerly DCDC		
Type: DCDA	Manufacturer: Ames	Model: 3000SE
Size: 2 1/2	Orientation: H	Meters: (M),N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 10-Sep-1996	Renewed: 10-Sep-2014	Bypass: Watts007M2QT 3/4" (H), Ames 2000B 3/4" (H)

Shutoffs: (mm),ee,ff,gg,hh,ll,oo,pp,tt,uu,ccc,ddd,ffff,gggg

Type: DCDA	Manufacturer: Ames	Model: 3000SE
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	(M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes
	0.23% FD. NO	Bypass: Watts007M2QT 3/4" (H), Ames
Approved: 24-May-1995	Renewed: 24-May-2016	2000B 3/4" (H)
Shutoffs: uu,ee,ff,gg,hh,ll,mm,o	o,pp,tt,ccc,ddd,ffff,gggg	
Type: DCDA	Manufacturer: Ames	Model: 3000SE
Size: 8	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 09-Sep-1992	Renewed: 09-Sep-2016	Bypass: Watts 007M1QT 3/4" (H)
Shutoffs: uu,ee,ff,gg,hh,ll,mm,o	o,pp,tt,ccc,ddd,ffff,gggg	
Type: DCDA	Manufacturer: Ames	Model: 3000SEA
Size: 8	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 05-May-1995	Renewed: 05-May-2016	Bypass: Ames 2000SS 3/4" (H)
Shutoffs: uu,ee,ff,gg,hh,ll,mm,o	o,pp,tt,ccc,ddd,ffff,gggg	
Type: DCDA	Manufacturer: Ames	Model: 3000SEWM1
Size: 6	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Nov-1993	Renewed: 22-Nov-2014	Bypass: Watts 007M1QT 3/4" (H)
Shutoffs: (uu),ee,ff,gg,hh,ll,mm,	oo,pp,tt,ccc,ddd,ffff,gggg	
Notes: formerly 3000SS prior to	S/N 2EK0320	
Type: DCDA	Manufacturer: Ames	Model: 3000SS
	Orientation:	Meters:
Size: 2 1/2		
Size: 2 1/2 Manual:	0.25% Pb: No	Spare Parts Only: No

Type: DCDA	Manufacturer: Ames	Model: 3000SS
Size: 2 1/2	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-May-1995	Renewed: 24-May-2016	Bypass: Watts007M2QT 3/4" (H), Ames 2000B 3/4" (H)
Shutoffs: (uu),ee,ff,gg,hh,ll,mm,	oo,pp,tt,ccc,ddd,ffff,gggg	
Type: DCDA	Manufacturer: Ames	Model: 3000SS
Size: 3	Orientation:	Meters:
Manual:	0.25% Pb : No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: to S/N 2EK0320 model d	esignation changed to 3000SEWM1	
Type: DCDA	Manufacturer: Ames	Model: 3000SS
Size: 3	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-May-1995	Renewed: 24-May-2016	Bypass: Watts007M2QT 3/4" (H), Ames 2000B 3/4" (H)
Shutoffs: (uu),ee,ff,gg,hh,ll,mm,	oo oo tt ooo ddd ffff gaga	
	00,pp,tt,ccc,ddd,iiii,gggg	
Type: DCDA	Manufacturer: Ames	Model: 3000SS
		Model: 3000SS Meters:
Type: DCDA	Manufacturer: Ames	
Type: DCDA Size: 4	Manufacturer: Ames Orientation:	Meters:
Type: DCDA Size: 4 Manual: Approved:	Manufacturer: Ames Orientation: 0.25% Pb: No	Meters: Spare Parts Only: No
Type: DCDA Size: 4 Manual: Approved:	Manufacturer: Ames Orientation: 0.25% Pb: No Renewed:	Meters: Spare Parts Only: No
Type: DCDA Size: 4 Manual: Approved: Notes: to S/N 2EK0320 model d	Manufacturer: Ames Orientation: 0.25% Pb: No Renewed: lesignation changed to 3000SEWM1	Meters: Spare Parts Only: No Bypass:
Type: DCDA Size: 4 Manual: Approved: Notes: to S/N 2EK0320 model d	Manufacturer: Ames Orientation: 0.25% Pb: No Renewed: lesignation changed to 3000SEWM1 Manufacturer: Ames	Meters: Spare Parts Only: No Bypass: Model: 3000SS Meters:
Type: DCDA Size: 4 Manual: Approved: Notes: to S/N 2EK0320 model d Type: DCDA Size: 4	Manufacturer: Ames Orientation: 0.25% Pb: No Renewed: lesignation changed to 3000SEWM1 Manufacturer: Ames Orientation: H	Meters: Spare Parts Only: No Bypass: Model: 3000SS Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Type: DCDA Size: 4 Manual: Approved: Notes: to S/N 2EK0320 model d Type: DCDA Size: 4 Manual: 8	Manufacturer: Ames Orientation: 0.25% Pb: No Renewed: lesignation changed to 3000SEWM1 Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 24-May-2016	Meters: Spare Parts Only: No Bypass: Model: 3000SS Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Watts007M2QT 3/4" (H), Ames
Type: DCDA Size: 4 Manual: Approved: Notes: to S/N 2EK0320 model d Type: DCDA Size: 4 Manual: 8 Approved: 24-May-1995	Manufacturer: Ames Orientation: 0.25% Pb: No Renewed: lesignation changed to 3000SEWM1 Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 24-May-2016	Meters: Spare Parts Only: No Bypass: Model: 3000SS Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Watts007M2QT 3/4" (H), Ames
Type: DCDA Size: 4 Manual: Approved: Notes: to S/N 2EK0320 model d Type: DCDA Size: 4 Manual: 8 Approved: 24-May-1995 Shutoffs: (uu),ee,ff,gg,hh,ll,mm,	Manufacturer: Ames Orientation: 0.25% Pb: No Renewed: lesignation changed to 3000SEWM1 Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 24-May-2016 oo,pp,tt,ccc,ddd,ffff,gggg	Meters: Spare Parts Only: No Bypass: Model: 3000SS Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Watts007M2QT 3/4" (H), Ames 2000B 3/4" (H)
Type: DCDA Size: 4 Manual: Approved: Notes: to S/N 2EK0320 model d Type: DCDA Size: 4 Manual: 8 Approved: 24-May-1995 Shutoffs: (uu),ee,ff,gg,hh,ll,mm,	Manufacturer: Ames Orientation: 0.25% Pb: No Renewed: lesignation changed to 3000SEWM1 Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 24-May-2016 oo,pp,tt,ccc,ddd,ffff,gggg Manufacturer: Ames	Meters: Spare Parts Only: No Bypass: Model: 3000SS Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Watts007M2QT 3/4" (H), Ames 2000B 3/4" (H) Model: 3000SS

Notes: to S/N 2EK0320 model designation changed to 3000SEWM1

Type: DCDA

Size: 6Orientation: HManual: 80.25% Pb: NoApproved: 09-Sep-1992Renewed: 09-Sep-2016Shutoffs: (uu),ee,ff,gg,hh,ll,mm,oo,pp,tt,ccc,ddd,ffff,gggg

Manufacturer: Ames

Manufacturer: Ames

Renewed: 16-Sep-2014

Manufacturer: Ames

Renewed: 16-Feb-2016

Manufacturer: Ames

Renewed: 04-Dec-2015

Manufacturer: Ames

Renewed: 22-Feb-2017

Manufacturer: Ames

Renewed: 05-May-2016

Orientation: H

0.25% Pb: No

Orientation: VU

0.25% Pb: No

Orientation: H

0.25% Pb: No

Orientation: H

0.25% Pb: No

Orientation: H

0.25% Pb: No

Type: DCDA

Size: 8

Manual: 8

Approved: 16-Sep-1996

Shutoffs: (uu),ee,ff,gg,hh,ll,mm,tt,ccc,ddd,ffff,gggg

Type: DCDA Size: 10 Manual: 8 Approved: 16-Feb-2001 Shutoffs: (II),mm,oo,pp,ffff,gggg

Type: DCDA Size: 12 Manual: 9 Approved: 04-Dec-2009 Shutoffs: (mm), II

Type: DCDA Size: 12 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (mm), II

Type: DCDA

Size: 6

Manual: 8

Approved: 05-May-1995

Shutoffs: uu,ee,ff,gg,hh,ll,mm,oo,pp,tt,ccc,ddd,ffff,gggg

Model: 3000SS Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M1QT 3/4" (H)

Model: 3000SS Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Watts007M2QT 3/4" (H), Ames 2000B 3/4" (H)

Model: 3000SS Meters: (J),C,E,F,G,H,I,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000B 3/4" (H)

Model: 3000SS Meters: (N), H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: 3000SS Meters: (N), H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: 3000SSA Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Ames 2000SS 3/4" (H) Type: DCDA Manufacturer: Ames Size: 4 Orientation: H 0.25% Pb: No Manual: 8 Approved: 05-May-1995 Renewed: 05-May-2016 Shutoffs: uu,ee,ff,gg,hh,ll,mm,oo,pp,tt,ccc,ddd,ffff,gggg

Type: DCDA Manufacturer: Ames Size: 6 Orientation: H 0.25% Pb: No Manual: 8 Approved: 05-May-1995 Renewed: 05-May-2016 Shutoffs: (uu),ee,ff,gg,hh,ll,mm,oo,pp,tt,ccc,ddd,ffff,gggg

Type: DCDA Manufacturer: Ames Size: 2 1/2 Orientation: H Manual: 8 0.25% Pb: No Renewed: 11-Jul-2015 Approved: 11-Jul-1991 Shutoffs: (uu),ee,ff,gg,hh,ll,mm,oo,pp,tt,ccc,ddd,ffff,gggg Notes: formerly 3000SS prior to S/N 2EK0320

Type: DCDA

Size: 3

Manual: 8

Manufacturer: Ames

Orientation: H

0.25% Pb: No Renewed: 11-Jul-2015 Shutoffs: (uu),ee,ff,gg,hh,ll,mm,oo,pp,tt,ccc,ddd,ffff,gggg Notes: formerly 3000SS prior to S/N 2EK0320

Model: 3000SSM Meters: (R) Spare Parts Only: Yes Bypass: Ames 2000SS 1" (H)

Model: 3000SSM Meters: (S) Spare Parts Only: No Bypass: Watts 007M2QT 1 1/2" (H)

Model: 3000SSWM1 Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M1QT 3/4" (H)

Model: 3000SSWM1 Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M1QT 3/4" (H)

Model: 3000SSWM1 Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M1QT 3/4" (H)

Type: DCDA

Size: 4

Manual: 8 Approved: 11-Jul-1991 Orientation: H

Manufacturer: Ames

0.25% Pb: No Renewed: 11-Jul-2015 Shutoffs: (uu),ee,ff,gg,hh,ll,mm,oo,pp,tt,ccc,ddd,ffff,gggg Notes: formerly 3000SS prior to S/N 2EK0320

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy)

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 06-Nov-2015 Type: DCDA Size: 2 1/2 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy)

Type: DCDA Size: 3 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy)

Type: DCDA Size: 3 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy)

Type: DCDA Size: 4 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy)

Type: DCDA Size: 4 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy)

Type: DCDA Size: 6 Manual: 9 Approved: 29-Sep-2004 Shutoffs: (yyy) Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 06-Nov-2015

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 06-Nov-2015

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 06-Nov-2015

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 06-Nov-2015

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 06-Nov-2015

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 29-Sep-2016 Model: Colt 300aBF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Colt 300aBF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Colt 300aBF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Colt 300aBF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Colt 300aBF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Colt 300aBF Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H) Type: DCDA

Size: 6

Manual: 9 Approved: 18-Jan-2005 Shutoffs: (yyy)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 06-Oct-2003 Shutoffs: (zzz)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 06-Oct-2003 Shutoffs: (zzz)

Type: DCDA Size: 3 Manual: 9 Approved: 06-Oct-2003 Shutoffs: (zzz)

Type: DCDA Size: 3 Manual: 9 Approved: 06-Oct-2003 Shutoffs: (zzz)

Type: DCDA Size: 4 Manual: 9 Approved: 06-Oct-2003 Shutoffs: (zzz) Manufacturer: Ames Orientation: VU 0.25% Pb: No

Renewed: 18-Jan-2017

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 06-Oct-2015

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 06-Oct-2015

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 06-Oct-2015

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 06-Oct-2015

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 06-Oct-2015 Model: Colt 300aBF Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Colt 300aGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Colt 300aGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Colt 300aGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Colt 300aGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Colt 300aGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H) Type: DCDA Size: 4 Manual: 9 Approved: 06-Oct-2003 Shutoffs: (zzz)

Type: DCDA Size: 6 Manual: 9 Approved: 03-Nov-2004 Shutoffs: (zzz)

Type: DCDA

Size: 6

Manual: 9 Approved: 18-Jan-2005 Shutoffs: (zzz)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)

Type: DCDA Size: 3 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy) Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 06-Oct-2015

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 03-Nov-2016

Manufacturer: Ames

Orientation: VU 0.25% Pb: No Renewed: 18-Jan-2017

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 04-Oct-2014 Model: Colt 300aGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Colt 300aGV Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4 (H)

Model: Colt 300aGV Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Colt 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Colt 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Colt 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H) Type: DCDA Size: 3 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)

Type: DCDA Size: 4 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)

Type: DCDA Size: 4 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)

Type: DCDA Size: 6 Manual: 9 Approved: 02-Mar-2007 Shutoffs: (yyy)

Type: DCDA Size: 6 Manual: 9 Approved: 02-Mar-2007 Shutoffs: (yyy)

Type: DCDA

Size: 8

Manual: 9 Approved: 09-Mar-2007 Shutoffs: (yyy)

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 02-Mar-2016

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 02-Mar-2016

Manufacturer: Ames

Renewed: 09-Mar-2016

Orientation: H

0.25% Pb: No

Model: Colt 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Colt 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Colt 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Colt 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4"(H)

Model: Colt 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4"(V)

Model: Colt 300BF Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H & VU)

Type: DCDA	Manufacturer: Ames	Model: Colt 300BF
		Meters: (N), G, H, I J, K L, M, N, O, P,
Size: 8	Orientation: VU	Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Mar-2007	Renewed: 09-Mar-2016	Bypass: Ames 2000BM3 3/4" (H & VU
Shutoffs: (yyy)		
Type: DCDA	Manufacturer: Ames	Model: Colt 300BF
Size: 10	Orientation: H	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (H), Ames 2000 BM3 (H)
Shutoffs: (yyy)		
Type: DCDA	Manufacturer: Ames	Model: Colt 300BF
Size: 10	Orientation: VU	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (V), Ames 2000 BM3 (V)
Shutoffs: (yyy)		
Type: DCDA	Manufacturer: Ames	Model: Colt 300GV
Size: 2 1/2	Orientation: H	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005 Shutoffs: (zzz)	Renewed: 04-Oct-2014	Bypass: Ames 2000BM3 3/4" (H)
Type: DCDA	Manufacturer: Ames	Model: Colt 300GV
Size: 2 1/2	Orientation: VU	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb : No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass: Ames 2000BM3 3/4" (VU)
Shutoffs: (zzz)		
Type: DCDA	Manufacturer: Ames	Model: Colt 300GV
Size: 3	Orientation: H	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass: Ames 2000BM3 3/4" (H)

Shutoffs: (zzz)

Type: DCDA Size: 3 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (zzz)

Type: DCDA Size: 4 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (zzz)

Type: DCDA Size: 4 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (zzz)

Type: DCDA Size: 6 Manual: 9 Approved: 02-Mar-2007 Shutoffs: (zzz)

Type: DCDA Size: 6 Manual: 9 Approved: 02-Mar-2007 Shutoffs: (zzz)

Type: DCDA

Size: 8

Manual: 9 Approved: 09-Mar-2007 Shutoffs: (zzz)

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 02-Mar-2016

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 02-Mar-2016

Manufacturer: Ames

Renewed: 09-Mar-2016

Orientation: H

0.25% Pb: No

Model: Colt 300GV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Colt 300GV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Colt 300GV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Colt 300GV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4"(H)

Model: Colt 300GV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4"(V)

Model: Colt 300GV Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H & VU)

Meters: (N), G, H, I J, K L, M, N, O, Q Spare Parts Only: No : 09-Mar-2016 Bypass: Ames 2000BM3 3/4" (H & V)
: No Spare Parts Only: No
· · · · · · · · · · · · · · · · · · ·
Bypass. Ames 2000 Bivis 3/4 (11 & 1
urer: Ames Model: Colt 300GV
on: H Meters: (N),G,H,I,J,K,L,M,O,P,Q
: No Spare Parts Only: No
: 17-Sep-2015 Bypass: Watts 007M3QT 3/4" (H), Ames 2000 BM3 (H)
urer: Ames Model: Colt 300GV
on: VU Meters: (N),G,H,I,J,K,L,M,O,P,Q
: No Spare Parts Only: No
: 17-Sep-2015 Bypass: Watts 007M3QT 3/4" (V), Ames 2000 BM3 (V)
urer: Ames Model: Colt 300NBF
m: VUVD Meters: (N),G,H,I,J,K,L,M,N,O,P,Q
: No Spare Parts Only: No
: 07-Apr-2015 Bypass: Ames 2000BM3 3/4" (H)
urer: Ames Model: Colt 300NBF
m: VUVD Meters: (N),G,H,I,J,K,L,M,N,O,P,Q
: No Spare Parts Only: No
: 07-Apr-2015 Bypass: Ames 2000BM3 3/4" (H)
urer: Ames Model: Colt 300NBF
Meters:(N),G,H,I,J,K,L,M,N,O,P,Q
וו : : :

Shutoffs: (yyy)

Type: DCDA Size: 6 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (yyy)

Type: DCDA Size: 8 Manual: 9 Approved: 03-Jan-2013 Shutoffs: (yyy)

Type: DCDA Size: 10 Manual: 9

Approved: 28-May-2013

Shutoffs: (yyy)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz)

Type: DCDA Size: 3 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz)

Type: DCDA Size: 4 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz) Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 03-Jan-2016

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No

Renewed: 28-May-2016

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015 Model: Colt 300NBF Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Colt 300NBF Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Colt 300NBF Meters: (N), H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H), Watts 007M3QT 3/4" (H)

Model: Colt 300NGV Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Colt 300NGV Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Colt 300NGV Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H) Type: DCDA Size: 6 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz) Manufacturer: Ames

Renewed: 07-Apr-2015

Manufacturer: Ames

Renewed: 03-Jan-2016

Manufacturer: Ames

Renewed: 28-May-2016

Orientation: VUVD

0.25% Pb: No

Orientation: VUVD

0.25% Pb: No

Orientation: VUVD

0.25% Pb: No

Type: DCDA Size: 8 Manual: 9 Approved: 03-Jan-2013 Shutoffs: (zzz)

Type: DCDA Size: 10 Manual: 9

Approved: 28-May-2013

Shutoffs: (zzz)

Type: DCDAManufacturer: AmesSize: 4Orientation:Manual:0.25% Pb: NoApproved:Renewed:Notes: model designation changed to 3000DCDA

Type: DCDAManufacturer: AmesSize: 4Orientation:Manual:0.25% Pb: NoApproved:Renewed:Notes: model designation changed to 3000GDCDA

Type: DCDAManufacturer: AmesSize: 8Orientation:Manual:0.25% Pb: NoApproved:Renewed:Notes: model designation changed to 3000DCDA

Model: Colt 300NGV Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Colt 300NGV Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Colt 300NGV Meters: (N), H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H), Watts 007M3QT 3/4" (H)

Model: DCDA Meters: Spare Parts Only: No Bypass:

Model: DCDA Meters: Spare Parts Only: No Bypass:

Model: DCDA Meters: Spare Parts Only: No Bypass:

Type: DCDA	Manufacturer: Ames	Model: DCDA
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to 3000GDCDA	
Type: DCDA	Manufacturer: Ames	Model: DCDA
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to 3000DCDC	
Type: DCDA	Manufacturer: Ames	Model: DCDA-I
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to 3000DCDA	
Type: DCDA	Manufacturer: Ames	Model: DCDA-I
	Manufacturer: Ames Orientation:	Model: DCDA-I Meters:
Type: DCDA Size: 6 Manual:		
Size: 6 Manual:	Orientation:	Meters:
Size: 6	Orientation: 0.25% Pb: No Renewed:	Meters: Spare Parts Only: No
Size: 6 Manual: Approved:	Orientation: 0.25% Pb: No Renewed:	Meters: Spare Parts Only: No
Size: 6 Manual: Approved: Notes: model designation chang Type: DCDA	Orientation: 0.25% Pb: No Renewed: ged to 3000GDCDA	Meters: Spare Parts Only: No Bypass: Model: DCDC Meters:
Size: 6 Manual: Approved: Notes: model designation chang Type: DCDA Size: 4	Orientation: 0.25% Pb: No Renewed: ged to 3000GDCDA Manufacturer: Ames	Meters: Spare Parts Only: No Bypass: Model: DCDC Meters:
Size: 6 Manual: Approved: Notes: model designation chang Type: DCDA Size: 4 Manual: 6	Orientation: 0.25% Pb: No Renewed: ged to 3000GDCDA Manufacturer: Ames Orientation: H	Meters: Spare Parts Only: No Bypass: Model: DCDC Meters: (K),A,B,C,D,E,F,G,H,I,J,L,M,N,O,P,Q
Size: 6 Manual: Approved: Notes: model designation chang	Orientation: 0.25% Pb: No Renewed: ged to 3000GDCDA Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 14-Jun-2015	Meters: Spare Parts Only: No Bypass: Model: DCDC Meters: (K),A,B,C,D,E,F,G,H,I,J,L,M,N,O,P,Q Spare Parts Only: Yes
Size: 6 Manual: Approved: Notes: model designation chang Type: DCDA Size: 4 Manual: 6 Approved: 14-Jun-1985 Shutoffs: ee,ff,gg,hh,oo,pp,ccc,	Orientation: 0.25% Pb: No Renewed: ged to 3000GDCDA Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 14-Jun-2015	Meters: Spare Parts Only: No Bypass: Model: DCDC Meters: (K),A,B,C,D,E,F,G,H,I,J,L,M,N,O,P,G Spare Parts Only: Yes
Size: 6 Manual: Approved: Notes: model designation chang Type: DCDA Size: 4 Manual: 6 Approved: 14-Jun-1985 Shutoffs: ee,ff,gg,hh,oo,pp,ccc, Type: DCDA	Orientation: 0.25% Pb: No Renewed: ged to 3000GDCDA Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 14-Jun-2015 ddd,ffff,gggg	Meters: Spare Parts Only: No Bypass: Model: DCDC Meters: (K),A,B,C,D,E,F,G,H,I,J,L,M,N,O,P,C Spare Parts Only: Yes Bypass: Watts 709QT 3/4" (H) Model: DCDC Meters:
Size: 6 Manual: Approved: Notes: model designation chang Type: DCDA Size: 4 Manual: 6 Approved: 14-Jun-1985	Orientation: 0.25% Pb: No Renewed: ged to 3000GDCDA Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 14-Jun-2015 ddd,ffff,gggg Manufacturer: Ames	Meters: Spare Parts Only: No Bypass: Model: DCDC Meters: (K),A,B,C,D,E,F,G,H,I,J,L,M,N,O,P,Q Spare Parts Only: Yes Bypass: Watts 709QT 3/4" (H) Model: DCDC

Type: DCDA Manufacturer: Ames Model: DCDC Meters: **Orientation:** H Size: 8 (K),A,B,C,D,E,F,G,H,I,J,L,M,N,O,P,Q 0.25% Pb: No Manual: 7 Spare Parts Only: Yes Approved: 04-Aug-1987 Renewed: 04-Aug-2017 Bypass: Watts 709QT 3/4" (H) Shutoffs: ee,ff,gg,hh,oo,pp,ccc,ddd,ffff,gggg Type: DCDA Manufacturer: Ames Model: DCDC Size: 10 **Orientation:** Meters: Manual: 0.25% Pb: No Spare Parts Only: No Approved: **Renewed: Bypass:** Notes: model designation changed to 3000GDCDC Type: DCDA Manufacturer: Ames Model: LFColt 300BF Size: 2 1/2 Orientation: H Meters: (O) 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H), Approved: 08-Jan-2014 Renewed: 08-Jan-2017 Ames LF2000BM3 3/4" (H) Shutoffs: (yyy) Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Ames Model: LFColt 300BF Size: 2 1/2 Orientation: VU Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU), Approved: 08-Jan-2014 Renewed: 08-Jan-2017 Ames LF2000BM3 3/4" (VU) Shutoffs: (yyy) Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Model: LFColt 300BF Manufacturer: Ames Size: 3

Approved: 08-Jan-2014

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 08-Jan-2017

Model: LFColt 300BF Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)

Shutoffs: (yyy)

Manual: 9

Type: DCDA	Manufacturer: Ames	Model: LFColt 300BF
Size: 3	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Shutoffs: (yyy)		
Notes: Lead free compliant versi	ion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFColt 300BF
Size: 4	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant verse	ion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFColt 300BF
Size: 4	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb : Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Shutoffs: (yyy)		
Notes: Lead free compliant versi	ion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFColt 300BF
	Manufacturer: Ames Orientation: H	Model: LFColt 300BF Meters: (O)
Size: 6		
Size: 6 Manual: 9	Orientation: H	Meters: (O)
Size: 6 Manual: 9 Approved: 08-Jan-2014	Orientation: H 0.25% Pb: Yes	Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H),
Type: DCDA Size: 6 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy) Notes: Lead free compliant versi	Orientation: H 0.25% Pb: Yes	Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H),
Size: 6 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy) Notes: Lead free compliant versi	Orientation: H 0.25% Pb: Yes Renewed: 08-Jan-2017	Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H),
Size: 6 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy) Notes: Lead free compliant versi	Orientation: H 0.25% Pb: Yes Renewed: 08-Jan-2017 ion identified with NSF61 mark on meter	Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Size: 6 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy) Notes: Lead free compliant versi Type: DCDA Size: 6	Orientation: H 0.25% Pb: Yes Renewed: 08-Jan-2017 ion identified with NSF61 mark on meter Manufacturer: Ames	Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H) Model: LFColt 300BF
Size: 6 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy)	Orientation: H 0.25% Pb: Yes Renewed: 08-Jan-2017 ion identified with NSF61 mark on meter Manufacturer: Ames Orientation: VU	Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H) Model: LFColt 300BF Meters: (O)

Type: DCDA	Manufacturer: Ames	Model: LFColt 300BF
Size: 8	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant versio	on identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFColt 300BF
Size: 8	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Shutoffs: (yyy)		
Notes: Lead free compliant version	on identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFColt 300BF
Size: 10	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant versic	on identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFColt 300BF
Type: DCDA Size: 10	Manufacturer: Ames Orientation: VU	Model: LFColt 300BF Meters: (O)
Size: 10 Manual: 9	Orientation: VU	Meters: (O) Spare Parts Only: No
Size : 10	Orientation: VU 0.25% Pb: Yes	Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU),
Size: 10 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy)	Orientation: VU 0.25% Pb: Yes	Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU),
Size: 10 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy)	Orientation: VU 0.25% Pb: Yes Renewed: 08-Jan-2017	Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU),
Size: 10 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy) Notes: Lead free compliant versio	Orientation: VU 0.25% Pb: Yes Renewed: 08-Jan-2017 on identified with NSF61 mark on meter	Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Size: 10 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy) Notes: Lead free compliant versio	Orientation: VU 0.25% Pb: Yes Renewed: 08-Jan-2017 on identified with NSF61 mark on meter Manufacturer: Ames	Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU) Model: LFColt 300GV
Size: 10 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy) Notes: Lead free compliant versio Type: DCDA Size: 2 1/2	Orientation: VU 0.25% Pb: Yes Renewed: 08-Jan-2017 on identified with NSF61 mark on meter Manufacturer: Ames Orientation: H	Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU) Model: LFColt 300GV Meters: (O)

Type: DCDA	Manufacturer: Ames	Model: LFColt 300GV
Size: 2 1/2	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (VU),
		Ames LF2000BM3 3/4" (VU)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFColt 300GV
Size: 3	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFColt 300GV
Size: 3	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Shutoffs: (zzz)		
	ion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFColt 300GV
Size: 4	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
	Manufacturer: Ames	Model: LFColt 300GV
Type: DCDA Size: 4	Orientation: VU	
		Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Shutoffs: (zzz)		

Type: DCDA	Manufacturer: Ames	Model: LFColt 300GV
Size: 6	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant version	identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFColt 300GV
Size: 6	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Shutoffs: (zzz)		
Notes: Lead free compliant version	identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFColt 300GV
Size: 8	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant version	identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFColt 300GV
Size: 8	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Shutoffs: (zzz)		
Notes: Lead free compliant version	identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFColt 300GV
Size: 10	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz)		

Type: DCDA	Manufacturer: Ames	Model: LFColt 300GV
Size: 10	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (VU) Ames LF2000BM3 3/4" (VU)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFColt 300NBF
Size: 2 1/2	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFColt 300NBF
Size: 3	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFColt 300NBF
Size: 4	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFColt 300NBF
Size: 6	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
		Bypass: Watts LF007M3QT 3/4" (H),
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Ames LF2000BM3 3/4" (H)

Size: 8		
Size. 0	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant version	on identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFColt 300NBF
Size: 10	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant version	on identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFColt 300NGV
Size: 2 1/2	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (H) Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz)		
	on identified with NSF61 mark on meter	
Notes: Lead free compliant version	on identified with NSF61 mark on meter Manufacturer: Ames	Model: LFColt 300NGV
Notes: Lead free compliant version		
Notes: Lead free compliant version Type: DCDA Size: 3	Manufacturer: Ames	Model: LFColt 300NGV
Notes: Lead free compliant version Type: DCDA Size: 3 Manual: 9	Manufacturer: Ames Orientation: VUVD	Model: LFColt 300NGV Meters: (O) Spare Parts Only: No
Notes: Lead free compliant version Type: DCDA Size: 3 Manual: 9 Approved: 08-Jan-2014	Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes	Model: LFColt 300NGV Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H),
Notes: Lead free compliant version Type: DCDA Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz)	Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes	Model: LFColt 300NGV Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H),
Notes: Lead free compliant version Type: DCDA Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant version	Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes Renewed: 08-Jan-2017	Model: LFColt 300NGV Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H),
Notes: Lead free compliant version Type: DCDA Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant version Type: DCDA	Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes Renewed: 08-Jan-2017 on identified with NSF61 mark on meter	Model: LFColt 300NGV Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Notes: Lead free compliant version Type: DCDA Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant version Type: DCDA Size: 4	Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes Renewed: 08-Jan-2017 on identified with NSF61 mark on meter Manufacturer: Ames	Model: LFColt 300NGV Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H) Ames LF2000BM3 3/4" (H) Model: LFColt 300NGV
Type: DCDA Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz)	Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes Renewed: 08-Jan-2017 on identified with NSF61 mark on meter Manufacturer: Ames Orientation: VUVD	Model: LFColt 300NGV Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H) Model: LFColt 300NGV Meters: (O)

Model: LFColt 300NBF

Notes: Lead free compliant version identified with NSF61 mark on meter

Type: DCDA

Approved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Ames LFShutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LSize: 8Orientation: VUVDMeters: Bypass: Approved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Ames LFShutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterBypass: Bypass: Ames LFType: DCDAManufacturer: AmesModel: LSize: 10Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare PrApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Ames LFApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Ames LFShutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterBypass: Ames LFType: DCDAManufacturer: AmesModel: LSize: 2 1/2Orientation: HMeters: Meters:Approved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Ames LFSize: 2 1/2Orientation: HMeters: Meters:Approved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Ames LFShutoffs: (yyy)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LShutoffs: (yyy)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LSize: 2 1/2Orientation: VUMeters:	LFColt 300NGV
Approved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Ames LFShutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LSize: 8Orientation: VUVDMeters: Bypass: Approved: 08-Jan-2014Renewed: 08-Jan-2017Approved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Ames LFShutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterBypass: Ames LFType: DCDAManufacturer: AmesModel: LSize: 10Orientation: VUVDMeters: Bypass: Approved: 08-Jan-2014Renewed: 08-Jan-2017Approved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Bypass: Ames LFShutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LSize: 2 1/2Orientation: HMeters: Meters: Manual: 9Approved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Approved: 08-Jan-2014Size: 2 1/2Orientation: HMeters: Meters: Ames LFShutoffs: (yyy)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LShutoffs: (yyy)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LSize: 2 1/2Orientation: VUMeters:	
Approved:08-Jan-2014Renewed:08-Jan-2017Ames LFShutoffs:(zzz)Notes:Lead free compliant version identified with NSF61 mark on meterType:DCDAManufacturer:AmesModel:LSize:8Orientation:VUVDMeters:Manual:90.25% Pb:YesSpare PApproved:08-Jan-2014Renewed:08-Jan-2017Bypass:Approved:08-Jan-2014Renewed:08-Jan-2017Ames LFShutoffs:(zzz)Notes:Lead free compliant version identified with NSF61 mark on meterType:DCDAManufacturer:AmesModel:LSize:10Orientation:VUVDMeters:Manual:90.25% Pb:YesSpare PApproved:08-Jan-2014Renewed:08-Jan-2017Bypass:Approved:08-Jan-2014Renewed:08-Jan-2017Ames LFSize:21/2Orientation:HMeters:Manual:90.25% Pb:YesSpare PApproved:08-Jan-2014Renewed:08-Jan-2017Bypass:Approved:08-Jan-2014Renewed:08-Jan-2017Bypass:Approved:08-Jan-2014Renewed:08-Jan-2017Bypass:Approved:08-Jan-2014Renewed:08-Jan-2017Ames LFShutoffs:(yy)Notes:Lead free compliant version identified with NSF61 mark on meterType:DCDAManufacturer: <th>Parts Only: No</th>	Parts Only: No
Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LSize: 8Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare PiApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Ames LFShutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterModel: LType: DCDAManufacturer: AmesModel: LSize: 10Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare PiApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Ames LFApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Ames LFShutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterModel: LType: DCDAManufacturer: AmesModel: LSize: 2 1/2Orientation: HMeters:Manual: 90.25% Pb: YesSpare PiApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Ames LFApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Ames LFApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Ames LFShutoffs: (yyy)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LSutoffs: (yyy)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LSize: 2 1/2Orientation: VUMeters:	: Watts LF007M3QT 3/4" (H), F2000BM3 3/4" (H)
Type: DCDAManufacturer: AmesModel: LSize: 8Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare PiApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Ames LFShutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterModel: LType: DCDAManufacturer: AmesModel: LSize: 10Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare PiApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Ames LFShutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterBypass: Ames LFType: DCDAManufacturer: AmesModel: LSize: 2 1/2Orientation: HMeters:Approved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: 	
Size: 8 Orientation: VUVD Meters: Manual: 9 0.25% Pb: Yes Spare Pa Approved: 08-Jan-2014 Renewed: 08-Jan-2017 Bypass: Ames LF Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Ames Model: L Size: 10 Orientation: VUVD Meters: Manual: 9 0.25% Pb: Yes Spare Pa Approved: 08-Jan-2014 Renewed: 08-Jan-2017 Bypass: Ames LF Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Ames Model: L Size: 2 1/2 Orientation: H Meters: Manual: 9 0.25% Pb: Yes Spare Pa Approved: 08-Jan-2014 Renewed: 08-Jan-2017 Bypass: Ames LF Shutoffs: (yyy) Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Ames Model: L Size: 2 1/2 Orientation: H Meters: Approved: 08-Jan-2014 Renewed: 08-Jan-2017 Bypass: Ames LF Shutoffs: (yyy) Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Ames Model: L Shutoffs: (yyy) Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Ames Model: L Size: 2 1/2 Orientation: VU Meters: Size: 2 1/2 Orientation: VU Meters:	
Manual: 90.25% Pb: YesSpare Pi Bypass: Ames LFApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Ames LFShutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterModel: LType: DCDAManufacturer: AmesModel: LSize: 10Orientation: VUVDMeters: Bypass: Approved: 08-Jan-2014Bypass: Bypass: Ames LFApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Ames LFShutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LSize: 2 1/2Orientation: HMeters: Meters:Manual: 90.25% Pb: YesSpare Pi Ames LFApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Ames LFSize: 2 1/2Orientation: HMeters: Meters:Approved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Ames LFShutoffs: (yyy)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDASize: 2 1/2Orientation: VUMeters:Type: DCDAManufacturer: AmesModel: LSize: 2 1/2Orientation: VUMeters:	LFColt 300NGV
Approved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Ames LFShutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LSize: 10Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare PiApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Ames LFShutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterBypass: Ames LFType: DCDAManufacturer: AmesModel: LSize: 2 1/2Orientation: HMeters:Manual: 90.25% Pb: YesSpare PiApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Ames LFSize: 2 1/2Orientation: HMeters:Manual: 90.25% Pb: YesSpare PiApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Ames LFShutoffs: (yyy)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LSize: 2 1/2Orientation: VUMeters:	(O)
Approved: 08-Jan-2014Renewed: 08-Jan-2017Ames LFShutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterModel: LType: DCDAManufacturer: AmesModel: LSize: 10Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare PrApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Ames LFShutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterBypass: Ames LFType: DCDAManufacturer: AmesModel: LSize: 2 1/2Orientation: HMeters: Meters:Approved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Ames LFSize: 2 1/2Orientation: HMeters: Meters:Approved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Ames LFShutoffs: (yyy)Notes: Lead free compliant version identified with NSF61 mark on meterBypass: Ames LFType: DCDAManufacturer: AmesModel: LShutoffs: (yyy)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAShutoffs: (zzz)Manufacturer: AmesModel: LSize: 2 1/2Orientation: VUMeters:	Parts Only: No
Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LSize: 10Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare PaApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Ames LFShutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterModel: LType: DCDAManufacturer: AmesModel: LSize: 2 1/2Orientation: HMeters:Manual: 90.25% Pb: YesSpare PaApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Ames LFShutoffs: (yyy)Notes: Lead free compliant version identified with NSF61 mark on meterBypass: Ames LFType: DCDAManufacturer: AmesModel: LShutoffs: (yyy)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAType: DCDAManufacturer: AmesModel: LSize: 2 1/2Orientation: VUMeters:	: Watts LF007M3QT 3/4" (H), F2000BM3 3/4" (H)
Type: DCDAManufacturer: AmesModel: LSize: 10Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare PrApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Ames LFShutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterModel: LType: DCDAManufacturer: AmesModel: LSize: 2 1/2Orientation: HMeters:Manual: 90.25% Pb: YesSpare PrApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Ames LFShutoffs: (yyy)Notes: Lead free compliant version identified with NSF61 mark on meterBypass: Approved: 08-Jan-2014Type: DCDAManufacturer: AmesModel: LShutoffs: (yyy)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAType: DCDAManufacturer: AmesModel: LSize: 2 1/2Orientation: VUMeters:	
Size: 10Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare PaApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Ames LFShutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterModel: LType: DCDAManufacturer: AmesModel: LSize: 2 1/2Orientation: HMeters: Spare PaApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Ames LFApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: 	
Manual: 90.25% Pb: YesSpare PaApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Ames LFShutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterModel: LType: DCDAManufacturer: AmesModel: LSize: 2 1/2Orientation: HMeters: Bypass: Approved: 08-Jan-2014Meters: Bypass: Ames LFApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Ames LFShutoffs: (yyy) Notes: Lead free compliant version identified with NSF61 mark on meterModel: LType: DCDAManufacturer: AmesModel: LSize: 2 1/2Orientation: VUMeters:	LFColt 300NGV
Approved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Ames LFShutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterModel: LType: DCDAManufacturer: AmesModel: LSize: 2 1/2Orientation: HMeters: Spare PaManual: 90.25% Pb: YesSpare PaApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Ames LFShutoffs: (yyy)Notes: Lead free compliant version identified with NSF61 mark on meterModel: LType: DCDAManufacturer: AmesModel: LSize: 2 1/2Orientation: VUMeters:	(O)
Approved: 08-Jan-2014Renewed: 08-Jan-2017Ames LFShutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterModel: LType: DCDAManufacturer: AmesModel: LSize: 2 1/2Orientation: HMeters:Manual: 90.25% Pb: YesSpare PaApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass:Shutoffs: (yyy)Notes: Lead free compliant version identified with NSF61 mark on meterModel: LType: DCDAManufacturer: AmesModel: LSize: 2 1/2Orientation: VUMeters:	Parts Only: No
Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LSize: 2 1/2Orientation: HMeters:Manual: 90.25% Pb: YesSpare PaApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Ames LFShutoffs: (yyy)Notes: Lead free compliant version identified with NSF61 mark on meterModel: LType: DCDAManufacturer: AmesModel: LSize: 2 1/2Orientation: VUMeters:	: Watts LF007M3QT 3/4" (H), F2000BM3 3/4" (H)
Type: DCDAManufacturer: AmesModel: LSize: 2 1/2Orientation: HMeters:Manual: 90.25% Pb: YesSpare PaApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Ames LFShutoffs: (yyy)Notes: Lead free compliant version identified with NSF61 mark on meterModel: LType: DCDAManufacturer: AmesModel: LSize: 2 1/2Orientation: VUMeters:	
Size: 2 1/2Orientation: HMeters:Manual: 90.25% Pb: YesSpare PaApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Ames LFShutoffs: (yyy) Notes: Lead free compliant version identified with NSF61 mark on meterAmes LFType: DCDAManufacturer: AmesModel: LSize: 2 1/2Orientation: VUMeters:	
Manual: 90.25% Pb: YesSpare PaApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Ames LFShutoffs: (yyy) Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: L Meters:Size: 2 1/2Orientation: VUMeters:	LFMaxim 300BF
Approved: 08-Jan-2014 Renewed: 08-Jan-2017 Bypass: Ames LF Shutoffs: (yyy) Notes: Lead free compliant version identified with NSF61 mark on meter Manufacturer: Ames Type: DCDA Manufacturer: Ames Model: L Size: 2 1/2 Orientation: VU Meters:	(O)
Approved: 08-Jan-2014 Renewed: 08-Jan-2017 Ames LF Shutoffs: (yyy) Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Ames Model: L Size: 2 1/2 Orientation: VU Meters:	Parts Only: No
Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Ames Model: L Size: 2 1/2 Orientation: VU Meters:	: Watts LF007M3QT 3/4" (H), F2000BM3 3/4" (H)
Type: DCDA Manufacturer: Ames Model: L Size: 2 1/2 Orientation: VU Meters:	
Size: 2 1/2 Orientation: VU Meters:	
	LFMaxim 300BF
	(O)
Manual: 9 0.25% Pb: Yes Spare Pa	Parts Only: No
Approved: 08-Jan-2014 Renewed: 08-Jan-2017	: Watts LF007M3QT 3/4" (VU), F2000BM3 3/4" (VU)
Shutoffs: (yyy)	

Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300BF
Size: 3	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300BF
Size: 3	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300BF
Size: 4	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300BF
Size: 4	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300BF
Size: 6	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy)		

Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300BF
Size: 6	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Shutoffs: (yyy)		
Notes: Lead free compliant version	on identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300BF
Size: 8	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant version	on identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300BF
Size: 8	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Shutoffs: (yyy)		
	on identified with NSF61 mark on meter	
Notes: Lead free compliant version	on identified with NSF61 mark on meter Manufacturer: Ames	Model: LFMaxim 300BF
Notes: Lead free compliant version		Model: LFMaxim 300BF Meters: (O)
Notes: Lead free compliant version Type: DCDA Size: 10	Manufacturer: Ames	
Notes: Lead free compliant version Type: DCDA Size: 10 Manual: 9	Manufacturer: Ames Orientation: H	Meters: (O)
Notes: Lead free compliant version Type: DCDA Size: 10 Manual: 9 Approved: 08-Jan-2014	Manufacturer: Ames Orientation: H 0.25% Pb: Yes	Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H),
Type: DCDA Size: 10 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy)	Manufacturer: Ames Orientation: H 0.25% Pb: Yes	Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H),
Notes: Lead free compliant version Type: DCDA Size: 10 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy) Notes: Lead free compliant version	Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 08-Jan-2017	Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H),
Notes: Lead free compliant version Type: DCDA Size: 10 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy) Notes: Lead free compliant version Type: DCDA	Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 08-Jan-2017 on identified with NSF61 mark on meter	Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Notes: Lead free compliant version Type: DCDA Size: 10 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy) Notes: Lead free compliant version Type: DCDA Size: 10	Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 08-Jan-2017 on identified with NSF61 mark on meter Manufacturer: Ames	Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H) Model: LFMaxim 300BF
Notes: Lead free compliant version Type: DCDA Size: 10 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy)	Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 08-Jan-2017 on identified with NSF61 mark on meter Manufacturer: Ames Orientation: VU	Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H) Model: LFMaxim 300BF Meters: (O)

Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300GV
Size: 2 1/2	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300GV
Size: 2 1/2	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300GV
Size: 3	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300GV
Size: 3	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300GV
Size: 4	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz)		

Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300GV
Size: 4	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300GV
Size: 6	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300GV
Size: 6	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300GV
Size: 8	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300GV
Size: 8	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Shutoffs: (zzz)		

Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300GV
Size: 10	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant version	on identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300GV
Size: 10	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Shutoffs: (zzz)		
Notes: Lead free compliant version	on identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300NBF
Size: 2 1/2	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy)		
	on identified with NSF61 mark on meter	
Notes: Lead free compliant version	on identified with NSF61 mark on meter Manufacturer: Ames	Model: LFMaxim 300NBF
Notes: Lead free compliant version		Model: LFMaxim 300NBF Meters: (O)
Notes: Lead free compliant version	Manufacturer: Ames	
Notes: Lead free compliant version Type: DCDA Size: 3	Manufacturer: Ames Orientation: VUVD	Meters: (O)
Notes: Lead free compliant version Type: DCDA Size: 3 Manual: 9	Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes	Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H),
Type: DCDA Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy)	Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes	Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H),
Notes: Lead free compliant version Type: DCDA Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy)	Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes Renewed: 08-Jan-2017	Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H),
Notes: Lead free compliant version Type: DCDA Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy) Notes: Lead free compliant version Type: DCDA	Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes Renewed: 08-Jan-2017 on identified with NSF61 mark on meter	Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Notes: Lead free compliant version Type: DCDA Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy) Notes: Lead free compliant version Type: DCDA Size: 4	Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes Renewed: 08-Jan-2017 on identified with NSF61 mark on meter Manufacturer: Ames	Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H) Model: LFMaxim 300NBF
Notes: Lead free compliant version Type: DCDA Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy) Notes: Lead free compliant version	Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes Renewed: 08-Jan-2017 on identified with NSF61 mark on meter Manufacturer: Ames Orientation: VUVD	Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H) Model: LFMaxim 300NBF Meters: (O)

Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 08-Jan-2014 Renewed: 08-Jan-2017 Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H) Shutoffs: (yyy) Notes: Lead free compliant version identified with NSF61 mark on meter Model: LFMaxim 300NBF Type: DCDA Manufacturer: Ames Model: LFMaxim 300NBF Size: 8 Orientation: VUVD Meters: (O) Approved: 08-Jan-2014 Renewed: 08-Jan-2017 Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H) Shutoffs: (yyy) Notes: Lead free compliant version identified with NSF61 mark on meter Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H) Type: DCDA Manufacturer: Ames Model: LFMaxim 300NBF Size: 10 Orientation: VUVD Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 08-Jan-2014 Renewed: 08-Jan-2017 Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H) Shutoffs: (yyy) Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Ames Model: LFMaxim 300NGV Size: 2 1/2 Orientation: VUVD Meters: (O) Size: 2 1/2 Orientation: VUVD Meters: (O) Manufacturer: Ames Model: LFMaxim 300NGV Size: 2 1/2 Orientation: VUVD Meters: (O) Spa	Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300NBF
Approved: 08-Jan-2014 Renewed: 08-Jan-2017 Bypass: Watts LF007M3QT 3/4" (H) Armes LF2000BM3 3/4" (H) Shutoffs: (yyy) Notes: Lead free compliant version identified with NSF61 mark on meter Model: LFMaxim 300NBF Type: DCDA Manufacturer: Armes Model: LFMaxim 300NBF Size: 8 Orientation: VUVD Meters: (O) Approved: 08-Jan-2014 Renewed: 08-Jan-2017 Bypass: Watts LF007M3QT 3/4" (H), Armes LF2000BM3 3/4" (H) Shutoffs: (yyy) Notes: Lead free compliant version identified with NSF61 mark on meter Bypass: Watts LF007M3QT 3/4" (H), Armes LF2000BM3 3/4" (H) Type: DCDA Manufacturer: Armes Model: LFMaxim 300NBF Size: 10 Orientation: VUVD Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 08-Jan-2014 Renewed: 08-Jan-2017 Bypass: Watts LF007M3QT 3/4" (H), Armes LF2000BM3 3/4" (H) Shutoffs: (yyy) Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Stare: 2 1/2 Orientation: VUVD Meters: (O) Size: 2 1/2 Orientation: VUVD Meters: (O) Manufacturer: Armes Model: LFMaxim 300NGV Size: 2 1/2 Orientation: VUVD Meters: (O) Manufacture: Armes Model: LFMaxim 300NGV Size: 2 1/2 Orientation: VUVD Meters: (O) <td< th=""><th>Size: 6</th><th>Orientation: VUVD</th><th>Meters: (O)</th></td<>	Size: 6	Orientation: VUVD	Meters: (O)
Approved: 08-Jan-2014 Renewed: 08-Jan-2017 Ames LF2000BM3 3/4" (H) Shutoffs: (yyy) Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Ames Model: LFMaxim 300NBF Size: 8 Orientation: VUVD Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H) Ames LF2000BM3 3/4" (H) Shutoffs: (yyy) Notes: Lead free compliant version identified with NSF61 mark on meter Bypass: Watts LF007M3QT 3/4" (H), Type: DCDA Manufacturer: Ames Model: LFMaxim 300NBF Size: 10 Orientation: VUVD Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 08-Jan-2014 Renewed: 08-Jan-2017 Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H) Ames LF2000BM3 3/4" (H) Ames LF2000BM3 3/4" (H) Store: 1/2 Orientation: VUVD Meters: (O) Size: 2 1/2 Orientation: VUVD Meters: (O) Manufacturer: Ames Model: LFMaxim 300NGV Size: 2 1/2 Orientation: VUVD Meters: (O) Manufacturer: Ames Model: LFMaxim 300NGV Size: 2 1/2 Orientation: VUVD Meters: (O) Maproved: 08-Jan-2014 Renewed: 08-Jan-2017 B	Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Ames Model: LFMaxim 300NBF Size: 8 Orientation: VUVD Meters: (O) Approved: 08-Jan-2014 Renewed: 08-Jan-2017 Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H) Shutoffs: (yyy) Notes: Lead free compliant version identified with NSF61 mark on meter Model: LFMaxim 300NBF Type: DCDA Manufacturer: Ames Model: LFMaxim 300NBF Size: 10 Orientation: VUVD Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 08-Jan-2014 Renewed: 08-Jan-2017 Meters: (O) Manual: 9 0.25% Pb: Yes Spare Sparts Only: No Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H) Meters: (O) Shutoffs: (yyy) Note: Lead free compliant version identified with NSF61 mark on meter Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H) Shutoffs: (yyy) Note: Lead free compliant version identified with NSF61 mark on meter Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 08-Jan-2014 Renewed: 08-Jan-2017 Meters: (O) Manufacturer: Ames Model: LFMaxim 300NGV Maproved: 08-Jan-2014 Renewed: 08-Jan-2017 Bypass: Watts LF007M3QT 3/4" (H), Ames LF	Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Type: DCDAManufacturer: AmesModel: LFMaxim 300NBFSize: 8Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)Shutoffs: (yyy)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LFMaxim 300NBFSize: 10Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)Shutoffs: (yyy)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LFMaxim 300NGVSize: 2 1/2Orientation: VUVDMeters: (O)Size: 2 1/2Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoSize: 2 1/2Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LFMaxim 300NGVSize: 3Orientation: VUVDMeters: (O)Size: 3Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoSize: 3Orientation: VUVD <t< td=""><td>Shutoffs: (yyy)</td><td></td><td></td></t<>	Shutoffs: (yyy)		
Approved:Orientation:VUVDMeters:(O)Manual:90.25% Pb: YesSpare Parts Only: NoApproved:08-Jan-2014Renewed:08-Jan-2017Bypass:Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)Shutoffs:(yyy)Notes:Lead free compliant version identified with NSF61 mark on meterType:DCDAManufacturer: AmesModel:LFMaxim 300NBFSize:10Orientation:VUVDMeters:(O)Manual:90.25% Pb: YesSpare Parts Only: NoApproved:08-Jan-2014Renewed:08-Jan-2017Bypass:Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)Shutoffs:(yyy)Notes:Lead free compliant version identified with NSF61 mark on meterBypass:Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)Type:DCDAManufacturer: AmesModel:LFMaxim 300NGVSize:2 1/2Orientation:VUVDMeters: (O)Manual:90.25% Pb: YesSpare Parts Only: NoBypass:Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)Shutoffs: (zzz)Notes:Lead free compliant version identified with NSF61 mark on meterBypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)Shutoffs:(zzz)Notes:Lead free compliant version identified with NSF61 mark on meterType:DCDAManufacturer: AmesModel: LFMaxim 300NGVSize:3Orientation: VUVDMeters: (O)Shutoffs:(zzz)Notes:Lea	Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)Shutoffs: (yyy) Notes: Lead free compliant version identified with NSF61 mark on meterModel: LFMaxim 300NBFType: DCDAManufacturer: AmesModel: LFMaxim 300NBFSize: 10Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)Shutoffs: (yyy)Notes: Lead free compliant version identified with NSF61 mark on meterModel: LFMaxim 300NGVType: DCDAManufacturer: AmesModel: LFMaxim 300NGVSize: 2 1/2Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterBypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)Type: DCDAManufacturer: AmesModel: LFMaxim 300NGVSize: 3Orientation: VUVDMeters: (O)Shutoffs: (zzz)Model: LEMaxim 300NGVNotes: Lead free compliant version identified with NSF61 mark on meterModel: LFMaxim 300NGVType: DCDAManufacturer: AmesModel: LFMaxim 300NGVSize: 3Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoSize: 3Orientation: VUV	Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300NBF
Approved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)Shutoffs: (vyy) Notes: Lead free compliant version identified with NSF61 mark on meterModel: LFMaxim 300NBF Meters: (O)Type: DCDAManufacturer: Ames 	Size: 8	Orientation: VUVD	Meters: (O)
Approved: 08-Jan-2014Renewed: 08-Jan-2017Ames LF2000BM3 3/4" (H)Shutoffs: (yyy)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LFMaxim 300NBFSize: 10Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)Shutoffs: (yyy)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LFMaxim 300NGVSize: 2 1/2Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)Approved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LFMaxim 300NGVSize: 3Orientation: VUVDMeters: (O)Size: 3Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoBypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)	Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Ames Model: LFMaxim 300NBF Size: 10 Orientation: VUVD Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 08-Jan-2014 Renewed: 08-Jan-2017 Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H) Shutoffs: (yyy) Notes: Lead free compliant version identified with NSF61 mark on meter Model: LFMaxim 300NGV Size: 2 1/2 Orientation: VUVD Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 08-Jan-2014 Renewed: 08-Jan-2017 Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 08-Jan-2014 Renewed: 08-Jan-2017 Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H) Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H) Size: 3 Orientation: VUVD Meters: (O) Manual: 9 Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 08-Jan-2014 Renewed: 08-Jan-2017 Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)	Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Type: DCDAManufacturer: AmesModel: LFMaxim 300NBFSize: 10Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)Shutoffs: (yyy)Notes: Lead free compliant version identified with NSF61 mark on meterModel: LFMaxim 300NGVType: DCDAManufacturer: AmesModel: LFMaxim 300NGVSize: 2 1/2Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LFMaxim 300NGVSize: 3Orientation: VUVDMeters: (O)Size: 3Orientation: VUVDMeters: (O)Size: 3Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoSize: 3Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)	Shutoffs: (yyy)		
Size: 10Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)Shutoffs: (yyy)Notes: Lead free compliant version identified with NSF61 mark on meterModel: LFMaxim 300NGVType: DCDAManufacturer: AmesModel: LFMaxim 300NGVSize: 2 1/2Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LFMaxim 300NGVSize: 3Orientation: VUVDMeters: (O)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LFMaxim 300NGVSize: 3Orientation: VUVDMeters: (O)Meters: (O)Manual: 90.25% Pb: YesApproved: 08-Jan-2014Renewed: 08-Jan-2017Approved: 08-Jan-2014Renewed: 08-Jan-2017Approved: 08-Jan-2014Renewed: 08-Jan-2017	Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Size: 10Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)Shutoffs: (yyy)Notes: Lead free compliant version identified with NSF61 mark on meterModel: LFMaxim 300NGVType: DCDAManufacturer: AmesModel: LFMaxim 300NGVSize: 2 1/2Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LFMaxim 300NGVSize: 3Orientation: VUVDMeters: (O)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LFMaxim 300NGVSize: 3Orientation: VUVDMeters: (O)Meters: (O)Manual: 90.25% Pb: YesApproved: 08-Jan-2014Renewed: 08-Jan-2017Approved: 08-Jan-2014Renewed: 08-Jan-2017Approved: 08-Jan-2014Renewed: 08-Jan-2017		Manufa dunan Araa	
Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)Shutoffs: (yyy)Notes: Lead free compliant version identified with NSF61 mark on meterModel: LFMaxim 300NGVType: DCDAManufacturer: AmesModel: LFMaxim 300NGVSize: 2 1/2Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterModel: LFMaxim 300NGVSize: 3Orientation: VUVDMeters: (O)Notes: Lead free compliant version identified with NSF61 mark on meterModel: LFMaxim 300NGVSize: 3Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Meters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)			
Approved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)Shutoffs: (yyy) Notes: Lead free compliant version identified with NSF61 mark on meterModel: LFMaxim 300NGVType: DCDAManufacturer: AmesModel: LFMaxim 300NGVSize: 2 1/2Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LFMaxim 300NGVSize: 3Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Meters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Meters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)			
Approved:08-Jan-2014Renewed:08-Jan-2017Ames LF2000BM3 3/4" (H)Shutoffs:(yyy)Notes:Lead free compliant version identified with NSF61 mark on meterType:DCDAManufacturer: AmesModel:LFMaxim 300NGVSize:2 1/2Orientation:VUVDMeters: (O)Manual:90.25% Pb: YesSpare Parts Only: NoApproved:08-Jan-2014Renewed:08-Jan-2017Shutoffs:(zzz)Notes:Lead free compliant version identified with NSF61 mark on meterType:DCDAManufacturer: AmesModel:LFMaxim 300NGVSize:3Orientation:VUVDMeters: (O)Size:3Orientation:VUVDMeters: (O)Manual:90.25% Pb: YesSpare Parts Only: NoBypass:Watus LF007M3QT 3/4" (H),Approved:08-Jan-2014Renewed:08-Jan-2017Approved:08-Jan-2014Renewed:08-Jan-2017	Manual: 9	0.23% PD: Yes	
Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LFMaxim 300NGVSize: 2 1/2Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LFMaxim 300NGVSize: 3Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Meters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)	Approved: 08-Jan-2014	Renewed: 08-Jan-2017	
Type: DCDAManufacturer: AmesModel: LFMaxim 300NGVSize: 2 1/2Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LFMaxim 300NGVSize: 3Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Maters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)	Shutoffs: (yyy)		
Size: 2 1/2Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterModel: LFMaxim 300NGVType: DCDAManufacturer: AmesModel: LFMaxim 300NGVSize: 3Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)	Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LFMaxim 300NGVSize: 3Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)	Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300NGV
Approved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meterManufacturer: AmesModel: LFMaxim 300NGVType: DCDA Size: 3Manufacturer: Ames Orientation: VUVDModel: LFMaxim 300NGVSize: 3Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)	Size: 2 1/2	Orientation: VUVD	Meters: (O)
Approved: 08-Jan-2014 Renewed: 08-Jan-2017 Ames LF2000BM3 3/4" (H) Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Model: LFMaxim 300NGV Type: DCDA Manufacturer: Ames Model: LFMaxim 300NGV Size: 3 Orientation: VUVD Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 08-Jan-2014 Renewed: 08-Jan-2017 Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)	Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LFMaxim 300NGVSize: 3Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)	Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Type: DCDAManufacturer: AmesModel: LFMaxim 300NGVSize: 3Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)	Shutoffs: (zzz)		
Size: 3Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)	Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Size: 3Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)	Type: DCDA	Manufacturer: Ames	Model: LEMaxim 300NGV
Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 08-Jan-2014 Renewed: 08-Jan-2017 Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)			
Approved: 08-Jan-2014 Renewed: 08-Jan-2017 Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)			
	Approved: 08-Jan-2014		Bypass: Watts LF007M3QT 3/4" (H),
	Shutoffs: (777)		

Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300NGV
Size: 4	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant version ide	entified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300NGV
Size: 6	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant version ide	entified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300NGV
Size: 8	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz)		
Shutoffs: (zzz) Notes: Lead free compliant version ide	entified with NSF61 mark on meter	
	entified with NSF61 mark on meter Manufacturer: Ames	Model: LFMaxim 300NGV
Notes: Lead free compliant version ide		Model: LFMaxim 300NGV Meters: (O)
Notes: Lead free compliant version ide	Manufacturer: Ames	
Notes: Lead free compliant version ide Type: DCDA Size: 10	Manufacturer: Ames Orientation: VUVD	Meters: (O)
Notes: Lead free compliant version ide Type: DCDA Size: 10 Manual: 9	Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes	Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H),
Notes: Lead free compliant version ide Type: DCDA Size: 10 Manual: 9 Approved: 08-Jan-2014	Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes Renewed: 08-Jan-2017	Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H),
Notes: Lead free compliant version ide Type: DCDA Size: 10 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz)	Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes Renewed: 08-Jan-2017	Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H),
Notes: Lead free compliant version ide Type: DCDA Size: 10 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant version ide	Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes Renewed: 08-Jan-2017 entified with NSF61 mark on meter	Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Notes: Lead free compliant version ide Type: DCDA Size: 10 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant version ide Type: DCDA	Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes Renewed: 08-Jan-2017 entified with NSF61 mark on meter Manufacturer: Ames	Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H) Model: Maxim 300aBF

Shutoffs: (yyy)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy)

Type: DCDA Size: 3 Manual: 9 Approved: 06-Oct-2003 Shutoffs: (yyy)

Type: DCDA Size: 3 Manual: 9 Approved: 06-Oct-2003 Shutoffs: (yyy)

Type: DCDA Size: 4 Manual: 9 Approved: 03-Nov-2004 Shutoffs: (yyy)

Type: DCDA

Size: 4

Manual: 9 Approved: 18-Jan-2005 Shutoffs: (yyy)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 06-Oct-2003 Shutoffs: (zzz) Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 06-Nov-2015

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 06-Oct-2015

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 06-Oct-2015

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 03-Nov-2016

Manufacturer: Ames

Orientation: VU 0.25% Pb: No Renewed: 18-Jan-2017

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 06-Oct-2015 Model: Maxim 300aBF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Maxim 300aBF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Maxim 300aBF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Maxim 300aBF Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4 (H)

Model: Maxim 300aBF Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Maxim 300aGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H) Type: DCDA Size: 2 1/2 Manual: 9 Approved: 06-Oct-2003 Shutoffs: (zzz)

Type: DCDA Size: 3 Manual: 9 Approved: 06-Oct-2003 Shutoffs: (zzz)

Type: DCDA Size: 3 Manual: 9 Approved: 06-Oct-2003 Shutoffs: (zzz)

Type: DCDA Size: 4 Manual: 9 Approved: 03-Nov-2004 Shutoffs: (zzz)

Type: DCDA

Size: 4

Manual: 9 Approved: 18-Jan-2005 Shutoffs: (zzz)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy) Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 06-Oct-2015

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 06-Oct-2015

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 06-Oct-2015

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 03-Nov-2016

Manufacturer: Ames

Orientation: VU 0.25% Pb: No Renewed: 18-Jan-2017

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 04-Oct-2014 Model: Maxim 300aGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Maxim 300aGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Maxim 300aGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Maxim 300aGV Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4 (H)

Model: Maxim 300aGV Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Maxim 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H) Type: DCDA Size: 2 1/2 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)

- Type: DCDA Size: 3 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)
- Type: DCDA Size: 3 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)
- Type: DCDA Size: 4 Manual: 9 Approved: 02-Mar-2007 Shutoffs: (yyy)

Type: DCDA Size: 4 Manual: 9 Approved: 02-Mar-2007 Shutoffs: (yyy)

Type: DCDA

Size: 6

Manual: 9 Approved: 09-Mar-2007 Shutoffs: (yyy)

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 02-Mar-2016

Manufacturer: Ames Orientation: Vu 0.25% Pb: No Renewed: 02-Mar-2016

Manufacturer: Ames

Renewed: 09-Mar-2016

Orientation: H

0.25% Pb: No

Model: Maxim 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Maxim 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Maxim 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Maxim 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4"(H)

Model: Maxim 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4"(V)

Model: Maxim 300BF Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H & VU)

	Manufasture, Ameri	
Type: DCDA	Manufacturer: Ames	Model: Maxim 300BF Meters: (N), G, H, I J, K L, M, N, O, P,
Size: 6	Orientation: VU	Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Mar-2007	Renewed: 09-Mar-2016	Bypass: Ames 2000BM3 3/4" (H & VU)
Shutoffs: (yyy)		
Type: DCDA	Manufacturer: Ames	Model: Maxim 300BF
Size: 8	Orientation: H	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (H), Ames 2000 BM3 (H)
Shutoffs: (yyy)		
Type: DCDA	Manufacturer: Ames	Model: Maxim 300BF
Size: 8	Orientation: VU	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (V), Ames 2000 BM3 (V)
Shutoffs: (yyy)		
Type: DCDA	Manufacturer: Ames	Model: Maxim 300BF
Size: 10	Orientation: H	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (H), Ames 2000 BM3 (H)
Shutoffs: (yyy)		
Type: DCDA	Manufacturer: Ames	Model: Maxim 300BF
Size: 10	Orientation: VU	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (V), Ames 2000 BM3 (V)
Shutoffs: (yyy)		
Type: DCDA	Manufacturer: Ames	Model: Maxim 300GV
Size: 2 1/2	Orientation: H	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass: Ames 2000BM3 3/4" (H)
Shutoffs: (zzz)		

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (zzz)

Type: DCDA Size: 3 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (zzz)

Type: DCDA Size: 3 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (zzz)

Type: DCDA Size: 4 Manual: 9 Approved: 02-Mar-2007 Shutoffs: (zzz)

Type: DCDA Size: 4 Manual: 9 Approved: 02-Mar-2007 Shutoffs: (zzz)

Type: DCDA Size: 6 Manual: 9 Approved: 09-Mar-2007 Shutoffs: (zzz)

Type: DCDA Size: 6 Manual: 9 Approved: 09-Mar-2007 Shutoffs: (zzz) Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 02-Mar-2016

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 02-Mar-2016

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 09-Mar-2016

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 09-Mar-2016 Model: Maxim 300GV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Maxim 300GV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Maxim 300GV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Maxim 300GV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4"(H)

Model: Maxim 300GV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4"(V)

Model: Maxim 300GV Meters: (N),G,H,IJ,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H & VU)

Model: Maxim 300GV Meters: (N),G,H,IJ,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H & VU)

Type: DCDA	Manufacturer: Ames	Model: Maxim 300GV
Size: 8	Orientation: H	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb : No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (H), Ames 2000 BM3 (H)
Shutoffs: (zzz)		
Type: DCDA	Manufacturer: Ames	Model: Maxim 300GV
Size: 8	Orientation: VU	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (V), Ames 2000 BM3 (V)
Shutoffs: (zzz)		
Type: DCDA	Manufacturer: Ames	Model: Maxim 300GV
Size: 10	Orientation: H	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (H), Ames 2000 BM3 (H)
Shutoffs: (zzz)		
Type: DCDA	Manufacturer: Ames	Model: Maxim 300GV
Size: 10	Orientation: VU	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (V), Ames 2000 BM3 (V)
Shutoffs: (zzz)		
Type: DCDA	Manufacturer: Ames	Model: Maxim 300NBF
Size: 2 1/2	Orientation: VUVD	Meters: (N),G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass: Ames 2000BM3 3/4" (H)
Shutoffs: (yyy)		
Type: DCDA	Manufacturer: Ames	Model: Maxim 300NBF
Size: 3	Orientation: VUVD	Meters: (N),G,H,I,J,K,L,M,N,O,P,C
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass: Ames 2000BM3 3/4" (H)
Shutoffs: (yyy)		

Type: DCDA Size: 4 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (yyy)

Type: DCDA Size: 6 Manual: 9 Approved: 03-Jan-2013 Shutoffs: (yyy)

Type: DCDA Size: 8 Manual: 9

Approved: 28-May-2013

Shutoffs: (yyy)

Type: DCDA Size: 10 Manual: 9 Approved: 28-May-2013

Shutoffs: (yyy)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz)

Type: DCDA Size: 3 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz) Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 03-Jan-2016

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 28-May-2016

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 28-May-2016

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015 Model: Maxim 300NBF Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Maxim 300NBF Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Maxim 300NBF Meters: (N), H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H), Watts 007M3QT 3/4" (H)

Model: Maxim 300NBF Meters: (N), H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H), Watts 007M3QT 3/4" (H)

Model: Maxim 300NGV Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Maxim 300NGV Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H) Type: DCDA Size: 4 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz)

Type: DCDA Size: 6 Manual: 9 Approved: 03-Jan-2013 Shutoffs: (zzz)

Type: DCDA Size: 8 Manual: 9

Approved: 28-May-2013

Shutoffs: (zzz)

Type: DCDA Size: 10 Manual: 9 Approved: 28-May-2013

Shutoffs: (zzz)

Type: DCDAManufacturer: Apollo/ConbracoSize: 10Orientation:Manual:0.25% Pb: NoApproved:Renewed:Notes: model designation changed to DCDA4S

Type: DCDAManufacturer: Apollo/ConbracoModel: 10DCDASize: 10Orientation:Meters:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes: model designation changed to DCDA4SState State S

Manufacturer: Ames

Renewed: 07-Apr-2015

Manufacturer: Ames

Renewed: 03-Jan-2016

Manufacturer: Ames

Renewed: 28-May-2016

Manufacturer: Ames

Renewed: 28-May-2016

Orientation: VUVD

0.25% Pb: No

Orientation: VUVD

0.25% Pb: No

Orientation: VUVD

0.25% Pb: No

Orientation: VUVD

0.25% Pb: No

2017 © University of Southern California

Model: Maxim 300NGV Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Maxim 300NGV Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Maxim 300NGV Meters: (N), H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H), Watts 007M3QT 3/4" (H)

Model: Maxim 300NGV Meters: (N), H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H), Watts 007M3QT 3/4" (H)

Model: 10DCDA Meters: Spare Parts Only: No Bypass:

Type: DCDA Size: 2 1/2	Manufacturer: Apollo/Conbraco Orientation: H	Model: 2 1/2DCDA Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Oct-2000	Renewed: 16-Oct-2015	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (II),mm		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 2 1/2DCDA
Size: 2 1/2	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Oct-2000	Renewed: 16-Oct-2015	Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)
Shutoffs: (II),mm		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 2 1/2DCDA6
Size: 2 1/2	Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Apr-2001	Renewed: 10-Apr-2016	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (mm)[#1SOV],(nnn)[#2	2SOV]	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 2 1/2DCDA6
Size: 2 1/2	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Apr-2001	Renewed: 10-Apr-2016	Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)
Shutoffs: (mm)[#1SOV],(nnn)[#2	2SOV]	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 2 1/2DCDA7
Size: 2 1/2	Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2016	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (mm)[#1SOV], (qqq)[#,	2SOV]	

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 2 1/2DCDA7
Size: 2 1/2		Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2016	Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)
Shutoffs: (mm)[#1SOV], (qqq)[#	2SOV]	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 2 1/2DCDA8
Size: 2 1/2	Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2016	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (ppp),qqq		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 2 1/2DCDA8
Size: 2 1/2	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2016	Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)
Shutoffs: (ppp),qqq		(())
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 2 1/2DCDAU
Size: 2 1/2	Orientation: VUVD	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Apr-2001	Renewed: 10-Apr-2016	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (II),mm		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 3DCDA
Size : 3	Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Oct-2000	Renewed: 16-Oct-2015	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (II),mm		

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 3DCDA
Size: 3	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
		Bypass: Apollo/Conbraco 1/2DC 1/2"
Approved: 16-Oct-2000	Renewed: 16-Oct-2015	(VU), Apollo/Conbraco W432100 1/2"
Shutoffs: (II),mm		(VU)
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 3DCDA6
Size: 3	Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Apr-2001	Renewed: 10-Apr-2016	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (mm)[#1SOV],(nnn)[#2SOV]		(), ++
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 3DCDA6
Size: 3	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Apr-2001	Renewed: 10-Apr-2016	Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)
Shutoffs: (mm)[#1SOV],(nnn)[#2SOV]		(00)
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 3DCDA7
Size: 3	Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2016	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (mm)[#1SOV], (qqq)[#2SOV]	l	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 3DCDA7
Size: 3	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2016	Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)
Shutoffs: (mm)[#1SOV], (qqq)[#2SOV]	I	()

Type: DCDA Size: 3 Manual: 9	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No	Model: 3DCDA8 Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2016	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (ppp),qqq		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 3DCDA8
Size: 3	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2016	Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)
Shutoffs: (ppp),qqq		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 3DCDAU
Size: 3	Orientation: VUVD	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Apr-2001	Renewed: 10-Apr-2016	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (II),mm		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 40600000
Size: 3	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 20-Aug-1996	Renewed: 20-Aug-2017	Bypass: Apollo/Conbraco 4010402 3/4" (H)
Shutoffs: uu,cc,mm Notes: formerly 4060003		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060003
Size: 3	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to 40600000	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060003
Size: 3	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:

Type: DCDA Size: 3 Manual: 8 Approved: 20-Aug-1996 Shutoffs: uu,cc,mm Notes: formerly 4060003	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 20-Aug-2017	Model: 40600C3 Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Apollo/Conbraco 4010402 3/4" (H)
Type: DCDA Size: 4	Manufacturer: Apollo/Conbraco Orientation:	Model: 4060A03 Meters:
Manual:	0.25% Pb : No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation changed to		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060A03
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation changed to	0 4060AE3	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060AC3
Size: 4	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 13-Apr-1993	Renewed: 13-Apr-2017	Bypass: Apollo/Conbraco 4010402 3/4" (H)
Shutoffs: uu,cc,mm Notes: formerly 4060A03		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060AC6
Size: 4	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-2000	Renewed: 01-Feb-2015	Bypass: Apollo/Conbraco 4010402 3/4" (H)
Shutoffs: mm[#1SOV], nnn[#2SOV]		

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060AE3
		Meters:
Size: 4	Orientation: H	(M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 13-Apr-1993	Renewed: 13-Apr-2017	Bypass: Apollo/Conbraco 4010402 3/4" (H)
Shutoffs: uu,cc,mm Notes: formerly 4060A03		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060AE6
Size: 4	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-2000	Renewed: 01-Feb-2015	Bypass: Apollo/Conbraco 4010402 3/4" (H)
Shutoffs: mm[#1SOV], nnn[#2S	OV]	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060C03
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved: Notes: model designation change	Renewed: ged to 4060CC3	Bypass:
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060C03
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to 4060CE3	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060CC3
Size: 6	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 02-Jun-1993	Renewed: 02-Jun-2017	Bypass: Apollo/Conbraco 4010402 3/4" (H)
Shutoffs: uu,cc,mm Notes: formerly 4060C03		

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060CC6
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	(M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes
Approved: 01-Feb-2000	Renewed: 01-Feb-2015	Bypass: Apollo/Conbraco 4010402 3/4" (H)
Shutoffs: mm[#1SOV], nnn[#2SOV]		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060CE3
Size : 6	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 02-Jun-1993	Renewed: 02-Jun-2017	Bypass: Apollo/Conbraco 4010402 3/4" (H)
Shutoffs: uu,cc,mm		
Notes: formerly 4060C03		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060CE6
Size : 6	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-2000	Renewed: 01-Feb-2015	Bypass: Apollo/Conbraco 4010402 3/4" (H)
Shutoffs: mm[#1SOV], nnn[#2SOV]		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060E03
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation changed t	o 4060EC3	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060E03
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060EC3
Size: 8	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 13-Apr-1993	Renewed: 13-Apr-2017	Bypass: Apollo/Conbraco 4010402 3/4" (H)
Shutoffs: uu,cc,mm Notes: formerly 4060E03		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060EC6
Size: 8	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-2000	Renewed: 01-Feb-2015	Bypass: Apollo/Conbraco 4010402 3/4" (H)
Shutoffs: mm[#1SOV], nnn[#2SOV]		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060EE3
Size: 8	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 13-Apr-1993	Renewed: 13-Apr-2017	Bypass: Apollo/Conbraco 4010402 3/4" (H)
Shutoffs: uu,cc,mm Notes: formerly 4060E03		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060EE6
Size: 8	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-2000	Renewed: 01-Feb-2015	Bypass: Apollo/Conbraco 4010402 3/4" (H)
Shutoffs: mm[#1SOV], nnn[#2SOV]		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060G03
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060G03
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation change	ed to 4060GE3	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060GC3
Size: 10	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 13-Apr-1993	Renewed: 13-Apr-2017	Bypass: Apollo/Conbraco 4010402 3/4" (H)
Shutoffs: uu,cc,mm Notes: formerly 4060G03		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060GC6
Size: 10	Orientation: H	Meters:
		(M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-2000	Renewed: 01-Feb-2015	Bypass: Apollo/Conbraco 4010402 3/4" (H)
Shutoffs: mm[#1SOV], nnn[#2SC	DV]	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060GE3
Size: 10	Orientation: H	Meters:
		(M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 12-Apr-1993	Renewed: 13-Mar-2017	Bypass: Apollo/Conbraco 4010402 3/4" (H)
Shutoffs: uu,cc,mm		
Notes: formerly 4060G03		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060GE6
Size: 10	Orientation: H	Meters:
		(M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes Bypass: Apollo/Conbrace 4010402 2/4"
Approved: 01-Feb-2000	Renewed: 01-Feb-2015	Bypass: Apollo/Conbraco 4010402 3/4" (H)
Shutoffs: mm[#1SOV], nnn[#2SC	DV]	

Type: DCDA Size: 4	Manufacturer: Apollo/Conbraco Orientation: H	Model: 4DCDA Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9 Approved: 16-Oct-2000	0.25% Pb: No Renewed: 16-Oct-2015	Spare Parts Only: Yes Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (II),mm		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4DCDA
Size: 4	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Oct-2000	Renewed: 16-Oct-2015	Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)
Shutoffs: (II),mm		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4DCDA6
Size: 4	Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Apr-2001	Renewed: 10-Apr-2016	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (mm)[#1SOV],(nnn)[#2	SOV]	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4DCDA6
Size: 4	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Apr-2001	Renewed: 10-Apr-2016	Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)
Shutoffs: (mm)[#1SOV],(nnn)[#2	2SOV]	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4DCDA7
Size: 4	Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2016	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (mm)[#1SOV], (qqq)[#2	2SOV]	

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4DCDA7
Size: 4	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Martual. 9	0.2370 I D. NO	Bypass: Apollo/Conbraco 1/2DC 1/2"
Approved: 29-Sep-2004	Renewed: 29-Sep-2016	(VU), Apollo/Conbraco W432100 1/2" (VU)
Shutoffs: (mm)[#1SOV], (qqq)[#2SOV]		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4DCDA8
Size: 4	Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2016	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (ppp),qqq		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4DCDA8
Size: 4	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2016	Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)
Shutoffs: (ppp),qqq		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4DCDAU
Size: 4	Orientation: VUVD	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Apr-2001	Renewed: 10-Apr-2016	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (II),mm		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4SG 600U
Size: 2 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation changed to E	DCDA4SGN	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4SG 600U
Size: 3	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation changed to E	DCDA4SGN	

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4SG 600U
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation of	changed to DCDA4SGN	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4SG 600U
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation c	hanged to DCDA4SGN	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4SG 600U
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation of	hanged to DCDA4SGN	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4SG-600
Size: 2 1/2	Orientation:	Meters:
Size: 2 1/2 Manual:	Orientation: 0.25% Pb: No	Meters: Spare Parts Only: No
Manual:	0.25% Pb: No Renewed:	Spare Parts Only: No
Manual: Approved:	0.25% Pb: No Renewed:	Spare Parts Only: No
Manual: Approved: Notes: model designation c	0.25% Pb: No Renewed: changed to DCDA4SG	Spare Parts Only: No Bypass:
Manual: Approved: Notes: model designation of Type: DCDA	0.25% Pb: No Renewed: changed to DCDA4SG Manufacturer: Apollo/Conbraco	Spare Parts Only: No Bypass: Model: 4SG-600
Manual: Approved: Notes: model designation of Type: DCDA Size: 2 1/2	0.25% Pb: No Renewed: changed to DCDA4SG Manufacturer: Apollo/Conbraco Orientation:	Spare Parts Only: No Bypass: Model: 4SG-600 Meters:
Manual: Approved: Notes: model designation of Type: DCDA Size: 2 1/2 Manual:	0.25% Pb: No Renewed: changed to DCDA4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Spare Parts Only: No Bypass: Model: 4SG-600 Meters: Spare Parts Only: No
Manual: Approved: Notes: model designation of Type: DCDA Size: 2 1/2 Manual: Approved:	0.25% Pb: No Renewed: changed to DCDA4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Spare Parts Only: No Bypass: Model: 4SG-600 Meters: Spare Parts Only: No
Manual: Approved: Notes: model designation of Type: DCDA Size: 2 1/2 Manual: Approved: Notes: model designation of	0.25% Pb: No Renewed: changed to DCDA4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DCDA4SG	Spare Parts Only: No Bypass: Model: 4SG-600 Meters: Spare Parts Only: No Bypass:
Manual: Approved: Notes: model designation of Type: DCDA Size: 2 1/2 Manual: Approved: Notes: model designation of Type: DCDA	0.25% Pb: No Renewed: changed to DCDA4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DCDA4SG Manufacturer: Apollo/Conbraco	Spare Parts Only: No Bypass: Model: 4SG-600 Meters: Spare Parts Only: No Bypass: Model: 4SG-600
Manual: Approved: Notes: model designation of Type: DCDA Size: 2 1/2 Manual: Approved: Notes: model designation of Type: DCDA Size: 3	0.25% Pb: No Renewed: changed to DCDA4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DCDA4SG Manufacturer: Apollo/Conbraco Orientation:	Spare Parts Only: No Bypass: Model: 4SG-600 Meters: Spare Parts Only: No Bypass: Model: 4SG-600 Meters:
Manual: Approved: Notes: model designation of Type: DCDA Size: 2 1/2 Manual: Approved: Notes: model designation of Type: DCDA Size: 3 Manual:	0.25% Pb: No Renewed: changed to DCDA4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DCDA4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Spare Parts Only: No Bypass: Model: 4SG-600 Meters: Spare Parts Only: No Bypass: Model: 4SG-600 Meters: Spare Parts Only: No
Manual: Approved: Notes: model designation of Type: DCDA Size: 2 1/2 Manual: Approved: Notes: model designation of Type: DCDA Size: 3 Manual: Approved:	0.25% Pb: No Renewed: changed to DCDA4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DCDA4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Spare Parts Only: No Bypass: Model: 4SG-600 Meters: Spare Parts Only: No Bypass: Model: 4SG-600 Meters: Spare Parts Only: No
Manual: Approved: Notes: model designation of Type: DCDA Size: 2 1/2 Manual: Approved: Notes: model designation of Type: DCDA Size: 3 Manual: Approved: Notes: model designation of	0.25% Pb: No Renewed: changed to DCDA4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DCDA4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DCDA4SG	Spare Parts Only: No Bypass: Model: 4SG-600 Meters: Spare Parts Only: No Bypass: Model: 4SG-600 Meters: Spare Parts Only: No Bypass:
Manual: Approved: Notes: model designation of Type: DCDA Size: 2 1/2 Manual: Approved: Notes: model designation of Type: DCDA Size: 3 Manual: Approved: Notes: model designation of Type: DCDA	0.25% Pb: No Renewed: changed to DCDA4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DCDA4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DCDA4SG Manufacturer: Apollo/Conbraco	Spare Parts Only: No Bypass: Model: 4SG-600 Meters: Spare Parts Only: No Bypass: Model: 4SG-600 Meters: Spare Parts Only: No Bypass: Model: 4SG-600

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4SG-600
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation of		-,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4SG-600
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation of	hanged to DCDA4SG	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4SG-600
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation of	hanged to DCDA4SG	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4SG-600
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation o	hanged to DCDA4SG	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4SG-600
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation of	hanged to DCDA4SG	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4SG-600
	Manufacturer: Apollo/Conbraco Orientation:	Model: 4SG-600 Meters:
Type: DCDA Size: 8 Manual:		

Type: DCDA Size: 6	Manufacturer: Apollo/Conbraco Orientation: H	Model: 6DCDA Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Oct-2000	Renewed: 16-Oct-2015	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (II),mm		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 6DCDA
Size: 6	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Oct-2000	Renewed: 16-Oct-2015	Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)
Shutoffs: (II),mm		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 6DCDA6
Size: 6	Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Apr-2001	Renewed: 10-Apr-2016	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (mm)[#1SOV],(nnn)[#2	2SOV]	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 6DCDA6
Size: 6	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Apr-2001	Renewed: 10-Apr-2016	Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)
Shutoffs: (mm)[#1SOV],(nnn)[#2	2SOV]	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 6DCDA7
Size: 6	Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2016	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (mm)[#1SOV], (qqq)[#2	2SOV]	

	Manufacturer Analla/Contraca	Model: CDCD47
Type: DCDA Size: 6	Manufacturer: Apollo/Conbraco Orientation: VU	
Manual: 9	0.25% Pb: No	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes
Mariual. 9	0.23 % FD. NO	Bypass: Apollo/Conbraco 1/2DC 1/2"
Approved: 29-Sep-2004	Renewed: 29-Sep-2016	(VU), Apollo/Conbraco W432100 1/2" (VU)
Shutoffs: (mm)[#1SOV], (qqq)[#	2SOV]	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 6DCDA8
Size: 6	Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2016	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (ppp),qqq		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 6DCDA8
Size: 6	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
		Bypass: Apollo/Conbraco 1/2DC 1/2"
Approved: 29-Sep-2004	Renewed: 29-Sep-2016	(VU), Apollo/Conbraco W432100 1/2" (VU)
Shutoffs: (ppp),qqq		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 6DCDAU
Size: 6	Orientation: VUVD	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Apr-2001	Renewed: 10-Apr-2016	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (II),mm		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 8DCDA
Size: 8	Orientation: H	Meters: (M),F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Jan-2003	Renewed: 16-Jan-2015	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (mm),ll		

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 8DCDA
Size: 8	Orientation: VU	Meters: (M),F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Jan-2003	Renewed: 16-Jan-2015	Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)
Shutoffs: (mm),ll		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 8DCDA7
Size: 8	Orientation: H	Meters: (M),F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2016	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (mm)[#1SOV], (qqq)[#	2SOV]	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 8DCDA7
Size: 8	Orientation: VU	Meters: (M),F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2016	Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)
Shutoffs: (mm)[#1SOV], (qqq)[#	2SOV]	(10)
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 8DCDA8
Size: 8	Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2016	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (ppp),qqq		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 8DCDA8
Size: 8	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2016	Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)
Shutoffs: (ppp),qqq		< -/

Type: DCDA Manufacturer: Apollo/Conbraco Model: DCDA4S Size: 10 Orientation: H Meters: (M),F,G,H,I,J,K,L,N,O,P,Q 0.25% Pb: No Spare Parts Only: No Manual: 9 Bypass: Apollo/Conbraco 1/2DC 1/2" Approved: 16-Jan-2003 Renewed: 16-Jan-2015 (H), Apollo/Conbraco W432100 1/2" (H) Shutoffs: (mm),II, xxxxx, zzzzz, bbbbbb, cccccc Notes: formerly 10DCDA Type: DCDA Manufacturer: Apollo/Conbraco Model: DCDA4S Size: 10 Orientation: VU Meters: (M),F,G,H,I,J,K,L,N,O,P,Q Manual: 9 0.25% Pb: No Spare Parts Only: No Bypass: Apollo/Conbraco 1/2DC 1/2" Renewed: 16-Jan-2015 (VU), Apollo/Conbraco W432100 1/2" Approved: 16-Jan-2003 (VU)Shutoffs: (mm), II, xxxxx, zzzzz, bbbbbb, cccccc Notes: formerly 10DCDA Type: DCDA Model: DCDA4SG Manufacturer: Apollo/Conbraco Size: 2 1/2 **Orientation: H** Meters: (M),E,F,G,H,I,J,K,L,M,N,O,P,Q Manual: 9 0.25% Pb: No Spare Parts Only: No Bypass: Apollo/Conbraco 4S103 1/2" Approved: 18-Oct-2007 Renewed: 18-Oct-2016 (H), Apollo/Conbraco W432100 1/2" (H) Shutoffs: (yyy)ppp,qqq,ttt,xxxxx,yyyyy,zzzzz,aaaaaaa Notes: formerly 4SG-600 Type: DCDA Manufacturer: Apollo/Conbraco Model: DCDA4SG Size: 2 1/2 Orientation: VU Meters: (M), E, F, G, H, I, J, K, L, M, N, O, P, Q 0.25% Pb: No Manual: 9 Spare Parts Only: No Bypass: Apollo/Conbraco 4S103 1/2" (VU), Apollo/Conbraco W432100 1/2" Approved: 18-Oct-2007 Renewed: 18-Oct-2016 (V) Shutoffs: (yyy)ppp,qqq,ttt,xxxx,yyyyy,zzzz,aaaaaa Notes: formerly 4SG-600 Type: DCDA Manufacturer: Apollo/Conbraco Model: DCDA4SG Size: 3 Orientation: H Meters: (M), E, F, G, H, I, J, K, L, M, N, O, P, Q Manual: 9 0.25% Pb: No Spare Parts Only: No Bypass: Apollo/Conbraco 4S103 1/2" Approved: 18-Oct-2007 Renewed: 18-Oct-2016 (H), Apollo/Conbraco W432100 1/2" (H)

Shutoffs: (yyy)ppp,qqq,ttt,xxxxx,yyyyy,zzzzz,aaaaaaa Notes: formerly 4SG-600

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDA4SG
Size: 3	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Oct-2007	Renewed: 18-Oct-2016	Bypass: Apollo/Conbraco 4S103 1/2" (VU), Apollo/Conbraco W432100 1/2" (V)
Shutoffs: (yyy)ppp,qqq,ttt,xxxxx	,yyyyy,zzzz,aaaaaa	
Notes: formerly 4SG-600		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDA4SG
Size: 4	Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Oct-2007	Renewed: 18-Oct-2016	Bypass: Apollo/Conbraco 4S103 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (yyy)ppp,qqq,ttt,xxxxx	,yyyyy,zzzz,aaaaaa	
Notes: formerly 4SG-600		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDA4SG
Size: 4	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Oct-2007	Renewed: 18-Oct-2016	Bypass: Apollo/Conbraco 4S103 1/2" (VU), Apollo/Conbraco W432100 1/2" (V)
Shutoffs: (yyy)ppp,qqq,ttt,xxxxx	.vvvv.zzzz.aaaaaa	()
Notes: formerly 4SG-600		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDA4SG
Size: 6	Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Oct-2007	Renewed: 18-Oct-2016	Bypass: Apollo/Conbraco 4S103 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (yyy)ppp,qqq,ttt,xxxx	,yyyyy,zzzz,aaaaaa	
Notes: formerly 4SG-600		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDA4SG
Size: 6	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Oct-2007	Renewed: 18-Oct-2016	Bypass: Apollo/Conbraco 4S103 1/2" (VU), Apollo/Conbraco W432100 1/2" (V)
Shutoffs: (yyy)ppp,qqq,ttt,xxxxx	,yyyyy,zzzz,aaaaaa	· ·

Notes: formerly 4SG-600

Type: DCDA Manufacturer: Apollo/Conbraco Model: DCDA4SG Size: 8 Orientation: H Meters: (M),E,F,G,H,I,J,K,L,M,N,O,P,Q 0.25% Pb: No Spare Parts Only: No Manual: 9 Bypass: Apollo/Conbraco 4S103 1/2" Approved: 18-Oct-2007 Renewed: 18-Oct-2016 (H), Apollo/Conbraco W432100 1/2" (H) Shutoffs: (yyy)ppp,qqq,ttt,xxxxx,yyyyy,zzzzz,aaaaaaa Notes: formerly 4SG-600 Type: DCDA Manufacturer: Apollo/Conbraco Model: DCDA4SG Size: 8 Orientation: VU Meters: (M),E,F,G,H,I,J,K,L,M,N,O,P,Q Manual: 9 0.25% Pb: No Spare Parts Only: No Bypass: Apollo/Conbraco 4S103 1/2" Renewed: 18-Oct-2016 (VU), Apollo/Conbraco W432100 1/2" Approved: 18-Oct-2007 (V) Shutoffs: (yyy)ppp,qqq,ttt,xxxxx,yyyyy,zzzzz,aaaaaaa Notes: formerly 4SG-600 Type: DCDA Manufacturer: Apollo/Conbraco Model: DCDA4SGN Size: 2 1/2 Orientation: VUVD Meters: (M),E,F,G,H,I,J,K,L,M,N,O,P,Q Manual: 9 0.25% Pb: No Spare Parts Only: Yes Bypass: Apollo/Conbraco 4S103 1/2" Approved: 18-Oct-2007 Renewed: 18-Oct-2016 (H), Apollo/Conbraco W432100 1/2" (H) Shutoffs: (yyy)ppp,qqq,ttt Notes: formerly 4SG 600U Type: DCDA Manufacturer: Apollo/Conbraco Model: DCDA4SGN **Size:** 3 Orientation: VUVD Meters: (M), E, F, G, H, I, J, K, L, M, N, O, P, Q 0.25% Pb: No Manual: 9 Spare Parts Only: Yes Bypass: Apollo/Conbraco 4S103 1/2" Approved: 18-Oct-2007 Renewed: 18-Oct-2016 (H), Apollo/Conbraco W432100 1/2" (H) Shutoffs: (yyy)ppp,qqq,ttt Notes: formerly 4SG 600U Type: DCDA Manufacturer: Apollo/Conbraco Model: DCDA4SGN Size: 4 Orientation: VUVD Meters: (M), E, F, G, H, I, J, K, L, M, N, O, P, Q 0.25% Pb: No Manual: 9 Spare Parts Only: Yes Bypass: Apollo/Conbraco 4S103 1/2" Approved: 18-Oct-2007 Renewed: 18-Oct-2016 (H), Apollo/Conbraco W432100 1/2" (H) Shutoffs: (yyy)ppp,qqq,ttt Notes: formerly 4SG 600U

Type: DCDA Size: 6 Manual: 9	Manufacturer: Apollo/Conbraco Orientation: VUVD 0.25% Pb: No	Model: DCDA4SGN Meters: (M),E,F,G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: Yes
Approved: 18-Oct-2007	Renewed: 18-Oct-2016	Bypass: Apollo/Conbraco 4S103 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (yyy)ppp,qqq,ttt Notes: formerly 4SG 600U		(,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDA4SGN
Size: 8	Orientation: VUVD	Meters: (M),E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Oct-2007	Renewed: 18-Oct-2016	Bypass: Apollo/Conbraco 4S103 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (yyy)ppp,qqq,ttt Notes: formerly 4SG 600U		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4A
		Meters: (P),G,H,I,J,K,L,M,N,O,Q
Size: 2 1/2	Orientation: H	
Size: 2 1/2 Manual: 10	Orientation: H 0.25% Pb: Yes	Spare Parts Only: No
Manual: 10 Approved: 30-Oct-2013	0.25% Pb: Yes	Spare Parts Only: No
Manual: 10 Approved: 30-Oct-2013	0.25% Pb: Yes Renewed: 30-Oct-2016	Spare Parts Only: No
Manual: 10 Approved: 30-Oct-2013 Shutoffs: (yyy), cccc, dddd, mmm	0.25% Pb: Yes Renewed: 30-Oct-2016 nm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa	Spare Parts Only: No Bypass: Apollo DCLF4A 1/2" (H)
Manual: 10 Approved: 30-Oct-2013 Shutoffs: (yyy), cccc, dddd, mmm Type: DCDA	0.25% Pb: Yes Renewed: 30-Oct-2016 nm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa Manufacturer: Apollo/Conbraco	Spare Parts Only: No Bypass: Apollo DCLF4A 1/2" (H) Model: DCDALF4A
Manual: 10 Approved: 30-Oct-2013 Shutoffs: (yyy), cccc, dddd, mmm Type: DCDA Size: 2 1/2	0.25% Pb: Yes Renewed: 30-Oct-2016 nm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa Manufacturer: Apollo/Conbraco Orientation: VU	Spare Parts Only: No Bypass: Apollo DCLF4A 1/2" (H) Model: DCDALF4A Meters: (P),G,H,I,J,K,L,M,N,O,Q
Manual: 10 Approved: 30-Oct-2013 Shutoffs: (yyy), cccc, dddd, mmm Type: DCDA Size: 2 1/2 Manual: 10 Approved: 30-Oct-2013	0.25% Pb: Yes Renewed: 30-Oct-2016 nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: Yes	Spare Parts Only: No Bypass: Apollo DCLF4A 1/2" (H) Model: DCDALF4A Meters: (P),G,H,I,J,K,L,M,N,O,Q Spare Parts Only: No
Manual: 10 Approved: 30-Oct-2013 Shutoffs: (yyy), cccc, dddd, mmm Type: DCDA Size: 2 1/2 Manual: 10 Approved: 30-Oct-2013 Shutoffs: (yyy), cccc, dddd, mmm	0.25% Pb: Yes Renewed: 30-Oct-2016 nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: Yes Renewed: 30-Oct-2016 nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	Spare Parts Only: No Bypass: Apollo DCLF4A 1/2" (H) Model: DCDALF4A Meters: (P),G,H,I,J,K,L,M,N,O,Q Spare Parts Only: No
Manual: 10 Approved: 30-Oct-2013 Shutoffs: (yyy), cccc, dddd, mmm Type: DCDA Size: 2 1/2 Manual: 10 Approved: 30-Oct-2013	0.25% Pb: Yes Renewed: 30-Oct-2016 nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: Yes Renewed: 30-Oct-2016	Spare Parts Only: No Bypass: Apollo DCLF4A 1/2" (H) Model: DCDALF4A Meters: (P),G,H,I,J,K,L,M,N,O,Q Spare Parts Only: No Bypass: Apollo DCLF4A 1/2" (VU) Model: DCDALF4A
Manual: 10 Approved: 30-Oct-2013 Shutoffs: (yyy), cccc, dddd, mmm Type: DCDA Size: 2 1/2 Manual: 10 Approved: 30-Oct-2013 Shutoffs: (yyy), cccc, dddd, mmm Type: DCDA	0.25% Pb: Yes Renewed: 30-Oct-2016 nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: Yes Renewed: 30-Oct-2016 nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa Manufacturer: Apollo/Conbraco	Spare Parts Only: No Bypass: Apollo DCLF4A 1/2" (H) Model: DCDALF4A Meters: (P),G,H,I,J,K,L,M,N,O,Q Spare Parts Only: No Bypass: Apollo DCLF4A 1/2" (VU)
Manual: 10 Approved: 30-Oct-2013 Shutoffs: (yyy), cccc, dddd, mmm Type: DCDA Size: 2 1/2 Manual: 10 Approved: 30-Oct-2013 Shutoffs: (yyy), cccc, dddd, mmm Type: DCDA Size: 3 Manual: 10	0.25% Pb: Yes Renewed: 30-Oct-2016 nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: Yes Renewed: 30-Oct-2016 nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: Yes	Spare Parts Only: No Bypass: Apollo DCLF4A 1/2" (H) Model: DCDALF4A Meters: (P),G,H,I,J,K,L,M,N,O,Q Spare Parts Only: No Bypass: Apollo DCLF4A 1/2" (VU) Model: DCDALF4A Meters: (P),G,H,I,J,K,L,M,N,O,Q Spare Parts Only: No
Manual: 10 Approved: 30-Oct-2013 Shutoffs: (yyy), cccc, dddd, mmm Type: DCDA Size: 2 1/2 Manual: 10 Approved: 30-Oct-2013 Shutoffs: (yyy), cccc, dddd, mmm Type: DCDA Size: 3 Manual: 10 Approved: 30-Oct-2013	0.25% Pb: Yes Renewed: 30-Oct-2016 nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: Yes Renewed: 30-Oct-2016 nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa Manufacturer: Apollo/Conbraco Orientation: H	Spare Parts Only: No Bypass: Apollo DCLF4A 1/2" (H) Model: DCDALF4A Meters: (P),G,H,I,J,K,L,M,N,O,Q Spare Parts Only: No Bypass: Apollo DCLF4A 1/2" (VU) Model: DCDALF4A Meters: (P),G,H,I,J,K,L,M,N,O,Q
Manual: 10 Approved: 30-Oct-2013 Shutoffs: (yyy), cccc, dddd, mmm Type: DCDA Size: 2 1/2 Manual: 10 Approved: 30-Oct-2013 Shutoffs: (yyy), cccc, dddd, mmm Type: DCDA Size: 3 Manual: 10 Approved: 30-Oct-2013 Shutoffs: (yyy), cccc, dddd, mmm	0.25% Pb: Yes Renewed: 30-Oct-2016 nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: Yes Renewed: 30-Oct-2016 nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: Yes Renewed: 30-Oct-2016 nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	Spare Parts Only: No Bypass: Apollo DCLF4A 1/2" (H) Model: DCDALF4A Meters: (P),G,H,I,J,K,L,M,N,O,Q Spare Parts Only: No Bypass: Apollo DCLF4A 1/2" (VU) Model: DCDALF4A Meters: (P),G,H,I,J,K,L,M,N,O,Q Spare Parts Only: No
Manual: 10 Approved: 30-Oct-2013 Shutoffs: (yyy), cccc, dddd, mmm Type: DCDA Size: 2 1/2 Manual: 10 Approved: 30-Oct-2013 Shutoffs: (yyy), cccc, dddd, mmm Type: DCDA Size: 3 Manual: 10 Approved: 30-Oct-2013	0.25% Pb: Yes Renewed: 30-Oct-2016 nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: Yes Renewed: 30-Oct-2016 nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: Yes Renewed: 30-Oct-2016	Spare Parts Only: No Bypass: Apollo DCLF4A 1/2" (H) Model: DCDALF4A Meters: (P),G,H,I,J,K,L,M,N,O,Q Spare Parts Only: No Bypass: Apollo DCLF4A 1/2" (VU) Model: DCDALF4A Meters: (P),G,H,I,J,K,L,M,N,O,Q Spare Parts Only: No Bypass: Apollo DCLF4A 1/2" (H) Model: DCDALF4A
Manual: 10 Approved: 30-Oct-2013 Shutoffs: (yyy), cccc, dddd, mmm Type: DCDA Size: 2 1/2 Manual: 10 Approved: 30-Oct-2013 Shutoffs: (yyy), cccc, dddd, mmm Type: DCDA Size: 3 Manual: 10 Approved: 30-Oct-2013 Shutoffs: (yyy), cccc, dddd, mmm Type: DCDA	0.25% Pb: Yes Renewed: 30-Oct-2016 nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: Yes Renewed: 30-Oct-2016 nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: Yes Renewed: 30-Oct-2016 nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa Manufacturer: Apollo/Conbraco	Spare Parts Only: No Bypass: Apollo DCLF4A 1/2" (H) Model: DCDALF4A Meters: (P),G,H,I,J,K,L,M,N,O,Q Spare Parts Only: No Bypass: Apollo DCLF4A 1/2" (VU) Model: DCDALF4A Meters: (P),G,H,I,J,K,L,M,N,O,Q Spare Parts Only: No Bypass: Apollo DCLF4A 1/2" (H)

Type: DCDA Manufacturer: Apollo/Conbraco Size: 4 Orientation: H 0.25% Pb: Yes **Manual:** 10 Approved: 24-Jun-2013 Renewed: 24-Jun-2016 Shutoffs: (yyy), cccc, dddd, mmmm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa

Model: DCDALF4A Meters: (P),G,H,I,J,K,L,M,N,O,Q Spare Parts Only: No Bypass: Apollo DCLF4A 1/2" (H)

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4A	
Size: 4	Orientation: VU	Meters: (P),G,H,I,J,K,L,M,N,O,Q	
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 24-Jun-2013	Renewed: 24-Jun-2016	Bypass: Apollo DCLF4A 1/2" (VU)	
Shutoffs: (yyy), cccc, dddd, mmmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa			

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4A
Size: 6	Orientation: H	Meters: (P),G,H,I,J,K,L,M,N,O,Q
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 24-Jun-2013	Renewed: 24-Jun-2016	Bypass: Apollo DCLF4A 1/2" (H)
Shutoffs: (yyy), cccc, dddd, mmmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa		

Type: DCDA Manufacturer: Apollo/Conbraco Size: 6 Orientation: VU 0.25% Pb: Yes **Manual:** 10 Approved: 24-Jun-2013 Renewed: 24-Jun-2016 Shutoffs: (yyy), cccc, dddd, mmmm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa

Model: DCDALF4A Meters: (P),G,H,I,J,K,L,M,N,O,Q Spare Parts Only: No Bypass: Apollo DCLF4A 1/2" (VU)

Type: DCDA Manufacturer: Apollo/Conbraco Size: 8 Orientation: H 0.25% Pb: Yes **Manual:** 10 Approved: 15-May-2014 **Renewed:** 15-May-2017 Shutoffs: (yyy), cccc, dddd, mmmm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa

Model: DCDALF4A Meters: (P),G,H,I,J,K,L,M,N,O,Q Spare Parts Only: No Bypass: Apollo DCLF4A 1/2" (H)

Type: DCDA Manufacturer: Apollo/Conbraco Size: 8 Orientation: VU 0.25% Pb: Yes **Manual:** 10 Approved: 15-May-2014 Renewed: 15-May-2017 Shutoffs: (yyy), cccc, dddd, mmmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa

Model: DCDALF4A Meters: (P),G,H,I,J,K,L,M,N,O,Q Spare Parts Only: No Bypass: Apollo DCLF4A 1/2" (VU)

Type: DCDA Size: 2 1/2 **Manual:** 10 Approved: 10-Jun-2014

Manufacturer: Apollo/Conbraco Orientation: VUVD 0.25% Pb: Yes Renewed: 10-Jun-2017 Shutoffs: (yyy), cccc, dddd, mmmm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa

Model: DCDALF4AN Meters: (P),G,H,I,J,K,L,M,N,O,Q Spare Parts Only: No Bypass: Apollo DCLF4A 1/2" (H)

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4AN	
Size: 3	Orientation: VUVD	Meters: (P),G,H,I,J,K,L,M,N,O,Q	
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 08-Apr-2014	Renewed: 08-Apr-2017	Bypass: Apollo DCLF4A 1/2" (H)	
Shutoffs: (yyy), cccc, dddd, mmmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa			

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4AN	
Size: 4	Orientation: VUVD	Meters: (P),G,H,I,J,K,L,M,N,O,Q	
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 23-Jan-2014	Renewed: 23-Jan-2017	Bypass: Apollo DCLF4A 1/2" (H)	
Shutoffs: (yyy), cccc, dddd, mmmm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa			

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4AN
Size: 6	Orientation: VUVD	Meters: (P),G,H,I,J,K,L,M,N,O,Q
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 10-Jun-2014	Renewed: 10-Jun-2017	Bypass: Apollo DCLF4A 1/2" (H)
Shutoffs: (yyy), cccc, dddd, mmmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa		

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4AN
Size: 8	Orientation: VUVD	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Mar-2014	Renewed: 14-Mar-2017	Bypass:
Shutoffs: (yyy), cccc, dddd, mmmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa		

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4AR
Size: 2 1/2	Orientation: H	Meters: (M),G,H,I,J,K,L,N,O,Q
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Nov-2015	Renewed:	Bypass: Apollo/Conbraco DCLF4A 1/2" (H)

Shutoffs: (cccc), dddd, mmmm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa

Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 34" and max. 47 1/8"

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4AR
Size: 2 1/2	Orientation: VU	Meters: (M),G,H,I,J,K,L,N,O,Q
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Nov-2015	Renewed:	Bypass: Apollo/Conbraco DCLF4A 1/2" (VU)

Shutoffs: (cccc), dddd, mmmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa

Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 34" and max. 47 1/8"

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4AR
Size: 3	Orientation: H	Meters: (M),G,H,I,J,K,L,N,O,Q
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Nov-2015	Renewed:	Bypass: Apollo/Conbraco DCLF4A 1/2" (H)

Shutoffs: (cccc), dddd, mmmm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa

Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 35" and max. 48 1/8"

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4AR
Size: 3	Orientation: VU	Meters: (M),G,H,I,J,K,L,N,O,Q
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Nov-2015	Renewed:	Bypass: Apollo/Conbraco DCLF4A 1/2" (VU)

Shutoffs: (cccc), dddd, mmmm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa

Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 35" and max. 48 1/8"

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4AR
Size: 4	Orientation: H	Meters: (M),G,H,I,J,K,L,N,O,Q
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Sep-2015	Renewed:	Bypass: Apollo/Conbraco DCLF4A 1/2" (H)

Shutoffs: (cccc), dddd, mmmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa

Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 37 3/8" and max. 62 1/4"

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4AR
Size: 4	Orientation: VU	Meters: (M),G,H,I,J,K,L,N,O,Q
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Sep-2015	Renewed:	Bypass: Apollo/Conbraco DCLF4A 1/2" (VU)
Shutoffs: (cccc) dddd mmmm nnnn yyyyy ywywy 27777 222222		

Shutoffs: (cccc), dddd, mmmm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa

Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 37 3/8" and max. 62 1/4"

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4AR
Size: 6	Orientation: H	Meters: (M),G,H,I,J,K,L,N,O,Q
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Sep-2015	Renewed:	Bypass: Apollo/Conbraco DCLF4A 1/2" (H)

Shutoffs: (cccc), dddd, mmmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa

Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 46" and max. 71 1/4"

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4AR
Size: 6	Orientation: VU	Meters: (M),G,H,I,J,K,L,N,O,Q
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Sep-2015	Renewed:	Bypass: Apollo/Conbraco DCLF4A 1/2" (VU)

Shutoffs: (cccc), dddd, mmmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa

Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 46" and max. 71 1/4"

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4AR
Size: 8	Orientation: H	Meters: (M),G,H,I,J,K,L,N,O,Q
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Dec-2015	Renewed:	Bypass: Apollo/Conbraco DCLF4A 1/2" (H)

Shutoffs: (cccc), dddd, mmmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa

Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 55 3/4" and max. 86"

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4AR
Size: 8	Orientation: VU	Meters: (M),G,H,I,J,K,L,N,O,Q
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Dec-2015	Renewed:	Bypass: Apollo/Conbraco DCLF4A 1/2" (VU)

Shutoffs: (cccc), dddd, mmmm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa

Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 55 3/4" and max. 86"

Type: DCDA	Manufacturer: Conbraco	Model:
Size:	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: See Apollo/Conbraco		

Type: DCDA	Manufacturer: Febco	Model: 806 Type YD
Size: 3	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chan	ged to 806YD	
Type: DCDA	Manufacturer: Febco	Model: 806 Type YD
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chan	ged to 806YD	
Type: DCDA	Manufacturer: Febco	Model: 806 Type YD
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chan	ged to 806YD	
Type: DCDA	Manufacturer: Febco	Model: 806 Type YD
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chan	ged to 806YD	
Type: DCDA	Manufacturer: Febco	Model: 806 Type YD
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chan	ged to 806YD	
Type: DCDA	Manufacturer: Febco	Model: 806YD
Size: 3	Orientation: H	Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 26-Sep-1988	Renewed: 26-Sep-2015	Bypass: Febco 805Y 3/4" (H), Febco 805YB 3/4"(H)
Shutoffs: (ff),mm,oo,pp,uu,zzz, Notes: formerly 806 Type YD	ffff,gggg	

Type: DCDA	Manufacturer: Febco	Model: 806YD
Size: 4	Orientation: H	Meters: (F),A,B,C,D,E,G,H,I,J,K,L,M,N,O,P,Q
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Jul-1987	Renewed: 10-Jul-2017	Bypass: Febco 805Y 3/4" (H), Febco 805YB 3/4"(H)
Shutoffs: (ff),mm,oo,pp,uu,zzz,ffff,gggg Notes: formerly 806 Type YD		
Type: DCDA	Manufacturer: Febco	Model: 806YD
Size : 6	Orientation: H	Meters: (F),A,B,C,D,E,G,H,I,J,K,L,M,N,O,P,Q
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Jul-1987	Renewed: 10-Jul-2017	Bypass: Febco 805Y 3/4" (H), Febco 805YB 3/4"(H)
Shutoffs: (ff),mm,oo,pp,uu,zzz,ffff,gggg Notes: formerly 806 Type YD		
Type: DCDA	Manufacturer: Febco	Model: 806YD
Size: 8	Orientation: H	Meters: (F),A,B,C,D,E,G,H,I,J,K,L,M,N,O,P,Q
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Jul-1987	Renewed: 10-Jul-2017	Bypass: Febco 805Y 3/4" (H), Febco 805YB 3/4"(H)
Shutoffs: (ff),mm,oo,pp,uu,zzz,ffff,gggg Notes: formerly 806 Type YD		
Type: DCDA	Manufacturer: Febco	Model: 806YD
Size: 10	Orientation: H	Meters: (F),A,B,C,D,E,G,H,I,J,K,L,M,N,O,P,Q
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Jul-1987	Renewed: 10-Jul-2017	Bypass: Febco 805Y 3/4" (H), Febco 805YB 3/4"(H)
Shutoffs: (ff),mm,oo,pp,uu,zzz,ffff,gggg	l	
Notes: formerly 806 Type YD		
Type: DCDA	Manufacturer: Febco	Model: 856
Size: 2 1/2	Orientation: H	Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 19-Mar-1997	Renewed: 19-Mar-2015	Bypass: Febco 805YB 3/4" (H)

Shutoffs: (ff),mm,oo,pp,uu,zzz,cccc,ffff,gggg

Type: DCDA

Size: 2 1/2

Manual: 8 Approved: 05-Jan-2000 Shutoffs: (ff),mm,oo,pp,uu,zzz,cccc,ffff,gggg

Type: DCDA

Size: 3

Size: 3

Manual: 8

Manual: 8 Approved: 19-Mar-1997 Shutoffs: (ff),mm,oo,pp,uu,zzz,cccc,ffff,gggg

Manufacturer: Febco **Orientation:** H

Manufacturer: Febco

Renewed: 05-Jan-2017

Orientation: VU

0.25% Pb: No

0.25% Pb: No Renewed: 19-Mar-2015

Model: 856 Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (VU)

Model: 856 Meters: (M), B, C, D, E, F, G, H, I, J, K, L, N, O, P, Q Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (H)

Type: DCDA Manufacturer: Febco Model: 856 Meters: Orientation: VU (M), B, C, D, E, F, G, H, I, J, K, L, N, O, P, Q 0.25% Pb: No Spare Parts Only: Yes Approved: 05-Jan-2000 Renewed: 05-Jan-2017 Bypass: Febco 805YB 3/4" (VU) Shutoffs: (ff),mm,oo,pp,uu,zzz,cccc,ffff,gggg

Type: DCDA Manufacturer: Febco Model: 856 Meters: Orientation: H Size: 4 (M), B, C, D, E, F, G, H, I, J, K, L, N, O, P, Q Manual: 8 0.25% Pb: No Spare Parts Only: Yes Approved: 04-May-1994 Renewed: 04-May-2015 Bypass: Febco 805YB 3/4" (H) Shutoffs: (ff),mm,oo,pp,uu,nnn,zzz,cccc,ffff,gggg

Type: DCDA	Manufacturer: Febco		
Size: 4	Orientation: VU		
Manual: 8	0.25% Pb: No		
Approved: 16-Apr-1996	Renewed: 16-Apr-2017		
Shutoffs: (ff),mm,oo,pp,uu,nnn,zzz,cccc,ffff,gggg			

Type: DCDA Manufacturer: Febco Size: 6 **Orientation: H** 0.25% Pb: No Manual: 8 Approved: 04-May-1994 Renewed: 04-May-2015 Shutoffs: (ff),mm,oo,pp,uu,nnn,zzz,cccc,ffff,gggg

Model: 856 Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (H)

(M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q

Bypass: Febco 805YB 3/4" (VU)

Spare Parts Only: Yes

Model: 856 Meters:

2017 © University of Southern California

Type: DCDA

 Size: 6
 Orientation: VU

 Manual: 8
 0.25% Pb: No

 Approved: 16-Apr-1996
 Renewed: 16-Apr-2017

 Shutoffs: (ff),mm,oo,pp,uu,nnn,zzz,cccc,ffff,gggg

Type: DCDA

Size: 8

Manual: 80.25% PlApproved: 04-Oct-1995RenewedShutoffs: (ff),mm,oo,pp,uu,nnn,zzz,cccc,ffff,gggg

Manufacturer: Febco Orientation: H

Manufacturer: Febco

0.25% Pb: No Renewed: 04-Oct-2016 Model: 856 Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (VU)

Model: 856 Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (H)

Type: DCDAManufacturer: FebcoModel: 856Size: 8Orientation: VUMeters:
(M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,QManual: 80.25% Pb: NoSpare Parts Only: YesApproved: 05-Jan-2000Renewed: 05-Jan-2017Bypass: Febco 805YB 3/4" (VU)Shutoffs: (ff),mm,oo,pp,uu,nnn,zzz,cccc,ffff,gggg

Type: DCDAManufacturer: FebcoSize: 2 1/2Orientation: HManual: 90.25% Pb: NoApproved: 22-May-2012Renewed: 22-May-2015Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

 Type: DCDA
 Manufacturer: Febco

 Size: 2 1/2
 Orientation: VU

 Manual: 9
 0.25% Pb: No

 Approved: 22-May-2012
 Renewed: 22-May-2015

 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Type: DCDAManufacturer: FebcoSize: 3Orientation: HManual: 90.25% Pb: NoApproved: 22-May-2012Renewed: 22-May-2015Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (VU) Model: 856ST

Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 719QT 3/4" (H)

Model: 856ST Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 719QT 3/4" (VU)

Model: 856ST

Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 719QT 3/4" (H) Type: DCDAManufacturer: FebcoSize: 3Orientation: VUManual: 90.25% Pb: NoApproved: 22-May-2012Renewed: 22-May-2015Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

 Type: DCDA
 Manufacturer: Febco

 Size: 4
 Orientation: H

 Manual: 9
 0.25% Pb: No

 Approved: 22-May-2012
 Renewed: 22-May-2015

 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

 Type: DCDA
 Manufacturer: Febco

 Size: 4
 Orientation: VU

 Manual: 9
 0.25% Pb: No

 Approved: 22-May-2012
 Renewed: 22-May-2015

 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

 Type: DCDA
 Manufacturer: Febco

 Size: 6
 Orientation: H

 Manual: 9
 0.25% Pb: No

 Approved: 22-May-2012
 Renewed: 22-May-2015

 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Type: DCDAManufacturer: FebcoSize: 6Orientation: VUManual: 90.25% Pb: NoApproved: 09-Aug-2012Renewed: 09-Aug-2015Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Type: DCDAManufacturer: FebcoSize: 8Orientation: HManual: 90.25% Pb: NoApproved: 22-May-2012Renewed: 22-May-2015Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Type: DCDAManuSize: 8OrierManual: 90.25%Approved: 09-Aug-2012ReneShutoffs: (II) mm oo pp.777 cocc dddd eeee ff

Manufacturer: Febco Orientation: VU 0.25% Pb: No Renewed: 09-Aug-2015

Shutoffs: (II), mm, oo, pp, zzz, cccc, ddd, eeee, ffff, gggg, nnnnn

Model: 856ST Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 719QT 3/4" (VU)

Model: 856ST Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 719QT 3/4" (H)

Model: 856ST Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 719QT 3/4" (VU)

Model: 856ST Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 719QT 3/4" (H)

Model: 856ST Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 719QT 3/4" (H)

Model: 856ST Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 719QT 3/4" (H)

Model: 856ST Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 719QT 3/4" (H)

Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Sep-2013	Renewed: 03-Sep-2016	Bypass: Watts 719QT 3/4" (H)
Shutoffs: (II),mm,oo,pp,zzz,cccc,ddd	dd,eeee,ffff,gggg,nnnnn	
Type: DCDA	Manufacturer: Febco	Model: 858
Size: 2	Orientation: H	Meters: (H),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Aug-2006 Shutoffs: bbb,jjjj	Renewed: 01-Aug-2015	Bypass: Watts 007QT 1/2" (H)
Type: DCDA	Manufacturer: Febco	Model: 858
Size: 2	Orientation: VU	Meters: (H),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Aug-2006 Shutoffs: bbb,jjjj	Renewed: 01-Aug-2015	Bypass: Watts 007QT 1/2" (VU)
Type: DCDA	Manufacturer: Febco	Model: 858
Size: 2 1/2	Orientation: H	Meters: (H),D,E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Aug-2006	Renewed: 01-Aug-2015	Bypass: Watts 007M2QT 3/4" (H), Watts 007M1QT 3/4" (H)

 Size: 2 1/2
 Orientation: VU

 Manual: 8
 0.25% Pb: No

 Approved: 01-Aug-2006
 Renewed: 01-Aug-2015

 Shutoffs: (pp), gg, hh,ll, mm, oo, tt, uu, zz, fff

Model: 858 Meters: (H),D,E,F,G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: Yes Bypass: Watts 007M2QT 3/4" (VU)

Type: DCDA	Manufacturer: Febco	Model: 858
Size: 3	Orientation: H	Meters: (H),D,E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Aug-2006	Renewed: 01-Aug-2015	Bypass: Watts 007M2QT 3/4" (H), Watts 007M1QT 3/4" (H)
Shutoffs: (pp), gg, hh,ll, mm, oo	, tt, uu, zz, fff	
Type: DCDA	Manufacturer: Febco	Model: 876
Size: 2 1/2	Orientation: VUVD	Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Mar-1995	Renewed: 10-Mar-2016	Bypass: Febco 805YB 3/4" (H)
Shutoffs: ff,mm,oo,pp,uu,cccc,z	zz,ffff,gggg	
Type: DCDA	Manufacturer: Febco	Model: 876
Size: 3	Orientation: VUVD	Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Mar-1995	Renewed: 10-Mar-2016	Bypass: Febco 805YB 3/4" (H)
Shutoffs: ff,mm,oo,pp,uu,cccc,z	zz,ffff,gggg	
Type: DCDA	Manufacturer: Febco	Model: 876
Size: 4	Orientation: VUVD	Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 04-May-1994	Renewed: 04-May-2015	Bypass: Febco 805YB 3/4" (H)
Shutoffs: ff,mm,oo,pp,uu,cccc,z	zz,ffff,gggg	
Type: DCDA	Manufacturer: Febco	Model: 876
Size: 6	Orientation: VUVD	Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 04-May-1994	Renewed: 04-May-2015	Bypass: Febco 805YB 3/4" (H)
Shutoffs: ff,mm,oo,pp,uu,cccc,z	zz,ffff,gggg	
Type: DCDA	Manufacturer: Febco	Model: 876
Size: 8	Orientation: VUVD	Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 24-May-1995	Renewed: 24-May-2016	Bypass: Febco 805YB 3/4" (H)
Shutoffs: ff,mm,oo,pp,uu,cccc,z	zz,ffff,gggg	

Size: 10

Manual: 8

Approved: 04-Oct-1996

Shutoffs: ff,mm,oo,pp,uu,cccc,zzz,ffff,gggg

Type: DCDA

Size: 2 1/2

Manual: 8

Manual: 8 Approved: 08-Mar-1996 **Shutoffs:** (ff),ee,ll,mm,oo,pp,tt,uu,zzz,ffff,gggg

Manufacturer: Febco

Manufacturer: Febco

Renewed: 04-Oct-2014

Orientation: VUVD

0.25% Pb: No

Orientation: VUVD 0.25% Pb: No Renewed: 08-Mar-2017 Model: 876 Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (H)

Model: 876V Meters: (M), B, C, D, E, F, G, H, I, J, K, L, N, O, P, Q Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (H)

Type: DCDA Manufacturer: Febco Size: 2 1/2 **Orientation: VUVU** 0.25% Pb: No Approved: 08-Mar-1996 Renewed: 08-Mar-2017

Shutoffs: (ff),ee,ll,mm,oo,pp,tt,uu,zzz,ffff,gggg

Type: DCDA Size: 3 Manual: 8 Approved: 08-Mar-1996

Manufacturer: Febco **Orientation: VUVD** 0.25% Pb: No Renewed: 08-Mar-2017

Shutoffs: (ff),ee,II,mm,oo,pp,tt,uu,zzz,ffff,gggg

Type: DCDA Size: 3 Manual: 8 Approved: 08-Mar-1996

Manufacturer: Febco

Orientation: VUVU

0.25% Pb: No Renewed: 08-Mar-2017

Shutoffs: (ff),ee,ll,mm,oo,pp,tt,uu,zzz,ffff,gggg

Type: DCDA Size: 4 Manual: 8 Approved: 08-Mar-1996 Shutoffs: (ff),ee,ll,mm,oo,pp,tt,uu,zzz,ffff,gggg

Manufacturer: Febco

Orientation: VUVD

0.25% Pb: No Renewed: 08-Mar-2017 Model: 876V Meters: (M), B, C, D, E, F, G, H, I, J, K, L, N, O, P, Q Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (H)

Model: 876V Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (H)

Model: 876V Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (H)

Model: 876V Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (H)

Size: 4 Manual: 8 Approved: 08-Mar-1996 Shutoffs: (ff),ee,ll,mm,oo,pp,tt,uu,zzz,ffff,gggg

Type: DCDA

Type: DCDA

Size: 6

Manual: 8

Approved: 08-Mar-1996

Size: 6

Manual: 8 Approved: 08-Mar-1996 **Shutoffs:** (ff),ee,ll,mm,oo,pp,tt,uu,zzz,ffff,gggg

Manufacturer: Febco **Orientation: VUVD**

Manufacturer: Febco

Renewed: 08-Mar-2017

Orientation: VUVU

0.25% Pb: No

0.25% Pb: No Renewed: 08-Mar-2017

Manufacturer: Febco

Renewed: 06-Jan-2017

Manufacturer: Febco

Renewed: 06-Jan-2017

Manufacturer: Febco

Renewed: 11-Jul-2015

Orientation: VUVD

0.25% Pb: No

Orientation: VUVU

0.25% Pb: No

Orientation: VUVD

0.25% Pb: No

Model: 876V Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (H)

Model: 876V Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (H)

Manufacturer: Febco Model: 876V Meters: **Orientation: VUVU** (M), B, C, D, E, F, G, H, I, J, K, L, N, O, P, Q 0.25% Pb: No Spare Parts Only: Yes Renewed: 08-Mar-2017 Bypass: Febco 805YB 3/4" (H) Shutoffs: (ff),ee,ll,mm,oo,pp,tt,uu,zzz,ffff,gggg

Type: DCDA Size: 8 Manual: 8 Approved: 06-Jan-1997

Shutoffs: (ff),mm,oo,pp,uu,zzz,ffff,gggg

Type: DCDA

Size: 8 Manual: 8 Approved: 06-Jan-1997

Shutoffs: (ff),mm,oo,pp,uu,zzz,ffff,gggg

Type: DCDA Size: 10

Manual: 8

Approved: 11-Jul-1997

Shutoffs: (ee),ff,ll,mm,oo,pp,tt,uu,zzz,ffff,gggg

Model: 876V Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (H)

Model: 876V Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (H)

Model: 876V Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (H)

Size: 10

 Manual: 8
 0.25% Pb: No

 Approved: 11-Jul-1997
 Renewed: 11-Jul-2015

 Shutoffs: (ee),ff,ll,mm,oo,pp,tt,uu,zzz,ffff,gggg

 Type: DCDA
 Manufacturer: Febco

 Size: 2 1/2
 Orientation: VUVD

 Manual: 9
 0.25% Pb: No

 Approved: 22-May-2012
 Renewed: 22-May-2015

 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Manufacturer: Febco

Orientation: VUVU

 Type: DCDA
 Manufacturer: Febco

 Size: 2 1/2
 Orientation: VUVU

 Manual: 9
 0.25% Pb: No

 Approved: 22-May-2012
 Renewed: 22-May-2015

 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

 Type: DCDA
 Manufacturer: Febco

 Size: 3
 Orientation: VUVD

 Manual: 9
 0.25% Pb: No

 Approved: 22-May-2012
 Renewed: 22-May-2015

 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

 Type: DCDA
 Manufacturer: Febco

 Size: 3
 Orientation: VUVU

 Manual: 9
 0.25% Pb: No

 Approved: 22-May-2012
 Renewed: 22-May-2015

 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

 Type: DCDA
 Manufacturer: Febco

 Size: 4
 Orientation: VUVD

 Manual: 9
 0.25% Pb: No

 Approved: 22-May-2012
 Renewed: 22-May-2015

 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Model: 876V Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (H)

Model: 876VST Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 719QT 3/4" (H)

Model: 876VST Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 719QT 3/4" (H)

Model: 876VST Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 719QT 3/4" (H)

Model: 876VST Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 719QT 3/4" (H)

Model: 876VST Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 719QT 3/4" (H)

Manufacturer: Watts

Orientation: H

Type: DCDA Manufacturer: Febco Size: 4 **Orientation: VUVU** 0.25% Pb: No Manual: 9 Approved: 22-May-2012 Renewed: 22-May-2015 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Type: DCDA Manufacturer: Febco Size: 6 **Orientation: VUVD** 0.25% Pb: No Manual: 9 Renewed: 22-May-2015 Approved: 22-May-2012 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Manufacturer: Febco Type: DCDA Size: 6 Manual: 9 Approved: 22-May-2012 Shutoffs: (II),mm,oo,pp,zzz,cccc,c

Type: DCDA Manufacturer: Febco Size: 8 Orientation: VUVD Manual: 9 0.25% Pb: No Approved: 22-May-2012 Renewed: 22-May-2015 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Type: DCDA Manufacturer: Febco Size: 8 Orientation: VUVU 0.25% Pb: No Manual: 9 Approved: 22-May-2012 Renewed: 22-May-2015 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Model: 876VST Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 719QT 3/4" (H)

> Model: 876VST Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 719QT 3/4" (H)

> Model: 876VST Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 719QT 3/4" (H)

> Model: 876VST Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 719QT 3/4" (H)

Model: 007DCDA Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007QT 1/2" (H)

Type: DCDA

Size: 2

Manual: 9 0.25% Pb: No Approved: 16-Jun-1997 Renewed: 16-Jun-2015 Shutoffs: (bbb),jjjj,rrrrr Notes: Previously Approved 8th Ed. (19 Apr 1996)

Model: 876VST Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 719QT 3/4" (H)

Orientation: VUVU	
0.25% Pb: No	
Renewed: 22-May-2015	
dddd,eeee,ffff,gggg,nnnnn	

Size: 2Orientation: VUManual: 90.25% Pb: NoApproved: 16-Jun-1997Renewed: 16-Jun-2015Shutoffs: (bbb),jjjj,rrrrrNotes: Previously Approved 8th Ed. (10 Sept 1996)

Model: 007DCDA Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007QT 1/2" (VU)

Meters: (H), D, E, F, G, I, J, K, L, M, N, O, P, Q

Bypass: Watts 007M2QT 3/4" (H),

Type: DCDA Size: 2 1/2 Manual: 8

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 11-Oct-2014

Manufacturer: Watts

Approved: 11-Oct-1993

Shutoffs: (pp),gg,hh,ll,mm,oo,tt,uu,zz,ffff,gggg

Type: DCDAManufacturer: WattsSize: 2 1/2Orientation: VUManual: 80.25% Pb: NoApproved: 27-Aug-1996Renewed: 27-Aug-2014Shutoffs: (pp),gg,hh,ll,mm,oo,tt,uu,zz,fff,gggg

Type: DCDAManSize: 3OrieManual: 80.25Approved: 19-Sep-1992Ren

Shutoffs: (pp),hh,mm,uu,zz,ffff,gggg

Type: DCDA

Size: 2

Manual: 9

Approved: 01-Sep-2009

Shutoffs: (eeeee)

Type: DCDA

Size: 2

Manual: 9 Approved: 19-Jun-2015 Shutoffs: (eeeee), bbb, jjjj,rrrrr Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 19-Sep-2016

Manufacturer: Watts

Renewed: 01-Sep-2015

Manufacturer: Watts

Orientation: H

0.25% Pb: No

Renewed:

Orientation: H

0.25% Pb: No

Model: 007DCDA Meters: (H),D,E,F,G,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M2QT 3/4" (VU)

Model: 007DCDA

Spare Parts Only: No

Watts 007M1QT 3/4" (H)

Model: 007DCDA Meters: (H),D,E,F,G,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M2QT 3/4" (H), Watts 007M1QT 3/4" (H)

Model: 007DCDA-FP Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000B 1/2" (H), Watts 007QT 1/2" (H)

Model: 007M1DCDA Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007QT 1/2" (H)

Type: DCDA Size: 2 Manual: 9 Approved: 19-Jun-2015 Shutoffs: (eeeee), bbb, jjjj,rrrrr	Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed:	Model: 007M1DCDA Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007QT 1/2" (VU)
Type: DCDA	Manufacturer: Watts	Model: 709DCDA
Size: 3	Orientation: H	Meters: (N),B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 19-Apr-1987	Renewed: 19-Apr-2017	Bypass: Watts 007QT 1/2" (H), Watts 007M1QT 3/4" (H), Watts 709QT 3/4" (H)
Shutoffs: (pp),hh,uu,zz,eee,ffff,gggg Notes: formerly 709DDC		
Type: DCDA	Manufacturer: Watts	Model: 709DCDA
Size: 4	Orientation: H	Meters: (N),A,B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Jul-1987	Renewed: 27-Jul-2017	Bypass: Watts 007QT 1/2" (H), Watts 007M1QT 3/4" (H), Watts 709QT 3/4" (H)
Shutoffs: (pp),hh,uu,zz,eee,ffff,gggg Notes: formerly 709DDC		
Type: DCDA	Manufacturer: Watts	Model: 709DCDA
Size: 4	Orientation: VU	Meters: (N),A,B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Aug-1996	Renewed: 27-Aug-2014	Bypass: Watts 007QT 1/2" (VU), Watts 007M2QT 3/4" (VU)
Shutoffs: (pp),hh,uu,zz,eee,ffff,gggg Notes: formerly 709DDC		

Type: DCDA	Manufacturer: Watts	Model: 709DCDA
Size: 6	Orientation: H	Meters:
Manuali 6	0.25% Dhy No	(N),A,B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Jul-1987	Renewed: 27-Jul-2017	Bypass: Watts 007QT 1/2" (H), Watts 007M1QT 3/4" (H), Watts 709QT 3/4" (H)
Shutoffs: (pp),hh,uu,zz,eee,ffff,g	9999	
Type: DCDA	Manufacturer: Watts	Model: 709DCDA
Size: 6	Orientation: VU	Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Dec-1996	Renewed: 05-Dec-2014	Bypass: Watts 007QT 1/2" (VU)
Shutoffs: (pp),hh,mm,uu,zz,eee	,ffff,gggg	
Type: DCDA	Manufacturer: Watts	Model: 709DCDA
C: 0	Orientations	Meters:
Size: 8	Orientation: H	(N),A,B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 19-Apr-1987	Renewed: 19-Apr-2017	Bypass: Watts 007QT 1/2" (H), Watts 007M1QT 3/4" (H), Watts 709QT 3/4" (H)
Shutoffs: (pp),hh,mm,uu,zz,eee	,ffff,gggg	
Notes: formerly 709DDC		
Type: DCDA	Manufacturer: Watts	Model: 709DCDA
Size: 8	Orientation: VU	Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Dec-1996	Renewed: 05-Dec-2014	Bypass: Watts 007QT 1/2" (VU)
Shutoffs: (pp),hh,mm,uu,zz,eee	,ffff,gggg	
Type: DCDA	Manufacturer: Watts	Model: 709DCDA
Size: 10	Orientation: H	Meters: (N),E,F,G,H,I,J,K,L,M,O,P,Q
Manual: 6	0.25% Pb : No	Spare Parts Only: No
Approved: 27-Jul-1987	Renewed: 27-Jul-2017	Bypass: Watts 007QT 1/2" (H), Watts 007M1QT 3/4" (H), Watts 709QT 3/4" (H)
Shutoffe: (nn) hh mm uu 77 000	ffff agaa	(17)

Shutoffs: (pp),hh,mm,uu,zz,eee,ffff,gggg Notes: formerly 709DDC

Size: 10

Manual: 8 C Approved: 05-Dec-1996 F Shutoffs: (pp),hh,mm,uu,zz,eee,ffff,gggg

Type: DCDAManufacturer: WattsSize: 3Orientation:Manual:0.25% Pb: NoApproved:Renewed:Notes: model designation changed to 709DCDA

Manufacturer: Watts

Renewed: 05-Dec-2014

Orientation: VU

0.25% Pb: No

Type: DCDAManufacturer: WattsSize: 4Orientation:Manual:0.25% Pb: NoApproved:Renewed:Notes: model designation changed to 709DCDA

Type: DCDAManufacturer: WattsSize: 4Orientation:Manual:0.25% Pb: NoApproved:Renewed:Notes: model designation changed to 709DCDA

Type: DCDAManufacturer: WattsSize: 6Orientation:Manual:0.25% Pb: NoApproved:Renewed:Notes: model designation changed to 709DCDA

Type: DCDAManufacturer: WattsSize: 8Orientation:Manual:0.25% Pb: NoApproved:Renewed:Notes: model designation changed to 709DCDA

Model: 709DCDA Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007QT 1/2" (VU)

Model: 709DDC Meters: Spare Parts Only: No Bypass:

Model: 709DDC Meters: Spare Parts Only: No Bypass: Type: DCDA Manufacturer: Watts Size: 10 **Orientation:** Manual: **Renewed:** Approved: Notes: model designation changed to 709DCDA

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy)

Type: DCDA Size: 3 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy)

Type: DCDA Size: 3 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy)

Type: DCDA Size: 4 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy)

Type: DCDA Size: 4 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy)

0.25% Pb: No

Manufacturer: Watts

Renewed: 06-Nov-2015

Orientation: H

0.25% Pb: No

Orientation: VU 0.25% Pb: No

Orientation: H

0.25% Pb: No

Orientation: VU

0.25% Pb: No

Orientation: H

0.25% Pb: No

Model: 709DDC Meters: Spare Parts Only: No Bypass:

Model: 757aDCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757aDCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (VU)

Model: 757aDCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757aDCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (VU)

Model: 757aDCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 06-Nov-2015 Model: 757aDCDABF **Meters:** (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (VU) Type: DCDA Size: 6 Manual: 9 Approved: 03-Nov-2004 Shutoffs: (yyy)

Type: DCDA

Size: 6 Manual: 9 Approved: 18-Jan-2005 Shutoffs: (yyy)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (zzz)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (zzz)

Type: DCDA Size: 3 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (zzz)

Type: DCDA Size: 3 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (zzz) Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 03-Nov-2016

Manufacturer: Watts Orientation: VU

0.25% Pb: No Renewed: 18-Jan-2017

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 06-Nov-2015

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 06-Nov-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 06-Nov-2015

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 06-Nov-2015 Model: 757aDCDABF Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4 (H)

Model: 757aDCDABF Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (VU)

Model: 757aDCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757aDCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (VU)

Model: 757aDCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757aDCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (VU) Type: DCDA Size: 4 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (zzz)

Type: DCDA Size: 4 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (zzz)

Type: DCDA

Size: 6

Manual: 9 Approved: 18-Jan-2005 Shutoffs: (zzz)

Type: DCDA

Size: 6

Manual: 9 Approved: 18-Jan-2005 Shutoffs: (zzz)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy) Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 06-Nov-2015

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 06-Nov-2015

Manufacturer: Watts

Orientation: H 0.25% Pb: No Renewed: 18-Jan-2017

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 18-Jan-2017

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2014 Model: 757aDCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757aDCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (VU)

Model: 757aDCDAGV Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (VU)

Model: 757aDCDAGV Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (VU)

Model: 757DCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757DCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (V) Type: DCDA Size: 3 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)

- Type: DCDA Size: 3 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)
- Type: DCDA Size: 4 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)
- Type: DCDA Size: 4 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)

Type: DCDA

Size: 6

Manual: 9 Approved: 19-Mar-2007 Shutoffs: (yyy)

Type: DCDA

Size: 6

Manual: 9 Approved: 19-Mar-2007 Shutoffs: (yyy) Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Watts

Orientation: H 0.25% Pb: No Renewed: 23-Mar-2016

Manufacturer: Watts

Orientation: VU

0.25% Pb: No Renewed: 23-Mar-2016 Model: 757DCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757DCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (V)

Model: 757DCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757DCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (V)

Model: 757DCDABF Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757DCDABF Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (VU)

Type: DCDA	Manufacturer: Watts	Model: 757DCDABF
Size: 8	Orientation: H	Meters: (N), G, H, I J, K L, M, N, O, P, Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Mar-2007 Shutoffs: (yyy)	Renewed: 09-Mar-2016	Bypass: Watts 007M3QT 3/4" (H & VU
Type: DCDA	Manufacturer: Watts	Model: 757DCDABF
Size: 8	Orientation: VU	Meters: (N), G, H, I J, K L, M, N, O, P, Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Mar-2007 Shutoffs: (yyy)	Renewed: 09-Mar-2016	Bypass: Watts 007M3QT 3/4" (H & VU
Type: DCDA	Manufacturer: Watts	Model: 757DCDABF
Size: 10	Orientation: H	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (H), Ames 2000 BM3 (H)
Shutoffs: (yyy)		
Type: DCDA	Manufacturer: Watts	Model: 757DCDABF
Size: 10	Orientation: VU	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (V), Ames 2000 BM3 (V)
Shutoffs: (yyy)		
Type: DCDA	Manufacturer: Watts	Model: 757DCDAGV
Size: 2 1/2	Orientation: H	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass: Watts 007M3QT 3/4" (H)
Shutoffs: (zzz)		
Type: DCDA	Manufacturer: Watts	Model: 757DCDAGV
C:	Orientation: VU	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Size: 2 1/2		
Size: 2 1/2 Manual: 9	0.25% Pb: No	Spare Parts Only: No

Shutoffs: (zzz)

Type: DCDA Size: 3 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (zzz)

Type: DCDA Size: 3 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (zzz)

Type: DCDA Size: 4 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (zzz)

Type: DCDA Size: 4 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (zzz)

Type: DCDA

Size: 6

Manual: 9 Approved: 19-Mar-2007 Shutoffs: (zzz)

Type: DCDA

Size: 6

Manual: 9 Approved: 19-Mar-2007 Shutoffs: (zzz) Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Watts

Orientation: H 0.25% Pb: No Renewed: 23-Mar-2016

Manufacturer: Watts

Orientation: VU

0.25% Pb: No Renewed: 23-Mar-2016 Model: 757DCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757DCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (V)

Model: 757DCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757DCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (V)

Model: 757DCDAGV Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757DCDAGV Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (VU)

Type: DCDA	Manufacturer: Watts	Model: 757DCDAGV
Size: 8	Orientation: H	Meters: (N), G, H, I J, K L, M, N, O, P, Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Mar-2007	Renewed: 09-Mar-2016	Bypass: Watts 007M3QT 3/4" (H & VL
Shutoffs: (zzz)		
Type: DCDA	Manufacturer: Watts	Model: 757DCDAGV
Size: 8	Orientation: VU	Meters: (N), G, H, I J, K L, M, N, O, P, Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Mar-2007	Renewed: 09-Mar-2016	Bypass: Watts 007M3QT 3/4" (H & VL
Shutoffs: (zzz)		
Type: DCDA	Manufacturer: Watts	Model: 757DCDAGV
Size: 10	Orientation: H	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (H), Ames 2000 BM3 (H)
Shutoffs: (zzz)		
Type: DCDA	Manufacturer: Watts	Model: 757DCDAGV
Size: 10	Orientation: VU	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (V), Ames 2000 BM3 (V)
Shutoffs: (zzz)		
Type: DCDA	Manufacturer: Watts	Model: 757NDCDABF
Size: 2 1/2	Orientation: VUVD	Meters: (N),G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass: Watts 007M3QT 3/4" (H)
Shutoffs: (yyy)		
Type: DCDA	Manufacturer: Watts	Model: 757NDCDABF
Size: 3	Orientation: VUVD	Meters: (N),G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass: Watts 007M3QT 3/4" (H)

Shutoffs: (yyy)

Type: DCDA Size: 4 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (yyy)

- Type: DCDA Size: 6 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (yyy)
- Type: DCDA Size: 8 Manual: 9 Approved: 03-Jan-2013 Shutoffs: (yyy)
- Type: DCDA Size: 10 Manual: 9

Approved: 28-May-2013

Shutoffs: (yyy)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz)

Type: DCDA Size: 3 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz) Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 03-Jan-2016

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No

Renewed: 28-May-2016

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015 Model: 757NDCDABF Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757NDCDABF Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757NDCDABF Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757NDCDABF Meters: (N), H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H), Ames 2000BM3 3/4" (H)

Model: 757NDCDAGV Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757NDCDAGV Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H) Type: DCDA Size: 4 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz)

Type: DCDA Size: 6 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz)

Type: DCDA Size: 8 Manual: 9 Approved: 03-Jan-2013 Shutoffs: (zzz)

Type: DCDA Size: 10 Manual: 9

Approved: 28-May-2013

Shutoffs: (zzz)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy) Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 03-Jan-2016

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No

Renewed: 28-May-2016

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 06-Nov-2015

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 06-Nov-2015 Model: 757NDCDAGV Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757NDCDAGV Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757NDCDAGV Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757NDCDAGV Meters: (N), H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H), Ames 2000BM3 3/4" (H)

Model: 767aDCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 767aDCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (VU) Type: DCDA Size: 3 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy)

Type: DCDA Size: 3 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy)

Type: DCDA

Size: 4

Manual: 9 Approved: 30-Aug-2006 Shutoffs: (yyy)

Type: DCDA

Size: 4

Manual: 9 Approved: 18-Jan-2005 Shutoffs: (yyy)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (zzz)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (zzz) Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 06-Nov-2015

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 06-Nov-2015

Manufacturer: Watts

Orientation: H 0.25% Pb: No Renewed: 30-Aug-2015

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 18-Jan-2017

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 06-Nov-2015

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 06-Nov-2015 Model: 767aDCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 767aDCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (VU)

Model: 767aDCDABF Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (VU)

Model: 767aDCDABF Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (VU)

Model: 767aDCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 767aDCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (VU) Type: DCDA Size: 3 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (zzz)

- Type: DCDA Size: 3 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (zzz)
- Type: DCDA Size: 4 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (zzz)

Type: DCDA

Size: 4

Manual: 9 Approved: 18-Jan-2005 Shutoffs: (zzz)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy) Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 06-Nov-2015

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 06-Nov-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 06-Nov-2015

Manufacturer: Watts

Orientation: VU **0.25% Pb:** No

Renewed: 18-Jan-2017

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2014 Model: 767aDCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 767aDCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (VU)

Model: 767aDCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 767aDCDAGV Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (VU)

Model: 767DCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 767DCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (V)

Page 310 of 631

Type: DCDA Size: 3 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)

Type: DCDA Size: 3 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)

Type: DCDA

Size: 4

Manual: 9 Approved: 19-Mar-2007 Shutoffs: (yyy)

Type: DCDA

Size: 4

Manual: 9 Approved: 19-Mar-2007 Shutoffs: (yyy)

Type: DCDA

Size: 6

Manual: 9 Approved: 09-Mar-2007 Shutoffs: (yyy)

Type: DCDA

Size: 6

Manual: 9 Approved: 09-Mar-2007 Shutoffs: (yyy) Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Watts

Orientation: H 0.25% Pb: No Renewed: 23-Mar-2016

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 23-Mar-2016

Manufacturer: Watts

Orientation: H

0.25% Pb: No Renewed: 09-Mar-2016

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 09-Mar-2016 Model: 767DCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 767DCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (V)

Model: 767DCDABF Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 767DCDABF Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (VU)

Model: 767DCDABF Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H & VU)

Model: 767DCDABF Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H & VU)

Type: DCDA	Manufacturer: Watts	Model: 767DCDABF
Size: 8	Orientation: H	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (H) Ames 2000 BM3 (H)
Shutoffs: (yyy)		
Type: DCDA	Manufacturer: Watts	Model: 767DCDABF
Size: 8	Orientation: VU	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (V), Ames 2000 BM3 (V)
Shutoffs: (yyy)		
Type: DCDA	Manufacturer: Watts	Model: 767DCDABF
Size: 10	Orientation: H	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (H) Ames 2000 BM3 (H)
Shutoffs: (yyy)		
Type: DCDA	Manufacturer: Watts	Model: 767DCDABF
Size: 10	Orientation: VU	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (V) Ames 2000 BM3 (V)
Shutoffs: (yyy)		
Type: DCDA	Manufacturer: Watts	Model: 767DCDAGV
Size: 2 1/2	Orientation: H	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005 Shutoffs: (zzz)	Renewed: 04-Oct-2014	Bypass: Watts 007M3QT 3/4" (H)
Type: DCDA	Manufacturer: Watts	Model: 767DCDAGV
Size: 2 1/2	Orientation: VU	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb : No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass: Watts 007M3QT 3/4" (V)
Shutoffs: (zzz)		(

Type: DCDA Size: 3 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (zzz)

Type: DCDA Size: 3 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (zzz)

Type: DCDA

Size: 4

Manual: 9 Approved: 19-Mar-2007 Shutoffs: (zzz)

Type: DCDA

Size: 4

Manual: 9 Approved: 19-Mar-2007 Shutoffs: (zzz)

Type: DCDA

Size: 6

Manual: 9 Approved: 09-Mar-2007 Shutoffs: (zzz)

Type: DCDA

Size: 6

Manual: 9 Approved: 09-Mar-2007 Shutoffs: (zzz) Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Watts

Orientation: H 0.25% Pb: No Renewed: 23-Mar-2016

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 23-Mar-2016

Manufacturer: Watts

Orientation: H

0.25% Pb: No Renewed: 09-Mar-2016

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 09-Mar-2016 Model: 767DCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 767DCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (V)

Model: 767DCDAGV Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 767DCDAGV Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (VU)

Model: 767DCDAGV Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H & VU)

Model: 767DCDAGV Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H & VU)

Type: DCDA	Manufacturer: Watts	Model: 767DCDAGV
Size: 8	Orientation: H	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (H), Ames 2000 BM3 (H)
Shutoffs: (zzz)		
Type: DCDA	Manufacturer: Watts	Model: 767DCDAGV
Size: 8	Orientation: VU	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (V), Ames 2000 BM3 (V)
Shutoffs: (zzz)		
Type: DCDA	Manufacturer: Watts	Model: 767DCDAGV
Size: 10	Orientation: H	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (H), Ames 2000 BM3 (H)
Shutoffs: (zzz)		
Type: DCDA	Manufacturer: Watts	Model: 767DCDAGV
Size: 10	Orientation: VU	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (V), Ames 2000 BM3 (V)
Shutoffs: (zzz)		
Type: DCDA	Manufacturer: Watts	Model: 767NDCDABF
Size: 2 1/2	Orientation: VUVD	Meters: (N),G,H,I,J,K,L,M,N,O,P,C
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass: Watts 007M3QT 3/4" (H)
Shutoffs: (yyy)		
Type: DCDA	Manufacturer: Watts	Model: 767NDCDABF
Size: 3	Orientation: VUVD	Meters: (N),G,H,I,J,K,L,M,N,O,P,C
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass: Watts 007M3QT 3/4" (H)
Shutoffs: (yyy)		

Type: DCDA Size: 4 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (yyy)

Type: DCDA Size: 6 Manual: 9 Approved: 03-Jan-2013 Shutoffs: (yyy)

Type: DCDA Size: 8 Manual: 9

Approved: 28-May-2013

Shutoffs: (yyy)

Type: DCDA Size: 10 Manual: 9 Approved: 28-May-2013

Shutoffs: (yyy)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz)

Type: DCDA Size: 3 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz) Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 03-Jan-2016

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 28-May-2016

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 28-May-2016

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015 Model: 767NDCDABF Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 767NDCDABF Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 767NDCDABF Meters: (N), H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H), Ames 2000BM3 3/4" (H)

Model: 767NDCDABF Meters: (N), H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H), Ames 2000BM3 3/4" (H)

Model: 767NDCDAGV Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 767NDCDAGV Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H) Type: DCDA Size: 4 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz)

Type: DCDA Size: 6 Manual: 9 Approved: 03-Jan-2013 Shutoffs: (zzz)

Type: DCDA Size: 8 Manual: 9

Approved: 28-May-2013

Shutoffs: (zzz)

Type: DCDA Size: 10 Manual: 9 Approved: 28-May-2013

Shutoffs: (zzz)

Type: DCDA

Size: 4

Manual: 8 Approved: 20-May-1992 Shutoffs: pp,hh,mm,uu,zz

Type: DCDA Size: 8 Manual: 8 Approved: 13-Jan-1993 Shutoffs: oo,gg,hh,ll,mm,pp,tt,uu Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 03-Jan-2016

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 28-May-2016

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 28-May-2016

Manufacturer: Watts

Orientation: H

0.25% Pb: No Renewed: 20-May-2016

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 13-Jan-2017 Model: 767NDCDAGV Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 767NDCDAGV Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 767NDCDAGV Meters: (N), H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H), Ames 2000BM3 3/4" (H)

Model: 767NDCDAGV Meters: (N), H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H), Ames 2000BM3 3/4" (H)

Model: 770DCDA Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q Spare Parts Only: Yes Bypass: Watts 007M1QT 3/4" (H)

Model: 770DCDA Meters: (N),D,E,F,G,H,I,J,K,L,M,O,P,Q Spare Parts Only: Yes Bypass: Watts 007M1QT 3/4" (H)

Type: DCDA	Manufacturer: Watts	Model: 772DCDA
Size: 4	Orientation: H	Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Aug-1992	Renewed: 01-Aug-2016	Bypass: Watts 007M1QT 3/4" (H)
Shutoffs: 00		
Type: DCDA	Manufacturer: Watts	Model: 772DCDA
Size: 10	Orientation: H	Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 13-Jan-1993	Renewed: 13-Jan-2017	Bypass: Watts 007M1QT 3/4" (H)
Shutoffs: 00		
Type: DCDA	Manufacturer: Watts	Model: 774DCDA
Size: 2 1/2	Orientation: H	Meters:
		(M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-May-1995	Renewed: 24-May-2016	Bypass: Watts 007M2QT 3/4: (H), Ames 2000B 3/4" (H)
Shutoffs: (uu),ee,ff,gg,hh,ll,mm,	oo,pp,tt,ccc,ddd,ffff,gggg	
Type: DCDA	Manufacturer: Watts	Model: 774DCDA
Size: 3	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	(M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No
	0.23% FD. NO	Bypass: Watts 007M2QT 3/4: (H),
Approved: 24-May-1995	Renewed: 24-May-2016	Ames 2000B 3/4" (H)
Shutoffs: (uu),ee,ff,gg,hh,ll,mm,	oo,pp,tt,ccc,ddd,ffff,gggg	
Type: DCDA	Manufacturer: Watts	Model: 774DCDA
Size: 4	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-May-1995	Renewed: 24-May-2016	Bypass: Watts 007M2QT 3/4: (H), Ames 2000B 3/4" (H)
Shutoffs: (uu),ee,ff,gg,hh,ll,mm,	oo,pp,tt,ccc,ddd,ffff,gggg	

Type: DCDA	Manufacturer: Watts	Model: 774DCDA
Size : 6	Orientation: H	Meters:
Size. 0	Unentation. IT	(M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Sep-1992	Renewed: 09-Sep-2016	Bypass: Watts 007M1QT 3/4" (H)
Shutoffs: (uu),ee,ff,gg,hh,ll,mm,	oo,pp,tt,ccc,ddd,ffff,gggg	
Type: DCDA	Manufacturer: Watts	Model: 774DCDA
Size: 8	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Sep-1996	Renewed: 16-Sep-2014	Bypass: Watts 007M2QT 3/4: (H), Ames 2000B 3/4" (H)
Shutoffs: (mm),ee,ff,gg,hh,ll,oo,	pp,tt,uu,ccc,ddd,ffff,gggg	
Type: DCDA	Manufacturer: Watts	Model: 774DCDA
Size: 10	Orientation: H	Meters: (J),C,E,F,G,H,I,K,L,M,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Feb-2001	Renewed: 16-Feb-2016	Bypass: Watts 007M2QT 3/4: (H), Ames 2000B 3/4" (H)
Shutoffs: (II),mm,ffff,gggg		
Type: DCDA	Manufacturer: Watts	Model: 774DCDA
Size: 12	Orientation: H	Meters: (N),H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass: Ames 2000BM3 3/4" (H); Watts 007M3QT 3/4" (H)
Shutoffs: (mm), ll		
Type: DCDA	Manufacturer: Watts	Model: 774DCDA
Size: 12	Orientation: VU	Meters: (N),H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Mar-2011	Renewed: 21-Mar-2017	Bypass: Ames 2000BM3 3/4" (H); Watts 007M3QT 3/4" (H)
Shutoffs: (mm), ll		
Type: DCDA	Manufacturer: Watts	Model: 774DCDA-1
Size: 12	Orientation: H	Meters: (N),H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass: Ames 200B 3/4" (H); Watts 719QT 3/4" (H)
		· ·

Shutoffs: (mm), II

Size: 12

Manual: 9

Approved: 21-Mar-2011

Shutoffs: (mm), II

Type: DCDA Size: 2 1/2 Manual: 8

Type: DCDA

Size: 6

Manual: 8

Type: DCDA

Size: 8

Manual: 8

Approved: 10-Sep-1996

Approved: 24-May-1995

Approved: 09-Sep-1992

Shutoffs: (mm),ee,ff,gg,hh,ll,oo,pp,tt,uu,ccc,ddd,ffff,gggg

Shutoffs: (uu),ee,ff,gg,hh,ll,mm,oo,pp,tt,uu,ccc,ddd,ffff,gggg

Shutoffs: (uu),ee,ff,gg,hh,ll,mm,oo,pp,tt,ccc,ddd,ffff,gggg

Manufacturer: Watts Orientation: VU 0.25% Pb: No

Renewed: 21-Mar-2017

Manufacturer: Watts Orientation: H 0.25% Pb: No

Renewed: 10-Sep-2014

Manufacturer: Watts

Renewed: 24-May-2016

Manufacturer: Watts

Renewed: 09-Sep-2016

Orientation: H

0.25% Pb: No

Orientation: H

0.25% Pb: No

Meters: (N), H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 200B 3/4" (VU); Watts 719QT 3/4" (VU)

Model: 774DCDA-1

Model: 774XDCDA Meters: (M),N,O,P,Q Spare Parts Only: No Bypass: Watts 007M2QT 3/4: (H), Ames 2000B 3/4" (H)

Model: 774XDCDA Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M2QT 3/4: (H), Ames 2000B 3/4" (H)

Model: 774XDCDA Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M1QT 3/4" (H)

Type: DCDA Manufacturer: Watts Size: 2 1/2 Orientation: H 0.25% Pb: Yes Manual: 9 Approved: 08-Jan-2014 Renewed: 08-Jan-2017 Shutoffs: (yyy) Notes: Lead free compliant version identified with NSF61 mark on meter

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy) Notes: Lead free compliant version identified with NSF61 mark on meter Model: LF757DCDABF Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H)

Model: LF757DCDABF Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU)

Renewed: 08-Jan-2017

Manufacturer: Watts

Orientation: VU

0.25% Pb: Yes

Type: DCDA	Manufacturer: Watts	Model: LF757DCDABF
Size: 3	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	sion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Watts	Model: LF757DCDABF
Size: 3	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (VU)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	sion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Watts	Model: LF757DCDABF
Size: 4	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	sion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Watts	Model: LF757DCDABF
Size: 4	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (VU)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	sion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Watts	Model: LF757DCDABF
Size: 6	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	sion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Watts	Model: LF757DCDABF
Size: 6	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No

Notes: Lead free compliant version identified with NSF61 mark on meter

Approved: 08-Jan-2014

Shutoffs: (yyy)

Renewed: 08-Jan-2017

Bypass: Watts LF007M3QT 3/4" (VU)

Type: DCDA	Manufacturer: Watts	Model: LF757DCDABF	
Size: 8	Orientation: H	Meters: (O)	
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (H)	
Shutoffs: (yyy)			
Notes: Lead free compliant vers	sion identified with NSF61 mark on meter		
Type: DCDA	Manufacturer: Watts	Model: LF757DCDABF	
Size: 8	Orientation: VU	Orientation: VU Meters: (O)	
Manual: 9	0.25% Pb: Yes Spare Parts Only: No		
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (VU)	
Shutoffs: (yyy)			
Notes: Lead free compliant vers	sion identified with NSF61 mark on meter		
Type: DCDA	Manufacturer: Watts	Model: LF757DCDABF	
Size: 10	Orientation: H	Meters: (O)	
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (H)	
Shutoffs: (yyy)			
Notes: Lead free compliant vers	sion identified with NSF61 mark on meter		
Type: DCDA	Manufacturer: Watts	Model: LF757DCDABF	
Size: 10	Orientation: VU	Meters: (O)	
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (VU)	
Shutoffs: (yyy)			
Notes: Lead free compliant vers	sion identified with NSF61 mark on meter		
Type: DCDA	Manufacturer: Watts	Model: LF757DCDAGV	
Size: 2 1/2	Orientation: H	Meters: (O)	
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (H)	
Shutoffs: (zzz)			
Notes: Lead free compliant vers	sion identified with NSF61 mark on meter		
Type: DCDA	Manufacturer: Watts	Model: LF757DCDAGV	
Size: 2 1/2	Orientation: VU	Meters: (O)	
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No	

Manual: 9 Approved: 08-Jan-2014

Shutoffs: (zzz)

0.25% Pb: Yes **Renewed:** 08-Jan-2017 Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU)

Type: DCDA Size: 3	Manufacturer: Watts Orientation: H	Model: LF757DCDAGV Meters: (O)	
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (H)	
Shutoffs: (zzz)			
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter		
Type: DCDA	Manufacturer: Watts	Model: LF757DCDAGV	
Size: 3	Orientation: VU	Meters: (O)	
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (VU)	
Shutoffs: (zzz)			
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter		
Type: DCDA	Manufacturer: Watts	Model: LF757DCDAGV	
Size: 4	Orientation: H	Meters: (O)	
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No	
	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (H)	
Approved: 08-Jan-2014		51	
Approved: 08-Jan-2014 Shutoffs: (zzz)			
Shutoffs: (zzz)	ion identified with NSF61 mark on meter		
Shutoffs: (zzz)			
Shutoffs: (zzz) Notes: Lead free compliant vers	ion identified with NSF61 mark on meter		
Shutoffs: (zzz) Notes: Lead free compliant vers Type: DCDA	ion identified with NSF61 mark on meter Manufacturer: Watts	Model: LF757DCDAGV	
Shutoffs: (zzz) Notes: Lead free compliant vers Type: DCDA Size: 4	ion identified with NSF61 mark on meter Manufacturer: Watts Orientation: VU	Model: LF757DCDAGV Meters: (O)	
Shutoffs: (zzz) Notes: Lead free compliant vers Type: DCDA Size: 4 Manual: 9	ion identified with NSF61 mark on meter Manufacturer: Watts Orientation: VU 0.25% Pb: Yes	Model: LF757DCDAGV Meters: (O) Spare Parts Only: No	
Shutoffs: (zzz) Notes: Lead free compliant vers Type: DCDA Size: 4 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz)	ion identified with NSF61 mark on meter Manufacturer: Watts Orientation: VU 0.25% Pb: Yes	Model: LF757DCDAGV Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU)	
Shutoffs: (zzz) Notes: Lead free compliant vers Type: DCDA Size: 4 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz)	ion identified with NSF61 mark on meter Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 08-Jan-2017	Model: LF757DCDAGV Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU)	
Shutoffs: (zzz) Notes: Lead free compliant vers Type: DCDA Size: 4 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers	ion identified with NSF61 mark on meter Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 08-Jan-2017 ion identified with NSF61 mark on meter	Model: LF757DCDAGV Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU)	
Shutoffs: (zzz) Notes: Lead free compliant vers Type: DCDA Size: 4 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: DCDA	ion identified with NSF61 mark on meter Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 08-Jan-2017 ion identified with NSF61 mark on meter Manufacturer: Watts	Model: LF757DCDAGV Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU) Model: LF757DCDAGV	
Shutoffs: (zzz) Notes: Lead free compliant vers Type: DCDA Size: 4 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: DCDA Size: 6	ion identified with NSF61 mark on meter Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 08-Jan-2017 ion identified with NSF61 mark on meter Manufacturer: Watts Orientation: H	Model: LF757DCDAGV Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU) Model: LF757DCDAGV Meters: (O)	
Shutoffs: (zzz) Notes: Lead free compliant vers Type: DCDA Size: 4 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: DCDA Size: 6 Manual: 9	ion identified with NSF61 mark on meter Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 08-Jan-2017 ion identified with NSF61 mark on meter Manufacturer: Watts Orientation: H 0.25% Pb: Yes	Model: LF757DCDAGV Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU) Model: LF757DCDAGV Meters: (O) Spare Parts Only: No	
Shutoffs: (zzz) Notes: Lead free compliant vers Type: DCDA Size: 4 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: DCDA Size: 6 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz)	ion identified with NSF61 mark on meter Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 08-Jan-2017 ion identified with NSF61 mark on meter Manufacturer: Watts Orientation: H 0.25% Pb: Yes	Model: LF757DCDAGV Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU) Model: LF757DCDAGV Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H)	
Shutoffs: (zzz) Notes: Lead free compliant vers Type: DCDA Size: 4 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: DCDA Size: 6 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers	ion identified with NSF61 mark on meter Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 08-Jan-2017 ion identified with NSF61 mark on meter Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 08-Jan-2017	Model: LF757DCDAGV Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU) Model: LF757DCDAGV Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H)	
Shutoffs: (zzz) Notes: Lead free compliant vers Type: DCDA Size: 4 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: DCDA Size: 6 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz)	ion identified with NSF61 mark on meter Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 08-Jan-2017 ion identified with NSF61 mark on meter Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 08-Jan-2017 ion identified with NSF61 mark on meter	Model: LF757DCDAGV Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU) Model: LF757DCDAGV Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H)	

Bypass: Watts LF007M3QT 3/4" (VU)

Manual: 9 Approved: 08-Jan-2014

Shutoffs: (zzz)

0.25% Pb: Yes **Renewed:** 08-Jan-2017

Notes: Lead free compliant version identified with NSF61 mark on meter

iype. Dobri			
Size: 8	Orientation: H	Meters: (O)	
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H)	
Approved: 08-Jan-2014	Renewed: 08-Jan-2017		
Shutoffs: (zzz)			
Notes: Lead free compliant vers	sion identified with NSF61 mark on meter		
Type: DCDA	Manufacturer: Watts	Model: LF757DCDAGV	
Size: 8	8 Orientation: VU Meters: (O)		
Manual: 9	0.25% Pb: Yes Spare Parts Only: No		
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (VU)	
Shutoffs: (zzz)			
Notes: Lead free compliant vers	sion identified with NSF61 mark on meter		
Type: DCDA	Manufacturer: Watts	Model: LF757DCDAGV	
Size: 10	Orientation: H	Meters: (O)	
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H)	
Approved: 08-Jan-2014	Renewed: 08-Jan-2017		
Shutoffs: (zzz)			
Notes: Lead free compliant vers	sion identified with NSF61 mark on meter		
Type: DCDA	Manufacturer: Watts	Model: LF757DCDAGV	
Size: 10	Orientation: VU	Meters: (O)	
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (VU)	
Shutoffs: (zzz)			
Notes: Lead free compliant vers	sion identified with NSF61 mark on meter		
Type: DCDA	Manufacturer: Watts	Model: LF757NDCDABF	
Size: 2 1/2	Orientation: VUVD	Meters: (O)	
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (H)	
Shutoffs: (yyy)			
Notes: Lead free compliant vers	sion identified with NSF61 mark on meter		
Type: DCDA	Manufacturer: Watts	Model: LF757NDCDABF	
Size: 3	Orientation: VUVD	Meters: (O)	
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No	
Approved 09 lop 2014	Benewed 09 Jap 2017	Pursee Watte E007M2OT 2/4" (4)	

Manufacturer: Watts

Model: LF757DCDAGV

Notes: Lead free compliant version identified with NSF61 mark on meter

Approved: 08-Jan-2014

Shutoffs: (yyy)

Type: DCDA

Renewed: 08-Jan-2017

Bypass: Watts LF007M3QT 3/4" (H)

Type: DCDA	Manufacturer: Watts	Model: LF757NDCDABF
Size: 10	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M30
Shutoffs: (yyy)		
Notes: Lead free compliant vers	sion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Watts	Model: LF757NDCDAGV
Size: 2 1/2	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M30
Shutoffs: (zzz)		
Notes: Lead free compliant vers	sion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Watts	Model: LF757NDCDAGV
Size: 3	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M30
Shutoffs: (zzz)		
Notes: Lead free compliant vers	sion identified with NSF61 mark on meter	
Page 324 of 631	2017 © University of Southern California	

Type: DCDA Manufacturer: Watts Size: 4 Orientation: VUVD Manual: 9 0.25% Pb: Yes Approved: 08-Jan-2014 Renewed: 08-Jan-2017 Shutoffs: (yyy) Notes: Lead free compliant version identified with NSF61 mark on meter

Type: DCDA Manufacturer: Watts Size: 6 Orientation: VUVD 0.25% Pb: Yes Manual: 9 Approved: 08-Jan-2014 Renewed: 08-Jan-2017 Shutoffs: (yyy) Notes: Lead free compliant version identified with NSF61 mark on meter

Type: DCDA Manufacturer: Watts Size: 8 Orientation: VUVD Manual: 9 0.25% Pb: Yes Approved: 08-Jan-2014 Renewed: 08-Jan-2017 Shutoffs: (yyy)

Notes: Lead free compliant version identified with NSF61 mark on meter

ly: No .F007M3QT 3/4" (H)

Bypass: Watts LF007M3QT 3/4" (H)

DCDAGV ly: No .F007M3QT 3/4" (H)

DCDAGV ly: No F007M3QT 3/4" (H)

Model: LF757NDCDABF Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H)

Model: LF757NDCDABF

Spare Parts Only: No

Meters: (O)

Model: LF757NDCDABF Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H)

Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	sion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Watts	Model: LF757NDCDAGV
Size: 6	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	sion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Watts	Model: LF757NDCDAGV
Size: 8	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	sion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Watts	Model: LF757NDCDAGV
Size: 10	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF007M3QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	sion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 2 1/2	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Jun-2005	Renewed: 22-Jun-2017	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,yyy,zzz,uuuu	,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmmmr)
Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 2 1/2	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,xxx	x,yyyy,kkkkk,lllll,lllll,mmmmmm	

Manufacturer: Watts

Orientation: VUVD

Model: LF757NDCDAGV

Meters: (O)

Type: DCDA

Size: 4

Notes: Lead free compliant version: Starting Serial # V39030; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 2 1/2	Orientation: VU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	
••		Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,www,yyy,xxx		ecomply Starting Social # 2062225 and identified
with NSF61 mark on meter	ion. Starting Senar # V39030, by-pass A	ssembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 2 1/2	Orientation: VU	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Jun-2005	Renewed: 22-Jun-2017	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,yyy,zzz,uuuu,	vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmr	mmmm
Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size : 3	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Jun-2005	Renewed: 22-Jun-2017	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,yyy,zzz,uuuu,	vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmr	mmmm
Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 3	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,xxx	x,yyyy,kkkkk,lllll,lllll,mmmmmm	
Notes: Lead free compliant vers with NSF61 mark on meter	ion: Starting Serial # V39030; By-pass A	ssembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 3	Orientation: VU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	Bypass: Wilkins 950XLD 3/4" (VU)

Approved: 18-Feb-2014

Renewed: 18-Feb-2017 Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,lllll,llllll,mmmmmm

Notes: Lead free compliant version: Starting Serial # V39030; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 3	Orientation: VU	Meters:
		(M),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Jun-2005	Renewed: 22-Jun-2017	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,yyy,zzz,uuuu	,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmi	mmmm
Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
	Orientations	Meters:
Size: 4	Orientation: H	(M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Mar-2004	Renewed: 16-Mar-2016	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,zzz,	,eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,IIIII,iiiiiii,j	jjjjjj,IIIIII,mmmmmm
Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 4	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,xxx	x,yyyy,kkkkk,lllll,lllll,mmmmmm	
Notes: Lead free compliant vers with NSF61 mark on meter	ion: Starting Serial # V39030; By-pass A	ssembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 4	Orientation: VU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,www,yyy,xxx	x,yyyy,kkkkk,lllll,lllll,mmmmmm	
Notes: Lead free compliant vers with NSF61 mark on meter	ion: Starting Serial # V39030; By-pass A	ssembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 4	Orientation: VU	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Mar-2004	Renewed: 16-Mar-2016	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,www,yyy,zzz,	,eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,j	jjjjj,IIIII,mmmmm

Shutoffs: (qqq),ttt,www,yyy,zzz,eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmmmm

Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size : 6	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Nov-2003	Renewed: 25-Nov-2015	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,zzz,	eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,IIIII,iiiiii,j	jjjjj,IIIIII,mmmmmm
Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 6	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,xxxx	x,yyyy,kkkkk,lllll,llllll,mmmmmm	
Notes: Lead free compliant version with NSF61 mark on meter	ion: Starting Serial # V39030; By-pass A	ssembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 6	Orientation: VU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,www,yyy,xxxx	x,yyyy,kkkkk,lllll,llllll,mmmmmm	
Notes: Lead free compliant version with NSF61 mark on meter	ion: Starting Serial # V39030; By-pass A	ssembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 6	Orientation: VU	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Nov-2003	Renewed: 25-Nov-2015	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,www,yyy,zzz,	eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,IIIII,iiiiii,j	jjjjj,IIIIII,mmmmmm
Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 8	Orientation: H	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Feb-2004	Renewed: 12-Feb-2016	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,zzz,	eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,j	jjjjj,IIIIII,mmmmmm

Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 8	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,xxx>	,yyyy,kkkkk,IIIII,IIIII,mmmmmm	
Notes: Lead free compliant vers with NSF61 mark on meter	ion: Starting Serial # V39030; By-pass A	ssembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 8	Orientation: VU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,www,yyy,xxx	x,yyyy,kkkkk,lllll,llllll,mmmmmm	
Notes: Lead free compliant vers with NSF61 mark on meter	ion: Starting Serial # V39030; By-pass A	ssembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 8	Orientation: VU	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Feb-2004	Renewed: 12-Feb-2016	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,www,yyy,zzz,	eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,j	jjjjj,IIIII,mmmmmm
Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size : 10	Orientation: H	Meters: (N), F, G, H, I J, K L, M, N, O, P, Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Apr-2006	Renewed: 06-Apr-2015	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,yyy,uuuu,vvvv	v,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmmr	nm
Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 10	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	Bypass: Wilkins 950XLD 3/4" (H)

Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,lllll,lllll,mmmmmm

Notes: Lead free compliant version: Starting Serial # V39030; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 10	Orientation: VU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,www,yyy,xxxx,	yyyy,kkkkk,lllll,lllll,mmmmmm	
Notes: Lead free compliant version with NSF61 mark on meter	on: Starting Serial # V39030; By-pass A	ssembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 10	Orientation: VU	Meters: (N), F, G, H, I J, K L, M, N, O, P, Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Apr-2006	Renewed: 06-Apr-2015	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,yyy,uuuu,vvvv	,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmmr	nm
Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 2 1/2	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Jun-2010	Renewed: 16-Jun-2016	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,yyy,zzz,uuuu,v	/vvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmr	nmmm
Notes: Integral grooved spool be	tween the #2 ck and #2 SOV - assembly	y length: min. 34 1/4" and max. 47 1/8"
Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 2 1/2	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,xxxx,	yyyy,kkkkk,lllll,lllll,mmmmmm	
		y length: min. 34 1/4" and max. 47 1/8" and Lead ting Serial # 3863325 and identified with NSF61
Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 2 1/2	Orientation: VU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,www,yyy,xxxx,	yyyy,kkkkk,lllll,llllll,mmmmmm	

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 34 1/4" and max. 47 1/8" and Lead free compliant version: Starting Serial # E00687; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	(M),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No
Approved: 16-Jun-2010	Renewed: 16-Jun-2016	Bypass: Wilkins 950XLD 3/4" (VU)
	vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjj,llllll,mmr	
	etween the #2 ck and #2 SOV - assembly	
Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 3	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Jun-2010	Renewed: 16-Jun-2016	Bypass: Wilkins 950XLD 3/4" (H)
	vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmr	
	etween the #2 ck and #2 SOV - assembly	
Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 3	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb : Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,xxx	x,yyyy,kkkkk,lllll,lllll,mmmmmm	
		y length: min. 34 3/4" and max. 48 1/8" and Lead ting Serial # 3863325 and identified with NSF61
Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 3	Orientation: VU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,www,yyy,xxx	x,yyyy,kkkkk,lllll,lllll,mmmmmm	
• • •		y length: min. 34 3/4" and max. 48 1/8" and Lead ting Serial # 3863325 and identified with NSF61
Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 3	Orientation: VU	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Jun-2010	Renewed: 16-Jun-2016	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,yyy,zzz,uuuu,	vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmr	nmmm
Notes: Integral grooved spool be	etween the #2 ck and #2 SOV - assembly	y length: min. 34 3/4" and max. 48 1/8"

Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 4	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,www,yyy,zzz,	eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,	jjjjjj,IIIIII,mmmmmm
Notes: Integral grooved spool be	etween the #2 ck and #2 SOV - assembl	y length: min. 35 3/4" and max. 62 1/4"
Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 4	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,www,yyy,xxxx	c,yyyy,kkkkk,lllll,lllll,mmmmmm	
		y length: min. 35 3/4" and max. 62 1/4" and Lead ting Serial # 3863325 and identified with NSF61
Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 4	Orientation: VU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,xxxx	x,yyyy,kkkkk,lllll,lllll,mmmmmm	
		y length: min. 35 3/4" and max. 62 1/4" and Lead ting Serial # 3863325 and identified with NSF61
Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 4	Orientation: VU	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,zzz,	eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,	jjjjjj,IIIIII,mmmmmm
Notes: Integral grooved spool be	etween the #2 ck and #2 SOV - assembl	y length: min. 35 3/4" and max. 62 1/4"
Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 6	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass: Wilkins 950XLD 3/4" (VU)

Shutoffs: (qqq),ttt,www,yyy,zzz,eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmmmm Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 42 1/2" and max. 71 1/4"

Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 6	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	Bypass: Wilkins 950XLD 3/4" (VU)

Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,lllll,lllll,mmmmmm

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 42 1/2" and max. 71 1/4" and Lead free compliant version: Starting Serial # E00687; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 6	Orientation: VU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	Bypass: Wilkins 950XLD 3/4" (H)

Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,lllll,llllll,mmmmmm

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 42 1/2" and max. 71 1/4" and Lead free compliant version: Starting Serial # E00687; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 6	Orientation: VU	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,zzz,eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmmmm		

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 42 1/2" and max. 71 1/4"

Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
	Orientations II	Meters:
Size: 8	Orientation: H	(M),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,www,yyy,zzz,eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmmmm		
Notes: Integral grouped speel between the #2 ck and #2 SOV - assembly length; min 57 7/8" and may 86"		

Notes: Integral grooved spool between the #2 ck and #2 SOV -	- assembly length: min. 57 7/8" and max. 86"
--	--

Type: DCDA	Manufacturer: Wilkins
Size: 8	Orientation: H
Manual: 9	0.25% Pb: Yes
Approved: 18-Feb-2014	Renewed: 18-Feb-2017

Model: 350ADAR Meters: (O), M Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU)

Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,lllll,llllll,mmmmmm

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 57 7/8" and max. 86" and Lead free compliant version: Starting Serial # E00687; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 8	Orientation: VU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	Bypass: Wilkins 950XLD 3/4" (H)

Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,lllll,llllll,mmmmm

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 57 7/8" and max. 86" and Lead free compliant version: Starting Serial # E00687; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 8	Orientation: VU	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,zzz,eeee,	uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll	mmmmmm

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 57 7/8" and max. 86"

Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 10	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass: Wilkins 950XLD 3/4" (VU)

Shutoffs: (qqq),ttt,www,yyy,zzz,eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmmmm

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 61 3/8" and max. 100 5/8"

Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 10	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	Bypass: Wilkins 950XLD 3/4" (VU)

Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,lllll,lllll,mmmmmm

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 61 3/8" and max. 100 5/8" and Lead free compliant version: Starting Serial # E00687; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 10	Orientation: VU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	Bypass: Wilkins 950XLD 3/4" (H)

Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,lllll,llllll,mmmmmm

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 61 3/8" and max. 100 5/8" and Lead free compliant version: Starting Serial # E00687; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 10	Orientation: VU	Meters:
		(M),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass: Wilkins 950XLD 3/4" (H)
	eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,j	
Notes: Integral grooved spool be	etween the #2 ck and #2 SOV - assembly	y length: min. 61 3/8" and max. 100 5/8"
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDA
Size: 2 1/2	Orientation: H	Meters: (N),G,H,I,J,K,L,M,N,O,P,Q
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Apr-2013	Renewed: 18-Apr-2016	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,uuu	u,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mr	nmmmm
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDA
Size: 2 1/2	Orientation: H	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	Bypass: Wilkins 950XLD 3/4" (H)
	u,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiiii,jjjjj,llllll,mr	
	ion: Starting Serial # 1458B; By-pass As	sembly Starting Serial # 3863325 and identified
Notes: Lead free compliant vers	ion: Starting Serial # 1458B; By-pass As Manufacturer: Wilkins	sembly Starting Serial # 3863325 and identified Model: 350ASTDA
Notes: Lead free compliant vers with NSF61 mark on meter		
Notes: Lead free compliant vers with NSF61 mark on meter Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDA
Notes: Lead free compliant vers with NSF61 mark on meter Type: DCDA Size: 2 1/2	Manufacturer: Wilkins Orientation: VU	Model: 350ASTDA Meters: (O), M
Notes: Lead free compliant vers with NSF61 mark on meter Type: DCDA Size: 2 1/2 Manual: 10 Approved: 18-Feb-2014	Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes	Model: 350ASTDA Meters: (O), M Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU)
Notes: Lead free compliant vers with NSF61 mark on meter Type: DCDA Size: 2 1/2 Manual: 10 Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,uuu	Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 18-Feb-2017 u,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mr	Model: 350ASTDA Meters: (O), M Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU)
Notes: Lead free compliant vers with NSF61 mark on meter Type: DCDA Size: 2 1/2 Manual: 10 Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,uuu Notes: Lead free compliant vers	Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 18-Feb-2017 u,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mr	Model: 350ASTDA Meters: (O), M Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU)
Notes: Lead free compliant vers with NSF61 mark on meter Type: DCDA Size: 2 1/2 Manual: 10 Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,uuu Notes: Lead free compliant vers with NSF61 mark on meter	Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 18-Feb-2017 u,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mr ion: Starting Serial # 1458B; By-pass As	Model: 350ASTDA Meters: (O), M Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU) nmmmm sembly Starting Serial # 3863325 and identified
Notes: Lead free compliant vers with NSF61 mark on meter Type: DCDA Size: 2 1/2 Manual: 10 Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,uuu Notes: Lead free compliant vers with NSF61 mark on meter	Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 18-Feb-2017 u,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mr ion: Starting Serial # 1458B; By-pass As Manufacturer: Wilkins	Model: 350ASTDA Meters: (O), M Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU) nmmmm sembly Starting Serial # 3863325 and identified Model: 350ASTDA
Notes: Lead free compliant vers with NSF61 mark on meter Type: DCDA Size: 2 1/2 Manual: 10 Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,uuu Notes: Lead free compliant vers with NSF61 mark on meter Type: DCDA Size: 2 1/2	Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 18-Feb-2017 u,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mr ion: Starting Serial # 1458B; By-pass As Manufacturer: Wilkins Orientation: VU	Model: 350ASTDA Meters: (O), M Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU) nmmmm sembly Starting Serial # 3863325 and identified Model: 350ASTDA Meters: (N),G,H,I,J,K,L,M,N,O,P,Q
Notes: Lead free compliant vers with NSF61 mark on meter Type: DCDA Size: 2 1/2 Manual: 10 Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,uuu Notes: Lead free compliant vers with NSF61 mark on meter Type: DCDA Size: 2 1/2 Manual: 10 Approved: 18-Apr-2013	Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 18-Feb-2017 u,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mr ion: Starting Serial # 1458B; By-pass As Manufacturer: Wilkins Orientation: VU 0.25% Pb: No	Model: 350ASTDA Meters: (O), M Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU) nmmmm sembly Starting Serial # 3863325 and identified Model: 350ASTDA Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU)
Notes: Lead free compliant vers with NSF61 mark on meter Type: DCDA Size: 2 1/2 Manual: 10 Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,uuu Notes: Lead free compliant vers with NSF61 mark on meter Type: DCDA Size: 2 1/2 Manual: 10 Approved: 18-Apr-2013 Shutoffs: (qqq),ttt,www,yyy,uuu	Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 18-Feb-2017 u,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mr ion: Starting Serial # 1458B; By-pass As Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 18-Apr-2016	Model: 350ASTDA Meters: (O), M Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU) nmmmm sembly Starting Serial # 3863325 and identified Model: 350ASTDA Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU)
Notes: Lead free compliant vers with NSF61 mark on meter Type: DCDA Size: 2 1/2 Manual: 10 Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,uuu Notes: Lead free compliant vers with NSF61 mark on meter Type: DCDA Size: 2 1/2 Manual: 10 Approved: 18-Apr-2013	Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 18-Feb-2017 u,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mr ion: Starting Serial # 1458B; By-pass As Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 18-Apr-2016 u,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mr	Model: 350ASTDA Meters: (O), M Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU) mmmmm sembly Starting Serial # 3863325 and identified Model: 350ASTDA Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU) mmmmm
Notes: Lead free compliant vers with NSF61 mark on meter Type: DCDA Size: 2 1/2 Manual: 10 Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,uuu Notes: Lead free compliant vers with NSF61 mark on meter Type: DCDA Size: 2 1/2 Manual: 10 Approved: 18-Apr-2013 Shutoffs: (qqq),ttt,www,yyy,uuu Type: DCDA	Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 18-Feb-2017 u,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mr ion: Starting Serial # 1458B; By-pass As Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 18-Apr-2016 u,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mr	Model: 350ASTDA Meters: (O), M Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU) nmmmm sembly Starting Serial # 3863325 and identified Model: 350ASTDA Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU)
Notes: Lead free compliant vers with NSF61 mark on meter Type: DCDA Size: 2 1/2 Manual: 10 Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,uuu Notes: Lead free compliant vers with NSF61 mark on meter Type: DCDA Size: 2 1/2 Manual: 10 Approved: 18-Apr-2013 Shutoffs: (qqq),ttt,www,yyy,uuu Type: DCDA Size: 3	Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 18-Feb-2017 u,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mr ion: Starting Serial # 1458B; By-pass As Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 18-Apr-2016 u,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mr	Model: 350ASTDA Meters: (O), M Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU) nmmmm sembly Starting Serial # 3863325 and identified Model: 350ASTDA Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU) nmmmm Model: 350ASTDA Meters: (N),G,H,I,J,K,L,M,N,O,P,Q

Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDA
Size: 3	Orientation: H	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,uuu	ı,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjj,llllll,mr	nmmmm
Notes: Lead free compliant version with NSF61 mark on meter	on: Starting Serial # 1458B; By-pass As	sembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDA
Size: 3	Orientation: VU	Meters: (O), M
Manual: 10	0.25% Pb : Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,www,yyy,uuu	ı,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mr	nmmmm
Notes: Lead free compliant version with NSF61 mark on meter	on: Starting Serial # 1458B; By-pass As	sembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDA
Size: 3	Orientation: VU	Meters: (N),G,H,I,J,K,L,M,N,O,P,Q
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Apr-2013	Renewed: 18-Apr-2016	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,www,yyy,uuu	u,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mr	nmmmm
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDA
Size: 4	Orientation: H	Meters: (N),F, G,H,I,J,K,L,M,N,O,P,Q
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Apr-2013	Renewed: 18-Apr-2016	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,uuu	ı,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mr	nmmmm
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDA
Size: 4	Orientation: H	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	Bypass: Wilkins 950XLD 3/4" (H)
	ı,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mr	
		sembly Starting Serial # 3863325 and identified

Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDA
Size: 4	Orientation: VU	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,www,yyy,uuu	ı,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjj,llllll,mr	nmmmm
Notes: Lead free compliant versi with NSF61 mark on meter	on: Starting Serial # 1458B; By-pass As	sembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDA
Size: 4	Orientation: VU	Meters: (N),F, G,H,I,J,K,L,M,N,O,P,Q
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Apr-2013	Renewed: 18-Apr-2016	Bypass: Wilkins 950XLD 3/4" (VU)
	، ۱,۷۷۷۷,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mr	
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDA
Size: 6	Orientation: H	Meters: (N),G,H,I,J,K,L,M,N,O,P,Q
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2013	Renewed: 03-Jul-2016	Bypass: Wilkins 950XLD 3/4" (H)
	ı,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mr	
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDA
71		
	Orientation: H	Meters: (O), M
Size: 6	Orientation: H 0.25% Pb: Yes	Meters: (O), M Spare Parts Only: No
Size: 6 Manual: 10		
Size: 6 Manual: 10 Approved: 18-Feb-2014	0.25% Pb: Yes	Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (H)
Size: 6 Manual: 10 Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,uuuu Notes: Lead free compliant versi	0.25% Pb: Yes Renewed: 18-Feb-2017 J,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mr	Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (H)
Size: 6 Manual: 10 Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,uuu Notes: Lead free compliant versi with NSF61 mark on meter	0.25% Pb: Yes Renewed: 18-Feb-2017 J,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mr	Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (H)
Size: 6 Manual: 10 Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,uuu Notes: Lead free compliant versi with NSF61 mark on meter Type: DCDA	0.25% Pb: Yes Renewed: 18-Feb-2017 u,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mr on: Starting Serial # 1458B; By-pass As	Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (H) nmmmm sembly Starting Serial # 3863325 and identifie
Size: 6 Manual: 10 Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,uuu Notes: Lead free compliant versi with NSF61 mark on meter Type: DCDA Size: 6	0.25% Pb: Yes Renewed: 18-Feb-2017 J,vvvv,xxxx,yyyy,kkkkk,IIIII,iiiiii,jjjjjj,IIIIII,mr fon: Starting Serial # 1458B; By-pass As Manufacturer: Wilkins	Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (H) nmmmm sembly Starting Serial # 3863325 and identifie Model: 350ASTDA
Size: 6 Manual: 10 Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,uuu Notes: Lead free compliant versi with NSF61 mark on meter Type: DCDA Size: 6 Manual: 10	0.25% Pb: Yes Renewed: 18-Feb-2017 u,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mr fon: Starting Serial # 1458B; By-pass As Manufacturer: Wilkins Orientation: VU	Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (H) nmmmm sembly Starting Serial # 3863325 and identifie Model: 350ASTDA Meters: (O), M
Size: 6 Manual: 10 Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,uuu Notes: Lead free compliant versi with NSF61 mark on meter Type: DCDA Size: 6 Manual: 10 Approved: 18-Feb-2014	0.25% Pb: Yes Renewed: 18-Feb-2017 J,vvvv,xxxx,yyyy,kkkkk,IIIII,iiiiii,jjjjjj,IIIIII,mr ion: Starting Serial # 1458B; By-pass As Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes	Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (H) nmmmm sembly Starting Serial # 3863325 and identifie Model: 350ASTDA Meters: (O), M Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU)
Size: 6 Manual: 10 Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,uuu Notes: Lead free compliant versi with NSF61 mark on meter Type: DCDA Size: 6 Manual: 10 Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,uuu	0.25% Pb: Yes Renewed: 18-Feb-2017 J,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mr fon: Starting Serial # 1458B; By-pass As Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 18-Feb-2017 J,vvvv,xxxx,yyyy,kkkkk,llll,iiiiii,jjjjjj,llllll,mr	Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (H) nmmmm sembly Starting Serial # 3863325 and identifie Model: 350ASTDA Meters: (O), M Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU)
Size: 6 Manual: 10 Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,uuu Notes: Lead free compliant versi with NSF61 mark on meter Type: DCDA Size: 6 Manual: 10 Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,uuu Notes: Lead free compliant versi with NSF61 mark on meter	0.25% Pb: Yes Renewed: 18-Feb-2017 J,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mr fon: Starting Serial # 1458B; By-pass As Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 18-Feb-2017 J,vvvv,xxxx,yyyy,kkkkk,llll,iiiiii,jjjjjj,llllll,mr	Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (H) nmmmm sembly Starting Serial # 3863325 and identifie Model: 350ASTDA Meters: (O), M Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU)
Size: 6 Manual: 10 Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,uuu Notes: Lead free compliant versi with NSF61 mark on meter Type: DCDA Size: 6 Manual: 10 Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,uuu Notes: Lead free compliant versi with NSF61 mark on meter Type: DCDA	0.25% Pb: Yes Renewed: 18-Feb-2017 J,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mr fon: Starting Serial # 1458B; By-pass As Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 18-Feb-2017 J,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mr fon: Starting Serial # 1458B; By-pass As	Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (H) nmmmm sembly Starting Serial # 3863325 and identifie Model: 350ASTDA Meters: (O), M Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU) nmmmm sembly Starting Serial # 3863325 and identifie
Size: 6 Manual: 10 Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,uuu Notes: Lead free compliant versi with NSF61 mark on meter Type: DCDA Size: 6 Manual: 10 Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,uuu Notes: Lead free compliant versi	0.25% Pb: Yes Renewed: 18-Feb-2017 J,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mr fon: Starting Serial # 1458B; By-pass As Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 18-Feb-2017 J,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mr fon: Starting Serial # 1458B; By-pass As Manufacturer: Wilkins	Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (H) mmmmm sembly Starting Serial # 3863325 and identifie Model: 350ASTDA Meters: (O), M Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU) mmmmm sembly Starting Serial # 3863325 and identifie Model: 350ASTDA

Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDA
Size: 8	Orientation: H	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Feb-2014	Renewed: 20-Feb-2017	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,uuu	u,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mr	nmmmm
Notes: Lead free compliant vers meter	ion: By-pass Assembly Starting Serial #	3863325 and identified with NSF61 mark on
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDA
Size: 8	Orientation: VU	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Feb-2014	Renewed: 20-Feb-2017	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,www,yyy,uuu	u,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mr	nmmmm
	ion: By-pass Assembly Starting Serial #	3863325 and identified with NSF61 mark on
meter		
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDA
Size: 10	Orientation: H	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Feb-2014	Renewed: 20-Feb-2017	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,uuu	u,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mr	nmmmm
Notes: Lead free compliant vers meter	ion: By-pass Assembly Starting Serial #	3863325 and identified with NSF61 mark on
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDA
Size: 10	Orientation: VU	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Feb-2014	Renewed: 20-Feb-2017	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,www,yyy,uuu	u,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mr	nmmmm
Notes: Lead free compliant vers meter	ion: By-pass Assembly Starting Serial #	3863325 and identified with NSF61 mark on
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDAR
Size: 2 1/2	Orientation: H	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Oct-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)
	ıu,vvvv,xxxx,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmr	
	etween the #2 ck and #2 SOV - assembl	

Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDAR
Size: 2 1/2	Orientation: VU	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Oct-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (yyyy),ttt,www,yyy,uuu	ıu,vvvv,xxxx,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmm	ımm
Notes: Integral grooved spool be	etween the #2 ck and #2 SOV - assembly	y length: min. 31" and max. 47 1/8"
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDAR
Size: 3	Orientation: H	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Oct-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (yyyy),ttt,www,yyy,uuu	ıu,vvvv,xxxx,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmm	ımm
Notes: Integral grooved spool be	etween the #2 ck and #2 SOV - assembly	y length: min. 31 1/2" and max. 48 1/8"
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDAR
Size: 3	Orientation: VU	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Oct-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (yyyy),ttt,www,yyy,uuu	ıu,vvvv,xxxx,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmm	ımm
Notes: Integral grooved spool be	etween the #2 ck and #2 SOV - assembly	y length: min. 31 1/2" and max. 48 1/8"
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDAR
	Manufacturer: Wilkins Orientation: H	Model: 350ASTDAR Meters: (O), M
Size: 4		
Size: 4 Manual: 10	Orientation: H	Meters: (O), M
Size: 4 Manual: 10 Approved: 09-Oct-2014	Orientation: H 0.25% Pb: Yes	Meters: (O), M Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (H)
Size: 4 Manual: 10 Approved: 09-Oct-2014 Shutoffs: (yyyy),ttt,www,yyy,uuu	Orientation: H 0.25% Pb: Yes Renewed:	Meters: (O), M Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (H)
Size: 4 Manual: 10 Approved: 09-Oct-2014 Shutoffs: (yyyy),ttt,www,yyy,uuu Notes: Integral grooved spool be	Orientation: H 0.25% Pb: Yes Renewed: uu,vvvv,xxxx,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmm	Meters: (O), M Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (H)
Size: 4 Manual: 10 Approved: 09-Oct-2014 Shutoffs: (yyyy),ttt,www,yyy,uuu Notes: Integral grooved spool be	Orientation: H 0.25% Pb: Yes Renewed: uu,vvvv,xxxx,kkkkk,IIIII,iiiiii,jjjjjj,IIIIII,mmmm etween the #2 ck and #2 SOV - assembly	Meters: (O), M Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (H) mm y length: min. 32 5/8" and max. 62 1/4"
Size: 4 Manual: 10 Approved: 09-Oct-2014 Shutoffs: (yyyy),ttt,www,yyy,uuu Notes: Integral grooved spool be Type: DCDA Size: 4	Orientation: H 0.25% Pb: Yes Renewed: uu,vvvv,xxxx,kkkkk,IIIII,iiiiii,jjjjjj,IIIIII,mmmm etween the #2 ck and #2 SOV - assembly Manufacturer: Wilkins	Meters: (O), M Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (H) mm y length: min. 32 5/8" and max. 62 1/4" Model: 350ASTDAR
Size: 4 Manual: 10 Approved: 09-Oct-2014 Shutoffs: (yyyy),ttt,www,yyy,uuu Notes: Integral grooved spool be Type: DCDA Size: 4 Manual: 10	Orientation: H 0.25% Pb: Yes Renewed: au,vvvv,xxxx,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmm etween the #2 ck and #2 SOV - assembly Manufacturer: Wilkins Orientation: VU	Meters: (O), M Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (H) mm y length: min. 32 5/8" and max. 62 1/4" Model: 350ASTDAR Meters: (O), M Spare Parts Only: No
Notes: Integral grooved spool be Type: DCDA Size: 4 Manual: 10 Approved: 09-Oct-2014	Orientation: H 0.25% Pb: Yes Renewed: uu,vvvv,xxxx,kkkkk,IIIII,iiiiiii,jjjjjj,IIIIII,mmmm etween the #2 ck and #2 SOV - assembly Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes	Meters: (O), M Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (H) mm y length: min. 32 5/8" and max. 62 1/4" Model: 350ASTDAR Meters: (O), M Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU)
Size: 4 Manual: 10 Approved: 09-Oct-2014 Shutoffs: (yyyy),ttt,www,yyy,uuu Notes: Integral grooved spool be Type: DCDA Size: 4 Manual: 10 Approved: 09-Oct-2014 Shutoffs: (yyyy),ttt,www,yyy,uuu	Orientation: H 0.25% Pb: Yes Renewed: uu,vvvv,xxxx,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmm etween the #2 ck and #2 SOV - assembly Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed:	Meters: (O), M Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (H) mm y length: min. 32 5/8" and max. 62 1/4" Model: 350ASTDAR Meters: (O), M Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU)
Size: 4 Manual: 10 Approved: 09-Oct-2014 Shutoffs: (yyyy),ttt,www,yyy,uuu Notes: Integral grooved spool be Type: DCDA Size: 4 Manual: 10 Approved: 09-Oct-2014 Shutoffs: (yyyy),ttt,www,yyy,uuu Notes: Integral grooved spool be	Orientation: H 0.25% Pb: Yes Renewed: uu,vvvv,xxxx,kkkkk,lllll,iiiiiii,jjjjjj,llllll,mmmm etween the #2 ck and #2 SOV - assembly Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: uu,vvvv,xxxx,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmm	Meters: (O), M Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (H) mm y length: min. 32 5/8" and max. 62 1/4" Model: 350ASTDAR Meters: (O), M Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU)
Size: 4 Manual: 10 Approved: 09-Oct-2014 Shutoffs: (yyyy),ttt,www,yyy,uuu Notes: Integral grooved spool be Type: DCDA Size: 4 Manual: 10 Approved: 09-Oct-2014 Shutoffs: (yyyy),ttt,www,yyy,uuu Notes: Integral grooved spool be	Orientation: H 0.25% Pb: Yes Renewed: uu,vvvv,xxxx,kkkkk,IIIII,iiiiii,jjjjjj,IIIIII,mmmm etween the #2 ck and #2 SOV - assembly Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: uu,vvvv,xxxx,kkkkk,IIIII,iiiiii,jjjjjj,IIIIII,mmmm etween the #2 ck and #2 SOV - assembly	Meters: (O), M Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (H) mm y length: min. 32 5/8" and max. 62 1/4" Model: 350ASTDAR Meters: (O), M Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU) mm y length: min. 32 5/8" and max. 62 1/4"
Size: 4 Manual: 10 Approved: 09-Oct-2014 Shutoffs: (yyyy),ttt,www,yyy,uuu Notes: Integral grooved spool be Type: DCDA Size: 4 Manual: 10 Approved: 09-Oct-2014 Shutoffs: (yyyy),ttt,www,yyy,uuu	Orientation: H 0.25% Pb: Yes Renewed: uu,vvvv,xxxx,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmm etween the #2 ck and #2 SOV - assembly Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: uu,vvvv,xxxx,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmm etween the #2 ck and #2 SOV - assembly Manufacturer: Wilkins	Meters: (O), M Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (H) mm y length: min. 32 5/8" and max. 62 1/4" Model: 350ASTDAR Meters: (O), M Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU) mm y length: min. 32 5/8" and max. 62 1/4" Model: 350ASTDAR
Size: 4 Manual: 10 Approved: 09-Oct-2014 Shutoffs: (yyyy),ttt,www,yyy,uuu Notes: Integral grooved spool be Type: DCDA Size: 4 Manual: 10 Approved: 09-Oct-2014 Shutoffs: (yyyy),ttt,www,yyy,uuu Notes: Integral grooved spool be Type: DCDA Size: 6	Orientation: H 0.25% Pb: Yes Renewed: au,vvvv,xxxx,kkkkk,IIIII,iiiiii,jjjjj,IIIIII,mmmm etween the #2 ck and #2 SOV - assembly Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: au,vvvv,xxxx,kkkkk,IIIII,iiiiii,jjjjjj,IIIIII,mmmm etween the #2 ck and #2 SOV - assembly Manufacturer: Wilkins Orientation: H	Meters: (O), M Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (H) mm y length: min. 32 5/8" and max. 62 1/4" Model: 350ASTDAR Meters: (O), M Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU) mm y length: min. 32 5/8" and max. 62 1/4" Model: 350ASTDAR Meters: (O), M

Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDAR
Size: 6	Orientation: VU	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Sep-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (yyyy),ttt,www,yyy,uuu	ıu,vvvv,xxxx,kkkkk,lllll,iiiiii,jjjjjj,lllll,mmmr	nmm
Notes: Integral grooved spool be	etween the #2 ck and #2 SOV - assemb	ly length: min. 39" and max. 71 1/4"
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDAR
Size: 8	Orientation: H	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Sep-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (yyyy),ttt,www,yyy,uuu	ıu,vvvv,xxxx,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmr	nmm
Notes: Integral grooved spool be	etween the #2 ck and #2 SOV - assemb	ly length: min. 48 3/4" and max. 86"
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDAR
Size: 8	Orientation: VU	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Sep-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (yyyy),ttt,www,yyy,uuu	ıu,vvvv,xxxx,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmr	nmm
Notes: Integral grooved spool be	etween the #2 ck and #2 SOV - assemb	ly length: min. 48 3/4" and max. 86"
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDAR
Size: 10	Orientation: H	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Sep-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (yyyy),ttt,www,yyy,uuu	ıu,vvvv,xxxx,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmr	nmm
Notes: Integral grooved spool be	etween the #2 ck and #2 SOV - assemb	ly length: min. 52 5/8" and max. 100 5/8"
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDAR
Size: 10	Orientation: VU	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Sep-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (vvvv).ttt.www.vvv.uuu	ıu,vvvv,xxxx,kkkkk,lllll,iiiiii,jjjjj,llllll,mmmr	nmm
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		

Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 2 1/2	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Apr-2002	Renewed: 03-Apr-2017	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),ff,mm,uu,zz,vvvv,	wwww,yyyy,zzzz,kkkkk,jjjjjj,kkkkkk,mmm	nmmm,nnnnnn
Notes: Up to Serial # N4230		
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 2 1/2	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),qqq,vvv,www,yyy	y,zzzz,kkkkk,mmmmmm,nnnnnn	
Notes: Lead free compliant versi with NSF61 mark on meter	on: Starting Serial # N4231; By-pass As	sembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 2 1/2	Orientation: VU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (hh),qqq,vvv,www,yyy	y,zzzz,kkkkk,mmmmmm,nnnnnn	
Notes: Lead free compliant versi with NSF61 mark on meter	on: Starting Serial # N4231; By-pass As	sembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 2 1/2	Orientation: VU	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Oct-2002	Renewed: 08-Oct-2014	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (hh),ff,mm,uu,zz,vvvv, Notes: Up to Serial # N4230	wwww,yyyy,zzzz,kkkkk,jjjjjj,kkkkkk,mmm	nmmm,nnnnnn
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 3	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Apr-2002	Renewed: 03-Apr-2017	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),ff,mm,uu,zz,vvvv,	wwww,yyyy,zzzz,kkkkk,jjjjjj,kkkkkk,mmm	nmmm,nnnnnn
Notes: Up to Serial # N4230		

Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 3	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Apr-2002	Renewed: 03-Apr-2017	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),ff,mm,uu,zz,vvvv,	wwww,yyyy,zzzz,kkkkk,jjjjjj,kkkkkk,mmm	nmmm,nnnnnn
Notes: Starting Serial # N4231; with NSF61 mark on meter	By-pass Assembly Starting Serial # 3863	3325 and Lead free compliant version identified
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 3	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),qqq,vvv,www,yyy	y,zzzz,mmmmmm,nnnnnn	
Notes: Lead free compliant vers with NSF61 mark on meter	ion: Starting Serial # N4231; By-pass As	sembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size : 3	Orientation: VU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (hh),qqq,vvv,www,yyy	y,zzz,mmmmmm,nnnnnn	
Notes: Lead free compliant vers with NSF61 mark on meter	ion: Starting Serial # N4231; By-pass As	sembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 3	Orientation: VU	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Oct-2002	Renewed: 08-Oct-2014	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (hh),ff,mm,uu,zz,vvvv,	wwww,yyyy,zzzz,kkkkk,jjjjjj,kkkkkk,mmm	immm,nnnnnn
Notes: Up to Serial # N4230		
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 3	Orientation: VU	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Oct-2002	Renewed: 08-Oct-2014	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (hh),ff,mm,uu,zz,vvvv,	wwww,yyyy,zzzz,kkkkk,jjjjjj,kkkkkk,mmm	immm,nnnnnn

Notes: Starting Serial # N4231; By-pass Assembly Starting Serial # 3863325 and Lead free compliant version identified with NSF61 mark on meter

Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 4	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),qqq,vvv,www,yyy	y,zzzz,mmmmmm,nnnnnn	
Notes: Lead free compliant version with NSF61 mark on meter	ion: Starting Serial # N4231; By-pass As	sembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 4	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Sep-1999	Renewed: 15-Sep-2014	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),ff,mm,uu,zz,qqq,v Notes: Up to Serial # N4230	/vv,www,zzz,eeee,vvvv,wwww,yyyy,zzzz	r,kkkkk,jjjjjjj,kkkkkk,mmmmmm,nnnnnn
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 4	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-Sep-1999	Renewed: 15-Sep-2014	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),ff,mm,uu,zz,qqq,v	vvv,www,zzz,eeee,vvvv,wwww,yyyy,zzzz	z,kkkkk,jjjjjj,kkkkkk,mmmmmm,nnnnnn
Notes: Starting Serial # N4231; I with NSF61 mark on meter	By-pass Assembly Starting Serial # 3863	3325 and Lead free compliant version identified
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 4	Orientation: VU	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Sep-2000	Renewed: 09-Sep-2015	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (hh),ff,mm,uu,zz,qqq,v Notes: Up to Serial # N4230	/vv,www,zzz,eeee,vvvv,wwww,yyyy,zzzz	r,kkkkk,jjjjjjj,kkkkkk,mmmmmm,nnnnnn
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 4	Orientation: VU	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2000	Renewed: 09-Sep-2015	Bypass: Wilkins 950XLD 3/4" (VU)
	vvv,www,zzz,eeee,vvvv,wwww,yyyy,zzzz	
Notes: Starting Serial # N4231; I	By-pass Assembly Starting Serial # 3863	3325 and Lead free compliant version identified

with NSF61 mark on meter

Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 4	Orientation: VU	Meters: (O), M
Manual: 9	0.25% Pb : Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (hh),qqq,vvv,www,yyy	y,zzz,mmmmmm,nnnnnn	
Notes: Lead free compliant version with NSF61 mark on meter	ion: Starting Serial # N4231; By-pass As	sembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 6	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Oct-1999	Renewed: 18-Oct-2014	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),ff,mm,uu,zz,qqq,v Notes: Up to Serial # N4230	/vv,www,zzz,eeee,vvvv,wwww,yyyy,zzzz	z,kkkkk,jjjjjjj,kkkkkk,mmmmmm,nnnnnn
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 6	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Oct-1999	Renewed: 18-Oct-2014	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),ff,mm,uu,zz,qqq,v	vvv,www,zzz,eeee,vvvv,wwww,yyyy,zzzz	z,kkkkk,jjjjjj,kkkkkk,mmmmmm,nnnnnn
Notes: Starting Serial # N4231; I with NSF61 mark on meter	By-pass Assembly Starting Serial # 3863	3325 and Lead free compliant version identified
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 6	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),qqq,vvv,www,yyy	y,zzzz,mmmmmm,nnnnnn	
Notes: Lead free compliant version with NSF61 mark on meter	ion: Starting Serial # N4231; By-pass As	sembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 6	Orientation: VU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (hh),qqq,vvv,www,yyy	y,zzz,mmmmmm,nnnnnn	

Notes: Lead free compliant version: Starting Serial # N4231; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 6	Orientation: VU	Meters:
	onentation. vo	(M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Jan-2000	Renewed: 05-Jan-2017	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (hh),ff,mm,uu,zz,qqq,v	vvv,www,zzz,eeee,vvvv,wwww,yyyy,zzzz	z,kkkkk,jjjjjj,kkkkkk,mmmmmm,nnnnnn
Notes: Up to Serial # N4230		
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 6	Orientation: VU	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Jan-2000	Renewed: 05-Jan-2017	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (hh),ff,mm,uu,zz,qqq,v	vvv,www,zzz,eeee,vvvv,wwww,yyyy,zzzz	z,kkkkk,jjjjjj,kkkkkk,mmmmmm,nnnnnn
Notes: Starting Serial # N4231; with NSF61 mark on meter	By-pass Assembly Starting Serial # 3863	3325 and Lead free compliant version identified
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 8	Orientation: H	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2002	Renewed: 03-Jul-2017	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),ff,mm,uu,zz,qqq,v Notes: Up to Serial # N4230	vvv,www,zzz,eeee,vvvv,wwww,yyyy,zzzz	z,kkkkk,jjjjjjj,kkkkkk,mmmmmm,nnnnnn
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 8	Orientation: H	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Jul-2002	Renewed: 03-Jul-2017	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),ff,mm,uu,zz,qqq,v	vvv,www,zzz,eeee,vvvv,wwww,yyyy,zzzz	z,kkkkk,jjjjjj,kkkkkk,mmmmmm,nnnnnn
Notes: Starting Serial # N4231; with NSF61 mark on meter	By-pass Assembly Starting Serial # 3863	3325 and Lead free compliant version identified
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 8	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	Bypass: Wilkins 950XLD 3/4" (H)

Shutoffs: (hh),qqq,vvv,www,yyyy,zzzz,mmmmm,nnnnn

Notes: Lead free compliant version: Starting Serial # N4231; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Size: 8	Manufacturer: Wilkins	
	Orientation: VU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (hh),qqq,vvv,www,yyyy	,zzzz,mmmmmm,nnnnnn	
Notes: Lead free compliant version with NSF61 mark on meter	on: Starting Serial # N4231; By-pass As	sembly Starting Serial # 3863325 and identifie
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 8	Orientation: VU	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Jan-2003	Renewed: 16-Jan-2015	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (hh),ff,mm,uu,zz,qqq,vv Notes: Up to Serial # N4230	vv,www,zzz,eeee,vvvv,wwww,yyyy,zzzz	,kkkkk,jjjjjj,kkkkkk,mmmmmm,nnnnnn
	Manufacturer: Wilkins	Model: 350DA
Type: DCDA		Model. 330DA
••	Orientation: VU	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q
Size: 8		
Size: 8 Manual: 9 Approved: 16-Jan-2003	Orientation: VU 0.25% Pb: Yes Renewed: 16-Jan-2015	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU)
Size: 8 Manual: 9 Approved: 16-Jan-2003 Shutoffs: (hh),ff,mm,uu,zz,qqq,vv Notes: Starting Serial # N4231; B	Orientation: VU 0.25% Pb: Yes Renewed: 16-Jan-2015 /v,www,zzz,eeee,vvvv,wwww,yyyy,zzzz	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU) ,kkkkk,jjjjjj,kkkkkk,mmmmmm,nnnnn
Size: 8 Manual: 9 Approved: 16-Jan-2003 Shutoffs: (hh),ff,mm,uu,zz,qqq,vv Notes: Starting Serial # N4231; B with NSF61 mark on meter	Orientation: VU 0.25% Pb: Yes Renewed: 16-Jan-2015 /v,www,zzz,eeee,vvvv,wwww,yyyy,zzzz	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU) ,kkkkk,jjjjjj,kkkkkk,mmmmmm,nnnnn
Size: 8 Manual: 9 Approved: 16-Jan-2003 Shutoffs: (hh),ff,mm,uu,zz,qqq,vv Notes: Starting Serial # N4231; B with NSF61 mark on meter	Orientation: VU 0.25% Pb: Yes Renewed: 16-Jan-2015 vv,www,zzz,eeee,vvvv,wwww,yyyy,zzzz by-pass Assembly Starting Serial # 3863	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU) ,kkkkk,jjjjjj,kkkkkk,mmmmmm,nnnnnn 325 and Lead free compliant version identifie
Size: 8 Manual: 9 Approved: 16-Jan-2003 Shutoffs: (hh),ff,mm,uu,zz,qqq,vv Notes: Starting Serial # N4231; B with NSF61 mark on meter Type: DCDA Size: 10	Orientation: VU 0.25% Pb: Yes Renewed: 16-Jan-2015 vv,www,zzz,eeee,vvvv,wwww,yyyy,zzzz by-pass Assembly Starting Serial # 3863 Manufacturer: Wilkins	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU) ,kkkkk,jjjjjj,kkkkkk,mmmmmm,nnnnnn 325 and Lead free compliant version identifie Model: 350DA
	Orientation: VU 0.25% Pb: Yes Renewed: 16-Jan-2015 vv,www,zzz,eeee,vvvv,wwww,yyyy,zzzz by-pass Assembly Starting Serial # 3863 Manufacturer: Wilkins Orientation: H	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU) ,kkkkk,jjjjjj,kkkkkk,mmmmmm,nnnnnn 325 and Lead free compliant version identifie Model: 350DA Meters: (N),F,G,H,I,J,K,L,M,O,P,Q
Size: 8 Manual: 9 Approved: 16-Jan-2003 Shutoffs: (hh),ff,mm,uu,zz,qqq,vv Notes: Starting Serial # N4231; B with NSF61 mark on meter Type: DCDA Size: 10 Manual: 9 Approved: 28-Aug-2002	Orientation: VU 0.25% Pb: Yes Renewed: 16-Jan-2015 VV,www,zzz,eeee,vvvv,wwww,yyyy,zzzz By-pass Assembly Starting Serial # 3863 Manufacturer: Wilkins Orientation: H 0.25% Pb: No	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU) ,kkkkk,jjjjjj,kkkkkk,mmmmmm,nnnnn 325 and Lead free compliant version identifie Model: 350DA Meters: (N),F,G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (H)
Size: 8 Manual: 9 Approved: 16-Jan-2003 Shutoffs: (hh),ff,mm,uu,zz,qqq,vv Notes: Starting Serial # N4231; B with NSF61 mark on meter Type: DCDA Size: 10 Manual: 9 Approved: 28-Aug-2002 Shutoffs: (hh),ff,mm,uu,zz,qqq,vv Notes: Up to Serial # N4230	Orientation: VU 0.25% Pb: Yes Renewed: 16-Jan-2015 VV,www,zzz,eeee,VVVV,wwww,yyyy,zzzz By-pass Assembly Starting Serial # 3863 Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 28-Aug-2014	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU) ,kkkkk,jjjjjj,kkkkkk,mmmmmm,nnnnn 325 and Lead free compliant version identifie Model: 350DA Meters: (N),F,G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (H)
Size: 8 Manual: 9 Approved: 16-Jan-2003 Shutoffs: (hh),ff,mm,uu,zz,qqq,vv Notes: Starting Serial # N4231; B with NSF61 mark on meter Type: DCDA Size: 10 Manual: 9 Approved: 28-Aug-2002 Shutoffs: (hh),ff,mm,uu,zz,qqq,vv	Orientation: VU 0.25% Pb: Yes Renewed: 16-Jan-2015 VV,WWW,ZZZ,eeee,VVVV,WWWW,YYY,ZZZZ By-pass Assembly Starting Serial # 3863 Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 28-Aug-2014 VV,WWW,ZZZ,eeee,VVVV,WWWW,YYY,ZZZZ	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU) ,kkkkk,jjjjjj,kkkkkk,mmmmmm,nnnnn 325 and Lead free compliant version identifie Model: 350DA Meters: (N),F,G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (H) ,kkkkkk,jjjjjj,kkkkkk,mmmmm,nnnnn
Size: 8 Manual: 9 Approved: 16-Jan-2003 Shutoffs: (hh),ff,mm,uu,zz,qqq,vv Notes: Starting Serial # N4231; B with NSF61 mark on meter Type: DCDA Size: 10 Manual: 9 Approved: 28-Aug-2002 Shutoffs: (hh),ff,mm,uu,zz,qqq,vv Notes: Up to Serial # N4230 Type: DCDA	Orientation: VU 0.25% Pb: Yes Renewed: 16-Jan-2015 VV,WWW,ZZZ,eeee,VVVV,WWWW,YYY,ZZZZ By-pass Assembly Starting Serial # 3863 Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 28-Aug-2014 VV,WWW,ZZZ,eeee,VVVV,WWWW,YYY,ZZZZ Manufacturer: Wilkins	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU) ,kkkkk,jjjjjj,kkkkkk,mmmmmm,nnnnn 325 and Lead free compliant version identifie Model: 350DA Meters: (N),F,G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (H) ,kkkkk,jjjjjjj,kkkkkk,mmmmm,nnnnn

with NSF61 mark on meter

Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 10	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),qqq,vvv,www,yyy	y,zzzz,mmmmmm,nnnnnn	
Notes: Lead free compliant version	ion: Starting Serial # N4231; By-pass As	sembly Starting Serial # 3863325 and identified
with NSF61 mark on meter		
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 10	Orientation: VU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (hh),qqq,vvv,www,yyy	y,zzzz,mmmmmm,nnnnnn	
Notes: Lead free compliant version with NSF61 mark on meter	ion: Starting Serial # N4231; By-pass As	sembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 10	Orientation: VU	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Mar-2003	Renewed: 14-Mar-2015	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (hh),ff,mm,uu,zz,qqq,v Notes: Up to Serial # N4230	vvv,www,zzz,eeee,vvvv,wwww,yyyy,zzzz	z,kkkkk,jjjjjj,kkkkkk,mmmmmm,nnnnnn
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 10	Orientation: VU	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Mar-2003	Renewed: 14-Mar-2015	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (hh),ff,mm,uu,zz,qqq,v	vvv,www,zzz,eeee,vvvv,wwww,yyyy,zzzz	z,kkkkk,jjjjjj,kkkkkk,mmmmmm,nnnnnn
Notes: Starting Serial # N4231; I with NSF61 mark on meter	By-pass Assembly Starting Serial # 3863	3325 and Lead free compliant version identified
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 12	Orientation: H	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Oct-2009	Renewed: 20-Oct-2015	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),vvvv,wwww,yyyy,	zzzz,kkkkk,jjjjjj,kkkkkk,mmmmmm,nnnnr	nn
Notes: Up to Serial # N4230		

Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 12	Orientation: H	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Oct-2009	Renewed: 20-Oct-2015	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),ssss,tttt,vvvv,wwv	vw,yyyy,zzzz,jjjjjj,kkkkkk,mmmmmm,nnn	nnn
Notes: Starting Serial # N4231; with NSF61 mark on meter	By-pass Assembly Starting Serial # 3863	3325 and Lead free compliant version identified
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 12	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),vvvv,wwww,yyyy,	zzzz,kkkkk,jjjjjj,kkkkkk,mmmmmm,nnnnr	าท
Notes: Lead free compliant vers with NSF61 mark on meter	ion: Starting Serial # N4231; By-pass As	sembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 450DA
Size: 4	Orientation: VUVD	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Apr-2000	Renewed: 12-Apr-2015	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,zzz,	eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,j	jjjjj,IIIII,mmmmmm
Type: DCDA	Manufacturer: Wilkins	Model: 450DA
Size: 4	Orientation: VUVD	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),qqq,vvv,www,yyy	y,zzzz,mmmmmm,nnnnnn	
Notes: Lead free compliant vers with NSF61 mark on meter	ion: Starting Serial # P07372; By-pass A	ssembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 450DA
Size: 6	Orientation: VUVD	Meters: (M),C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 24-May-2000	Renewed: 24-May-2015	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyv.zzz.	eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,j	ijijij,IIIIII,mmmmmm

Type: DCDA	Manufacturer: Wilkins	Model: 450DA
Size: 6	Orientation: VUVD	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),qqq,vvv,www,yyy	y,zzzz,mmmmmm,nnnnnn	
Notes: Lead free compliant versi with NSF61 mark on meter	on: Starting Serial # P07372; By-pass A	ssembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 450DA
Size: 8	Orientation: VUVD	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Aug-2004	Renewed: 03-Aug-2016	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,zzz,	eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,j	jjjjj,IIIII,mmmmmm
Type: DCDA	Manufacturer: Wilkins	Model: 450DA
Size: 8	Orientation: VUVD	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),qqq,vvv,www,yyy Notes: Lead free compliant versi with NSF61 mark on meter		ssembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 450DA
Size: 10	Orientation: VUVD	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Aug-2004	Renewed: 03-Aug-2016	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,zzz,	eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,IIIII	
Type: DCDA	Manufacturer: Wilkins	Model: 450DA
Size: 10	Orientation: VUVD	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),qqq,vvv,www,yyy	y,zzzz,mmmmmm,nnnnnn	
Notes: Lead free compliant versi with NSF61 mark on meter	on: Starting Serial # P07372; By-pass A	ssembly Starting Serial # 3863325 and identified

Type: DCDA	Manufacturer: Wilkins	Model: 950DA
Size: 2 1/2	Orientation: H	Meters:
		(M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 02-Jan-1994	Renewed: 02-Jan-2017	Bypass: Wilkins 950XL 3/4" (H), Wilkins 950 3/4" (H)
Shutoffs: (hh),ff,mm,uu,zz,vvvv,	www,yyyy,zzzz	
Type: DCDA	Manufacturer: Wilkins	Model: 950DA
Size: 2 1/2	Orientation: VU	Meters: (M),D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Dec-1996	Renewed: 12-Dec-2014	Bypass: Wilkins 950XL 3/4" (VU)
Shutoffs: (hh),ff,mm,uu,zz,vvvv,	www,yyyy,zzzz	
Type: DCDA	Manufacturer: Wilkins	Model: 950DA
Size: 3	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 02-Jan-1994	Renewed: 02-Jan-2017	Bypass: Wilkins 950XL 3/4" (H), Wilkins 950 3/4" (H)
Shutoffs: (hh),ff,mm,uu,zz,vvvv,	wwww,yyyy,zzzz	
Type: DCDA	Manufacturer: Wilkins	Model: 950DA
Type: DCDA Size: 3	Manufacturer: Wilkins Orientation: VU	Model: 950DA Meters: (M),D,E,F,G,H,I,J,K,L,N,O,P,Q
Size: 3		
	Orientation: VU	Meters: (M),D,E,F,G,H,I,J,K,L,N,O,P,Q
Size: 3 Manual: 8	Orientation: VU 0.25% Pb: No Renewed: 12-Dec-2014	Meters: (M),D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No
Size: 3 Manual: 8 Approved: 12-Dec-1996	Orientation: VU 0.25% Pb: No Renewed: 12-Dec-2014	Meters: (M),D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No
Size: 3 Manual: 8 Approved: 12-Dec-1996 Shutoffs: (hh),ff,mm,uu,zz,vvvv,	Orientation: VU 0.25% Pb: No Renewed: 12-Dec-2014 wwww,yyyy,zzzz	Meters: (M),D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Wilkins 950XL 3/4" (VU)
Size: 3 Manual: 8 Approved: 12-Dec-1996 Shutoffs: (hh),ff,mm,uu,zz,vvvv, Type: DCDA Size: 4	Orientation: VU 0.25% Pb: No Renewed: 12-Dec-2014 wwww,yyyy,zzzz Manufacturer: Wilkins	Meters: (M),D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Wilkins 950XL 3/4" (VU) Model: 950DA
Size: 3 Manual: 8 Approved: 12-Dec-1996 Shutoffs: (hh),ff,mm,uu,zz,vvvv, Type: DCDA Size: 4 Manual: 8	Orientation: VU 0.25% Pb: No Renewed: 12-Dec-2014 wwww,yyyy,zzzz Manufacturer: Wilkins Orientation: H	Meters: (M),D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Wilkins 950XL 3/4" (VU) Model: 950DA Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes
Size: 3 Manual: 8 Approved: 12-Dec-1996 Shutoffs: (hh),ff,mm,uu,zz,vvvv, Type: DCDA	Orientation: VU 0.25% Pb: No Renewed: 12-Dec-2014 wwww,yyyy,zzzz Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 09-Jun-2017	Meters: (M),D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Wilkins 950XL 3/4" (VU) Model: 950DA Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Wilkins 950XL 3/4" (H), Wilkins
Size: 3 Manual: 8 Approved: 12-Dec-1996 Shutoffs: (hh),ff,mm,uu,zz,vvvv, Type: DCDA Size: 4 Manual: 8 Approved: 09-Jun-1993	Orientation: VU 0.25% Pb: No Renewed: 12-Dec-2014 wwww,yyyy,zzzz Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 09-Jun-2017	Meters: (M),D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Wilkins 950XL 3/4" (VU) Model: 950DA Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Wilkins 950XL 3/4" (H), Wilkins
Size: 3 Manual: 8 Approved: 12-Dec-1996 Shutoffs: (hh),ff,mm,uu,zz,vvvv, Type: DCDA Size: 4 Manual: 8 Approved: 09-Jun-1993 Shutoffs: hh,ff,mm,uu,zz,vvvv,w	Orientation: VU 0.25% Pb: No Renewed: 12-Dec-2014 wwww,yyyy,zzzz Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 09-Jun-2017 www,yyyy,zzzz	Meters: (M),D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Wilkins 950XL 3/4" (VU) Model: 950DA Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Wilkins 950XL 3/4" (H), Wilkins 950 3/4" (H)
Size: 3 Manual: 8 Approved: 12-Dec-1996 Shutoffs: (hh),ff,mm,uu,zz,vvvv, Type: DCDA Size: 4 Manual: 8 Approved: 09-Jun-1993 Shutoffs: hh,ff,mm,uu,zz,vvvv,w Type: DCDA	Orientation: VU 0.25% Pb: No Renewed: 12-Dec-2014 wwww,yyyy,zzzz Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 09-Jun-2017 www,yyyy,zzzz Manufacturer: Wilkins	Meters: (M),D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Wilkins 950XL 3/4" (VU) Model: 950DA Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Wilkins 950XL 3/4" (H), Wilkins 950 3/4" (H) Model: 950DA Meters:

Orientation: H 0.25% Pb: No	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
0.25% Ph. No	
0.23 /0 FD. NO	Spare Parts Only: Yes
Renewed: 09-Jun-2017	Bypass: Wilkins 950XL 3/4" (H), Wilkins 950 3/4" (H)
/ww,yyyy,zzzz	
Manufacturer: Wilkins	Model: 950DA
Orientation: VU	Meters: (M),D,E,F,G,H,I,J,K,L,N,O,P,Q
0.25% Pb: No	Spare Parts Only: Yes
Renewed: 12-Dec-2014	Bypass: Wilkins 950XL 3/4" (VU)
/ww,yyyy,zzzz	
Manufacturer: Wilkins	Model: 950DA
Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
0.25% Pb: No	Spare Parts Only: No
Renewed: 09-Jun-2017	Bypass: Wilkins 950XL 3/4" (H), Wilkins 950 3/4" (H)
/www,yyyy.zzzz	
Manufacturer: Wilkins	Model: 950DA
Orientation: VU	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
0.25% Pb: No	Spare Parts Only: No
Renewed: 12-Dec-2014	Bypass: Wilkins 950XL 3/4" (VU)
www,yyyy.zzz	
Manufacturer: Wilkins	Model: 950DA
Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
0.25% Pb: No	Spare Parts Only: No
Renewed: 23-Jun-2015	Bypass: Wilkins 950XL 3/4" (H), Wilkins 950 3/4" (H)
/www,yyyy.zzzz	
Manufacturer: Wilkins	Model: 950XLTDA
Orientation: H	Meters: (N), F, G, H, I J, K L, M, N, O, P, Q
0.0E0/ Dhy No	Spare Parts Only: No
0.25% Pb: No	opare rans only. No
	Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 12-Dec-2014 Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 09-Jun-2017 WWW,yYYY.ZZZZ Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 12-Dec-2014 WWW,yYYY.ZZZZ Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 23-Jun-2015

Manufacturer: Wilkins

Model: 950DA

Type: DCDA

Type: DCDA

Size: 2

Manual: 9 Approved: 22-Jun-2009 Shutoffs: (bbb)

Type: DCDA

Size: 2

Manual: 9 Approved: 19-May-2009 Shutoffs: (bbbbb), ccccc

Type: DCDA

Size: 2

Manual: 9 Approved: 22-Jun-2009 Shutoffs: (bbbbb), ccccc

Type: DCDA

Size: 2 1/2

Manual: 7 Approved: 05-Mar-1987 Shutoffs: hh,ff,mm,uu,zz

Type: DCDA

Size: 3

Manual: 7 Approved: 05-Mar-1987 Shutoffs: hh,ff,mm,uu,zz

Type: DCDA

Size: 4

Manual: 7 Approved: 18-May-1988 Shutoffs: hh,ff,mm,uu,zz Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 22-Jun-2015

Manufacturer: Wilkins

Orientation: H

0.25% Pb: No Renewed: 19-May-2015

Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 22-Jun-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 05-Mar-2017

Manufacturer: Wilkins

Orientation: H

0.25% Pb: No Renewed: 05-Mar-2017

Manufacturer: Wilkins

Orientation: H

0.25% Pb: No Renewed: 18-May-2015 Model: 950XLTDA Meters: (N), F, G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Wilkins 350D 3/4" (VU)

Model: 950XLTDABF Meters: (N), F, G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Wilkins 350D 3/4" (H)

Model: 950XLTDABF Meters: (N), F, G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Wilkins 350D 3/4" (VU)

Model: DCDA Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Wilkins 550A 3/4" (H)

Model: DCDA Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Wilkins 550A 3/4" (H)

Model: DCDA Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Wilkins 550A 3/4" (H)

Type: DCDA	Manufacturer: Wilkins	Model: DCDA
Size: 6	Orientation: H	Meters:
Menueli 7		(M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 02-Jun-1988	Renewed: 01-Jun-2015	Bypass: Wilkins 550A 3/4" (H)
Shutoffs: hh,ff,mm,uu,zz		
Type: DCDA-II	Manufacturer: Apollo/Conbraco	Model: DCDA24A
Size: 1 1/2	Orientation: H	Meters: (M),G,H,I,J,K,L,N,O,P,Q
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 31-Oct-2016	Renewed:	Bypass: Apollo 1/2" Model CVA4A (HVD)
Shutoffs: (dddddd)		
Type: DCDA-II	Manufacturer: Apollo/Conbraco	Model: DCDA24A
Size: 1 1/2	Orientation: VU	Meters: (M),G,H,I,J,K,L,N,O,P,Q
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 31-Oct-2016	Renewed:	Bypass: Apollo 1/2" Model CVA4A (VUH)
Shutoffs: (dddddd)		
Type: DCDA-II	Manufacturer: Apollo/Conbraco	Model: DCDA24A
Size: 2	Orientation: H	Meters: (M),G,H,I,J,K,L,N,O,P,Q
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 31-Oct-2016	Renewed:	Bypass: Apollo 1/2" Model CVA4A (HVD)
Shutoffs: (dddddd)		
Type: DCDA-II	Manufacturer: Apollo/Conbraco	Model: DCDA24A
Size: 2	Orientation: VU	Meters: (M),G,H,I,J,K,L,N,O,P,Q
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 31-Oct-2016	Renewed:	Bypass: Apollo 1/2" Model CVA4A (VUH)
Shutoffs: (dddddd)		
Type: DCDA-II	Manufacturer: Apollo/Conbraco	Model: DCDA2LF4A
Size: 1 1/2	Orientation: H	Meters: (M),G,H,I,J,K,L,N,O,P,Q
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 31-Oct-2016	Renewed:	Bypass: Apollo 1/2" Model CVALF4/ (HVD)
		· /

Type: DCDA-II	Manufacturer: Apollo/Conbraco	Model: DCDA2LF4A
Size: 1 1/2	Orientation: VU	Meters: (M),G,H,I,J,K,L,N,O,P,Q
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 31-Oct-2016	Renewed:	Bypass: Apollo 1/2" Model CVALF4A (VUH)
Shutoffs: (eeeeee)		
Type: DCDA-II	Manufacturer: Apollo/Conbraco	Model: DCDA2LF4A
Size: 2	Orientation: H	Meters: (M),G,H,I,J,K,L,N,O,P,Q
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 31-Oct-2016	Renewed:	Bypass: Apollo 1/2" Model CVALF4A (HVD)
Shutoffs: (eeeeee)		
Type: DCDA-II	Manufacturer: Apollo/Conbraco	Model: DCDA2LF4A
Size: 2	Orientation: VU	Meters: (M),G,H,I,J,K,L,N,O,P,Q
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 31-Oct-2016	Renewed:	Bypass: Apollo 1/2" Model CVALF4A (VUH)
Shutoffs: (eeeeee)		
Type: DCDA-II	Manufacturer: Backflow Direct	Model: Deringer 30
Size: 2 1/2	Orientation: H	Meters: (O),G,H,I,J,K,L,M,N,O,Q
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 21-Dec-2015	Renewed:	Bypass: Backflow Direct 1/2" CV(HVD)
Shutoffs: (int)		
Type: DCDA-II	Manufacturer: Backflow Direct	Model: Deringer 30
Size: 2 1/2	Orientation: VU	Meters: (O),G,H,I,J,K,L,M,N,O,Q
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 21-Dec-2015	Renewed:	Bypass: Backflow Direct 1/2" CV(VUH)
Shutoffs: (int)		
Type: DCDA-II	Manufacturer: Backflow Direct	Model: Deringer 30
Size: 3	Orientation: H	Meters: (O),G,H,I,J,K,L,M,N,O,Q
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 21-Dec-2015	Renewed:	Bypass: Backflow Direct 1/2" CV(HVD)
Shutoffs: (int)		

Type: DCDA-II Size: 3 Manual: 10 Approved: 21-Dec-2015 Shutoffs: (int) Manufacturer: Backflow Direct Orientation: VU 0.25% Pb: Yes Renewed: Model: Deringer 30 Meters: (O),G,H,I,J,K,L,M,N,O,Q Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(VUH)

Meters: (O),G,H,I,J,K,L,M,N,O,Q

Meters: (O),G,H,I,J,K,L,M,N,O,Q

Bypass: Backflow Direct 1/2" CV(HVD)

Model: Deringer 30

Spare Parts Only: No

Model: Deringer 30

Spare Parts Only: No

Type: DCDA-II Size: 4 Manual: 10 Approved: 30-Sep-2015 Shutoffs: (int)

Type: DCDA-II

Manual: 10

Shutoffs: (int)

Size: 4

Manufacturer: Backflow Direct Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Backflow Direct Orientation: VU 0.25% Pb: Yes Renewed:

Type: DCDA-II Size: 8 Manual: 10 Approved: 23-Dec-2016 Shutoffs: (int)

Approved: 30-Sep-2015

Type: DCDA-II Size: 8 Manual: 10 Approved: 23-Dec-2016 Shutoffs: (int)

Type: DCDA-II Size: 6 Manual: 10 Approved: 23-Dec-2016 Shutoffs: (int)

Type: DCDA-II Size: 6 Manual: 10 Approved: 23-Dec-2016 Shutoffs: (int) Manufacturer: Backflow Direct Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Backflow Direct Orientation: VU 0.25% Pb: Yes Renewed:

Manufacturer: Backflow Direct Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Backflow Direct Orientation: VU 0.25% Pb: Yes Renewed: Model: Deringer 30X Meters: (O),G,H,I,J,K,L,M,N,O,Q Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(HVD)

Model: Deringer 30X Meters: (O),G,H,I,J,K,L,M,N,O,Q Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(VUH)

Model: Deringer 30 **Meters:** (O),G,H,I,J,K,L,M,N,O,Q

Bypass: Backflow Direct 1/2" CV(VUH)

Meters: (O),G,H,I,J,K,L,M,N,O,Q Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(HVD)

Model: Deringer 30 Meters: (O),G,H,I,J,K,L,M,N,O,Q Spare Parts Only: No

Bypass: Backflow Direct 1/2" CV(VUH)

2017 © University of Southern California

Type: DCDA-II Size: 2 1/2 Manual: 10 Approved: 20-Mar-2015 Shutoffs: (mm), II

Type: DCDA-II Size: 2 1/2 Manual: 10 Approved: 20-Mar-2015 Shutoffs: (mm), II

Type: DCDA-II Size: 3 Manual: 10 Approved: 20-Mar-2015 Shutoffs: (mm), II

Type: DCDA-II Size: 3 Manual: 10 Approved: 20-Mar-2015 Shutoffs: (mm), II

Type: DCDA-II Size: 4 Manual: 10 Approved: 26-Jan-2015 Shutoffs: (mm), II

Type: DCDA-II Size: 4 Manual: 10 Approved: 26-Jan-2015 Shutoffs: (mm), II

Type: DCDA-II Size: 6 Manual: 10 Approved: 13-Mar-2015 Shutoffs: (mm), II Manufacturer: Febco Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: VU 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: VU 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: VU 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: H 0.25% Pb: Yes Renewed: Model: LF856 Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (H)

Model: LF856 Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU)

Model: LF856 Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (H)

Model: LF856 Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU)

Model: LF856 Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (H)

Model: LF856 Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU)

Model: LF856 Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (H)

Page 356 of 631

Type: DCDA-II Size: 6 Manual: 10 Approved: 13-Mar-2015 Shutoffs: (mm), II

Type: DCDA-II Size: 8 Manual: 10 Approved: 07-Jul-2015 Shutoffs: (mm), II

Type: DCDA-II Size: 8 Manual: 10 Approved: 07-Jul-2015 Shutoffs: (mm), II

Type: DCDA-II Size: 10 Manual: 10 Approved: 07-Jul-2015 Shutoffs: (mm), II

Type: DCDA-II Size: 10 Manual: 10 Approved: 07-Jul-2015 Shutoffs: (mm), II

Type: DCDA-II Size: 2 1/2 Manual: 10 Approved: 20-Mar-2015 Shutoffs: (mm), II

Type: DCDA-II Size: 2 1/2 Manual: 10 Approved: 20-Mar-2015 Shutoffs: (mm), II Manufacturer: Febco Orientation: VU 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: VU 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: VU 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: VUVD 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: VUVU 0.25% Pb: Yes Renewed: Model: LF856 Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU)

Model: LF856 Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (H)

Model: LF856 Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU)

Model: LF856 Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (H)

Model: LF856 Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU)

Model: LF876V Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVD)

Model: LF876V Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVD) Type: DCDA-II Size: 3 Manual: 10 Approved: 20-Mar-2015 Shutoffs: (mm), II

Type: DCDA-II Size: 3 Manual: 10 Approved: 20-Mar-2015 Shutoffs: (mm), II

Type: DCDA-II Size: 4 Manual: 10 Approved: 26-Jan-2015 Shutoffs: (mm), II

Type: DCDA-II Size: 4 Manual: 10 Approved: 26-Jan-2015 Shutoffs: (mm), II

Type: DCDA-II Size: 6 Manual: 10 Approved: 26-Jan-2015 Shutoffs: (mm), II

Type: DCDA-II Size: 6 Manual: 10 Approved: 26-Jan-2015 Shutoffs: (mm), II

Type: DCDA-II Size: 8 Manual: 10 Approved: 07-Jul-2015 Shutoffs: (mm), II Manufacturer: Febco Orientation: VUVD 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: VUVU 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: VUVD 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: VUVU 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: VUVD 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: VUVU 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: VUVD 0.25% Pb: Yes Renewed: Model: LF876V Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU)

Model: LF876V Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVD)

Model: LF876V Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU)

Model: LF876V Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVD)

Model: LF876V Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU)

Model: LF876V Meters: (O),J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVD)

Model: LF876V Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU)

Type: DCDA-II Size: 8 Manual: 10 Approved: 07-Jul-2015 Shutoffs: (mm), II	Manufacturer: Febco Orientation: VUVU 0.25% Pb: Yes Renewed:	Model: LF876V Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVD)
	•••••••	M - 1-1 - 4000
Type: PVB	Manufacturer: Ames	Model: A200
Size: 3/4	Orientation: VUH 0.25% Pb: No	Meters:
Manual: 8		Spare Parts Only: No
Approved: 06-Apr-1993 Shutoffs: (vv),xx,ooo,hhhh,pppp	Renewed: 06-Apr-2017	Bypass:
Type: PVB	Manufacturer: Ames	Model: A200
Size: 1	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 25-May-1993	Renewed: 25-May-2017	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: PVB	Manufacturer: Ames	Model: A200
Size: 1 1/2	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Jun-1993	Renewed: 21-Jun-2017	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: PVB	Manufacturer: Ames	Model: A200
Size: 2	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Jun-1993	Renewed: 21-Jun-2017	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: PVB	Manufacturer: Apollo/Conbraco	Model: 4050302
Size: 1/2	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 06-Sep-1991	Renewed: 06-Sep-2015	Bypass:
Shutoffs: dd		
Type: PVB	Manufacturer: Apollo/Conbraco	Model: 4050402
Size: 3/4	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 06-Sep-1991	Renewed: 06-Sep-2015	Bypass:
Shutoffs: (dd)		

Type: PVB	Manufacturer: Apollo/Conbraco	Model: 4050502
Size: 1	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 06-Sep-1991	Renewed: 06-Sep-2015	Bypass:
Shutoffs: (dd)		
Type: PVB	Manufacturer: Apollo/Conbraco	Model: 4050602
Size: 1 1/4	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Dec-1993	Renewed: 01-Dec-2014	Bypass:
Shutoffs: (dd)		
Type: PVB	Manufacturer: Apollo/Conbraco	Model: 4050702
Size: 1 1/2	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Dec-1993	Renewed: 01-Dec-2014	Bypass:
Shutoffs: (dd)		
Type: PVB	Manufacturer: Apollo/Conbraco	Model: 4050802
Size: 2	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Dec-1993	Renewed: 01-Dec-2014	Bypass:
Shutoffs: (dd)		
Type: PVB	Manufacturer: Apollo/Conbraco	Model: PVB
Size: 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to PVB4V	
Type: PVB	Manufacturer: Apollo/Conbraco	Model: PVB
Size: 3/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to PVB4V	
Type: PVB	Manufacturer: Apollo/Conbraco	Model: PVB
Size: 1	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	

Notes: model designation changed to PVB4V

Type: PVB	Manufacturer: Apollo/Conbraco	Model: PVB
Size: 1 1/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to PVB4V	
Type: PVB	Manufacturer: Apollo/Conbraco	Model: PVB
Size: 1 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to PVB4V	
Type: PVB	Manufacturer: Apollo/Conbraco	Model: PVB
Size: 2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to PVB4V	
Type: PVB	Manufacturer: Apollo/Conbraco	Model: PVB4A
Size: 1/2	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Nov-2010	Renewed: 18-Nov-2016	Bypass:
Shutoffs: (iiiii),sssss		
Type: PVB	Manufacturer: Apollo/Conbraco	Model: PVB4A
Size: 3/4	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Nov-2010	Renewed: 18-Nov-2016	Bypass:
Shutoffs: (iiiii),sssss		
Type: PVB	Manufacturer: Apollo/Conbraco	Model: PVB4A
Size: 1	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Nov-2010	Renewed: 18-Nov-2016	Bypass:
Shutoffs: (iiiii),sssss		
Type: PVB	Manufacturer: Apollo/Conbraco	Model: PVB4A
Size: 1 1/4	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Apr-2011	Renewed: 27-Apr-2017	Bypass:
Shutoffs: (iiiii),sssss		

Type: PVB Size: 1 1/2 Manual: 9 Approved: 27-Apr-2011 Shutoffs: (iiiii),sssss	Manufacturer: Apollo/Conbraco Orientation: VUH 0.25% Pb: No Renewed: 27-Apr-2017	Model: PVB4A Meters: Spare Parts Only: No Bypass:
Type: PVB Size: 2 Manual: 9 Approved: 30-Jan-2012 Shutoffs: (iiiii),sssss	Manufacturer: Apollo/Conbraco Orientation: VUH 0.25% Pb: No Renewed: 30-Jan-2015	Model: PVB4A Meters: Spare Parts Only: No Bypass:
Type: PVB Size: 1/2 Manual: 9 Approved: 23-Sep-1999 Shutoffs: (dd) Notes: formerly PVB	Manufacturer: Apollo/Conbraco Orientation: VUH 0.25% Pb: No Renewed: 23-Sep-2014	Model: PVB4V Meters: Spare Parts Only: Yes Bypass:
Type: PVB Size: 3/4 Manual: 9 Approved: 23-Sep-1999 Shutoffs: (dd) Notes: formerly PVB	Manufacturer: Apollo/Conbraco Orientation: VUH 0.25% Pb: No Renewed: 23-Sep-2014	Model: PVB4V Meters: Spare Parts Only: Yes Bypass:
Type: PVB Size: 1 Manual: 9 Approved: 23-Sep-1999 Shutoffs: (dd) Notes: formerly PVB	Manufacturer: Apollo/Conbraco Orientation: VUH 0.25% Pb: No Renewed: 23-Sep-2014	Model: PVB4V Meters: Spare Parts Only: Yes Bypass:
Type: PVB Size: 1 1/4 Manual: 9 Approved: 07-Oct-2002 Shutoffs: (dd)	Manufacturer: Apollo/Conbraco Orientation: VUH 0.25% Pb: No Renewed: 07-Oct-2014	Model: PVB4V Meters: Spare Parts Only: Yes Bypass:

Notes: formerly PVB

Type: PVB	Manufacturer: Apollo/Conbraco	Model: PVB4V	
Size: 1 1/2	Orientation: VUH	Meters:	
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes	
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:	
Shutoffs: (dd)			
Notes: formerly PVB			
Type: PVB	Manufacturer: Apollo/Conbraco	Model: PVB4V	
Size: 2	Orientation: VUH	Meters:	
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes	
Approved: 18-Jun-2003	Renewed: 18-Jun-2015	Bypass:	
Shutoffs: (dd)			
Notes: formerly PVB			
Type: PVB	Manufacturer: Conbraco	Model:	
Size:	Orientation:	Meters:	
Manual:	0.25% Pb: No	Spare Parts Only: No	
Approved:	Renewed:	Bypass:	
Notes: See Apollo/Conbraco			
Type: PVB	Manufacturer: Febco	Model: 765	
Size: 1/2	Orientation: VUH	Meters:	
Manual: 5	0.25% Pb: No	Spare Parts Only: No	
Approved: 26-Mar-1974	Renewed: 01-Jul-2016	Bypass:	
Shutoffs: (ii),fff,jjj,ooo			
Type: PVB	Manufacturer: Febco	Model: 765	
Size: 3/4	Orientation: VUH	Meters:	
Manual: 5	0.25% Pb: No	Spare Parts Only: No	
Approved: 26-Mar-1974	Renewed: 01-Jul-2016	Bypass:	
Shutoffs: (ii),fff,jjj,ooo,xxx			
Type: PVB	Manufacturer: Febco	Model: 765	
Size: 1	Orientation: VUH	Meters:	
Manual: 5	0.25% Pb: No	Spare Parts Only: No	
Approved: 26-Mar-1974	Renewed: 01-Jul-2016	Bypass:	
Shutoffs: (ii),fff,jjj,ooo,xxx			

Type: PVB	Manufacturer: Febco	Model: 765
Size: 1 1/4	Orientation: VUH	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: No
Approved: 26-Mar-1974	Renewed: 01-Jul-2016	Bypass:
Shutoffs: (ii),fff,jjj,ooo		
Type: PVB	Manufacturer: Febco	Model: 765
Size: 1 1/2	Orientation: VUH	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: No
Approved: 26-Mar-1974	Renewed: 01-Jul-2016	Bypass:
Shutoffs: (ii),fff,jjj,ooo,xxx		
Type: PVB	Manufacturer: Febco	Model: 765
Size: 2	Orientation: VUH	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: No
Approved: 26-Mar-1974	Renewed: 01-Jul-2016	Bypass:
Shutoffs: (ii),fff,000,xxx		
Type: PVB	Manufacturer: Febco	Model: 767-FR
Size: 1/2	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Aug-2006	Renewed: 01-Aug-2015	Bypass:
Shutoffs: (vv), xx,pppp,rrrrr		
Type: PVB	Manufacturer: Febco	Model: 767-FR
Size: 3/4	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Aug-2006	Renewed: 01-Aug-2015	Bypass:
Shutoffs: (vv), xx,pppp,rrrrr		
Type: PVB	Manufacturer: Febco	Model: 767-FR
Size: 1	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Aug-2006	Renewed: 01-Aug-2015	Bypass:
Shutoffs: (vv), xx,pppp,rrrrr		
Type: PVB	Manufacturer: Febco	Model: 767-FR
Size: 1 1/4	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Aug-2006	Renewed: 01-Aug-2015	Bypass:
Shutoffs: (vv), xx,pppp,rrrrr		

Type: PVB Manufacturer: Febco Model: 767-FR Size: 1 1/2 Orientation: VUH Meters: 0.25% Pb: No Spare Parts Only: No Manual: 9 Approved: 01-Aug-2006 Renewed: 01-Aug-2015 Bypass: Shutoffs: (vv), xx,pppp,rrrrr Type: PVB Manufacturer: Febco Model: 767-FR Size: 2 Orientation: VUH Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Renewed: 01-Aug-2015 Approved: 01-Aug-2006 Bypass: Shutoffs: (vv), xx,pppp,rrrrr Type: PVB Manufacturer: Febco Model: LF767FR Size: 1/2 Orientation: VUH Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 04-May-2010 Renewed: 04-May-2016 Bypass: Shutoffs: (hhhh),rrrrr Type: PVB Manufacturer: Febco Model: LF767FR Size: 3/4 Orientation: VUH Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 04-May-2010 Renewed: 04-May-2016 Bypass: Shutoffs: (hhhh),rrrrr Type: PVB Manufacturer: Febco Model: LF767FR Orientation: VUH Size: 1 Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 04-May-2010 Renewed: 04-May-2016 Bypass: Shutoffs: (hhhh),rrrrr Type: PVB Manufacturer: Febco Model: LF767FR Size: 1 1/4 Orientation: VUH Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 04-May-2010 Renewed: 04-May-2016 Bypass: Shutoffs: (hhhh),rrrrr Manufacturer: Febco Model: LF767FR Type: PVB Size: 1 1/2 Orientation: VUH Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 04-May-2010 Renewed: 04-May-2016 Bypass: Shutoffs: (hhhh),rrrrr

Type: PVB	Manufacturer: Febco	Model: LF767FR
Size: 2	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 04-May-2010	Renewed: 04-May-2016	Bypass:
Shutoffs: (hhhh),rrrrr		
Type: PVB	Manufacturer: Flomatic	Model: PVB
Size: 3/4	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Nov-1997	Renewed: 21-Nov-2015	Bypass:
Shutoffs: (ii)		
Type: PVB	Manufacturer: Flomatic	Model: PVB
Size: 1	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Nov-1997	Renewed: 21-Nov-2015	Bypass:
Shutoffs: (ii)		
Type: PVB	Manufacturer: Neptune	Model:
Size:	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: See Wilkins		
Type: PVB	Manufacturer: Watts	Model: 800CMQT
Size: 1/2	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jul-1989	Renewed: 18-Jul-2016	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: PVB	Manufacturer: Watts	Model: 800CMQT
Size: 3/4	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jul-1989	Renewed: 18-Jul-2016	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: PVB	Manufacturer: Watts	Model: 800M2QT
Size: 1/2	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 09-Jul-1991	Renewed: 09-Jul-2015	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		

Type: PVB	Manufacturer: Watts	Model: 800M2QT
Size: 3/4	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 09-Jul-1991	Renewed: 09-Jul-2015	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: PVB	Manufacturer: Watts	Model: 800M2QT
Size: 1	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 09-Jul-1991	Renewed: 09-Jul-2015	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: PVB	Manufacturer: Watts	Model: 800M2QT
Size: 1 1/4	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 25-Mar-1993	Renewed: 25-Mar-2017	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: PVB	Manufacturer: Watts	Model: 800M2QT
Size: 1 1/2	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 25-Mar-1993	Renewed: 25-Mar-2017	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: PVB	Manufacturer: Watts	Model: 800M2QT
Size: 2	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 25-Mar-1993	Renewed: 25-Mar-2017	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: PVB	Manufacturer: Watts	Model: 800M3QT
Size: 1/2	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 24-Feb-1992	Renewed: 24-Feb-2016	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: PVB	Manufacturer: Watts	Model: 800M3QT
Size: 3/4	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 24-Feb-1992	Renewed: 24-Feb-2016	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		

Type: PVB	Manufacturer: Watts	Model: 800M4FR
Size: 1/2	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-May-1998	Renewed: 12-May-2016	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrr	rr	
Type: PVB	Manufacturer: Watts	Model: 800M4FR
Size: 3/4	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-May-1998	Renewed: 12-May-2016	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrr	rr	
Type: PVB	Manufacturer: Watts	Model: 800M4FR
Size: 1	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Sep-1995	Renewed: 01-Sep-2016	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrr	rr	
Type: PVB	Manufacturer: Watts	Model: 800M4FR
Size: 1 1/4	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 13-May-1997	Renewed: 13-May-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrr	rr	
Type: PVB	Manufacturer: Watts	Model: 800M4FR
Size: 1 1/2	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 13-May-1997	Renewed: 13-May-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrr	rr	
Type: PVB	Manufacturer: Watts	Model: 800M4FR
Size: 2	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 13-May-1997	Renewed: 13-May-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrr	rr	
Type: PVB	Manufacturer: Watts	Model: 800M4QT
Size: 1/2	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Sep-1993	Renewed: 06-Sep-2014	Bypass:
Charleffer (m) and each black many m		

Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

Type: PVB	Manufacturer: Watts	Model: 800M4QT
Size: 3/4	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Apr-1993	Renewed: 06-Apr-2017	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: PVB	Manufacturer: Watts	Model: 800M4QT
Size: 1	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 25-May-1993	Renewed: 25-May-2017	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: PVB	Manufacturer: Watts	Model: 800M4QT
Size: 1 1/4	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-May-1994	Renewed: 24-May-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: PVB	Manufacturer: Watts	Model: 800M4QT
Size: 1 1/2	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Jun-1993	Renewed: 21-Jun-2017	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: PVB	Manufacturer: Watts	Model: 800M4QT
Size: 2	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Jun-1993	Renewed: 21-Jun-2017	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: PVB	Manufacturer: Watts	Model: 800MQT
Size: 1/2	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jul-1989	Renewed: 18-Jul-2016	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: PVB	Manufacturer: Watts	Model: 800MQT
Size: 3/4	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jul-1989	Renewed: 18-Jul-2016	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		

Type: PVB	Manufacturer: Watts	Model: 800QT
Size: 3/4	Orientation: VUH	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 14-Feb-1978	Renewed: 14-Feb-2017	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		-,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Type: PVB	Manufacturer: Watts	Model: 800QT
Size: 1	Orientation: VUH	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 14-Feb-1978	Renewed: 14-Feb-2017	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: PVB	Manufacturer: Watts	Model: 800QT
Size: 1 1/4	Orientation: VUH	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 14-Feb-1978	Renewed: 14-Feb-2017	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: PVB	Manufacturer: Watts	Model: 800QT
Size: 1 1/2	Orientation: VUH	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 14-Feb-1978	Renewed: 14-Feb-2017	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: PVB	Manufacturer: Watts	Model: 800QT
Size: 2	Orientation: VUH	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 14-Feb-1978	Renewed: 14-Feb-2017	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: PVB	Manufacturer: Watts	Model: LF800M4FR
Size: 1/2	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Jan-2010	Renewed: 12-Jan-2016	Bypass:
Shutoffs: (hhhh),rrrrr		
Type: PVB	Manufacturer: Watts	Model: LF800M4FR
Size: 3/4	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Jan-2010	Renewed: 12-Jan-2016	Bypass:
Shutoffs: (hhhh),rrrrr		

Type: PVB Size: 1 Manual: 9 Approved: 05-Dec-2014 Shutoffs: (hhhh),rrrrr

Type: PVB Size: 1 1/4 Manual: 9 Approved: 12-Jan-2010 Shutoffs: (hhhh),rrrrr

Type: PVB Size: 1 1/2 Manual: 9 Approved: 12-Jan-2010 Shutoffs: (hhhh),rrrrr

Type: PVB Size: 2 Manual: 9 Approved: 12-Jan-2010 Shutoffs: (hhhh),rrrrr

Type: PVB Size: 1/2 Manual: 9 Approved: 12-Jan-2010 Shutoffs: (hhhh),rrrrr

Type: PVB Size: 3/4 Manual: 9 Approved: 12-Jan-2010 Shutoffs: (hhhh),rrrrr

Type: PVB Size: 1 Manual: 9 Approved: 05-Dec-2014 Shutoffs: (hhhh),rrrrr Manufacturer: Watts Orientation: VUH 0.25% Pb: Yes Renewed:

Manufacturer: Watts Orientation: VUH 0.25% Pb: Yes Renewed: 12-Jan-2016

Manufacturer: Watts Orientation: VUH 0.25% Pb: Yes Renewed: 12-Jan-2016

Manufacturer: Watts Orientation: VUH 0.25% Pb: Yes Renewed: 12-Jan-2016

Manufacturer: Watts Orientation: VUH 0.25% Pb: Yes Renewed: 12-Jan-2016

Manufacturer: Watts Orientation: VUH 0.25% Pb: Yes Renewed: 12-Jan-2016

Manufacturer: Watts Orientation: VUH 0.25% Pb: Yes Renewed: Model: LF800M4FR Meters: Spare Parts Only: No Bypass:

Model: LF800M4QT Meters: Spare Parts Only: No Bypass:

Model: LF800M4QT Meters: Spare Parts Only: No Bypass:

Model: LF800M4QT Meters: Spare Parts Only: No Bypass: Type: PVB Size: 1 1/4 Manual: 9 Approved: 12-Jan-2010 Shutoffs: (hhhh),rrrrr

Type: PVB Size: 1 1/2 Manual: 9 Approved: 12-Jan-2010 Shutoffs: (hhhh),rrrrr

Type: PVB Size: 2 Manual: 9 Approved: 12-Jan-2010 Shutoffs: (hhhh),rrrrr

Type: PVB Size: 1/2 Manual: 9 Approved: 17-Jul-1999 Shutoffs: (ii),000

Type: PVB Size: 3/4 Manual: 9 Approved: 17-Jul-1999 Shutoffs: (ii),000

Type: PVB Size: 1 Manual: 9 Approved: 29-Sep-2000 Shutoffs: (ii),000 Manufacturer: Watts Orientation: VUH 0.25% Pb: Yes Renewed: 12-Jan-2016

Manufacturer: Watts Orientation: VUH 0.25% Pb: Yes Renewed: 12-Jan-2016

Manufacturer: Watts Orientation: VUH 0.25% Pb: Yes Renewed: 12-Jan-2016

Manufacturer: Wilkins Orientation: VUH 0.25% Pb: No Renewed: 10-Jul-2017

Manufacturer: Wilkins Orientation: VUH 0.25% Pb: No Renewed: 10-Jul-2017

Manufacturer: Wilkins

Renewed: 29-Sep-2015

Orientation: VUH

0.25% Pb: No

Model: LF800M4QT Meters: Spare Parts Only: No Bypass:

Model: LF800M4QT Meters: Spare Parts Only: No Bypass:

Model: LF800M4QT Meters: Spare Parts Only: No Bypass:

Model: 420 Meters: Spare Parts Only: No Bypass:

Model: 420 Meters: Spare Parts Only: No Bypass:

Model: 420 Meters: Spare Parts Only: No Bypass:

Type: PVB	Manufacturer: Wilkins	Model: 420XL
Size: 1/2	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 21-Mar-2011	Renewed: 21-Mar-2017	Bypass:
Shutoffs: (iiii)		
Notes: Testcocks: Female Threa	aded End or 45 degree male SAE flare	
Type: PVB	Manufacturer: Wilkins	Model: 420XL
Size: 3/4	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 21-Mar-2011	Renewed: 21-Mar-2017	Bypass:
Shutoffs: (iiii)		
Notes: Testcocks: Female Threa	aded End or 45 degree male SAE flare	
Type: PVB	Manufacturer: Wilkins	Model: 420XL
Size: 1	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 03-Aug-2011	Renewed: 03-Aug-2017	Bypass:
Shutoffs: (iiii)		
Notes: Testcocks: Female Threa	aded End or 45 degree male SAE flare	
Type: PVB	Manufacturer: Wilkins	Model: 720A
Size: 1/2	Orientation: VUH	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: No
Approved: 28-Aug-1978	Renewed: 28-Aug-2014	Bypass:
Shutoffs: (ii),000		
	. T00001 the test cocks were moved from	n the body to the shutoff valves. Testcocks:
Notes: Beginning with Serial No Female Threaded End or 45 deg		
• •		Model: 720A

Manual: 5 Approved: 28-Aug-1978

Shutoffs: (ii),000

Notes: Beginning with Serial No. T00001 the test cocks were moved from the body to the shutoff valves. Testcocks: Female Threaded End or 45 degree male SAE flare.

0.25% Pb: No

Renewed: 28-Aug-2014

Spare Parts Only: No

Bypass:

Type: PVB	Manufacturer: Wilkins	Model: 720A
Size: 1	Orientation: VUH	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: No
Approved: 28-Aug-1978	Renewed: 28-Aug-2014	Bypass:
Shutoffs: (ii),000		
Notes: Beginning with Serial No. Female Threaded End or 45 degr		n the body to the shutoff valves. Testcocks:
Type: PVB	Manufacturer: Wilkins	Model: 720A
Size: 1 1/4	Orientation: VUH	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: No
Approved: 28-Aug-1978	Renewed: 28-Aug-2014	Bypass:
Shutoffs: (ii),000		
Notes: Beginning with Serial No.	T00001 the test cocks were moved from	n the body to the shutoff valves.
Type: PVB	Manufacturer: Wilkins	Model: 720A
Size: 1 1/2	Orientation: VUH	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: No
Approved: 28-Aug-1978	Renewed: 28-Aug-2014	Bypass:
	Renewed: 28-Aug-2014	Bypass:
Approved: 28-Aug-1978 Shutoffs: (ii),ooo	Renewed: 28-Aug-2014 T00001 the test cocks were moved from	
Approved: 28-Aug-1978 Shutoffs: (ii),ooo Notes: Beginning with Serial No.	-	
Approved: 28-Aug-1978 Shutoffs: (ii),ooo Notes: Beginning with Serial No. Type: PVB	T00001 the test cocks were moved from	n the body to the shutoff valves.
Approved: 28-Aug-1978 Shutoffs: (ii),000 Notes: Beginning with Serial No. Type: PVB Size: 2	T00001 the test cocks were moved from Manufacturer: Wilkins	n the body to the shutoff valves. Model: 720A
Approved: 28-Aug-1978 Shutoffs: (ii),000 Notes: Beginning with Serial No. Type: PVB Size: 2 Manual: 5	T00001 the test cocks were moved from Manufacturer: Wilkins Orientation: VUH	n the body to the shutoff valves. Model: 720A Meters:
Approved: 28-Aug-1978 Shutoffs: (ii),000 Notes: Beginning with Serial No. Type: PVB Size: 2 Manual: 5 Approved: 28-Aug-1978	T00001 the test cocks were moved from Manufacturer: Wilkins Orientation: VUH 0.25% Pb: No	n the body to the shutoff valves. Model: 720A Meters: Spare Parts Only: No
Approved: 28-Aug-1978 Shutoffs: (ii),000 Notes: Beginning with Serial No. Type: PVB Size: 2 Manual: 5 Approved: 28-Aug-1978 Shutoffs: (ii),000	T00001 the test cocks were moved from Manufacturer: Wilkins Orientation: VUH 0.25% Pb: No	Model: 720A Meters: Spare Parts Only: No Bypass:
Approved: 28-Aug-1978 Shutoffs: (ii),000 Notes: Beginning with Serial No. Type: PVB Size: 2 Manual: 5 Approved: 28-Aug-1978 Shutoffs: (ii),000 Notes: Beginning with Serial No.	T00001 the test cocks were moved from Manufacturer: Wilkins Orientation: VUH 0.25% Pb: No Renewed: 28-Aug-2014	Model: 720A Meters: Spare Parts Only: No Bypass:
Approved: 28-Aug-1978 Shutoffs: (ii),000 Notes: Beginning with Serial No. Type: PVB Size: 2 Manual: 5 Approved: 28-Aug-1978 Shutoffs: (ii),000 Notes: Beginning with Serial No.	T00001 the test cocks were moved from Manufacturer: Wilkins Orientation: VUH 0.25% Pb: No Renewed: 28-Aug-2014 T00001 the test cocks were moved from	n the body to the shutoff valves. Model: 720A Meters: Spare Parts Only: No Bypass: n the body to the shutoff valves.
Approved: 28-Aug-1978 Shutoffs: (ii),000 Notes: Beginning with Serial No. Type: PVB Size: 2 Manual: 5 Approved: 28-Aug-1978 Shutoffs: (ii),000 Notes: Beginning with Serial No. Type: RP Size: 1/2	T00001 the test cocks were moved from Manufacturer: Wilkins Orientation: VUH 0.25% Pb: No Renewed: 28-Aug-2014 T00001 the test cocks were moved from Manufacturer: Ames	n the body to the shutoff valves. Model: 720A Meters: Spare Parts Only: No Bypass: n the body to the shutoff valves. Model: 4000B
Approved: 28-Aug-1978 Shutoffs: (ii),000 Notes: Beginning with Serial No. Type: PVB Size: 2 Manual: 5 Approved: 28-Aug-1978 Shutoffs: (ii),000	T00001 the test cocks were moved from Manufacturer: Wilkins Orientation: VUH 0.25% Pb: No Renewed: 28-Aug-2014 T00001 the test cocks were moved from Manufacturer: Ames Orientation: H	n the body to the shutoff valves. Model: 720A Meters: Spare Parts Only: No Bypass: n the body to the shutoff valves. Model: 4000B Meters:
Approved: 28-Aug-1978 Shutoffs: (ii),000 Notes: Beginning with Serial No. Type: PVB Size: 2 Manual: 5 Approved: 28-Aug-1978 Shutoffs: (ii),000 Notes: Beginning with Serial No. Type: RP Size: 1/2 Manual: 9 Approved: 10-Sep-1996	T00001 the test cocks were moved from Manufacturer: Wilkins Orientation: VUH 0.25% Pb: No Renewed: 28-Aug-2014 T00001 the test cocks were moved from Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 10-Sep-2014	n the body to the shutoff valves. Model: 720A Meters: Spare Parts Only: No Bypass: n the body to the shutoff valves. Model: 4000B Meters: Spare Parts Only: No
Approved: 28-Aug-1978 Shutoffs: (ii),000 Notes: Beginning with Serial No. Type: PVB Size: 2 Manual: 5 Approved: 28-Aug-1978 Shutoffs: (ii),000 Notes: Beginning with Serial No. Type: RP Size: 1/2 Manual: 9 Approved: 10-Sep-1996 Shutoffs: (vv),xx,000,hhhh,pppp,	T00001 the test cocks were moved from Manufacturer: Wilkins Orientation: VUH 0.25% Pb: No Renewed: 28-Aug-2014 T00001 the test cocks were moved from Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 10-Sep-2014	n the body to the shutoff valves. Model: 720A Meters: Spare Parts Only: No Bypass: n the body to the shutoff valves. Model: 4000B Meters: Spare Parts Only: No
Approved: 28-Aug-1978 Shutoffs: (ii),000 Notes: Beginning with Serial No. Type: PVB Size: 2 Manual: 5 Approved: 28-Aug-1978 Shutoffs: (ii),000 Notes: Beginning with Serial No. Type: RP Size: 1/2 Manual: 9 Approved: 10-Sep-1996 Shutoffs: (vv),xx,000,hhhh,pppp, Notes: Previously Approved 8th B	T00001 the test cocks were moved from Manufacturer: Wilkins Orientation: VUH 0.25% Pb: No Renewed: 28-Aug-2014 T00001 the test cocks were moved from Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 10-Sep-2014	n the body to the shutoff valves. Model: 720A Meters: Spare Parts Only: No Bypass: n the body to the shutoff valves. Model: 4000B Meters: Spare Parts Only: No
Approved: 28-Aug-1978 Shutoffs: (ii),000 Notes: Beginning with Serial No. Type: PVB Size: 2 Manual: 5 Approved: 28-Aug-1978 Shutoffs: (ii),000 Notes: Beginning with Serial No. Type: RP Size: 1/2 Manual: 9 Approved: 10-Sep-1996 Shutoffs: (vv),xx,000,hhhh,pppp, Notes: Previously Approved 8th B	T00001 the test cocks were moved from Manufacturer: Wilkins Orientation: VUH 0.25% Pb: No Renewed: 28-Aug-2014 T00001 the test cocks were moved from Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 10-Sep-2014 rrrrrr Ed. (26 May 1993)	n the body to the shutoff valves. Model: 720A Meters: Spare Parts Only: No Bypass: n the body to the shutoff valves. Model: 4000B Meters: Spare Parts Only: No Bypass:
Approved: 28-Aug-1978 Shutoffs: (ii),000 Notes: Beginning with Serial No. Type: PVB Size: 2 Manual: 5 Approved: 28-Aug-1978 Shutoffs: (ii),000 Notes: Beginning with Serial No. Type: RP Size: 1/2 Manual: 9	T00001 the test cocks were moved from Manufacturer: Wilkins Orientation: VUH 0.25% Pb: No Renewed: 28-Aug-2014 T00001 the test cocks were moved from Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 10-Sep-2014 rrrrr Ed. (26 May 1993) Manufacturer: Ames	h the body to the shutoff valves. Model: 720A Meters: Spare Parts Only: No Bypass: In the body to the shutoff valves. Model: 4000B Meters: Spare Parts Only: No Bypass: Model: 4000B

	Manufacturer: Ames	Madal: 4000P
Type: RP Size: 1	Orientation: H	Model: 4000B Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: No
Approved: 11-Jan-1988	Renewed: 11-Jan-2015	
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr	Reliewed. 11-Jan-2015	Bypass:
Silutons. (w),xx,000,minin,pppp,min		
Type: RP	Manufacturer: Ames	Model: 4000B
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Aug-1993	Renewed: 24-Aug-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Ames	Model: 4000B
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Aug-1993	Renewed: 24-Aug-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Ames	Model: 4000B
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 10-Sep-1996	Renewed: 10-Sep-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Ames	Model: 4000B-FP
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Sep-2009	Renewed: 01-Sep-2015	Bypass:
Shutoffs: (eeeee)		
Type: RP	Manufacturer: Ames	Model: 4000B-FP
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Sep-2009	Renewed: 01-Sep-2015	Bypass:
Shutoffs: (eeeee)		
Type: RP	Manufacturer: Ames	Model: 4000B-FP
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Sep-2009	Renewed: 01-Sep-2015	Bypass:
Shutoffs: (eeeee)		

Type: RP Size: 1 1/2 Manual: 9 Approved: 01-Sep-2009 Shutoffs: (eeeee)

Type: RP Size: 2 Manual: 9 Approved: 01-Sep-2009 Shutoffs: (eeeee)

Type: RP Size: 1 Manual: 9 Approved: 18-May-1998 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

Type: RP Size: 1 Manual: 9 Approved: 01-Sep-2009 Shutoffs: (eeeee)

Type: RP Size: 3/4 Manual: 9 Approved: 27-Mar-2000 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

Type: RP Size: 3/4 Manual: 9 Approved: 01-Sep-2009 Shutoffs: (eeeee)

Type: RP Size: 2 1/2 Manual: 7 Approved: 07-Jul-2000 Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 01-Sep-2015

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 01-Sep-2015

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 18-May-2016

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 01-Sep-2015

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 27-Mar-2015

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 01-Sep-2015

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 07-Jul-2015 Model: 4000B-FP Meters: Spare Parts Only: No Bypass:

Model: 4000B-FP Meters: Spare Parts Only: No Bypass:

Model: 4000BM2 Meters: Spare Parts Only: No Bypass:

Model: 4000BM2-FP Meters: Spare Parts Only: No Bypass:

Model: 4000BM3 Meters: Spare Parts Only: No Bypass:

Model: 4000BM3-FP Meters: Spare Parts Only: No Bypass:

Model: 4000CIV Meters: Spare Parts Only: No Bypass:

Type: RP	Manufacturer: Ames	Model: 4000CIV
Size: 3	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Jul-2000	Renewed: 07-Jul-2015	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu		
Type: RP	Manufacturer: Ames	Model: 4000CIV
Size: 4	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 19-Jun-2000	Renewed: 19-Jun-2015	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,e	ee	
Type: RP	Manufacturer: Ames	Model: 4000CIV
Size: 6	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 19-Jun-2000	Renewed: 19-Jun-2015	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,e	ee	
Type: RP	Manufacturer: Ames	Model: 4000CIV
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 19-Jun-2000	Renewed: 19-Jun-2015	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu		
Type: RP	Manufacturer: Ames	Model: 4000CIV
Size: 10	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 19-Jun-2000	Renewed: 19-Jun-2015	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu		
Type: RP	Manufacturer: Ames	Model: 4000RP
Size: 4	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: No
Approved: 13-Oct-1987	Renewed: 13-Oct-2014	Bypass:
Shutoffs: (tt),ee,ff,gg,hh,ll,mm,oo,pp	,uu,ccc,ddd,ffff,gggg	

Size: 6	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: No
Approved: 13-Oct-1987	Renewed: 13-Oct-2014	Bypass:
Shutoffs: (tt),ee,ff,gg,hh,ll,mm,oc	p,pp,uu,ccc,ddd,ffff,gggg	
Notes: formerly Model RP		
Type: RP	Manufacturer: Ames	Model: 4000RP
Size: 8	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: No
Approved: 13-Oct-1987	Renewed: 13-Oct-2014	Bypass:
Shutoffs: (tt),ee,ff,gg,hh,ll,mm,oc	p,pp,uu,ccc,ddd,ffff,gggg	
Notes: formerly Model RP		
Type: RP	Manufacturer: Ames	Model: 4000RP
Size: 10	Orientation: H	Meters:
		Spare Parts Only: No
Manual: 7	0.25% Pb: No	
Manual: 7 Approved: 13-Oct-1987 Shutoffs: (tt),ee,ff,gg,hh,ll,mm,oc Notes: formerly Model RP	Renewed: 13-Oct-2014	Bypass:
Approved: 13-Oct-1987 Shutoffs: (tt),ee,ff,gg,hh,ll,mm,oc Notes: formerly Model RP	Renewed: 13-Oct-2014 p,pp,uu,ccc,ddd,ffff,gggg	Bypass:
Approved: 13-Oct-1987 Shutoffs: (tt),ee,ff,gg,hh,ll,mm,oc Notes: formerly Model RP Type: RP	Renewed: 13-Oct-2014 p,pp,uu,ccc,ddd,ffff,gggg Manufacturer: Ames	Bypass: Model: 4000SS
Approved: 13-Oct-1987 Shutoffs: (tt),ee,ff,gg,hh,ll,mm,oc Notes: formerly Model RP Type: RP Size: 2 1/2	Renewed: 13-Oct-2014 o,pp,uu,ccc,ddd,ffff,gggg Manufacturer: Ames Orientation: H	Bypass: Model: 4000SS Meters:
Approved: 13-Oct-1987 Shutoffs: (tt),ee,ff,gg,hh,ll,mm,oc Notes: formerly Model RP Type: RP Size: 2 1/2 Manual: 8	Renewed: 13-Oct-2014 o,pp,uu,ccc,ddd,ffff,gggg Manufacturer: Ames Orientation: H 0.25% Pb: No	Bypass: Model: 4000SS Meters: Spare Parts Only: No
Approved: 13-Oct-1987 Shutoffs: (tt),ee,ff,gg,hh,ll,mm,oc Notes: formerly Model RP Type: RP Size: 2 1/2	Renewed: 13-Oct-2014 o,pp,uu,ccc,ddd,ffff,gggg Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 15-Apr-2015	Bypass: Model: 4000SS Meters:
Approved: 13-Oct-1987 Shutoffs: (tt),ee,ff,gg,hh,ll,mm,oc Notes: formerly Model RP Type: RP Size: 2 1/2 Manual: 8 Approved: 15-Apr-1994 Shutoffs: (tt),ee,ff,gg,hh,pp,uu,co	Renewed: 13-Oct-2014 o,pp,uu,ccc,ddd,ffff,gggg Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 15-Apr-2015	Bypass: Model: 4000SS Meters: Spare Parts Only: No
Approved: 13-Oct-1987 Shutoffs: (tt),ee,ff,gg,hh,ll,mm,oc Notes: formerly Model RP Type: RP Size: 2 1/2 Manual: 8 Approved: 15-Apr-1994 Shutoffs: (tt),ee,ff,gg,hh,pp,uu,co	Renewed: 13-Oct-2014 o,pp,uu,ccc,ddd,ffff,gggg Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 15-Apr-2015 cc,ddd	Bypass: Model: 4000SS Meters: Spare Parts Only: No Bypass:
Approved: 13-Oct-1987 Shutoffs: (tt),ee,ff,gg,hh,ll,mm,oc Notes: formerly Model RP Type: RP Size: 2 1/2 Manual: 8 Approved: 15-Apr-1994 Shutoffs: (tt),ee,ff,gg,hh,pp,uu,co Type: RP Size: 2 1/2	Renewed: 13-Oct-2014 o,pp,uu,ccc,ddd,ffff,gggg Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 15-Apr-2015 cc,ddd Manufacturer: Ames	Bypass: Model: 4000SS Meters: Spare Parts Only: No Bypass: Model: 4000SS
Approved: 13-Oct-1987 Shutoffs: (tt),ee,ff,gg,hh,ll,mm,oc Notes: formerly Model RP Type: RP Size: 2 1/2 Manual: 8 Approved: 15-Apr-1994 Shutoffs: (tt),ee,ff,gg,hh,pp,uu,co Type: RP Size: 2 1/2 Manual: 8	Renewed: 13-Oct-2014 o,pp,uu,ccc,ddd,ffff,gggg Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 15-Apr-2015 cc,ddd Manufacturer: Ames Orientation: H	Bypass: Model: 4000SS Meters: Spare Parts Only: No Bypass: Model: 4000SS Meters: Model: 4000SS
Approved: 13-Oct-1987 Shutoffs: (tt),ee,ff,gg,hh,ll,mm,oc Notes: formerly Model RP Type: RP Size: 2 1/2 Manual: 8 Approved: 15-Apr-1994	Renewed: 13-Oct-2014 p,pp,uu,ccc,ddd,ffff,gggg Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 15-Apr-2015 cc,ddd Manufacturer: Ames Orientation: H 0.25% Pb: Yes	Bypass: Model: 4000SS Meters: Spare Parts Only: No Bypass: Model: 4000SS Meters: Spare Parts Only: No
Approved: 13-Oct-1987 Shutoffs: (tt),ee,ff,gg,hh,ll,mm,oc Notes: formerly Model RP Type: RP Size: 2 1/2 Manual: 8 Approved: 15-Apr-1994 Shutoffs: (tt),ee,ff,gg,hh,pp,uu,co Type: RP Size: 2 1/2 Manual: 8 Approved: 15-Apr-1994	Renewed: 13-Oct-2014 p,pp,uu,ccc,ddd,ffff,gggg Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 15-Apr-2015 cc,ddd Manufacturer: Ames Orientation: H 0.25% Pb: Yes	Bypass: Model: 4000SS Meters: Spare Parts Only: No Bypass: Model: 4000SS Meters: Spare Parts Only: No
Approved: 13-Oct-1987 Shutoffs: (tt),ee,ff,gg,hh,ll,mm,oc Notes: formerly Model RP Type: RP Size: 2 1/2 Manual: 8 Approved: 15-Apr-1994 Shutoffs: (tt),ee,ff,gg,hh,pp,uu,co Type: RP Size: 2 1/2 Manual: 8 Approved: 15-Apr-1994 Shutoffs: II,mm,oo,ffff,gggg	Renewed: 13-Oct-2014 p,pp,uu,ccc,ddd,ffff,gggg Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 15-Apr-2015 cc,ddd Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 15-Apr-2015	Bypass: Model: 4000SS Meters: Spare Parts Only: No Bypass: Model: 4000SS Meters: Spare Parts Only: No Bypass:
Approved: 13-Oct-1987 Shutoffs: (tt),ee,ff,gg,hh,ll,mm,oc Notes: formerly Model RP Type: RP Size: 2 1/2 Manual: 8 Approved: 15-Apr-1994 Shutoffs: (tt),ee,ff,gg,hh,pp,uu,co Type: RP Size: 2 1/2 Manual: 8 Approved: 15-Apr-1994 Shutoffs: ll,mm,oo,ffff,gggg Type: RP	Renewed: 13-Oct-2014 p,pp,uu,ccc,ddd,ffff,gggg Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 15-Apr-2015 cc,ddd Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 15-Apr-2015 Manufacturer: Ames	Bypass: Model: 4000SS Meters: Spare Parts Only: No Bypass: Model: 4000SS Meters: Spare Parts Only: No Bypass: Model: 4000SS Meters: Spare Parts Only: No

Manufacturer: Ames

Model: 4000RP

Page 378 of 631

Type: RP

Type: RP Size: 3 Manual: 8 Approved: 15-Apr-1994 Shutoffs: II,mm,oo,ffff,gggg	Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 15-Apr-2015	Model: 4000SS Meters: Spare Parts Only: No Bypass:
Type: RP	Manufacturer: Ames	Model: 4000SS
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Apr-1994	Renewed: 15-Apr-2015	Bypass:
Shutoffs: (tt),ee,ff,gg,hh,pp,uu,co	cc,ddd	
Type: RP	Manufacturer: Ames	Model: 4000SS
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-Apr-1994	Renewed: 15-Apr-2015	Bypass:
Shutoffs: II,mm,oo,ffff,gggg		
Type: RP	Manufacturer: Ames	Model: 4000SS
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Sep-1997	Renewed: 22-Sep-2015	Bypass:
Shutoffs: (tt),ee,ff,gg,hh,pp,uu,co		
Type: RP	Manufacturer: Ames	Model: 4000SS
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-Sep-1997	Renewed: 22-Sep-2015	Bypass:
Shutoffs: II,mm,oo,ffff,gggg		
Type: RP	Manufacturer: Ames	Model: 400B
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb : No	Spare Parts Only: No
Approved: 20-Jun-2006	Renewed: 20-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,		-,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Type: RP	Manufacturer: Ames	Model: 400B
Size: 3/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-2006	Renewed: 30-Aug-2015	Bypass:
	Nenewed. 30-Aug-2013	Dypass.

Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

2017 © University of Southern California

Type: RP	Manufacturer: Ames	Model: 400B
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jun-2006	Renewed: 20-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Ames	Model: 400B
Size: 1	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-2006	Renewed: 30-Aug-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Ames	Model: 400B
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jun-2006	Renewed: 20-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Ames	Model: 400B
Size: 1 1/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-2006	Renewed: 30-Aug-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Ames	Model: 400B
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jun-2006	Renewed: 20-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Ames	Model: 400B
Size: 1 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-2006	Renewed: 30-Aug-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Ames	Model: 400B
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jun-2006	Renewed: 20-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		

Type: RP	Manufacturer: Ames	Model: 400B
Size: 2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-2006	Renewed: 30-Aug-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrr	r	
Type: RP	Manufacturer: Ames	Model: 400B-A
Size: 3/4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jun-2006	Renewed: 20-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrr	r	
Type: RP	Manufacturer: Ames	Model: 400B-A
Size: 1	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jun-2006	Renewed: 20-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrr	r	
Type: RP	Manufacturer: Ames	Model: 400B-A
Size: 1 1/4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Sep-2006	Renewed: 05-Sep-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrr	r	
Type: RP	Manufacturer: Ames	Model: 400B-A
Size: 1 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jun-2006	Renewed: 20-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrr	r	
Type: RP	Manufacturer: Ames	Model: 400B-A
Size: 2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jun-2006	Renewed: 20-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrr	r	
Type: RP	Manufacturer: Ames	Model: 400B-Z
Size: 3/4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jun-2006	Renewed: 20-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrr	r	

Type: RP	Manufacturer: Ames	Model: 400B-Z
Size: 1	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb : No	Spare Parts Only: No
Approved: 20-Jun-2006	Renewed: 20-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	p,rrrrr	
Type: RP	Manufacturer: Ames	Model: 400B-Z
Size: 1 1/4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jun-2006	Renewed: 20-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	p,rrrr	
Type: RP	Manufacturer: Ames	Model: 400B-Z
Size: 1 1/2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jun-2006	Renewed: 20-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp),rrrrr	
Type: RP	Manufacturer: Ames	Model: 400B-Z
Size: 2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jun-2006	Renewed: 20-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp),rrrrr	
Type: RP	Manufacturer: Ames	Model: Colt 400
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb,ı	าทททท	
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Ames	Model: Colt 400
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
Shutoffs: zzz,dddd,eeee,gggg,k	kkk,IIII,mmmm,nnnn	
Notes: Check valve discs may b	e black EPDM or orange Silicone	

Page 382 of 631

Type: RP	Manufacturer: Ames	Model: Colt 400
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb,	nnnn	
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Ames	Model: Colt 400
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
Shutoffs: zzz,dddd,eeee,gggg,k	kkk,llll,mmmm,nnnn	
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Ames	Model: Colt 400
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb : No	Spare Parts Only: No
	Renewed: 07-Oct-2014	Bypass:
Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,aaaa,bbbb,		Bypass:
Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,aaaa,bbbb,		Bypass:
Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,aaaa,bbbb, Notes: Check valve discs may b	nnnn	Bypass: Model: Colt 400
Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,aaaa,bbbb, Notes: Check valve discs may b	nnnnn e black EPDM or orange Silicone	
Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,aaaa,bbbb, Notes: Check valve discs may b Type: RP Size: 4	nnnnn e black EPDM or orange Silicone Manufacturer: Ames	Model: Colt 400
Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,aaaa,bbbb, Notes: Check valve discs may b Type: RP Size: 4 Manual: 9	nnnnn e black EPDM or orange Silicone Manufacturer: Ames Orientation: H	Model: Colt 400 Meters:
Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,aaaa,bbbb,	Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 07-Oct-2014	Model: Colt 400 Meters: Spare Parts Only: No
Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,aaaa,bbbb, Notes: Check valve discs may b Type: RP Size: 4 Manual: 9 Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,k	Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 07-Oct-2014	Model: Colt 400 Meters: Spare Parts Only: No
Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,aaaa,bbbb, Notes: Check valve discs may b Type: RP Size: 4 Manual: 9 Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,k Notes: Check valve discs may b	Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 07-Oct-2014	Model: Colt 400 Meters: Spare Parts Only: No
Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,aaaa,bbbb, Notes: Check valve discs may b Type: RP Size: 4 Manual: 9 Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,k Notes: Check valve discs may b	nnnnn e black EPDM or orange Silicone Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 07-Oct-2014 :kkkk,IIII,mmmm,nnnn e black EPDM or orange Silicone	Model: Colt 400 Meters: Spare Parts Only: No Bypass:
Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,aaaa,bbbb, Notes: Check valve discs may b Type: RP Size: 4 Manual: 9 Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,k Notes: Check valve discs may b Type: RP Size: 6	nnnnn e black EPDM or orange Silicone Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 07-Oct-2014 kkkk,IIII,mmmm,nnnn e black EPDM or orange Silicone Manufacturer: Ames	Model: Colt 400 Meters: Spare Parts Only: No Bypass: Model: Colt 400
Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,aaaa,bbbb, Notes: Check valve discs may b Type: RP Size: 4 Manual: 9 Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,k Notes: Check valve discs may b Type: RP Size: 6 Manual: 9	Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 07-Oct-2014 Kkkk,IIII,mmmm,nnnn e black EPDM or orange Silicone Manufacturer: Ames Orientation: H	Model: Colt 400 Meters: Spare Parts Only: No Bypass: Model: Colt 400 Meters:
Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,aaaa,bbbb, Notes: Check valve discs may b Type: RP Size: 4 Manual: 9 Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,k	Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 07-Oct-2014 &kkk,IIII,mmmm,nnnn e black EPDM or orange Silicone Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 29-Sep-2016	Model: Colt 400 Meters: Spare Parts Only: No Bypass: Model: Colt 400 Meters: Spare Parts Only: No
Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,aaaa,bbbb, Notes: Check valve discs may b Type: RP Size: 4 Manual: 9 Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,k Notes: Check valve discs may b Type: RP Size: 6 Manual: 9 Approved: 29-Sep-2004 Shutoffs: (ppp),qqq,aaaa,bbbb,	Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 07-Oct-2014 &kkk,IIII,mmmm,nnnn e black EPDM or orange Silicone Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 29-Sep-2016	Model: Colt 400 Meters: Spare Parts Only: No Bypass: Model: Colt 400 Meters: Spare Parts Only: No
Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,aaaa,bbbb, Notes: Check valve discs may b Type: RP Size: 4 Manual: 9 Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,k Notes: Check valve discs may b Type: RP Size: 6 Manual: 9 Approved: 29-Sep-2004 Shutoffs: (ppp),qqq,aaaa,bbbb,	Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 07-Oct-2014 Kkkk,IIII,mmmm,nnnn e black EPDM or orange Silicone Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 29-Sep-2016	Model: Colt 400 Meters: Spare Parts Only: No Bypass: Model: Colt 400 Meters: Spare Parts Only: No Bypass:
Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,aaaa,bbbb, Notes: Check valve discs may b Type: RP Size: 4 Manual: 9 Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,k Notes: Check valve discs may b Type: RP Size: 6 Manual: 9 Approved: 29-Sep-2004	Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 07-Oct-2014 Kkkk,IIII,mmmm,nnn e black EPDM or orange Silicone Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 29-Sep-2016 nnnnn	Model: Colt 400 Meters: Spare Parts Only: No Bypass: Model: Colt 400 Meters: Spare Parts Only: No Bypass: Model: Colt 400

Type: RP	Manufacturer: Ames	Model: Colt 400
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 13-Aug-2007	Renewed: 13-Aug-2016	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb,	nnnn	
Type: RP	Manufacturer: Ames	Model: Colt 400
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 13-Aug-2007	Renewed: 13-Aug-2016	Bypass:
Shutoffs: zzz,dddd,eeee,gggg,l	kkkk,llll,mmmm,nnnn	
Type: RP	Manufacturer: Ames	Model: Colt 400
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
		•
Approved: 22-Jul-2009	Renewed: 22-Jul-2015	Bypass:
Approved: 22-Jul-2009 Shutoffs: (ppp),qqq,sss,ttt,aaaa	Renewed: 22-Jul-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,aaaa	Renewed: 22-Jul-2015	Bypass: Model: Colt 400
Shutoffs: (ppp),qqq,sss,ttt,aaaa Type: RP	Renewed: 22-Jul-2015 a,bbbb,nnnnn	
Approved: 22-Jul-2009 Shutoffs: (ppp),qqq,sss,ttt,aaaa Type: RP Size: 10 Manual: 9	Renewed: 22-Jul-2015 a,bbbb,nnnnn Manufacturer: Ames	Model: Colt 400
Shutoffs: (ppp),qqq,sss,ttt,aaaa Type: RP Size: 10 Manual: 9	Renewed: 22-Jul-2015 a,bbbb,nnnnn Manufacturer: Ames Orientation: H	Model: Colt 400 Meters:
Shutoffs: (ppp),qqq,sss,ttt,aaaa Type: RP Size: 10 Manual: 9 Approved: 22-Jul-2009	Renewed: 22-Jul-2015 a,bbbb,nnnnn Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 22-Jul-2015	Model: Colt 400 Meters: Spare Parts Only: No
Shutoffs: (ppp),qqq,sss,ttt,aaaa Type: RP Size: 10 Manual: 9 Approved: 22-Jul-2009	Renewed: 22-Jul-2015 a,bbbb,nnnnn Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 22-Jul-2015	Model: Colt 400 Meters: Spare Parts Only: No
Shutoffs: (ppp),qqq,sss,ttt,aaaa Type: RP Size: 10 Manual: 9 Approved: 22-Jul-2009 Shutoffs: zzz,cccc,dddd,eeee,g	Renewed: 22-Jul-2015 a,bbbb,nnnnn Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 22-Jul-2015 gggg,kkkk,llll,mmmm,nnnn	Model: Colt 400 Meters: Spare Parts Only: No Bypass:
Shutoffs: (ppp),qqq,sss,ttt,aaaa Type: RP Size: 10 Manual: 9 Approved: 22-Jul-2009 Shutoffs: zzz,cccc,dddd,eeee,g Type: RP Size: 4	Renewed: 22-Jul-2015 a,bbbb,nnnnn Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 22-Jul-2015 Igggg,kkkk,IIII,mmmm,nnnn Manufacturer: Ames	Model: Colt 400 Meters: Spare Parts Only: No Bypass: Model: Colt 400BF
Shutoffs: (ppp),qqq,sss,ttt,aaaa Type: RP Size: 10 Manual: 9 Approved: 22-Jul-2009 Shutoffs: zzz,cccc,dddd,eeee,g Type: RP Size: 4 Manual: 9	Renewed: 22-Jul-2015 a,bbbb,nnnn Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 22-Jul-2015 Igggg,kkkk,IIII,mmmm,nnnn Manufacturer: Ames Orientation: H	Model: Colt 400 Meters: Spare Parts Only: No Bypass: Model: Colt 400BF Meters:
Shutoffs: (ppp),qqq,sss,ttt,aaaa Type: RP Size: 10 Manual: 9 Approved: 22-Jul-2009 Shutoffs: zzz,cccc,dddd,eeee,g Type: RP Size: 4 Manual: 9 Approved: 17-Sep-2007	Renewed: 22-Jul-2015 a,bbbb,nnnnn Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 22-Jul-2015 Igggg,kkkk,IIII,mmmm,nnnn Manufacturer: Ames Orientation: H 0.25% Pb: Yes	Model: Colt 400 Meters: Spare Parts Only: No Bypass: Model: Colt 400BF Meters: Spare Parts Only: No
Shutoffs: (ppp),qqq,sss,ttt,aaaa Type: RP Size: 10 Manual: 9 Approved: 22-Jul-2009 Shutoffs: zzz,cccc,dddd,eeee,g Type: RP Size: 4 Manual: 9 Approved: 17-Sep-2007 Shutoffs: (yyy)	Renewed: 22-Jul-2015 a,bbbb,nnnnn Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 22-Jul-2015 Igggg,kkkk,IIII,mmmm,nnnn Manufacturer: Ames Orientation: H 0.25% Pb: Yes	Model: Colt 400 Meters: Spare Parts Only: No Bypass: Model: Colt 400BF Meters: Spare Parts Only: No

Size: 6 Manual: 9 Approved: 17-Sep-2007 Shutoffs: (yyy) Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 17-Sep-2016 Model: Colt 400BF Meters: Spare Parts Only: No Bypass:

1900.10		
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb,	nnnn	
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Ames	Model: Colt 400N
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gg	jgg,kkkk,llll,mmmm,nnnn	
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Ames	Model: Colt 400N
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb,	nnnnn	
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Ames	Model: Colt 400N
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gg	ıgg,kkkk,llll,mmmm,nnnn	
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Ames	Model: Colt 400N
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb,	nnnn	
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Ames	Model: Colt 400N
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14 Apr 2002	Renewed: 14-Apr-2015	Bypass:
Approved: 14-Apr-2003	Reliewed. 14-Apt-2015	Dypass.
Shutoffs: yyy,zzz,dddd,eeee,gg		bypuss.

Manufacturer: Ames

Model: Colt 400N

Type: RP

Type: RP Size: 6 Manual: 9 Approved: 15-Nov-2010 Shutoffs: ppp,qqq,aaaa,bbbb,nnnnn

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 15-Nov-2016 Model: Colt 400N Meters: Spare Parts Only: No Bypass:

Type: RP	Manufacturer: Ames	Model: Colt 400N
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-Nov-2010	Renewed: 15-Nov-2016	Bypass:
Shutoffs: zzz,dddd,eeee,gggg,kl	<pre><kk,iiii,mmmm,nnnn< pre=""></kk,iiii,mmmm,nnnn<></pre>	

Type: RPManufacturer: AmesModel:Size: 8Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare PApproved: 14-Jun-2013Renewed: 14-Jun-2016BypassShutoffs: (yyy), zzz, dddd, eeee, gggg, kkkk, IIII, mmmm, nnnnState P

Type: RPManufacturer: AmesSize: 2 1/2Orientation: VUVUManual: 90.25% Pb: NoApproved: 14-Apr-2003Renewed: 14-Apr-2015Shutoffs: (ppp),qqq,aaaa,bbbb,nnnnnNotes: Check valve discs may be black EPDM or orange Silicone

Type: RPManufacturer: AmesSize: 2 1/2Orientation: VUVUManual: 90.25% Pb: YesApproved: 14-Apr-2003Renewed: 14-Apr-2015Shutoffs: yyy,zzz,dddd,eeee,gggg,kkkk,IIII,mmm,nnnNotes: Check valve discs may be black EPDM or orange Silicone

Type: RPManufacturer: AmesSize: 3Orientation: VUVUManual: 90.25% Pb: NoApproved: 14-Apr-2003Renewed: 14-Apr-2015Shutoffs: (ppp),qqq,aaaa,bbbb,nnnnnNotes: Check valve discs may be black EPDM or orange Silicone

Model: Colt 400N Meters: Spare Parts Only: No Bypass:

Model: Colt 400Z Meters: Spare Parts Only: No Bypass:

Model: Colt 400Z Meters: Spare Parts Only: No Bypass:

Model: Colt 400Z Meters: Spare Parts Only: No Bypass:

Type: RP	Manufacturer: Ames	Model: Colt 400Z
Size: 3	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gg	gg,kkkk,llll,mmmm,nnnn	
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Ames	Model: Colt 400Z
Size: 4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb,	nnnnn	
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Ames	Model: Colt 400Z
Size: 4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gg	gg,kkkk,llll,mmmm,nnnn	
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Ames	Model: Colt 400Z
Size: 8	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed: 14-Jun-2016	Bypass:
Shutoffs: ppp, qqq, aaaa, bbbb,		
Type: RP	Manufacturer: Ames	Model: Colt 400Z
Size: 8	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed: 14-Jun-2016	Bypass:
Shutoffs: (yyy), zzz, dddd, eeee	e, gggg, kkkk, IIII, mmmm, nnnn	
Type: RP	Manufacturer: Ames	Model: LF4000B
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
		_

Approved: 25-Sep-2013 Shutoffs: (hhhh)

Renewed: 25-Sep-2016

Bypass:

Type: RP Size: 1 Manual: 9 Approved: 25-Sep-2013 Shutoffs: (hhhh)

- Type: RP Size: 1 1/4 Manual: 8 Approved: 25-Sep-2013 Shutoffs: (hhhh)
- Type: RP Size: 1 1/2 Manual: 8 Approved: 25-Sep-2013 Shutoffs: (hhhh)
- Type: RP Size: 2 Manual: 9 Approved: 25-Sep-2013 Shutoffs: (hhhh)

Type: RP Size: 3/4 Manual: 9 Approved: 25-Sep-2013 Shutoffs: (hhhh)

Type: RPManufacturer: AmesSize: 2 1/2Orientation: HManual: 90.25% Pb: NoApproved: 07-Oct-2002Renewed: 07-Oct-2014

Shutoffs: (ppp),qqq,aaa,bbbb,nnnnn

Notes: Check valve discs may be black EPDM or orange Silicone

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 25-Sep-2016

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 25-Sep-2016

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 25-Sep-2016

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 25-Sep-2016

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 25-Sep-2016 Model: LF4000BM2 Meters: Spare Parts Only: No Bypass:

Model: LF4000BM3 Meters: Spare Parts Only: No Bypass:

Model: Maxim 400 Meters: Spare Parts Only: No Bypass:

Type: RP	Manufacturer: Ames	Model: Maxim 400	
Size: 2 1/2	Orientation: H	Meters:	
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:	
Shutoffs: zzz,dddd,eeee,gggg,k	kkk,IIII,mmmm,nnnn		
Notes: Check valve discs may be	e black EPDM or orange Silicone		
Type: RP	Manufacturer: Ames	Model: Maxim 400	
Size: 3	Orientation: H	Meters:	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:	
Shutoffs: (ppp),qqq,aaa,bbbb,nr	าททท		
Notes: Check valve discs may be	e black EPDM or orange Silicone		
Type: RP	Manufacturer: Ames	Model: Maxim 400	
Size: 3	Orientation: H	Meters:	
		Spare Parts Only: No	
Manual: 9	0.25% Pb: Yes	Spare Fails Only. NO	
Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,k	Renewed: 07-Oct-2014	Bypass:	
Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,k Notes: Check valve discs may be	Renewed: 07-Oct-2014 kkk,IIII,mmmm,nnnn e black EPDM or orange Silicone	Bypass:	
Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,k Notes: Check valve discs may be Type: RP	Renewed: 07-Oct-2014 kkk,IIII,mmmm,nnnn e black EPDM or orange Silicone Manufacturer: Ames	Bypass: Model: Maxim 400	
Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,k Notes: Check valve discs may be Type: RP Size: 4	Renewed: 07-Oct-2014 kkk,IIII,mmmm,nnnn e black EPDM or orange Silicone Manufacturer: Ames Orientation: H	Bypass: Model: Maxim 400 Meters:	
Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,k Notes: Check valve discs may be Type: RP Size: 4 Manual: 9	Renewed: 07-Oct-2014 kkk,IIII,mmmm,nnnn e black EPDM or orange Silicone Manufacturer: Ames Orientation: H 0.25% Pb: No	Bypass: Model: Maxim 400 Meters: Spare Parts Only: No	
Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,k Notes: Check valve discs may be Type: RP Size: 4	Renewed: 07-Oct-2014 kkk,IIII,mmmm,nnnn e black EPDM or orange Silicone Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 18-Jan-2017	Bypass: Model: Maxim 400 Meters:	
Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,k Notes: Check valve discs may be Type: RP Size: 4 Manual: 9 Approved: 18-Jan-2005	Renewed: 07-Oct-2014 kkk,IIII,mmmm,nnnn e black EPDM or orange Silicone Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 18-Jan-2017	Bypass: Model: Maxim 400 Meters: Spare Parts Only: No	
Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,k Notes: Check valve discs may be Type: RP Size: 4 Manual: 9 Approved: 18-Jan-2005 Shutoffs: (ppp),qqq,aaa,bbbb,nr	Renewed: 07-Oct-2014 kkk,IIII,mmmm,nnnn e black EPDM or orange Silicone Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 18-Jan-2017	Bypass: Model: Maxim 400 Meters: Spare Parts Only: No Bypass:	
Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,k Notes: Check valve discs may be Type: RP Size: 4 Manual: 9 Approved: 18-Jan-2005 Shutoffs: (ppp),qqq,aaa,bbbb,nr	Renewed: 07-Oct-2014 kkk,IIII,mmmm,nnnn e black EPDM or orange Silicone Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 18-Jan-2017	Bypass: Model: Maxim 400 Meters: Spare Parts Only: No Bypass: Model: Maxim 400	
Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,k Notes: Check valve discs may be Type: RP Size: 4 Manual: 9 Approved: 18-Jan-2005 Shutoffs: (ppp),qqq,aaa,bbbb,nr Type: RP Size: 4	Renewed: 07-Oct-2014 kkk,IIII,mmmm,nnnn e black EPDM or orange Silicone Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 18-Jan-2017 nnnn Manufacturer: Ames Orientation: H	Bypass: Model: Maxim 400 Meters: Spare Parts Only: No Bypass: Model: Maxim 400 Meters:	
Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,k Notes: Check valve discs may be Type: RP Size: 4 Manual: 9 Approved: 18-Jan-2005 Shutoffs: (ppp),qqq,aaa,bbbb,nr Type: RP Size: 4 Manual: 9	Renewed: 07-Oct-2014 kkk,IIII,mmmm,nnnn e black EPDM or orange Silicone Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 18-Jan-2017 nnnn Manufacturer: Ames Orientation: H 0.25% Pb: Yes	Bypass: Model: Maxim 400 Meters: Spare Parts Only: No Bypass: Model: Maxim 400 Meters: Spare Parts Only: No	
Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,k Notes: Check valve discs may be Type: RP Size: 4 Manual: 9 Approved: 18-Jan-2005 Shutoffs: (ppp),qqq,aaa,bbbb,nr Type: RP Size: 4 Manual: 9 Approved: 18-Jan-2005	Renewed: 07-Oct-2014 kkk,IIII,mmmm,nnnn e black EPDM or orange Silicone Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 18-Jan-2017 nnnn Manufacturer: Ames Orientation: H 0.25% Pb: Yes	Bypass: Model: Maxim 400 Meters: Spare Parts Only: No Bypass: Model: Maxim 400 Meters: Spare Parts Only: No	
Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,k Notes: Check valve discs may be Type: RP Size: 4 Manual: 9 Approved: 18-Jan-2005 Shutoffs: (ppp),qqq,aaa,bbbb,nr Type: RP Size: 4 Manual: 9 Approved: 18-Jan-2005 Shutoffs: kkkk,llll,mmmm,nnnn	Renewed: 07-Oct-2014 kkk,IIII,mmm,nnnn e black EPDM or orange Silicone Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 18-Jan-2017 Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 18-Jan-2017	Bypass: Model: Maxim 400 Meters: Spare Parts Only: No Bypass: Model: Maxim 400 Meters: Spare Parts Only: No Bypass:	
Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,k Notes: Check valve discs may be Type: RP Size: 4 Manual: 9 Approved: 18-Jan-2005 Shutoffs: (ppp),qqq,aaa,bbbb,nr Type: RP Size: 4 Manual: 9 Approved: 18-Jan-2005 Shutoffs: kkkk,llll,mmmm,nnnn	Renewed: 07-Oct-2014 kkk,IIII,mmmm,nnnn e black EPDM or orange Silicone Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 18-Jan-2017 nnnn Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 18-Jan-2017 Manufacturer: Ames	Bypass: Model: Maxim 400 Meters: Spare Parts Only: No Bypass: Model: Maxim 400 Meters: Spare Parts Only: No Bypass: Model: Maxim 400	

2017 © University of Southern California

Type: RP
Size: 6
Manual: 9
Approved: 13-Aug-2007
Shutoffs: cccc,dddd,kkkk,llll,mmmm,nr

Orientation: H 0.25% Pb: Yes Renewed: 13-Aug-2016 n,nnnn

Manufacturer: Ames

Meters: Spare Parts Only: No Bypass:

Model: Maxim 400

Type: RP	Manufacturer: Ames	I
Size : 8	Orientation: H	I
Manual: 9	0.25% Pb: No	;
Approved: 22-Jul-2009	Renewed: 22-Jul-2015	I
Shutoffs: (ppp),qqq,sss,ttt,aaaa,bb	bb,nnnnn	

Type: RPManufacturer: AmesSize: 8Orientation: HManual: 90.25% Pb: YesApproved: 22-Jul-2009Renewed: 22-Jul-2015Shutoffs: zzz,cccc,dddd,eeee,gggg,kkk,llll,mmm,nnnn

Type: RPManufacturer: AmesSize: 10Orientation: HManual: 90.25% Pb: NoApproved: 22-Jul-2009Renewed: 22-Jul-2015Shutoffs: (ppp),qqq,sss,ttt,aaaa,bbbb

Type: RPManufacturer: AmesSize: 10Orientation: HManual: 90.25% Pb: YesApproved: 22-Jul-2009Renewed: 22-Jul-2015Shutoffs: zzz,cccc,dddd,eeee,gggg,kkkk,llll,mmm,nnn

Type: RP Size: 2 1/2 Manual: 9 Approved: 14-Apr-2003 Shutoffs: (ppp),qqq,aaaa,bbbb,nnnnn

Type: RPManualSize: 2 1/2OrientManual: 90.25%Approved: 14-Apr-2003RenewShutoffs: yawy 777 dddd eeee gagg kkkk IIII mm

Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes Renewed: 14-Apr-2015

Manufacturer: Ames

Renewed: 14-Apr-2015

Orientation: VUVD

0.25% Pb: No

Shutoffs: yyy,zzz,dddd,eeee,gggg,kkkk,llll,mmmm,nnnn

Model: Maxim 400 Meters: Spare Parts Only: No Bypass:

Model: Maxim 400 Meters: Spare Parts Only: No Bypass:

Model: Maxim 400 Meters: Spare Parts Only: No Bypass:

Model: Maxim 400 Meters: Spare Parts Only: No Bypass:

Model: Maxim 400N Meters: Spare Parts Only: No Bypass:

Model: Maxim 400N Meters: Spare Parts Only: No Bypass:

Type: RP
Size: 3
Manual: 9
Approved: 14-Apr-2003
Shutoffs: (ppp),qqq,aaaa,bbbb,nnnnn

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 14-Apr-2015 Model: Maxim 400N Meters: Spare Parts Only: No Bypass:

Type: RP	Manufacturer: Ames	Model: Maxim 400N
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gggg,k	kkk,IIII,mmmm,nnnn	

Type: RPManufacturer: AmesSize: 4Orientation: VUVDManual: 90.25% Pb: NoApproved: 15-Nov-2010Renewed: 15-Nov-2016Shutoffs: ppp,qqq,aaaa,bbbb,nnnnn

Type: RPManufacturer: AmesSize: 4Orientation: VUVDManual: 90.25% Pb: YesApproved: 15-Nov-2010Renewed: 15-Nov-2016Shutoffs: yyy,zzz,dddd,eeee,gggg,kkkk,Illl,mmmm,nnnn

Type: RP Size: 6 Manual: 9 Approved: 14-Jun-2013 Shutoffs: ppp, qqq, aaaa, bbbb,

Type: RPManufacturer: AmesSize: 6Orientation: VUVDManual: 90.25% Pb: YesApproved: 14-Jun-2013Renewed: 14-Jun-2016Shutoffs: (yyy), zzz, dddd, eeee, gggg, kkkk, IIII, mmmm, nnnn

Type: RP Size: 2 1/2 Manual: 9 Approved: 14-Apr-2003 Shutoffs: (ppp),qqq,aaaa,bbbb,nnnnn Manufacturer: Ames Orientation: VUVU 0.25% Pb: No Renewed: 14-Apr-2015

Manufacturer: Ames

Renewed: 14-Jun-2016

Orientation: VUVD

0.25% Pb: No

Model: Maxim 400N Meters: Spare Parts Only: No Bypass:

Model: Maxim 400N Meters: Spare Parts Only: No Bypass:

Model: Maxim 400N Meters: Spare Parts Only: No Bypass:

Model: Maxim 400N Meters: Spare Parts Only: No Bypass:

Model: Maxim 400Z Meters: Spare Parts Only: No Bypass:

Type: RP	Manufacturer: Ames	Model: Maxim 400Z
Size: 2 1/2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gg	gg,kkkk,llll,mmmm,nnnn	
Type: RP	Manufacturer: Ames	Model: Maxim 400Z
Size: 3	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb,	nnnn	
Type: RP	Manufacturer: Ames	Model: Maxim 400Z
Size: 3	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gg	gg,kkkk,llll,mmmm,nnnn	
Type: RP	Manufacturer: Ames	Model: Maxim 400Z
Size: 6	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed: 14-Jun-2016	Bypass:
Shutoffs: ppp, qqq, aaaa, bbbb,		
Type: RP	Manufacturer: Ames	Model: Maxim 400Z
Size: 6	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed: 14-Jun-2016	Bypass:
Shutoffs: (yyy), zzz, dddd, eeee	e, gggg, kkkk, IIII, mmmm, nnnn	
Type: RP	Manufacturer: Ames	Model: RP
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to 4000RP	
Type: RP	Manufacturer: Ames	Model: RP
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No

Notes: model designation changed to 4000RP

Type: RP	Manufacturer: Ames	Model: RP
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to 4000RP	
Type: RP	Manufacturer: Ames	Model: RP
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to 4000RP	
Type: RP	Manufacturer: Ames	Model: U400B
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jun-2006	Renewed: 20-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Ames	Model: U400B
Size: 1	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-2006	Renewed: 30-Aug-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Ames	Model: U400B
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jun-2006	Renewed: 20-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Ames	Model: U400B
Size: 1 1/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-2006	Renewed: 30-Aug-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Ames	Model: U400B
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jun-2006	Renewed: 20-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		

Type: RP	Manufacturer: Ames	Model: U400B
Size: 1 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-2006	Renewed: 30-Aug-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	0	
Type: RP	Manufacturer: Ames	Model: U400B
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jun-2006	Renewed: 20-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Ames	Model: U400B
Size: 2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-2006	Renewed: 30-Aug-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Ames	Model: U400B-A
Size: 3/4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jun-2006	Renewed: 20-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Ames	Model: U400B-A
Size: 1	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jun-2006	Renewed: 20-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Ames	Model: U400B-A
Size: 1 1/4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jun-2006	Renewed: 20-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Ames	Model: U400B-A
Size: 1 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jun-2006	Renewed: 20-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		

Type: RP	Manufacturer: Ames	Model: U400B-A
Size: 2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jun-2006	Renewed: 20-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 2020499T
Size: 3/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020002
Size: 3	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020003
Size: 3	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020005
	Manufacturer: Apollo/Conbraco Orientation:	Model: 4020005 Meters:
Type: RP Size: 3 Manual:		
Size: 3 Manual:	Orientation:	Meters:
Size: 3 Manual: Approved:	Orientation: 0.25% Pb: No Renewed:	Meters: Spare Parts Only: No
Size: 3 Manual: Approved: Notes: model designation chang	Orientation: 0.25% Pb: No Renewed:	Meters: Spare Parts Only: No
Size: 3 Manual: Approved: Notes: model designation chang Type: RP	Orientation: 0.25% Pb: No Renewed: ed to RP40	Meters: Spare Parts Only: No Bypass:
Size: 3 Manual: Approved: Notes: model designation chang Type: RP Size: 1/4	Orientation: 0.25% Pb: No Renewed: ed to RP40 Manufacturer: Apollo/Conbraco	Meters: Spare Parts Only: No Bypass: Model: 4020102
Size: 3 Manual: Approved: Notes: model designation chang Type: RP Size: 1/4 Manual: 8	Orientation: 0.25% Pb: No Renewed: ed to RP40 Manufacturer: Apollo/Conbraco Orientation: H	Meters: Spare Parts Only: No Bypass: Model: 4020102 Meters:
Size: 3 Manual: Approved: Notes: model designation chang Type: RP Size: 1/4 Manual: 8 Approved: 03-May-1991	Orientation: 0.25% Pb: No Renewed: ed to RP40 Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No	Meters: Spare Parts Only: No Bypass: Model: 4020102 Meters: Spare Parts Only: Yes
Size: 3 Manual: Approved: Notes: model designation chang Type: RP Size: 1/4 Manual: 8 Approved: 03-May-1991 Shutoffs: dd	Orientation: 0.25% Pb: No Renewed: ed to RP40 Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No	Meters: Spare Parts Only: No Bypass: Model: 4020102 Meters: Spare Parts Only: Yes
Size : 3	Orientation: 0.25% Pb: No Renewed: ed to RP40 Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 03-May-2015	Meters: Spare Parts Only: No Bypass: Model: 4020102 Meters: Spare Parts Only: Yes Bypass:
Size: 3 Manual: Approved: Notes: model designation chang Type: RP Size: 1/4 Manual: 8 Approved: 03-May-1991 Shutoffs: dd	Orientation: 0.25% Pb: No Renewed: ed to RP40 Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 03-May-2015 Manufacturer: Apollo/Conbraco	Meters: Spare Parts Only: No Bypass: Model: 4020102 Meters: Spare Parts Only: Yes Bypass: Model: 4020199T

Type: RP	Manufacturer: Apollo/Conbraco	Model: 40201A2
Size: 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 19-Apr-1996	Renewed: 19-Apr-2017	Bypass:
Shutoffs: dd		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40201A2S
Size: 1/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation change		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40201T2
Size: 1/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40201T2S
Size: 1/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to RPS40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020202
Size: 3/8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 03-May-1991 Shutoffs: dd	Renewed: 03-May-2015	Bypass:
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020299T
Size: 3/8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40202A2
Size: 3/8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 19-Apr-1996	Renewed: 19-Apr-2017	Bypass:
Shutoffs: dd		

Type: RP	Manufacturer: Apollo/Conbraco	Model: 40202A2S
Size: 3/8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to RPS40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40202T2
Size: 3/8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40202T2S
Size: 3/8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to RPS40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020302
Size: 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 03-May-1991	Renewed: 02-May-2017	Bypass:
Shutoffs: dd		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020399T
Size: 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40203A2
Size: 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 19-Apr-1996	Renewed: 19-Apr-2017	Bypass:
Shutoffs: dd		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40203A2S
Size: 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:

Type: RP	Manufacturer: Apollo/Conbraco	Model: 40203T2
Size: 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40203T2S
Size: 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to RPS40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020402
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-May-1989	Renewed: 08-May-2016	Bypass:
Shutoffs: dd		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40204A2
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Nov-1991	Renewed: 27-Nov-2015	Bypass:
Shutoffs: dd		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40204A2S
Size: 3/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to RPS40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40204A2U
Size: 3/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to RP40N	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40204A2Z
Size: 3/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:

Type: RP	Manufacturer: Apollo/Conbraco	Model: 40204T2
Size: 3/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	jed to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40204TC2
Size: 3/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	red to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40204TCU
Size: 3/4	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 30-Nov-1998	Renewed: 22-Nov-2016	Bypass:
Shutoffs: (dd)		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020502
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-May-1989	Renewed: 08-May-2016	Bypass:
Shutoffs: dd		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020599T
Size: 1	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	jed to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40205A2
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Nov-1991	Renewed: 27-Nov-2015	Bypass:
Shutoffs: dd		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40205A2S
Size: 1	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:

Type: RP	Manufacturer: Apollo/Conbraco	Model: 40205A2U
Size: 1	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation change	ed to 40205T2U	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40205A2Z
Size: 1	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation change	ed to 40205T2Z	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40205T2
Size: 1	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation change	ed to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40205T2S
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Aug-1994	Renewed: 16-Aug-2015	Bypass:
Shutoffs: (uuu)		
Notes: formerly 40205A2S		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40205T2U
Size: 1	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Sep-1993	Renewed: 15-Sep-2014	Bypass:
Shutoffs: (dd)		
Notes: formerly 40205A2U		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40205T2Z
Size: 1	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Sep-1993	Renewed: 15-Sep-2014	Bypass:
Shutoffs: (dd)		
Notes: formerly 40205A2Z		

Type: RP	Manufacturer: Apollo/Conbraco	Model: 40205TC2
Size: 1	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40205TCU
Size: 1	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 30-Nov-1998	Renewed: 22-Nov-2016	Bypass:
Shutoffs: (dd)		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020602
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 06-Apr-1992	Renewed: 06-Apr-2016	Bypass:
Shutoffs: dd		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020699T
Size: 1 1/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40206A2
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Jun-1993	Renewed: 21-Jun-2017	Bypass:
Shutoffs: dd		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40206A2U
Size: 1 1/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to RP40N	
	Manufacturer: Apollo/Conbraco	Model: 40206A2Z
Type: RP	Manufacturer. Apolio/Combraco	
	Orientation:	Meters:
Type: RP Size: 1 1/4 Manual:		

Notes: model designation changed to RP40Z

Type: RP	Manufacturer: Apollo/Conbraco	Model: 40206T2
Size: 1 1/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40206T2U
Size: 1 1/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to RP40N	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40206T2Z
Size: 1 1/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to RP40Z	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020702
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 17-Mar-1989	Renewed: 17-Mar-2016	Bypass:
Shutoffs: dd		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020799T
Size: 1 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40207A2
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Sep-1992	Renewed: 16-Sep-2016	Bypass:
Shutoffs: dd		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40207A2U
Size: 1 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:

Type: RP	Manufacturer: Apollo/Conbraco	Model: 40207A2Z
Size: 1 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to RP40Z	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40207T2
Size: 1 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40207T2U
Size: 1 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to RP40U	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40207T2Z
Size: 1 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to RP40Z	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020802
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 17-Mar-1989	Renewed: 17-Mar-2016	Bypass:
Shutoffs: dd		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020899T
Size: 2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40208A2
	Orientation: H	Meters:
Size: 2	Onemation. IT	
Size: 2 Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
		Spare Parts Only : Yes Bypass:

Type: RP	Manufacturer: Apollo/Conbraco	Model: 40208A2U
Size: 2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to RP40U	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40208A4
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 24-May-2000	Renewed: 24-May-2015	Bypass:
Shutoffs: rrr		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40208AZ2
Size: 2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to RP40Z	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40208T2
Size: 2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40208T2U
Size: 2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
		Bypass:
Notes: model designation chang		Bypass: Model: 40208T2Z
Notes: model designation chang	ed to RP40U	
Notes: model designation chang Type: RP Size: 2	ed to RP40U Manufacturer: Apollo/Conbraco	Model: 40208T2Z
Notes: model designation chang Type: RP Size: 2 Manual:	ed to RP40U Manufacturer: Apollo/Conbraco Orientation:	Model: 40208T2Z Meters:
Notes: model designation chang Type: RP Size: 2 Manual: Approved:	ed to RP40U Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Model: 40208T2Z Meters: Spare Parts Only: No
Notes: model designation chang Type: RP Size: 2 Manual: Approved: Notes: model designation chang	ed to RP40U Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Model: 40208T2Z Meters: Spare Parts Only: No
Approved: Notes: model designation chang Type: RP Size: 2 Manual: Approved: Notes: model designation chang Type: RP Size: 2 1/2	ed to RP40U Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: ed to RP40Z	Model: 40208T2Z Meters: Spare Parts Only: No Bypass:
Notes: model designation chang Type: RP Size: 2 Manual: Approved: Notes: model designation chang	ed to RP40U Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: ed to RP40Z Manufacturer: Apollo/Conbraco	Model: 40208T2Z Meters: Spare Parts Only: No Bypass: Model: 4020902

Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020903
Size: 2 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020905
Size: 2 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020A02
Size : 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020A03
Size: 4	Orientation:	Meters:
	0.25% Pb: No	Spare Parts Only: No
Manual:	0.25% Pb: No Renewed:	Spare Parts Only: No Bypass:
Manual: Approved:	Renewed:	
Manual: Approved: Notes: model designation of	Renewed:	
Manual: Approved: Notes: model designation Type: RP	Renewed: changed to RP40	Bypass:
Manual: Approved: Notes: model designation Type: RP Size: 4	Renewed: changed to RP40 Manufacturer: Apollo/Conbraco	Bypass: Model: 4020A05
Manual: Approved: Notes: model designation Type: RP Size: 4 Manual:	Renewed: changed to RP40 Manufacturer: Apollo/Conbraco Orientation:	Bypass: Model: 4020A05 Meters:
Manual: Approved: Notes: model designation Type: RP Size: 4 Manual: Approved:	Renewed: changed to RP40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Bypass: Model: 4020A05 Meters: Spare Parts Only: No
Manual: Approved: Notes: model designation Type: RP Size: 4 Manual: Approved: Notes: model designation	Renewed: changed to RP40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Bypass: Model: 4020A05 Meters: Spare Parts Only: No
Manual: Approved: Notes: model designation of Type: RP Size: 4 Manual: Approved: Notes: model designation of Type: RP	Renewed: changed to RP40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to RP40	Bypass: Model: 4020A05 Meters: Spare Parts Only: No Bypass:
Manual: Approved: Notes: model designation Type: RP Size: 4 Manual: Approved: Notes: model designation Type: RP Size: 6	Renewed: changed to RP40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to RP40 Manufacturer: Apollo/Conbraco	Bypass: Model: 4020A05 Meters: Spare Parts Only: No Bypass: Model: 4020C02
Manual: Approved: Notes: model designation Type: RP Size: 4 Manual: Approved: Notes: model designation Type: RP Size: 6 Manual:	Renewed: changed to RP40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to RP40 Manufacturer: Apollo/Conbraco Orientation: Orientation: Orientation: Orientation:	Bypass: Model: 4020A05 Meters: Spare Parts Only: No Bypass: Model: 4020C02 Meters:
Manual: Approved: Notes: model designation of Type: RP Size: 4 Manual: Approved: Notes: model designation of Type: RP Size: 6 Manual: Approved:	Renewed: changed to RP40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to RP40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: Changed to RP40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: Renewed:	Bypass: Model: 4020A05 Meters: Spare Parts Only: No Bypass: Model: 4020C02 Meters: Spare Parts Only: No
Manual: Approved: Notes: model designation of Type: RP Size: 4 Manual: Approved: Notes: model designation of Type: RP Size: 6 Manual: Approved: Notes: model designation of	Renewed: changed to RP40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to RP40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: Changed to RP40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: Renewed:	Bypass: Model: 4020A05 Meters: Spare Parts Only: No Bypass: Model: 4020C02 Meters: Spare Parts Only: No
Manual: Approved: Notes: model designation of Type: RP Size: 4 Manual: Approved: Notes: model designation of Size: 6 Manual: Approved: Notes: model designation of Type: RP	Renewed: changed to RP40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to RP40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: Changed to RP40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to RP40	Bypass: Model: 4020A05 Meters: Spare Parts Only: No Bypass: Model: 4020C02 Meters: Spare Parts Only: No Bypass:
Manual: Approved: Notes: model designation of	Renewed: changed to RP40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to RP40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to RP40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to RP40	Bypass: Model: 4020A05 Meters: Spare Parts Only: No Bypass: Model: 4020C02 Meters: Spare Parts Only: No Bypass: Model: 4020C03

Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020C05
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020E02
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020E03
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020G02
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020G03
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4D-200
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Mar-2009	Renewed: 11-Mar-2015	Bypass:
Shutoffs: (yyy), cccc, dddd		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4D-200
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Mar-2009	Renewed: 11-Mar-2015	Bypass:

Type: RP Size: 4 Manual: 9 Approved: 11-Mar-2009 Shutoffs: (yyy), cccc, dddd	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 11-Mar-2015	Model: 4D-200 Meters: Spare Parts Only: Yes Bypass:
Type: RP Size: 2 1/2	Manufacturer: Apollo/Conbraco Orientation: VUVD	Model: 4D-200U Meters:
Manual: 9	0.25% Pb : No	Spare Parts Only: Yes
Approved: 11-Mar-2009	Renewed: 11-Mar-2015	Bypass:
Shutoffs: (yyy), cccc, dddd		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4D-200U
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Mar-2009 Shutoffs: (yyy), cccc, dddd	Renewed: 11-Mar-2015	Bypass:
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4D-200U
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb : No	Spare Parts Only: Yes
Approved: 11-Mar-2009 Shutoffs: (yyy), cccc, dddd	Renewed: 11-Mar-2015	Bypass:
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40
Size: 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Sep-1998	Renewed: 16-Sep-2016	Bypass:
Shutoffs: (dd) Notes: formerly 4020199T, 40201T2		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40
Size: 3/8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Sep-1998	Renewed: 16-Sep-2016	Bypass:
Shutoffs: (dd)		
Notes: formerly 4020299T, 40202T2		

Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40
Size: 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 15-Sep-1994	Renewed: 15-Sep-2016	Bypass:
Shutoffs: (dd)		
Notes: formerly 4020399T, 40203T2		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Sep-1998	Renewed: 16-Sep-2016	Bypass:
Shutoffs: (dd)	Kenewed. 10-36p-2010	Dypass.
Notes: formerly 2020499T, 40204T2,	40204TC2	
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Sep-1998	Renewed: 16-Sep-2016	Bypass:
Shutoffs: (dd)	Kenewed. 10-0ep-2010	Dypass.
· · ·	4020FTC2	
Notes: formerly 4020599T, 40205T2,	40203102	
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Sep-1998	Renewed: 16-Sep-2016	Bypass:
Shutoffs: (dd)		
Notes: formerly 4020699T, 40206T2		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Sep-1998	Renewed: 16-Sep-2016	Bypass:
••	•	
Snutons: (dd)		
Shutoffs: (dd) Notes: formerly 4020799T, 40207T2		
Notes: formerly 4020799T, 40207T2	Manufacturer: Apollo/Conbraco	Model: RP40
Notes: formerly 4020799T, 40207T2 Type: RP	Manufacturer: Apollo/Conbraco Orientation: H	Model: RP40 Meters:
	·	
Notes: formerly 4020799T, 40207T2 Type: RP Size: 2	Orientation: H	Meters:

Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Apr-1991	Renewed: 08-Apr-2015	Bypass:
Shutoffs: (tt),bb,cc,ee,ll,mm,uu,mm	m	
Notes: formerly 4020902, 4020903,	4020905	
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40
Size: 3	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Apr-1991	Renewed: 08-Apr-2015	Bypass:
Shutoffs: (tt),bb,cc,ee,ll,mm,uu,mm	m	
Notes: formerly 4020002, 4020003,	4020005	
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Apr-1991	Renewed: 08-Apr-2015	Bypass:
Shutoffs: (tt),bb,cc,ee.ll,mm,uu,mm	m	
Notes: formerly 4020A02, 4020A03,	4020A05	
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40
Size : 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Apr-1991	Renewed: 08-Apr-2015	Bypass:
Shutoffs: (tt),bb,ee,II		
Notes: formerly 4020C02, 4020C03	, 4020C05	
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 22-Oct-1991	Renewed: 22-Oct-2015	Bypass:
Shutoffs: (tt),bb,cc,ee,ll,mm,uu		
Notes: formerly 4020E02, 4020E03		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40
Size: 10	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 13-Apr-1993	Renewed: 13-Apr-2017	Bypass:
Shutoffs: (tt),bb,cc,ee,II,mm,uu		
Notes: formerly 4020G02, 4020G03		

Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40N
Size: 3/4	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 06-Nov-1992	Renewed: 06-Nov-2016	Bypass:
Shutoffs: (dd)		
Notes: formerly 40204A2U		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40N
Size: 1 1/4	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 02-Feb-1995	Renewed: 02-Feb-2016	Bypass:
Shutoffs: (dd)		
Notes: formerly 40206A2U, 40206T2U		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40U
Size: 1 1/2	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 02-Feb-1995	Renewed: 02-Feb-2016	Bypass:
Shutoffs: (dd)		
Notes: formerly 40207A2U, 40207T2U		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40U
Size: 2	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 02-Feb-1995	Renewed: 02-Feb-2016	Bypass:
Shutoffs: (dd)		
Notes: formerly 40208A2U, 40208T2U		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40Z
Size: 3/4	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 06-Nov-1992	Renewed: 06-Nov-2016	Bypass:
Shutoffs: (dd)		
Notes: formerly 40204A2Z		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40Z
Size: 1 1/4	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 02-Feb-1995	Renewed: 02-Feb-2016	Bypass:
Shutoffs: (dd)		
Notes: formerly 40206A2Z, 40206T2Z		

Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40Z
Size: 1 1/2	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 02-Feb-1995	Renewed: 02-Feb-2016	Bypass:
Shutoffs: (dd)		
Notes: formerly 40207A2Z, 40207T2	Ζ	
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40Z
Size: 2	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 02-Feb-1995	Renewed: 02-Feb-2016	Bypass:
Shutoffs: (dd)		
Notes: formerly 40208AZ2, 40208T2	Z	
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP4A
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb : No	Spare Parts Only: No
Approved: 29-Nov-2011	Renewed: 29-Oct-2014	Bypass:
Shutoffs: (iiiiii),sssss		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP4A
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2011	Renewed: 14-Jun-2017	Bypass:
Shutoffs: (iiiii),sssss,wwww		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP4A
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Sep-2011	Renewed: 27-Sep-2014	Bypass:
Shutoffs: (iiiii),sssss,wwww		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP4A
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 11-Dec-2013	Renewed: 11-Dec-2016	Bypass:
		-) hander

Type: RP	Manufacturer: Apollo/Conbraco	Model: RP4A
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 11-Dec-2013	Renewed: 11-Dec-2016	Bypass:
Shutoffs: (iiiii),sssss,wwww		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP4A
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Nov-2011	Renewed: 29-Oct-2014	Bypass:
Shutoffs: (iiiii),sssss,wwww		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF40
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 18-Nov-2010	Renewed: 18-Nov-2016	Bypass:
Shutoffs: (jjjjj)		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF40
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 18-Nov-2010	Renewed: 18-Nov-2016	Bypass:
Shutoffs: (jjjjj)		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF40
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 18-Nov-2010	Renewed: 18-Nov-2016	Bypass:
Shutoffs: (jjjjj)		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF40
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 18-Nov-2010	Renewed: 18-Nov-2016	Bypass:
Shutoffs: (jjjjj)		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4A
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 29-Nov-2011	Renewed: 29-Oct-2014	Bypass:
Shutoffs: (jjjjj),ttttt,uuuuu		

Type: RP Size: 3/4 Manual: 9	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: Yes	Model: RPLF4A Meters: Spare Parts Only: No
Approved: 14-Jun-2011 Shutoffs: (jjjjj),ttttt,vvvvv	Renewed: 14-Jun-2017	Bypass:
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4A
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 27-Sep-2011 Shutoffs: (jjjjj),ttttt,vvvvv	Renewed: 27-Sep-2014	Bypass:
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4A
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 11-Dec-2013 Shutoffs: (jjjjj),ttttt,vvvvv	Renewed: 11-Dec-2016	Bypass:
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4A
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 11-Dec-2013	Renewed: 11-Dec-2016	Bypass:
Shutoffs: (jjjjj),ttttt,vvvvv		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4A
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 29-Nov-2011 Shutoffs: (jjjjj),ttttt,vvvvv	Renewed: 29-Oct-2014	Bypass:
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4A
Size: 2 1/2	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Feb-2014	Renewed: 25-Feb-2017	Bypass:
Shutoffs: (yyy), cccc, dddd, mm	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4A
Size: 3	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Feb-2014	Renewed: 25-Feb-2017	Bypass:

Shutoffs: (yyy), cccc, dddd, mmmm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa

Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4A
Size: 4	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 24-Jun-2013	Renewed: 24-Jun-2016	Bypass:
Shutoffs: (yyy), cccc, dddd, mmi	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4A
Size: 6	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 24-Jun-2013	Renewed: 24-Jun-2016	Bypass:
Shutoffs: (yyy), cccc, dddd, mmi	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4A
Size: 8	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Jan-2017	Renewed:	Bypass:
Shutoffs: (yyy), cccc, dddd, mmi	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4AN
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 27-Apr-2015	Renewed:	Bypass:
Shutoffs: (yyy), cccc, dddd, mmi	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4AN
Size: 2 1/2	Orientation: VUVU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 27-Apr-2015	Renewed:	Bypass:
Shutoffs: (yyy), cccc, dddd, mmi	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4AN
Size: 3	Orientation: VUVD	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 27-Apr-2015	Renewed:	Bypass:
Shutoffs: (yyy), cccc, dddd, mmi	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4AN
Size: 3	Orientation: VUVU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No

Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4AN
Size: 4	Orientation: VUVD	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-May-2014	Renewed: 15-May-2017	Bypass:
Shutoffs: (yyy), cccc, dddd, mm	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4AN
Size: 4	Orientation: VUVU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 11-Jun-2014	Renewed: 11-Jun-2017	Bypass:
Shutoffs: (yyy), cccc, dddd, mm	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4AN
Size: 6	Orientation: VUVD	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 10-Jun-2014	Renewed: 10-Jun-2017	Bypass:
Shutoffs: (yyy), cccc, dddd, mm	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa Manufacturer: Apollo/Conbraco	Model: RPLF4AN
Shutoffs: (yyy), cccc, dddd, mm Type: RP Size: 6		Model: RPLF4AN Meters:
Type: RP	Manufacturer: Apollo/Conbraco	
Type: RP Size: 6	Manufacturer: Apollo/Conbraco Orientation: VUVU	Meters:
Type: RP Size: 6 Manual: 10 Approved: 11-Jun-2014	Manufacturer: Apollo/Conbraco Orientation: VUVU 0.25% Pb: Yes	Meters: Spare Parts Only: No
Type: RP Size: 6 Manual: 10 Approved: 11-Jun-2014	Manufacturer: Apollo/Conbraco Orientation: VUVU 0.25% Pb: Yes Renewed: 11-Jun-2017	Meters: Spare Parts Only: No
Type: RP Size: 6 Manual: 10 Approved: 11-Jun-2014 Shutoffs: (yyy), cccc, dddd, mm	Manufacturer: Apollo/Conbraco Orientation: VUVU 0.25% Pb: Yes Renewed: 11-Jun-2017 mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	Meters: Spare Parts Only: No Bypass:
Type: RP Size: 6 Manual: 10 Approved: 11-Jun-2014 Shutoffs: (yyy), cccc, dddd, mm	Manufacturer: Apollo/Conbraco Orientation: VUVU 0.25% Pb: Yes Renewed: 11-Jun-2017 mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa Manufacturer: Apollo/Conbraco	Meters: Spare Parts Only: No Bypass: Model: RPLF4AN
Type: RP Size: 6 Manual: 10 Approved: 11-Jun-2014 Shutoffs: (yyy), cccc, dddd, mm Type: RP Size: 8	Manufacturer: Apollo/Conbraco Orientation: VUVU 0.25% Pb: Yes Renewed: 11-Jun-2017 mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa Manufacturer: Apollo/Conbraco Orientation: VUVD	Meters: Spare Parts Only: No Bypass: Model: RPLF4AN Meters:
Type: RP Size: 6 Manual: 10 Approved: 11-Jun-2014 Shutoffs: (yyy), cccc, dddd, mm Type: RP Size: 8 Manual: 10 Approved: 20-Mar-2017	Manufacturer: Apollo/Conbraco Orientation: VUVU 0.25% Pb: Yes Renewed: 11-Jun-2017 mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa Manufacturer: Apollo/Conbraco Orientation: VUVD 0.25% Pb: Yes	Meters: Spare Parts Only: No Bypass: Model: RPLF4AN Meters: Spare Parts Only: No
Type: RP Size: 6 Manual: 10 Approved: 11-Jun-2014 Shutoffs: (yyy), cccc, dddd, mm Type: RP Size: 8 Manual: 10 Approved: 20-Mar-2017	Manufacturer: Apollo/Conbraco Orientation: VUVU 0.25% Pb: Yes Renewed: 11-Jun-2017 mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa Manufacturer: Apollo/Conbraco Orientation: VUVD 0.25% Pb: Yes Renewed:	Meters: Spare Parts Only: No Bypass: Model: RPLF4AN Meters: Spare Parts Only: No
Type: RP Size: 6 Manual: 10 Approved: 11-Jun-2014 Shutoffs: (yyy), cccc, dddd, mm Type: RP Size: 8 Manual: 10 Approved: 20-Mar-2017 Shutoffs: (yyy), cccc, dddd, mm	Manufacturer: Apollo/Conbraco Orientation: VUVU 0.25% Pb: Yes Renewed: 11-Jun-2017 mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa Manufacturer: Apollo/Conbraco Orientation: VUVD 0.25% Pb: Yes Renewed: mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	Meters: Spare Parts Only: No Bypass: Model: RPLF4AN Meters: Spare Parts Only: No Bypass:
Type: RP Size: 6 Manual: 10 Approved: 11-Jun-2014 Shutoffs: (yyy), cccc, dddd, mmi Type: RP Size: 8 Manual: 10 Approved: 20-Mar-2017 Shutoffs: (yyy), cccc, dddd, mmi	Manufacturer: Apollo/Conbraco Orientation: VUVU 0.25% Pb: Yes Renewed: 11-Jun-2017 mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa Manufacturer: Apollo/Conbraco Orientation: VUVD 0.25% Pb: Yes Renewed: mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa Manufacturer: Apollo/Conbraco	Meters: Spare Parts Only: No Bypass: Model: RPLF4AN Meters: Spare Parts Only: No Bypass: Model: RPLF4AN

Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4AR
Size: 2 1/2	Orientation: H	Meters:
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Dec-2015	Renewed:	Bypass:
Shutoffs: (cccc), dddd, mmmm,	nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Notes: Integral Stainless Steel g 1/8"	rooved spool between the #2 ck and #2 SO∖	/ - assembly length: min. 34" and max. 47
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4AR
Size: 3	Orientation: H	Meters:
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Dec-2015	Renewed:	Bypass:
Shutoffs: (cccc), dddd, mmmm,	nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Notes: Integral Stainless Steel g 1/8"	rooved spool between the #2 ck and #2 SO∖	/ - assembly length: min. 35" and max. 48
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4AR
Size: 4	Orientation: H	Meters:
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Dec-2015	Renewed:	Bypass:
Shutoffs: (cccc), dddd, mmmm,	nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Notes: Integral Stainless Steel g 62 1/4"	rooved spool between the #2 ck and #2 SOV	/ - assembly length: min. 37 3/8" and max.
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4AR
Size: 6	Orientation: H	Meters:
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Dec-2015	Renewed:	Bypass:
Shutoffs: (cccc), dddd, mmmm,	nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Notes: Integral Stainless Steel g 1/4"	rooved spool between the #2 ck and #2 SO∖	/ - assembly length: min. 46" and max. 71
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPS40
Size: 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 19-Apr-1996	Renewed: 19-Apr-2017	Bypass:
Shutoffs: (uuu)		

Notes: formerly 40201A2S, 40201T2S

Type: RP Size: 3/8	Manufacturer: Apollo/Conbraco Orientation: H	Model: RPS40 Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 19-Apr-1996	Renewed: 19-Apr-2017	Bypass:
Shutoffs: (uuu)		
Notes: formerly 40202A2S, 40202T2S		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPS40
Size: 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 19-Apr-1996	Renewed: 19-Apr-2017	Bypass:
Shutoffs: (dd)		
Notes: formerly 40203A2S, 40203T2S		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPS40
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Aug-1994	Renewed: 16-Aug-2015	Bypass:
Shutoffs: (uuu)		
Notes: formerly 40204A2S		
Type: RP	Manufacturer: ARI	Model: RP 500
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	Bypass:
Shutoffs: (00000)		
Type: RP	Manufacturer: ARI	Model: RP 500
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jan-2013	Renewed: 03-Jan-2016	Bypass:
Shutoffs: (00000), ii, 000		
Type: RP	Manufacturer: ARI	Model: RP 500
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	Bypass:
Shutoffs: (00000), ffffff		

Type: RP Manufacturer: ARI Model: RP 500 Size: 3/4 Orientation: H Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Approved: 02-Mar-2007 Renewed: 02-Mar-2016 Bypass: Shutoffs: (ii),000, 00000, ffffff Type: RP Manufacturer: ARI Model: RP 500 Size: 1 Orientation: H Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 18-Feb-2014 Renewed: 18-Feb-2017 Bypass: Shutoffs: (00000), ffffff Type: RP Manufacturer: ARI Model: RP 500 Size: 1 Orientation: H Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Approved: 02-Mar-2007 Renewed: 02-Mar-2016 Bypass: Shutoffs: (ii),000, 00000, ffffff Type: RP Manufacturer: ARI Model: RP 500 Size: 1 1/4 Orientation: H Meters: **Manual:** 10 0.25% Pb: Yes Spare Parts Only: No Approved: 18-Feb-2014 Renewed: 18-Feb-2017 Bypass: Shutoffs: (00000), ffffff Type: RP Manufacturer: ARI Model: RP 500 Size: 1 1/2 Orientation: H Meters: 0.25% Pb: Yes **Manual:** 10 Spare Parts Only: No Renewed: 18-Feb-2017 Approved: 18-Feb-2014 Bypass: Shutoffs: (00000), ffffff Type: RP Manufacturer: ARI Model: RP 500 Size: 2 Orientation: H Meters: 0.25% Pb: Yes Spare Parts Only: No Manual: 10 Approved: 18-Feb-2014 Renewed: 18-Feb-2017 Bypass: Shutoffs: (00000), ffffff Type: RP Manufacturer: ARI Model: RP 501 Size: 3/4 Orientation: H Meters: 0.25% Pb: Yes **Manual:** 10 Spare Parts Only: No Approved: 20-Mar-2017 Renewed: Bypass: Shutoffs: (int)

Type: RP	Manufacturer: ARI	Model: RP 501
Size: 1	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Mar-2017	Renewed:	Bypass:
Shutoffs: (int)		
Type: RP	Manufacturer: ARI	Model: RP 501
Size: 1 1/4	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Mar-2017	Renewed:	Bypass:
Shutoffs: (int)		
Type: RP	Manufacturer: ARI	Model: RP 501
Size: 1 1/2	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Mar-2017	Renewed:	Bypass:
Shutoffs: (int)		
Type: RP	Manufacturer: ARI	Model: RP 501
Size: 2	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Mar-2017	Renewed:	Bypass:
Shutoffs: (int)		
Type: RP	Manufacturer: Backflow Direct	Model: Deringer 40
Size: 2 1/2	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Jan-2017	Renewed:	Bypass:
Shutoffs: (int)		
Type: RP	Manufacturer: Backflow Direct	Model: Deringer 40
Size: 3	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Jan-2017	Renewed:	Bypass:
Shutoffs: (int)		
Type: RP	Manufacturer: Backflow Direct	Model: Deringer 40
Size: 4	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Jan-2017	Renewed:	Bypass:
Shutoffs: (int)		

Type: RP Size: 8 Manual: 10 Approved: 27-Jun-2017 Shutoffs: (int)	Manufacturer: Backflow Direct Orientation: H 0.25% Pb: Yes Renewed:	Model: Deringer 40 Meters: Spare Parts Only: No Bypass:
	Monufacturer, Dockflau, Direct	Model: Deringer 40V
Type: RP Size: 6	Manufacturer: Backflow Direct Orientation: H	Model: Deringer 40X Meters:
Manual: 10	0.25% Pb: Yes	
	Renewed:	Spare Parts Only: No
Approved: 27-Jun-2017 Shutoffs: (int)	Keneweu.	Bypass:
Type: RP	Manufacturer: Cash Acme	Model: RP 500
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 19-Apr-2012	Renewed: 19-Apr-2015	Bypass:
Shutoffs: (ii),000		
Type: RP	Manufacturer: Cash Acme	Model: RP 500
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 19-Apr-2012	Renewed: 19-Apr-2015	Bypass:
Shutoffs: (ii),000		
Type: RP	Manufacturer: Cash Acme	Model: RP100
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 07-Apr-2009 Shutoffs: (ii)	Renewed: 07-Apr-2015	Bypass:
Type: RP	Manufacturer: Cash Acme	Model: RP100
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb : No	Spare Parts Only: Yes
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: (ii)	·	
Type: RP	Manufacturer: Cash Acme	Model: RP100
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: (ii)		

Type: RP	Manufacturer: Cash Acme	Model: RP100
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: (ii)		
Type: RP	Manufacturer: Cash Acme	Model: RP200
Size: 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: (ii)		
Type: RP	Manufacturer: Cash Acme	Model: RP200
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: (ii)		
Type: RP	Manufacturer: Cla-Val	Model: RP4
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 22-Jun-1989	Renewed: 22-Jun-2016	Bypass:
Shutoffs: (gg),hh,qq,rr		
Type: RP	Manufacturer: Cla-Val	Model: RP4
Size: 10	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 22-Jun-1989	Renewed: 22-Jun-2016	Bypass:
Shutoffs: (gg),hh,qq,rr		
Type: RP	Manufacturer: Conbraco	Model:
Size:	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: See Apollo/Conbraco		
Type: RP	Manufacturer: Febco	Model: 760
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No

Type: RP	Manufacturer: Febco	Model: 760
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: zzz,dddd,eeee,gggg,kł	kkk,IIII,mmmm,nnnn	
Type: RP	Manufacturer: Febco	Model: 760
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: RP	Manufacturer: Febco	Model: 760
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: zzz,dddd,eeee,gggg,kł	kkk,IIII,mmmm,nnnn	
Type: RP	Manufacturer: Febco	Model: 760
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: RP	Manufacturer: Febco	Model: 760
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: zzz,dddd,eeee,gggg,kł	kkk,IIII,mmmm,nnnn	
Type: RP	Manufacturer: Febco	Model: 760
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: RP	Manufacturer: Febco	Model: 760
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:

Type: RP	Manufacturer: Febco	Model: 760
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,aaaa,	bbbb	
Type: RP	Manufacturer: Febco	Model: 760
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: zzz,cccc,dddd,eeee,gg	ggg,kkkk,IIII,mmmm,nnnn	
Type: RP	Manufacturer: Febco	Model: 760
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,aaaa,	bbbb	
Type: RP	Manufacturer: Febco	Model: 760
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: zzz,cccc,dddd,eeee,go	ggg,kkkk,IIII,mmmm,nnnn	
Type: RP	Manufacturer: Febco	Model: 760N
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: RP	Manufacturer: Febco	Model: 760N
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: zzz,dddd,eeee,gggg,k	kkk,IIII,mmmm,nnnn	
Type: RP	Manufacturer: Febco	Model: 760N
Type: RP Size: 3	Manufacturer: Febco Orientation: VUVD	Model: 760N Meters:

Renewed: 17-Sep-2015

Approved: 17-Sep-2009

Shutoffs: (ppp),qqq,aaaa,bbbb

Bypass:

Type: RP	Manufacturer: Febco	Model: 760N
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: zzz,dddd,eeee,gggg,kł	kkk,IIII,mmmm,nnnn	
Type: RP	Manufacturer: Febco	Model: 760N
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: RP	Manufacturer: Febco	Model: 760N
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: zzz,dddd,eeee,gggg,kł	kkk,IIII,mmmm,nnnn	
Type: RP	Manufacturer: Febco	Model: 760Z
Size: 2 1/2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: RP	Manufacturer: Febco	Model: 760Z
Size: 2 1/2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: zzz,dddd,eeee,gggg,kł	kkk,IIII,mmmm,nnnn	
Type: RP	Manufacturer: Febco	Model: 760Z
Size: 3	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: RP	Manufacturer: Febco	Model: 760Z
Size: 3	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:

Type: RP	Manufacturer: Febco	Model: 760Z
Size: 4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: RP	Manufacturer: Febco	Model: 760Z
Size: 4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: zzz,dddd,eeee,gggg,k	kkk,llll,mmmm,nnnn	
Type: RP	Manufacturer: Febco	Model: 825Y
Size: 3/4	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 19-Mar-1982	Renewed: 19-Mar-2015	Bypass:
Shutoffs: (ii),fff,jjj,ooo		
Notes: Replaceable check valve	e seats starting with serial No. J000001	
Type: RP	Manufacturer: Febco	Model: 825Y
Size: 1	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 19-Mar-1982	Renewed: 19-Mar-2015	Bypass:
Shutoffs: (ii),fff,jjj,ooo		
Notes: Replaceable check valve	e seats starting with serial No. J000001	
Type: RP	Manufacturer: Febco	Model: 825Y
Size: 1 1/4	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 03-Jun-1982	Renewed: 01-Jun-2015	Bypass:
Shutoffs: ii,fff,jjj,ooo		
Type: RP	Manufacturer: Febco	Model: 825Y
Size: 1 1/2	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Aug-1982	Renewed: 06-Aug-2015	Bypass:
Shutoffs: (ii),fff,jjj,000		
Notes: Replaceable check valve	e seats starting with serial No. J000001	

2017 © University of Southern California

Type: RP	Manufacturer: Febco	Model: 825Y
Size: 2	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Aug-1982	Renewed: 06-Aug-2015	Bypass:
Shutoffs: (ii),fff,000		
Notes: Replaceable check valve	seats starting with serial No. J000001	
Type: RP	Manufacturer: Febco	Model: 825YA
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Mar-1990	Renewed: 05-Mar-2017	Bypass:
Shutoffs: (ii),fff,jjj,ooo		
Notes: Replaceable check valve	seats starting with serial No. J000001	
Type: RP	Manufacturer: Febco	Model: 825YA
Size: 3/4	Orientation: HVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Mar-1990	Renewed: 05-Mar-2017	Bypass:
Shutoffs: (ii),fff,jjj,ooo		
Notes: Replaceable check valve	seats starting with serial No. J000001	
Notes: Replaceable check valve Type: RP	Manufacturer: Febco	Model: 825YA
		Model: 825YA Meters:
Type: RP	Manufacturer: Febco	
Type: RP Size: 3/4 Manual: 8	Manufacturer: Febco Orientation: VUH	Meters:
Type: RP Size: 3/4	Manufacturer: Febco Orientation: VUH 0.25% Pb: No	Meters: Spare Parts Only: No
Type: RP Size: 3/4 Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo	Manufacturer: Febco Orientation: VUH 0.25% Pb: No	Meters: Spare Parts Only: No
Type: RP Size: 3/4 Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo	Manufacturer: Febco Orientation: VUH 0.25% Pb: No Renewed: 05-Mar-2017	Meters: Spare Parts Only: No
Type: RP Size: 3/4 Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve	Manufacturer: Febco Orientation: VUH 0.25% Pb: No Renewed: 05-Mar-2017 seats starting with serial No. J000001	Meters: Spare Parts Only: No Bypass:
Type: RP Size: 3/4 Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve	Manufacturer: Febco Orientation: VUH 0.25% Pb: No Renewed: 05-Mar-2017 seats starting with serial No. J000001 Manufacturer: Febco	Meters: Spare Parts Only: No Bypass: Model: 825YA
Type: RP Size: 3/4 Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 3/4	Manufacturer: Febco Orientation: VUH 0.25% Pb: No Renewed: 05-Mar-2017 seats starting with serial No. J000001 Manufacturer: Febco Orientation: VUVD	Meters: Spare Parts Only: No Bypass: Model: 825YA Meters:
Type: RP Size: 3/4 Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 3/4 Manual: 8	Manufacturer: Febco Orientation: VUH 0.25% Pb: No Renewed: 05-Mar-2017 seats starting with serial No. J000001 Manufacturer: Febco Orientation: VUVD 0.25% Pb: No	Meters: Spare Parts Only: No Bypass: Model: 825YA Meters: Spare Parts Only: No
Type: RP Size: 3/4 Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 3/4 Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo	Manufacturer: Febco Orientation: VUH 0.25% Pb: No Renewed: 05-Mar-2017 seats starting with serial No. J000001 Manufacturer: Febco Orientation: VUVD 0.25% Pb: No	Meters: Spare Parts Only: No Bypass: Model: 825YA Meters: Spare Parts Only: No
Type: RP Size: 3/4 Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 3/4 Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo	Manufacturer: Febco Orientation: VUH 0.25% Pb: No Renewed: 05-Mar-2017 seats starting with serial No. J000001 Manufacturer: Febco Orientation: VUVD 0.25% Pb: No Renewed: 05-Mar-2017	Meters: Spare Parts Only: No Bypass: Model: 825YA Meters: Spare Parts Only: No
Type: RP Size: 3/4 Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 3/4 Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve	Manufacturer: Febco Orientation: VUH 0.25% Pb: No Renewed: 05-Mar-2017 seats starting with serial No. J000001 Manufacturer: Febco Orientation: VUVD 0.25% Pb: No Renewed: 05-Mar-2017 seats starting with serial No. J000001	Meters: Spare Parts Only: No Bypass: Model: 825YA Meters: Spare Parts Only: No Bypass:
Type: RP Size: 3/4 Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 3/4 Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve	Manufacturer: Febco Orientation: VUH 0.25% Pb: No Renewed: 05-Mar-2017 seats starting with serial No. J000001 Manufacturer: Febco Orientation: VUVD 0.25% Pb: No Renewed: 05-Mar-2017 seats starting with serial No. J000001 Manufacturer: Febco	Meters: Spare Parts Only: No Bypass: Model: 825YA Meters: Spare Parts Only: No Bypass: Model: 825YA
Type: RP Size: 3/4 Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 3/4 Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1	Manufacturer: Febco Orientation: VUH 0.25% Pb: No Renewed: 05-Mar-2017 seats starting with serial No. J000001 Manufacturer: Febco Orientation: VUVD 0.25% Pb: No Renewed: 05-Mar-2017 seats starting with serial No. J000001 Manufacturer: Febco Orientation: H	Meters: Spare Parts Only: No Bypass: Model: 825YA Meters: Spare Parts Only: No Bypass: Model: 825YA Meters:

Type: RP	Manufacturer: Febco	Model: 825YA
Size: 1	Orientation: HVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Mar-1990	Renewed: 05-Mar-2017	Bypass:
Shutoffs: (ii),fff,jjj,ooo		
Notes: Replaceable check valve	seats starting with serial No. J000001	
Type: RP	Manufacturer: Febco	Model: 825YA
Size: 1	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Mar-1990	Renewed: 05-Mar-2017	Bypass:
Shutoffs: (ii),fff,jjj,ooo		
Notes: Replaceable check valve	seats starting with serial No. J000001	
Type: RP	Manufacturer: Febco	Model: 825YA
Size: 1	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Mar-1990	Renewed: 05-Mar-2017	Bypass:
Shutoffs: (ii),fff,jjj,ooo		
Notes: Replaceable check valve	seats starting with serial No. J000001	
Notes: Replaceable check valve	seats starting with serial No. J000001 Manufacturer: Febco	Model: 825YA
·		Model: 825YA Meters:
Type: RP	Manufacturer: Febco	
Type: RP Size: 1 1/2	Manufacturer: Febco Orientation: H	Meters:
Type: RP Size: 1 1/2 Manual: 8	Manufacturer: Febco Orientation: H 0.25% Pb: No	Meters: Spare Parts Only: No
Type: RP Size: 1 1/2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,jjj,ooo	Manufacturer: Febco Orientation: H 0.25% Pb: No	Meters: Spare Parts Only: No
Type: RP Size: 1 1/2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,jjj,ooo	Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 08-May-2016	Meters: Spare Parts Only: No
Type: RP Size: 1 1/2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve	Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 08-May-2016 seats starting with serial No. J000001	Meters: Spare Parts Only: No Bypass:
Type: RP Size: 1 1/2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve	Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 08-May-2016 seats starting with serial No. J000001 Manufacturer: Febco	Meters: Spare Parts Only: No Bypass: Model: 825YA
Type: RP Size: 1 1/2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 1/2	Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 08-May-2016 seats starting with serial No. J000001 Manufacturer: Febco Orientation: HVD	Meters: Spare Parts Only: No Bypass: Model: 825YA Meters:
Type: RP Size: 1 1/2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 1/2 Manual: 8	Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 08-May-2016 seats starting with serial No. J000001 Manufacturer: Febco Orientation: HVD 0.25% Pb: No	Meters: Spare Parts Only: No Bypass: Model: 825YA Meters: Spare Parts Only: No
Type: RP Size: 1 1/2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 1/2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,jjj,ooo	Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 08-May-2016 seats starting with serial No. J000001 Manufacturer: Febco Orientation: HVD 0.25% Pb: No	Meters: Spare Parts Only: No Bypass: Model: 825YA Meters: Spare Parts Only: No
Type: RP Size: 1 1/2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 1/2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,jjj,ooo	Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 08-May-2016 seats starting with serial No. J000001 Manufacturer: Febco Orientation: HVD 0.25% Pb: No Renewed: 08-May-2016	Meters: Spare Parts Only: No Bypass: Model: 825YA Meters: Spare Parts Only: No
Type: RP Size: 1 1/2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 1/2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve	Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 08-May-2016 seats starting with serial No. J000001 Manufacturer: Febco Orientation: HVD 0.25% Pb: No Renewed: 08-May-2016 seats starting with serial No. J000001	Meters: Spare Parts Only: No Bypass: Model: 825YA Meters: Spare Parts Only: No Bypass:
Type: RP Size: 1 1/2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 1/2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve	Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 08-May-2016 seats starting with serial No. J000001 Manufacturer: Febco Orientation: HVD 0.25% Pb: No Renewed: 08-May-2016 seats starting with serial No. J000001 Manufacturer: Febco	Meters: Spare Parts Only: No Bypass: Model: 825YA Meters: Spare Parts Only: No Bypass: Model: 825YA
Type: RP Size: 1 1/2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 1/2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 1/2	Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 08-May-2016 seats starting with serial No. J000001 Manufacturer: Febco Orientation: HVD 0.25% Pb: No Renewed: 08-May-2016 seats starting with serial No. J000001 Manufacturer: Febco Orientation: VUH	Meters: Spare Parts Only: No Bypass: Model: 825YA Meters: Spare Parts Only: No Bypass: Model: 825YA Model: 825YA Meters:

Type: RP	Manufacturer: Febco	Model: 825YA
Size: 1 1/2	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 08-May-1989	Renewed: 08-May-2016	Bypass:
Shutoffs: (ii),fff,jjj,ooo		
	seats starting with serial No. J000001	
Type: RP	Manufacturer: Febco	Model: 825YA
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 08-May-1989	Renewed: 08-May-2016	Bypass:
Shutoffs: (ii),fff,ooo		_,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	seats starting with serial No. J000001	
Type: RP	Manufacturer: Febco	Model: 825YA
Size: 2	Orientation: HVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 08-May-1989	Renewed: 08-May-2016	Bypass:
Shutoffs: (ii),fff,ooo	seats starting with serial No. J000001	
Shutoffs: (ii),fff,ooo Notes: Replaceable check valve	seats starting with serial No. J000001 Manufacturer: Febco	Model: 825YA
Shutoffs: (ii),fff,ooo Notes: Replaceable check valve Type: RP		Model: 825YA Meters:
Shutoffs: (ii),fff,ooo	Manufacturer: Febco	
Shutoffs: (ii),fff,ooo Notes: Replaceable check valve Type: RP Size: 2 Manual: 8	Manufacturer: Febco Orientation: VUH	Meters:
Shutoffs: (ii),fff,ooo Notes: Replaceable check valve Type: RP Size: 2	Manufacturer: Febco Orientation: VUH 0.25% Pb: No	Meters: Spare Parts Only: No
Shutoffs: (ii),fff,ooo Notes: Replaceable check valve Type: RP Size: 2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,ooo	Manufacturer: Febco Orientation: VUH 0.25% Pb: No	Meters: Spare Parts Only: No
Shutoffs: (ii),fff,ooo Notes: Replaceable check valve Type: RP Size: 2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,ooo Notes: Replaceable check valve	Manufacturer: Febco Orientation: VUH 0.25% Pb: No Renewed: 08-May-2016	Meters: Spare Parts Only: No
Shutoffs: (ii),fff,ooo Notes: Replaceable check valve Type: RP Size: 2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,ooo Notes: Replaceable check valve Type: RP	Manufacturer: Febco Orientation: VUH 0.25% Pb: No Renewed: 08-May-2016 seats starting with serial No. J000001	Meters: Spare Parts Only: No Bypass:
Shutoffs: (ii),fff,ooo Notes: Replaceable check valve Type: RP Size: 2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,ooo	Manufacturer: Febco Orientation: VUH 0.25% Pb: No Renewed: 08-May-2016 seats starting with serial No. J000001 Manufacturer: Febco	Meters: Spare Parts Only: No Bypass: Model: 825YA
Shutoffs: (ii),fff,ooo Notes: Replaceable check valve Type: RP Size: 2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,ooo Notes: Replaceable check valve Type: RP Size: 2	Manufacturer: Febco Orientation: VUH 0.25% Pb: No Renewed: 08-May-2016 seats starting with serial No. J000001 Manufacturer: Febco Orientation: VUVD	Meters: Spare Parts Only: No Bypass: Model: 825YA Meters:
Shutoffs: (ii),fff,ooo Notes: Replaceable check valve Type: RP Size: 2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,ooo Notes: Replaceable check valve Type: RP Size: 2 Manual: 8	Manufacturer: Febco Orientation: VUH 0.25% Pb: No Renewed: 08-May-2016 seats starting with serial No. J000001 Manufacturer: Febco Orientation: VUVD 0.25% Pb: No	Meters: Spare Parts Only: No Bypass: Model: 825YA Meters: Spare Parts Only: No
Shutoffs: (ii),fff,ooo Notes: Replaceable check valve Type: RP Size: 2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,ooo Notes: Replaceable check valve Type: RP Size: 2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,ooo	Manufacturer: Febco Orientation: VUH 0.25% Pb: No Renewed: 08-May-2016 seats starting with serial No. J000001 Manufacturer: Febco Orientation: VUVD 0.25% Pb: No	Meters: Spare Parts Only: No Bypass: Model: 825YA Meters: Spare Parts Only: No
Shutoffs: (ii),fff,ooo Notes: Replaceable check valve Type: RP Size: 2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,ooo Notes: Replaceable check valve Type: RP Size: 2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,ooo	Manufacturer: Febco Orientation: VUH 0.25% Pb: No Renewed: 08-May-2016 seats starting with serial No. J000001 Manufacturer: Febco Orientation: VUVD 0.25% Pb: No Renewed: 08-May-2016	Meters: Spare Parts Only: No Bypass: Model: 825YA Meters: Spare Parts Only: No
Shutoffs: (ii),fff,ooo Notes: Replaceable check valve Type: RP Size: 2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,ooo Notes: Replaceable check valve Type: RP Size: 2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,ooo Notes: Replaceable check valve	Manufacturer: Febco Orientation: VUH 0.25% Pb: No Renewed: 08-May-2016 seats starting with serial No. J000001 Manufacturer: Febco Orientation: VUVD 0.25% Pb: No Renewed: 08-May-2016 seats starting with serial No. J000001	Meters: Spare Parts Only: No Bypass: Model: 825YA Meters: Spare Parts Only: No Bypass:
Shutoffs: (ii),fff,ooo Notes: Replaceable check valve Type: RP Size: 2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,ooo Notes: Replaceable check valve Type: RP Size: 2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,ooo Notes: Replaceable check valve Type: RP	Manufacturer: Febco Orientation: VUH 0.25% Pb: No Renewed: 08-May-2016 seats starting with serial No. J000001 Manufacturer: Febco Orientation: VUVD 0.25% Pb: No Renewed: 08-May-2016 seats starting with serial No. J000001 Manufacturer: Febco	Meters: Spare Parts Only: No Bypass: Model: 825YA Meters: Spare Parts Only: No Bypass: Model: 825YAR
Shutoffs: (ii),fff,ooo Notes: Replaceable check valve Type: RP Size: 2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,ooo Notes: Replaceable check valve Type: RP Size: 2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,ooo Notes: Replaceable check valve Type: RP Size: 3/4	Manufacturer: Febco Orientation: VUH 0.25% Pb: No Renewed: 08-May-2016 seats starting with serial No. J000001 Manufacturer: Febco Orientation: VUVD 0.25% Pb: No Renewed: 08-May-2016 seats starting with serial No. J000001 Manufacturer: Febco Orientation: H	Meters: Spare Parts Only: No Bypass: Model: 825YA Meters: Spare Parts Only: No Bypass: Model: 825YAR Meters: Model: 825YAR

Type: RP Size: 3/4 Manual: 8 Approved: 22-Jan-1993 Shutoffs: ii,fff,jjj,ooo

Type: RP Size: 3/4 Manual: 8 Approved: 22-Jan-1993 Shutoffs: ii,fff,jjj,000

Type: RP Size: 3/4 Manual: 8 Approved: 22-Jan-1993 Shutoffs: ii,fff,jjj,ooo

Type: RP Size: 1 Manual: 8 Approved: 21-Jan-1993 Shutoffs: ii,fff,jjj,ooo

Type: RP Size: 1 Manual: 8 Approved: 21-Jan-1993 Shutoffs: ii,fff,jjj,ooo

Type: RP Size: 1 Manual: 8 Approved: 21-Jan-1993 Shutoffs: ii,fff,jjj,ooo

Type: RP Size: 1 Manual: 8 Approved: 21-Jan-1993 Shutoffs: ii,fff,jjj,ooo Manufacturer: Febco Orientation: HVD 0.25% Pb: No Renewed: 22-Jan-2017

Manufacturer: Febco Orientation: VUH 0.25% Pb: No Renewed: 22-Jan-2017

Manufacturer: Febco Orientation: VUVD 0.25% Pb: No Renewed: 22-Jan-2017

Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 21-Jan-2017

Manufacturer: Febco Orientation: HVD 0.25% Pb: No Renewed: 21-Jan-2017

Manufacturer: Febco Orientation: VUH 0.25% Pb: No Renewed: 21-Jan-2017

Manufacturer: Febco Orientation: VUVD 0.25% Pb: No Renewed: 21-Jan-2017 Model: 825YAR Meters: Spare Parts Only: Yes Bypass:

Model: 825YAR Meters: Spare Parts Only: Yes Bypass: Type: RP Size: 1 1/2 Manual: 8 Approved: 19-Aug-1993 Shutoffs: ii,fff,jjj,ooo

Type: RP Size: 1 1/2 Manual: 8 Approved: 19-Aug-1993 Shutoffs: ii,fff,jjj,ooo

Type: RP Size: 1 1/2 Manual: 8 Approved: 19-Aug-1993 Shutoffs: ii,fff,jjj,ooo

Type: RP Size: 1 1/2 Manual: 8 Approved: 19-Aug-1993 Shutoffs: ii,fff,jjj,ooo

Type: RP Size: 2 Manual: 8 Approved: 19-Aug-1993 Shutoffs: ii,fff,000

Type: RP Size: 2 Manual: 8 Approved: 19-Aug-1993 Shutoffs: ii,fff,000

Type: RP Size: 2 Manual: 8 Approved: 19-Aug-1993 Shutoffs: ii,fff,000 Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 19-Aug-2017

Manufacturer: Febco Orientation: HVD 0.25% Pb: No Renewed: 19-Aug-2017

Manufacturer: Febco Orientation: VUH 0.25% Pb: No Renewed: 19-Aug-2017

Manufacturer: Febco Orientation: VUVD 0.25% Pb: No Renewed: 19-Aug-2017

Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 19-Aug-2017

Manufacturer: Febco Orientation: HVD 0.25% Pb: No Renewed: 19-Aug-2017

Manufacturer: Febco Orientation: VUH 0.25% Pb: No Renewed: 19-Aug-2017 Model: 825YAR Meters: Spare Parts Only: Yes Bypass:

Type: RP	Manufacturer: Febco	Model: 825YAR
Size: 2	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb : No	Spare Parts Only: Yes
Approved: 19-Aug-1993	Renewed: 19-Aug-2017	Bypass:
Shutoffs: ii,fff,000		
Type: RP	Manufacturer: Febco	Model: 825YD
Size: 2 1/2	Orientation: H	Meters:
Manual: 7	0.25% Pb : No	Spare Parts Only: Yes
Approved: 24-Feb-1989	Renewed: 24-Feb-2016	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,zzz,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 825YD
Size: 3	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 24-Feb-1989	Renewed: 24-Feb-2016	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,zzz,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 825YD
Size: 4	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 24-Feb-1989	Renewed: 24-Feb-2016	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,zzz,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 825YD
Size: 6	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 24-Feb-1989	Renewed: 24-Feb-2016	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,zzz,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 825YD
Size: 8	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 24-Feb-1989	Renewed: 24-Feb-2016	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,zzz,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 825YD
Size: 10	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes

Shutoffs: (ee),ff,ll,mm,oo,pp,tt,uu,zzz,ffff,gggg

Type: RP Size: 3/4 Manual: 8 Approved: 22-Jan-1993 Shutoffs: ii,fff,jjj

Type: RP Size: 1 Manual: 8 Approved: 22-Jan-1993 Shutoffs: ii,fff,jjj

Type: RP Size: 1 1/2 Manual: 8 Approved: 23-Jul-1993 Shutoffs: ii,fff,jjj

Type: RP Size: 2 Manual: 8 Approved: 23-Jul-1993 Shutoffs: ii,fff

Type: RP Size: 1/2 Manual: 9 Approved: 09-Apr-1998 Shutoffs: (fff),000

Type: RP Size: 3/4 Manual: 9 Approved: 21-Nov-1997 Shutoffs: (fff),jjj,000

Type: RP Size: 1 Manual: 9 Approved: 21-Nov-1997 Shutoffs: (fff),jjj,000 Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 22-Jan-2017

Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 22-Jan-2017

Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 23-Jul-2017

Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 23-Jul-2017

Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 09-Apr-2016

Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 21-Nov-2015

Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 21-Nov-2015 Model: 825YR Meters: Spare Parts Only: Yes Bypass:

Model: 860 Meters: Spare Parts Only: No Bypass:

Model: 860 Meters: Spare Parts Only: No Bypass:

Model: 860 Meters: Spare Parts Only: No Bypass:

Type: RP	Manufacturer: Febco	Model: 860
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Jun-1998	Renewed: 04-Jun-2016	Bypass:
Shutoffs: (fff),jjj,ooo		
Type: RP	Manufacturer: Febco	Model: 860
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Apr-1998	Renewed: 09-Apr-2016	Bypass:
Shutoffs: (fff),jjj,ooo		
Type: RP	Manufacturer: Febco	Model: 860
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 09-Apr-1998	Renewed: 09-Apr-2016	Bypass:
Shutoffs: (fff),000		
Type: RP	Manufacturer: Febco	Model: 860
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 19-Apr-1996	Renewed: 19-Apr-2017	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u.zzz,cccc,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 860
Size: 3	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 19-Apr-1996	Renewed: 19-Apr-2017	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u.zzz,cccc,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 860
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 31-May-1995	Renewed: 31-May-2016	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,nnn,zzz,cccc,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 860
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes

Type: RP	Manufacturer: Febco	Model: 860
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 04-Oct-1995	Renewed: 04-Oct-2016	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,nnn,zzz,cccc,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 860U
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Oct-1998	Renewed: 12-Oct-2016	Bypass:
Shutoffs: (kkk)		
Type: RP	Manufacturer: Febco	Model: 860U
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Oct-1998	Renewed: 12-Oct-2016	Bypass:
Shutoffs: (kkk)		
Type: RP	Manufacturer: Febco	Model: 860U
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Oct-1998	Renewed: 12-Oct-2016	Bypass:
Shutoffs: (kkk)		
Type: RP	Manufacturer: Febco	Model: 860U
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Oct-1998	Renewed: 12-Oct-2016	Bypass:
Shutoffs: (kkk)		
Type: RP	Manufacturer: Febco	Model: 860U
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Oct-1998	Renewed: 12-Oct-2016	Bypass:
Shutoffs: (kkk)		
Type: RP	Manufacturer: Febco	Model: 860U
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Oct-1998	Renewed: 12-Oct-2016	Bypass:
Shutoffs: (kkk)		

Type: RP	Manufacturer: Febco	Model: 867
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Aug-2006	Renewed: 01-Aug-2015	Bypass:
Shutoffs: (oo), gg, hh,ll, mm, pp	-	
Type: RP	Manufacturer: Febco	Model: 867
Size: 3	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Aug-2006	Renewed: 01-Aug-2015	Bypass:
Shutoffs: (oo), gg, hh,ll, mm, pp	, tt, uu, yy, eee, fff	
Type: RP	Manufacturer: Febco	Model: 880
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb : No	Spare Parts Only: Yes
Approved: 24-May-1995	Renewed: 24-May-2016	Bypass:
Shutoffs: ee,ff,ll,mm,oo,pp,tt,uu	,zzz,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 880
Size: 3	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb : No	Spare Parts Only: Yes
Approved: 24-May-1995	Renewed: 24-May-2016	Bypass:
Shutoffs: ee,ff,ll,mm,oo,pp,tt,uu		
Type: RP	Manufacturer: Febco	Model: 880
Size: 4	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb : No	Spare Parts Only: Yes
Approved: 10-Mar-1995	Renewed: 10-Mar-2016	Bypass:
Shutoffs: ee,ff,ll,mm,oo,pp,tt,uu		_,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Type: RP	Manufacturer: Febco	Model: 880
Size: 6	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb : No	Spare Parts Only: Yes
Approved: 19-May-1995	Renewed: 19-May-2016	Bypass:
Shutoffs: ee,ff,ll,mm,oo,pp,tt,uu		_,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	Manufacturer: Febco	Model: 880
Type: RP Size: 8	Orientation: VUVD	
		Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 19-May-1995	Renewed: 19-May-2016	Bypass:

Shutoffs: ee,ff,ll,mm,oo,pp,tt,uu,zzz,ffff,gggg

Type: RP	Manufacturer: Febco	Model: 880
Size: 10	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 04-Oct-1996	Renewed: 04-Oct-2014	Bypass:
Shutoffs: ee,ff,ll,mm,oo,pp,tt,uu,	zzz,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 880V
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 30-Jun-1995	Renewed: 30-Jun-2016	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,nnn,zzz,cccc,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 880V
Size: 2 1/2	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 30-Jun-1995	Renewed: 30-Jun-2016	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,nnn,zzz,cccc,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 880V
Size: 3	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 30-Jun-1995	Renewed: 30-Jun-2016	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,nnn,zzz,cccc,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 880V
Size: 3	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 30-Jun-1995	Renewed: 30-Jun-2016	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,nnn,zzz,cccc,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 880V
Size: 4	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Aug-1995	Renewed: 08-Aug-2016	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,nnn,zzz,cccc,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 880V
	Orientation: VUVU	Meters:
Size: 4	Unentation: VUVU	
Size: 4 Manual: 8	0.25% Pb: No	Spare Parts Only: Yes

Type: RP	Manufacturer: Febco	Model: 880V
Size: 6	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 05-Jul-1995	Renewed: 05-Jul-2016	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,nnn,zzz,cccc,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 880V
Size: 6	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 05-Jul-1995	Renewed: 05-Jul-2016	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,nnn,zzz,cccc,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 880V
Size: 8	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Dec-1996	Renewed: 18-Dec-2014	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,nnn,zzz,cccc,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 880V
Size: 8	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Dec-1996	Renewed: 18-Dec-2014	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,nnn,zzz,cccc,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 880V
Size: 10	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 17-Jun-1997	Renewed: 17-Jun-2015	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,nnn,zzz,cccc,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 880V
Size: 10	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 17-Jun-1997	Renewed: 17-Jun-2015	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,nnn,zzz,cccc,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: LF825Y
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:

Shutoffs: (qqqqq), hhhh

Type: RP Manufacturer: Febco Model: LF825Y Size: 1 Orientation: H Meters: 0.25% Pb: Yes Manual: 8 Spare Parts Only: No Renewed: 18-Feb-2016 Approved: 18-Feb-2010 Bypass: Shutoffs: (qqqqq), hhhh Type: RP Manufacturer: Febco Model: LF825Y Size: 1 1/2 Orientation: H Meters: 0.25% Pb: Yes Manual: 8 Spare Parts Only: No Renewed: 25-Mar-2016 Approved: 25-Mar-2010 Bypass: Shutoffs: (qqqqq), hhhh Type: RP Manufacturer: Febco Model: LF825Y Size: 2 Orientation: H Meters: 0.25% Pb: Yes Manual: 8 Spare Parts Only: No Approved: 25-Mar-2010 Renewed: 25-Mar-2016 Bypass: Shutoffs: (qqqqq), hhhh Type: RP Manufacturer: Febco Model: LF825YA Size: 3/4 Orientation: H Meters: Manual: 8 0.25% Pb: Yes Spare Parts Only: No Approved: 18-Feb-2010 Renewed: 18-Feb-2016 **Bypass:** Shutoffs: (qqqqq), hhhh Type: RP Manufacturer: Febco Model: LF825YA Size: 3/4 Orientation: HVD Meters: 0.25% Pb: Yes Manual: 8 Spare Parts Only: No Approved: 18-Feb-2010 Renewed: 18-Feb-2016 Bypass: Shutoffs: (qqqqq), hhhh Type: RP Manufacturer: Febco Model: LF825YA Size: 3/4 Orientation: VUH Meters: Manual: 8 0.25% Pb: Yes Spare Parts Only: No Approved: 18-Feb-2010 Renewed: 18-Feb-2016 **Bypass:** Shutoffs: (qqqqq), hhhh Type: RP Model: LF825YA Manufacturer: Febco Size: 3/4 Orientation: VUVD Meters: 0.25% Pb: Yes Spare Parts Only: No Manual: 8 Approved: 18-Feb-2010 Renewed: 18-Feb-2016 Bypass: Shutoffs: (qqqqq), hhhh

Type: RP Manufacturer: Febco Model: LF825YA Size: 1 Orientation: H Meters: 0.25% Pb: Yes Spare Parts Only: No Manual: 8 Approved: 18-Feb-2010 Renewed: 18-Feb-2016 Bypass: Shutoffs: (qqqqq), hhhh Type: RP Manufacturer: Febco Model: LF825YA Size: 1 Orientation: HVD Meters: 0.25% Pb: Yes Manual: 8 Spare Parts Only: No Approved: 18-Feb-2010 Renewed: 18-Feb-2016 Bypass: Shutoffs: (qqqqq), hhhh Type: RP Manufacturer: Febco Model: LF825YA Size: 1 Orientation: VUH Meters: 0.25% Pb: Yes Manual: 8 Spare Parts Only: No Approved: 18-Feb-2010 Renewed: 18-Feb-2016 Bypass: Shutoffs: (qqqqq), hhhh Type: RP Manufacturer: Febco Model: LF825YA Size: 1 Orientation: VUVD Meters: Manual: 8 0.25% Pb: Yes Spare Parts Only: No Approved: 18-Feb-2010 Renewed: 18-Feb-2016 Bypass: Shutoffs: (qqqqq), hhhh Type: RP Manufacturer: Febco Model: LF825YA Size: 1 1/2 Orientation: H Meters: 0.25% Pb: Yes Manual: 8 Spare Parts Only: No Renewed: 25-Mar-2016 Approved: 25-Mar-2010 Bypass: Shutoffs: (qqqqq), hhhh Type: RP Manufacturer: Febco Model: LF825YA Size: 1 1/2 Orientation: HVD Meters: 0.25% Pb: Yes Manual: 8 Spare Parts Only: No Approved: 25-Mar-2010 Renewed: 25-Mar-2016 Bypass: Shutoffs: (qqqqq), hhhh Type: RP Manufacturer: Febco Model: LF825YA Size: 1 1/2 Orientation: VUH Meters: 0.25% Pb: Yes Manual: 8 Spare Parts Only: No Approved: 25-Mar-2010 Renewed: 25-Mar-2016 Bypass: Shutoffs: (qqqqq), hhhh

Type: RP Size: 1 1/2 Manual: 8 Approved: 25-Mar-2010 Shutoffs: (qqqqq), hhhh

Type: RP Size: 2 Manual: 8 Approved: 25-Mar-2010 Shutoffs: (qqqqq), hhhh

Type: RP Size: 2 Manual: 8 Approved: 25-Mar-2010 Shutoffs: (qqqqq), hhhh

Type: RP Size: 2 Manual: 8 Approved: 25-Mar-2010 Shutoffs: (qqqqq), hhhh

Type: RP Size: 2 Manual: 8 Approved: 25-Mar-2010 Shutoffs: (qqqqq), hhhh

Type: RP Size: 1/2 Manual: 9 Approved: 18-Feb-2010 Shutoffs: (qqqqq), hhhh

Type: RP Size: 3/4 Manual: 9 Approved: 18-Feb-2010 Shutoffs: (qqqqq), hhhh Manufacturer: Febco Orientation: VUVD 0.25% Pb: Yes Renewed: 25-Mar-2016

Manufacturer: Febco Orientation: H 0.25% Pb: Yes Renewed: 25-Mar-2016

Manufacturer: Febco Orientation: HVD 0.25% Pb: Yes Renewed: 25-Mar-2016

Manufacturer: Febco Orientation: VUH 0.25% Pb: Yes Renewed: 25-Mar-2016

Manufacturer: Febco Orientation: VUVD 0.25% Pb: Yes Renewed: 25-Mar-2016

Manufacturer: Febco Orientation: H 0.25% Pb: Yes Renewed: 18-Feb-2016

Manufacturer: Febco Orientation: H 0.25% Pb: Yes Renewed: 18-Feb-2016 Model: LF825YA Meters: Spare Parts Only: No Bypass:

Model: LF860 Meters: Spare Parts Only: No Bypass:

Model: LF860 Meters: Spare Parts Only: No Bypass:

Type: RP	Manufacturer: Febco	Model: LF860
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: (qqqqq), hhhh		
Type: RP	Manufacturer: Febco	Model: LF860
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: (qqqqq), hhhh		
Type: RP	Manufacturer: Febco	Model: LF860
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: (qqqqq), hhhh		
Type: RP	Manufacturer: Febco	Model: LF860
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: (qqqqq), hhhh		
Type: RP	Manufacturer: Febco	Model: LF860
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 28-May-2013	Renewed: 28-May-2016	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,cccc	dddd,eeee,ffff,gggg,nnnnn	
Type: RP	Manufacturer: Febco	Model: LF860
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 28-May-2013	Renewed: 28-May-2016	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,cccc	dddd,eeee,ffff,gggg,nnnnn	
Type: RP	Manufacturer: Febco	Model: LF860
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
	Renewed: 14-Jun-2016	Bypass:

Type: RP	Manufacturer: Febco	Model: LF860
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed: 14-Jun-2016	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,cccd		-)[
Type: RP	Manufacturer: Febco	Model: LF860
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Sep-2013	Renewed: 03-Sep-2016	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,ccco	c,dddd,eeee,ffff,gggg,nnnnn	
Type: RP	Manufacturer: Febco	Model: LF860
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Sep-2013	Renewed: 25-Sep-2016	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,cccc	c,dddd,eeee,ffff,gggg,nnnnn	
Type: RP	Manufacturer: Febco	Model: LF860U
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Sep-2013	Renewed: 03-Sep-2016	Bypass:
Shutoffs: (ppppp), hhhh		
Type: RP	Manufacturer: Febco	Model: LF860U
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Sep-2013	Renewed: 03-Sep-2016	Bypass:
Shutoffs: (ppppp), hhhh		
Type: RP	Manufacturer: Febco	Model: LF860U
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Sep-2013	Renewed: 03-Sep-2016	Bypass:
Shutoffs: (ppppp), hhhh		
Type: RP	Manufacturer: Febco	Model: LF860U
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Sep-2013	Renewed: 03-Sep-2016	Bypass:
Shutoffs: (ppppp), hhhh		

Type: RP	Manufacturer: Febco	Model: LF860U
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Sep-2013	Renewed: 03-Sep-2016	Bypass:
Shutoffs: (ppppp), hhhh		
Type: RP	Manufacturer: Febco	Model: LF860U
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Sep-2013	Renewed: 03-Sep-2016	Bypass:
Shutoffs: (ppppp), hhhh		
Type: RP	Manufacturer: Febco	Model: LF880V
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 28-May-2013	Renewed: 28-May-2016	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,cccc	,dddd,eeee,ffff,gggg,nnnnn	
Type: RP	Manufacturer: Febco	Model: LF880V
Size: 2 1/2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 28-May-2013	Renewed: 28-May-2016	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,cccc	,dddd,eeee,ffff,gggg,nnnnn	
Type: RP	Manufacturer: Febco	Model: LF880V
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 28-May-2013	Renewed: 28-May-2016	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,cccc	,dddd,eeee,ffff,gggg,nnnnn	
Type: RP	Manufacturer: Febco	Model: LF880V
Size: 3	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 28-May-2013	Renewed: 28-May-2016	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,cccc	,dddd,eeee,ffff,gggg,nnnnn	
Type: RP	Manufacturer: Febco	Model: LF880V
		Matara
Size: 4	Orientation: VUVD	Meters:
Size: 4 Manual: 9	Orientation: VUVD 0.25% Pb: Yes	Spare Parts Only: No

2017 © University of Southern California

Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Type: RP	Manufacturer: Febco	Model: LF880V
Size: 4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 28-May-2013	Renewed: 28-May-2016	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,cccc	c,dddd,eeee,ffff,gggg,nnnnn	
Type: RP	Manufacturer: Febco	Model: LF880V
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Sep-2013	Renewed: 03-Sep-2016	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,cccc	c,dddd,eeee,ffff,gggg,nnnnn	
Type: RP	Manufacturer: Febco	Model: LF880V
Size: 6	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Sep-2013	Renewed: 03-Sep-2016	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,cccc	c,dddd,eeee,ffff,gggg,nnnnn	
Type: RP	Manufacturer: Febco	Model: LF880V
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 26-Nov-2013	Renewed: 26-Nov-2016	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,cccc	c,dddd,eeee,ffff,gggg,nnnnn	
Type: RP	Manufacturer: Febco	Model: LF880V
Size: 8	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 26-Nov-2013	Renewed: 26-Nov-2016	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,cccc	c,dddd,eeee,ffff,ggggg,nnnnn	
Type: RP	Manufacturer: Flomatic	Model: RPZ
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 07-Jun-1994	Renewed: 17-Jun-2015	Bypass:
Shutoffs: ii		
Type: RP	Manufacturer: Flomatic	Model: RPZ
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 07-Jun-1994	Renewed: 17-Jun-2015	Bypass:
Shutoffs: ii		

Type: RP	Manufacturer: Flomatic	Model: RPZ
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-May-1995	Renewed: 10-May-2016	Bypass:
Shutoffs: ii		
Type: RP	Manufacturer: Flomatic	Model: RPZ
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-May-1995	Renewed: 10-May-2016	Bypass:
Shutoffs: ii		
Type: RP	Manufacturer: Flomatic	Model: RPZ
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 14-Feb-1997	Renewed: 14-Feb-2015	Bypass:
Shutoffs: (gg),hh,jj,kk,ll,mm,yy,z	z,ccc,ddd	
Type: RP	Manufacturer: Flomatic	Model: RPZ
Size: 3	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 14-Feb-1997	Renewed: 14-Feb-2015	Bypass:
Shutoffs: (gg),hh,jj,kk,ll,mm,yy,z	z,ccc,ddd	
Type: RP	Manufacturer: Flomatic	Model: RPZ
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 28-Jan-1999	Renewed: 28-Jan-2016	Bypass:
Shutoffs: (gg),hh,jj,kk,ll,mm,yy,z	z,ccc,ddd	
Type: RP	Manufacturer: Flomatic	Model: RPZ
	Orientation: H	Meters:
Size: 4		
Size: 4 Manual: 9	0.25% Pb: Yes	Spare Parts Only: Yes
Manual: 9	0.25% Pb: Yes Renewed: 28-Jan-2016	Spare Parts Only: Yes Bypass:
Manual: 9 Approved: 28-Jan-1999		
Manual: 9 Approved: 28-Jan-1999 Shutoffs: ddddd		
	Renewed: 28-Jan-2016	Bypass:
Manual: 9 Approved: 28-Jan-1999 Shutoffs: ddddd Type: RP	Renewed: 28-Jan-2016 Manufacturer: Flomatic	Bypass: Model: RPZ

Type: RP	Manufacturer: Flomatic	Model: RPZ
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 31-Jan-2002	Renewed: 31-Jan-2017	Bypass:
Shutoffs: ddddd		
Type: RP	Manufacturer: Flomatic	Model: RPZ
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 05-Feb-2005	Renewed: 05-Feb-2017	Bypass:
Shutoffs: (gg), hh, jj, kk, ll, mm,	yy, zz, ccc, ddd	
Type: RP	Manufacturer: Flomatic	Model: RPZE
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 07-Jun-2001	Renewed: 07-Jun-2016	Bypass:
Shutoffs: (hhhhh)		
Type: RP	Manufacturer: Flomatic	Model: RPZE
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 07-Jun-2001	Renewed: 07-Jun-2016	Bypass:
Shutoffs: (hhhhh)		
Type: RP	Manufacturer: Flomatic	Model: RPZE
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 07-Jun-2001	Renewed: 07-Jun-2016	Bypass:
Shutoffs: (hhhhh)		
Type: RP	Manufacturer: Flomatic	Model: RPZE
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 07-Jun-2001	Renewed: 07-Jun-2016	Bypass:
Shutoffs: (hhhhh)		

Type: RP	Manufacturer: Flomatic	Model: RPZE II
Size: 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 07-Jun-2001	Renewed: 07-Jun-2016	Bypass:
Shutoffs: (hhhhh)		
Notes: formerly RPZIIE		
Type: RP	Manufacturer: Flomatic	Model: RPZE II
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 07-Jun-2001	Renewed: 07-Jun-2016	Bypass:
Shutoffs: (hhhhh)		
Notes: formerly RPZIIE		
Type: RP	Manufacturer: Flomatic	Model: RPZII
Size: 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 15-Aug-1997	Renewed: 15-Aug-2015	Bypass:
Shutoffs: ii		
Type: RP	Manufacturer: Flomatic	Model: RPZII
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 15-Aug-1997	Renewed: 15-Aug-2015	Bypass:
Shutoffs: ii		
Type: RP	Manufacturer: Flomatic	Model: RPZIIE
Size: 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	jed to RPZE II	
Type: RP	Manufacturer: Flomatic	Model: RPZIIE
Size: 3/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:

Type: RP	Manufacturer: Neptune	Model:	
Size:	Orientation:	Meters:	
Manual:	0.25% Pb: No	Spare Parts Only: No	
Approved:	Renewed:	Bypass:	
Notes: See Wilkins			
Type: RP	Manufacturer: Watts	Model: 009	
Size: 2 1/2	Orientation: H	Meters:	
Manual: 8	0.25% Pb: No	Spare Parts Only: No	
Approved: 31-Aug-1990	Renewed: 31-Aug-2014	Bypass:	
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	uu,yy,ffff,gggg		
Type: RP	Manufacturer: Watts	Model: 009	
Size: 3	Orientation: H	Meters:	
Manual: 8	0.25% Pb: No	Spare Parts Only: No	
Approved: 31-Aug-1990	Renewed: 31-Aug-2014	Bypass:	
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	uu,yy,eee,ffff,gggg		
Type: RP	Manufacturer: Watts	Model: 009M1PCQT	
Size: 1 1/4	Orientation: H	Meters:	
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes	
Approved: 27-Sep-1994	Renewed: 27-Sep-2015	Bypass:	
Shutoffs: vv,xx,ooo,hhhh,pppp,r	rrrr		
Type: RP	Manufacturer: Watts	Model: 009M1PCQT	
Size: 1 1/2	Orientation: H	Meters:	
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes	
Approved: 27-Sep-1994	Renewed: 27-Sep-2015	Bypass:	
Shutoffs: vv,xx,ooo,hhhh,pppp,r	rrrr		
Type: RP	Manufacturer: Watts	Model: 009M1PCQT	
Size: 2	Orientation: H	Meters:	
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes	
Approved: 27-Sep-1994	Renewed: 27-Sep-2015	Bypass:	
Shutoffs: vv,xx,ooo,hhhh,pppp,r	rrrr		
Type: RP	Manufacturer: Watts	Model: 009M1QT	
Size: 1 1/4	Orientation: H	Meters:	
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes	
Approved: 30-Jun-1992	Renewed: 30-Jun-2016	Bypass:	
Shutoffs: vv,xx,ooo,hhhh,pppp,r	rrrr		

Type: RP Manufacturer: Watts Model: 009M1QT Size: 1 1/2 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: Yes Approved: 30-Jun-1992 Renewed: 30-Jun-2016 Bypass: Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrr Type: RP Manufacturer: Watts Model: 009M1QT Size: 2 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: Yes Renewed: 19-Dec-2015 Approved: 19-Dec-1991 Bypass: Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrr Type: RP Manufacturer: Watts Model: 009M2-FP Size: 1 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 01-Sep-2009 Renewed: 01-Sep-2015 Bypass: Shutoffs: (eeeee) Type: RP Manufacturer: Watts Model: 009M2-FP Size: 1 1/4 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 01-Sep-2009 Renewed: 01-Sep-2015 Bypass: Shutoffs: (eeeee) Type: RP Manufacturer: Watts Model: 009M2-FP Size: 1 1/2 Orientation: H Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Approved: 01-Sep-2009 Renewed: 01-Sep-2015 Bypass: Shutoffs: (eeeee) Manufacturer: Watts Model: 009M2-FP Type: RP Size: 2 Orientation: H Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Approved: 01-Sep-2009 Renewed: 01-Sep-2015 Bypass: Shutoffs: (eeeee) Type: RP Manufacturer: Watts Model: 009M2PCQT Size: 3/4 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: No Approved: 07-Oct-2002 Renewed: 07-Oct-2014 Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

		
Type: RP	Manufacturer: Watts	Model: 009M2PCQT
Size: 1	Orientation: H 0.25% Pb: No	Meters:
Manual: 9		Spare Parts Only: No
Approved: 15-Jan-1999	Renewed: 15-Jan-2017	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: 009M2PCQT
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Sep-1994	Renewed: 12-Sep-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: 009M2PCQT
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Sep-1994	Renewed: 12-Sep-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: 009M2PCQT
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 26-Aug-1997	Renewed: 26-Aug-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: 009M2QT
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 31-Oct-1992	Renewed: 31-Oct-2016	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: 009M2QT
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-May-1998	Renewed: 18-May-2016	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: 009M2QT
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Aug-1993	Renewed: 24-Aug-2014	Bypass:
	č	

Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

Type: RP	Manufacturer: Watts	Model: 009M2QT
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Aug-1993	Renewed: 24-Aug-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		_,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Type: RP	Manufacturer: Watts	Model: 009M2QT
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 10-Sep-1996	Renewed: 10-Sep-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: 009M3-FP
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Sep-2009	Renewed: 01-Sep-2015	Bypass:
Shutoffs: (eeeee)		
Type: RP	Manufacturer: Watts	Model: 009M3QT
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Oct-1999	Renewed: 18-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: 009PCQT
Size: 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Feb-1995	Renewed: 17-Feb-2016	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: 009PCQT
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 10-Dec-1993	Renewed: 10-Dec-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: 009PCQT
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Dec-1993	Renewed: 10-Dec-2014	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrr		

Type: RP	Manufacturer: Watts	Model: 009PCQT
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Sep-1994	Renewed: 27-Sep-2015	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp,rrr	rr	
Type: RP	Manufacturer: Watts	Model: 009PCQT
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Sep-1994	Renewed: 27-Sep-2015	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp,rrr	rr	
Type: RP	Manufacturer: Watts	Model: 009PCQT
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Sep-1994	Renewed: 27-Sep-2015	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp,rrr	rr	
Type: RP	Manufacturer: Watts	Model: 009QT
Size: 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Aug-1995	Renewed: 07-Aug-2016	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: 009QT
Size: 3/8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Aug-1995	Renewed: 07-Aug-2016	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: 009QT
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 10-Sep-1996	Renewed: 10-Sep-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,r	rrrr	
Notes: Previously approved 8th Ed	d. 26 May 1993	

Type: RP	Manufacturer: Watts	Model: 009QT
Size: 3/4	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: No
Approved: 11-Jan-1988	Renewed: 11-Jan-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: 009QT
Size: 1	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Jan-1988	Renewed: 11-Jan-2015	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: 009QT
Size: 1 1/4	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 09-Aug-1988	Renewed: 09-Aug-2015	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: 009QT
Size: 1 1/2	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 09-Aug-1988	Renewed: 09-Aug-2015	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: 009QT
Size: 2	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 09-Aug-1988	Renewed: 09-Aug-2015	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: 009SSM1PCQT
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Sep-1994	Renewed: 27-Sep-2015	Bypass:
Shutoffs: vv,xx,pppp		
Type: RP	Manufacturer: Watts	Model: 009SSM1QT
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 19-Dec-1991	Renewed: 19-Dec-2015	Bypass:
Shutoffs: vv,xx,pppp		

Type: RP Size: 3/4 Manual: 8 Approved: 10-Dec-1993 Shutoffs: vv,xx,pppp

Type: RP Size: 1 Manual: 8 Approved: 10-Dec-1993 Shutoffs: vv,xx,pppp

Type: RP Size: 1 1/4 Manual: 8 Approved: 27-Sep-1994 Shutoffs: vv,xx,pppp

Type: RP Size: 1 1/2 Manual: 8 Approved: 27-Sep-1994 Shutoffs: vv,xx,pppp

Type: RP Size: 2 Manual: 8 Approved: 27-Sep-1994 Shutoffs: vv,xx,pppp

Type: RP Size: 3/4 Manual: 7 Approved: 11-Jan-1988 Shutoffs: vv,xx,pppp

Type: RP Size: 1 Manual: 7 Approved: 11-Jan-1988 Shutoffs: vv,xx,pppp Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 10-Dec-2014

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 10-Dec-2014

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 27-Sep-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 27-Sep-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 27-Sep-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 11-Jan-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 11-Jan-2015 Model: 009SSPCQT Meters: Spare Parts Only: Yes Bypass:

Model: 009SSQT Meters: Spare Parts Only: Yes Bypass:

Model: 009SSQT Meters: Spare Parts Only: Yes Bypass:

Type: RP	Manufacturer: Watts	Model: 009SSQT
Size: 1 1/4	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 09-Aug-1988	Renewed: 09-Aug-2015	Bypass:
Shutoffs: vv,xx,pppp		
Type: RP	Manufacturer: Watts	Model: 009SSQT
Size: 1 1/2	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 09-Aug-1988	Renewed: 09-Aug-2015	Bypass:
Shutoffs: vv,xx,pppp		
Type: RP	Manufacturer: Watts	Model: 009SSQT
Size: 2	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 09-Aug-1988	Renewed: 09-Aug-2015	Bypass:
Shutoffs: vv,xx,pppp		
Type: RP	Manufacturer: Watts	Model: 909
Size: 2 1/2	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Jun-1986	Renewed: 12-Jun-2016	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,u	uu,ww,yy,ffff,gggg	
Type: RP	Manufacturer: Watts	Model: 909
Size: 3	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Jun-1986	Renewed: 12-Jun-2016	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,u	uu,ww,yy,eee,ffff,gggg	
Notes: formerly 909NRS/909OS	Y/909NRSRW/909OSYRW/909RW	
Type: RP	Manufacturer: Watts	Model: 909
Size: 4	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Jan-1982	Renewed: 15-Jan-2015	Bypass:

Type: RP	Manufacturer: Watts	Model: 909
Size: 6	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Jul-1981	Renewed: 06-Jul-2017	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	uu,ww,yy,eee,ffff,gggg	
Notes: formerly 909NRS/909OS	Y/909NRSRW/909OSYRW/909RW	
Type: RP	Manufacturer: Watts	Model: 909
Size: 8	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 06-Jul-1981	Renewed: 06-Jul-2017	Bypass:
Notes: formerly 909NRS/909OS	Y/909NRSRW/909OSYRW/909RW	
Type: RP	Manufacturer: Watts	Model: 909
Size: 10	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 06-Jul-1981	Renewed: 06-Jul-2017	Bypass:
Notes: formerly 909NRS/909OS	Y/909NRSRW/909OSYRW/909RW	
Type: RP	Manufacturer: Watts	Model: 909BB
Size: 2 1/2	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Feb-1983	Renewed: 04-Feb-2016	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	uu,yy,ffff,gggg	
Type: RP	Manufacturer: Watts	Model: 909BB
Size: 3	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Feb-1983	Renewed: 04-Feb-2016	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	uu,yy,ffff,gggg	
Type: RP	Manufacturer: Watts	Model: 909HWQT
Size: 3/4	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Sep-1979	Renewed: 29-Sep-2015	Bypass:

Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

Type: RP	Manufacturer: Watts	Model: 909HWQT
Size: 1	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Sep-1979	Renewed: 29-Sep-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	,rrrrr	
Type: RP	Manufacturer: Watts	Model: 909HWQT
Size: 1 1/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation change	ed to 909M1HWQT	
Type: RP	Manufacturer: Watts	Model: 909HWQT
Size: 1 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Approved: Notes: model designation change		Bypass:
Notes: model designation change		Bypass: Model: 909HWQT
Notes: model designation change	ed to 909M1HWQT	
	ed to 909M1HWQT Manufacturer: Watts	Model: 909HWQT
Notes: model designation change Type: RP Size: 2 Manual:	ed to 909M1HWQT Manufacturer: Watts Orientation:	Model: 909HWQT Meters:
Notes: model designation change Type: RP Size: 2	ed to 909M1HWQT Manufacturer: Watts Orientation: 0.25% Pb: No Renewed:	Model: 909HWQT Meters: Spare Parts Only: No
Notes: model designation change Type: RP Size: 2 Manual: Approved: Notes: model designation change	ed to 909M1HWQT Manufacturer: Watts Orientation: 0.25% Pb: No Renewed:	Model: 909HWQT Meters: Spare Parts Only: No
Notes: model designation change Type: RP Size: 2 Manual: Approved: Notes: model designation change Type: RP	ed to 909M1HWQT Manufacturer: Watts Orientation: 0.25% Pb: No Renewed: ed to 909M1HWQT	Model: 909HWQT Meters: Spare Parts Only: No Bypass:
Notes: model designation change Type: RP Size: 2 Manual: Approved: Notes: model designation change Type: RP Size: 8	ed to 909M1HWQT Manufacturer: Watts Orientation: 0.25% Pb: No Renewed: ed to 909M1HWQT Manufacturer: Watts	Model: 909HWQT Meters: Spare Parts Only: No Bypass: Model: 909M1
Notes: model designation change Type: RP Size: 2 Manual: Approved: Notes: model designation change Type: RP Size: 8 Manual: 8	ed to 909M1HWQT Manufacturer: Watts Orientation: 0.25% Pb: No Renewed: ed to 909M1HWQT Manufacturer: Watts Orientation: H	Model: 909HWQT Meters: Spare Parts Only: No Bypass: Model: 909M1 Meters:
Notes: model designation change Type: RP Size: 2 Manual: Approved:	ed to 909M1HWQT Manufacturer: Watts Orientation: 0.25% Pb: No Renewed: ed to 909M1HWQT Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 01-May-2016	Model: 909HWQT Meters: Spare Parts Only: No Bypass: Model: 909M1 Meters: Spare Parts Only: No
Notes: model designation change Type: RP Size: 2 Manual: Approved: Notes: model designation change Type: RP Size: 8 Manual: 8 Approved: 01-May-1989 Shutoffs: (oo),gg,hh,ll,mm,pp,tt,u	ed to 909M1HWQT Manufacturer: Watts Orientation: 0.25% Pb: No Renewed: ed to 909M1HWQT Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 01-May-2016	Model: 909HWQT Meters: Spare Parts Only: No Bypass: Model: 909M1 Meters: Spare Parts Only: No
Notes: model designation change Type: RP Size: 2 Manual: Approved: Notes: model designation change Type: RP Size: 8 Manual: 8 Approved: 01-May-1989 Shutoffs: (oo),gg,hh,ll,mm,pp,tt,t Type: RP	ed to 909M1HWQT Manufacturer: Watts Orientation: 0.25% Pb: No Renewed: ed to 909M1HWQT Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 01-May-2016	Model: 909HWQT Meters: Spare Parts Only: No Bypass: Model: 909M1 Meters: Spare Parts Only: No Bypass:
Notes: model designation change Type: RP Size: 2 Manual: Approved: Notes: model designation change Type: RP Size: 8 Manual: 8 Approved: 01-May-1989	ed to 909M1HWQT Manufacturer: Watts Orientation: 0.25% Pb: No Renewed: ed to 909M1HWQT Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 01-May-2016 Juu,yy,ww,ffff,gggg Manufacturer: Watts	Model: 909HWQT Meters: Spare Parts Only: No Bypass: Model: 909M1 Meters: Spare Parts Only: No Bypass: Model: 909M1

Notes: formerly 909HWQT		
Type: RP	Manufacturer: Watts	Model: 909M1HWQT
Size: 1 1/2	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Feb-1980	Renewed: 07-Feb-2016	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,rrrrr		
Notes: formerly 909HWQT		
Type: RP	Manufacturer: Watts	Model: 909M1HWQT
Size: 2	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Feb-1980	Renewed: 07-Feb-2016	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,rrrrr		
Notes: formerly 909HWQT		
Type: RP	Manufacturer: Watts	Model: 909M1PCHWQ1
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 02-Feb-1995	Renewed: 02-Feb-2016	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,rrrrr		
Type: RP	Manufacturer: Watts	Model: 909M1PCHWQ
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 02-Feb-1995	Renewed: 02-Feb-2016	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,rrrrr		
Type: RP	Manufacturer: Watts	Model: 909M1PCHWQ
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No

Manufacturer: Watts

Renewed: 07-Feb-2016

Orientation: H

0.25% Pb: No

Type: RP

Size: 1 1/4

Manual: 5

Approved: 07-Feb-1980

Shutoffs: (vv),xx,ooo,hhhh,rrrrr

Page 458 of 631

Model: 909M1HWQT Meters: Spare Parts Only: No Bypass:

Type: RP	Manufacturer: Watts
Size: 1 1/4	Orientation: H
Manual: 6	0.25% Pb: No
Approved: 15-Jan-1982	Renewed: 15-Jan-2015
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr	
Notes: formerly 909QT	
Type: RP	Manufacturer: Watts
Size: 1 1/2	Orientation: H
Manual: 6	0.25% Pb: No
Approved: 15-Jan-1982	Renewed: 15-Jan-2015
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr	
Notes: formerly 909QT	
Type: RP	Manufacturer: Watts
Size: 2	Orientation: H
Manual: 6	0.25% Pb: No
Approved: 15-Jan-1982	Renewed: 15-Jan-2015
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr	
Notes: formerly 909QT	
Type: RP	Manufacturer: Watts
Size: 3	Orientation:
Manual:	0.25% Pb: No
Approved:	Renewed:
Notes: model designation changed to	909
Type: RP	Manufacturer: Watts
Size: 4	Orientation:
Manual:	0.25% Pb: No
Approved:	Renewed:
Notes: model designation changed to s	909

Type: RP Manufacturer: Watts Size: 6 **Orientation:** 0.25% Pb: No Manual: **Approved: Renewed:**

Notes: model designation changed to 909

Model: 909M1QT Meters: Spare Parts Only: No Bypass:

Model: 909M1QT Meters: Spare Parts Only: No Bypass:

Model: 909M1QT Meters: Spare Parts Only: No Bypass:

Model: 909NRS Meters: Spare Parts Only: No **Bypass:**

Model: 909NRS Meters: Spare Parts Only: No **Bypass:**

Model: 909NRS Meters: Spare Parts Only: No **Bypass:**

Type: RP	Manufacturer: Watts	Model: 909NRS
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to 909	
Type: RP	Manufacturer: Watts	Model: 909NRS
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to 909	
Type: RP	Manufacturer: Watts	Model: 909NRSRW
Size: 3	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to 909	
Type: RP	Manufacturer: Watts	Model: 909NRSRW
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to 909	
Type: RP	Manufacturer: Watts	Model: 909NRSRW
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to 909	
Type: RP	Manufacturer: Watts	Model: 909NRSRW
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to 909	
Type: RP	Manufacturer: Watts	Model: 909NRSRW
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:

Notes: model designation changed to 909

Type: RP	Manufacturer: Watts	Model: 909OSY
Size: 3	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to 909	
Type: RP	Manufacturer: Watts	Model: 909OSY
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to 909	
Type: RP	Manufacturer: Watts	Model: 909OSY
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to 909	
Type: RP	Manufacturer: Watts	Model: 909OSY
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to 909	
Type: RP	Manufacturer: Watts	Model: 909OSY
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to 909	
Type: RP	Manufacturer: Watts	Model: 909OSYRW
Size: 3	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to 909	
Type: RP	Manufacturer: Watts	Model: 909OSYRW
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:

Notes: model designation changed to 909

Type: RP	Manufacturer: Watts	Model: 909OSYRW
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to 909	
Type: RP	Manufacturer: Watts	Model: 909OSYRW
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to 909	
Type: RP	Manufacturer: Watts	Model: 909OSYRW
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to 909	
Type: RP	Manufacturer: Watts	Model: 909PCHWQT
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 02-Feb-1995	Renewed: 02-Feb-2016	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp),rrrr	
Type: RP	Manufacturer: Watts	Model: 909PCHWQT
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 02-Feb-1995	Renewed: 02-Feb-2016	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp),rrrr	
Type: RP	Manufacturer: Watts	Model: 909PCM1QT
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 02-Feb-1995	Renewed: 02-Feb-2016	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp),rrrrr	
Type: RP	Manufacturer: Watts	Model: 909PCM1QT
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 02-Feb-1995	Renewed: 02-Feb-2016	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	o,rrrrr	

Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 02-Feb-1995	Renewed: 02-Feb-2016	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp),rrrr	
Type: RP	Manufacturer: Watts	Model: 909PCQT
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Oct-1998	Renewed: 04-Oct-2016	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	o,rrrr	
Notes: Previously Approved 8th	Ed (2 February 1995) 9th Ed. for Ser. No	os. 464100 and higher
Type: RP	Manufacturer: Watts	Model: 909PCQT
Size: 3/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Oct-1998	Renewed: 04-Oct-2016	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	o,rrrr	
Notes: Serial number 464100 ar	nd higher	
Type: RP	Manufacturer: Watts	Model: 909PCQT
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Oct-1998	Renewed: 09-Oct-2016	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	o,rrrr	
Notes: Previously Approved 8th	Ed (2 February 1995) 9th Ed. for Ser. No	os. 464100 and higher
Type: RP	Manufacturer: Watts	Model: 909PCQT
Size: 1	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Oct-1998	Renewed: 09-Oct-2016	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	o,rrrr	
Notes: Previously Approved 8th	Ed (2 February 1995) 9th Ed. for Ser. No	os. 464100 and higher
Type: RP	Manufacturer: Watts	Model: 909QT
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Jun-1998	Renewed: 18-Jun-2016	Bypass:
•• •• ••		<i>21</i>

Manufacturer: Watts

Model: 909PCM1QT

Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

Type: RP

Notes: Previously Approved 6th Ed. (15 Jan 1982) 9th Ed. For Ser. Nos. 461650 and higher

Type: RP	Manufacturer: Watts	Model: 909QT
Size: 3/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Jun-1998	Renewed: 18-Jun-2016	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	o,rrrrr	
Notes: Serial number 461650 ar	nd higher	
Type: RP	Manufacturer: Watts	Model: 909QT
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Jun-1998	Renewed: 18-Jun-2016	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	o,rrrr	
Notes: Previously Approved 6th	Ed. (15 Jan 1982) 9th Ed. For Ser. Nos.	461650 and higher
Type: RP	Manufacturer: Watts	Model: 909QT
Size: 1	Orientation: VU	Meters:
	0.25% Pb: No	Spare Parts Only: No
Manual: 9	U.23/01 D. NO	
Manual: 9 Approved: 18-Jun-1998	Renewed: 18-Jun-2016	Bypass:
	Renewed: 18-Jun-2016	
Approved: 18-Jun-1998	Renewed: 18-Jun-2016	
Approved: 18-Jun-1998 Shutoffs: (vv),xx,ooo,hhhh,pppp	Renewed: 18-Jun-2016	
Approved: 18-Jun-1998 Shutoffs: (vv),xx,ooo,hhhh,pppp Notes: Serial number 461650 ar Type: RP	Renewed: 18-Jun-2016 o,rrrrr nd higher	Bypass:
Approved: 18-Jun-1998 Shutoffs: (vv),xx,ooo,hhhh,pppp Notes: Serial number 461650 ar	Renewed: 18-Jun-2016 b,rrrrr nd higher Manufacturer: Watts	Bypass: Model: 909QT
Approved: 18-Jun-1998 Shutoffs: (vv),xx,ooo,hhhh,pppp Notes: Serial number 461650 ar Type: RP Size: 1 1/4	Renewed: 18-Jun-2016 o,rrrrr nd higher Manufacturer: Watts Orientation:	Bypass: Model: 909QT Meters:
Approved: 18-Jun-1998 Shutoffs: (vv),xx,ooo,hhhh,pppp Notes: Serial number 461650 ar Type: RP Size: 1 1/4 Manual:	Renewed: 18-Jun-2016 o,rrrrr hd higher Manufacturer: Watts Orientation: 0.25% Pb: No Renewed:	Bypass: Model: 909QT Meters: Spare Parts Only: No
Approved: 18-Jun-1998 Shutoffs: (vv),xx,ooo,hhhh,pppp Notes: Serial number 461650 ar Type: RP Size: 1 1/4 Manual: Approved: Notes: model designation chang	Renewed: 18-Jun-2016 o,rrrrr hd higher Manufacturer: Watts Orientation: 0.25% Pb: No Renewed:	Bypass: Model: 909QT Meters: Spare Parts Only: No
Approved: 18-Jun-1998 Shutoffs: (vv),xx,ooo,hhhh,pppp Notes: Serial number 461650 ar Type: RP Size: 1 1/4 Manual: Approved:	Renewed: 18-Jun-2016 o,rrrrr nd higher Manufacturer: Watts Orientation: 0.25% Pb: No Renewed: ged to 909M1QT	Bypass: Model: 909QT Meters: Spare Parts Only: No Bypass:
Approved: 18-Jun-1998 Shutoffs: (vv),xx,ooo,hhhh,pppp Notes: Serial number 461650 ar Type: RP Size: 1 1/4 Manual: Approved: Notes: model designation chang	Renewed: 18-Jun-2016 o,rrrrr nd higher Manufacturer: Watts Orientation: 0.25% Pb: No Renewed: ged to 909M1QT Manufacturer: Watts	Bypass: Model: 909QT Meters: Spare Parts Only: No Bypass: Model: 909QT
Approved: 18-Jun-1998 Shutoffs: (vv),xx,ooo,hhhh,pppp Notes: Serial number 461650 ar Type: RP Size: 1 1/4 Manual: Approved: Notes: model designation chang Type: RP Size: 1 1/2	Renewed: 18-Jun-2016 o,rrrrr hd higher Manufacturer: Watts Orientation: 0.25% Pb: No Renewed: ged to 909M1QT Manufacturer: Watts Orientation:	Bypass: Model: 909QT Meters: Spare Parts Only: No Bypass: Model: 909QT Meters: Meters:
Approved: 18-Jun-1998 Shutoffs: (vv),xx,ooo,hhhh,pppp Notes: Serial number 461650 ar Type: RP Size: 1 1/4 Manual: Approved: Notes: model designation chang Type: RP Size: 1 1/2 Manual:	Renewed: 18-Jun-2016 o,rrrrr hd higher Manufacturer: Watts Orientation: 0.25% Pb: No Renewed: ged to 909M1QT Manufacturer: Watts Orientation: 0.25% Pb: No Renewed: Manufacturer: Watts	Bypass: Model: 909QT Meters: Spare Parts Only: No Bypass: Model: 909QT Meters: Spare Parts Only: No
Approved: 18-Jun-1998 Shutoffs: (vv),xx,ooo,hhhh,pppp Notes: Serial number 461650 ar Type: RP Size: 1 1/4 Manual: Approved: Notes: model designation chang Type: RP Size: 1 1/2 Manual: Approved:	Renewed: 18-Jun-2016 o,rrrrr hd higher Manufacturer: Watts Orientation: 0.25% Pb: No Renewed: ged to 909M1QT Manufacturer: Watts Orientation: 0.25% Pb: No Renewed: Manufacturer: Watts	Bypass: Model: 909QT Meters: Spare Parts Only: No Bypass: Model: 909QT Meters: Spare Parts Only: No
Approved: 18-Jun-1998 Shutoffs: (vv),xx,ooo,hhhh,pppp Notes: Serial number 461650 ar Type: RP Size: 1 1/4 Manual: Approved: Notes: model designation chang Type: RP Size: 1 1/2 Manual: Approved: Notes: model designation chang	Renewed: 18-Jun-2016 o,rrrrr hd higher Manufacturer: Watts Orientation: 0.25% Pb: No Renewed: ged to 909M1QT Manufacturer: Watts Orientation: 0.25% Pb: No Renewed: ged to 909M1QT	Bypass: Model: 909QT Meters: Spare Parts Only: No Bypass: Model: 909QT Meters: Spare Parts Only: No Bypass:
Approved: 18-Jun-1998 Shutoffs: (vv),xx,ooo,hhhh,pppp Notes: Serial number 461650 ar Type: RP Size: 1 1/4 Manual: Approved: Notes: model designation chang Type: RP Size: 1 1/2 Manual: Approved: Notes: model designation chang Type: RP	Renewed: 18-Jun-2016 o,rrrrr hd higher Manufacturer: Watts Orientation: 0.25% Pb: No Renewed: ged to 909M1QT Manufacturer: Watts Orientation: 0.25% Pb: No Renewed: ged to 909M1QT Manufacturer: Watts	Bypass: Model: 909QT Meters: Spare Parts Only: No Bypass: Model: 909QT Meters: Spare Parts Only: No Bypass: Model: 909QT Meters: Spare Parts Only: No Bypass:

Type: RP	Manufacturer: Watts	Model: 909RW
Size: 3	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	jed to 909	
Type: RP	Manufacturer: Watts	Model: 909RW
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	jed to 909	
Type: RP	Manufacturer: Watts	Model: 909RW
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	jed to 909	
Type: RP	Manufacturer: Watts	Model: 909RW
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	jed to 909	
Type: RP	Manufacturer: Watts	Model: 909RW
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	jed to 909	
Type: RP	Manufacturer: Watts	Model: 919AQT
Size: 3/4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp),rrrr	
Type: RP	Manufacturer: Watts	Model: 919AQT
Size: 1	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Jun-2006	Renewed: 01-Jun-2015	Bypass:

Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

	Manufacturer: Watts	Model: 919AQT
Type: RP Size: 1 1/4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Sep-2006	Renewed: 05-Sep-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr	•	Dypass.
Type: RP	Manufacturer: Watts	Model: 919AQT
Size: 1 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Jun-2006	Renewed: 01-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: 919AQT
Size: 2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Jun-2006	Renewed: 01-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: 919QT
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: 919QT
Size: 3/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-2006	Renewed: 30-Aug-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: 919QT
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Jun-2006	Renewed: 01-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: 919QT
Size: 1	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-2006	Renewed: 30-Aug-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		

Type: RP	Manufacturer: Watts	Model: 919QT
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Jun-2006	Renewed: 01-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: 919QT
Size: 1 1/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-2006	Renewed: 30-Aug-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: 919QT
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Jun-2006	Renewed: 01-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: 919QT
Size: 1 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-2006	Renewed: 30-Aug-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: 919QT
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Jun-2006	Renewed: 01-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: 919QT
Size: 2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-2006	Renewed: 30-Aug-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: 919ZQT
Size: 3/4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		

Type: RP	Manufacturer: Watts	Model: 919ZQT
Size: 1	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Jun-2006	Renewed: 01-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	,rrrr	
Type: RP	Manufacturer: Watts	Model: 919ZQT
Size: 1 1/4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Jun-2006	Renewed: 01-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp),rrrrr	
Type: RP	Manufacturer: Watts	Model: 919ZQT
Size: 1 1/2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Jun-2006	Renewed: 01-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	,rrrr	
Type: RP	Manufacturer: Watts	Model: 919ZQT
Size: 2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Jun-2006	Renewed: 01-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp),rrrr	
Type: RP	Manufacturer: Watts	Model: 957
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
Shutoffs: zzz,dddd,eeee,gggg,k	kkk,IIII,mmmm,nnnn,nnnnn	
Notes: Check valve discs may b	e black EPDM or orange Silicone	

Type: RP	Manufacturer: Watts	Model: 957
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Notes: Check valve discs may be	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
Shutoffs: zzz,dddd,eeee,gggg,k	kkk,IIII,mmmm,nnnn,nnnnn	
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
	e black EPDM or orange Silicone	
Notes: Check valve discs may b	e black EPDM or orange Silicone Manufacturer: Watts	Model: 957
Notes: Check valve discs may be		Model: 957 Meters:
Notes: Check valve discs may be Type: RP Size: 4	Manufacturer: Watts	
Notes: Check valve discs may be Type: RP Size: 4 Manual: 9	Manufacturer: Watts Orientation: H	Meters:
	Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 07-Oct-2014	Meters: Spare Parts Only: No
Notes: Check valve discs may be Type: RP Size: 4 Manual: 9 Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,k	Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 07-Oct-2014	Meters: Spare Parts Only: No
Notes: Check valve discs may be Type: RP Size: 4 Manual: 9 Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,k Notes: Check valve discs may be	Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 07-Oct-2014 kkk,IIII,mmmm,nnnn,nnnn	Meters: Spare Parts Only: No
Notes: Check valve discs may be Type: RP Size: 4 Manual: 9 Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,k	Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 07-Oct-2014 kkk,IIII,mmmm,nnnn,nnnnn e black EPDM or orange Silicone	Meters: Spare Parts Only: No Bypass:
Notes: Check valve discs may be Type: RP Size: 4 Manual: 9 Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,k Notes: Check valve discs may be	Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 07-Oct-2014 kkk,IIII,mmmm,nnnn,nnnnn e black EPDM or orange Silicone Manufacturer: Watts	Meters: Spare Parts Only: No Bypass: Model: 957
Notes: Check valve discs may be Type: RP Size: 4 Manual: 9 Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,ggggg,k Notes: Check valve discs may be Type: RP Size: 6	Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 07-Oct-2014 kkk,IIII,mmmm,nnnn,nnnnn e black EPDM or orange Silicone Manufacturer: Watts Orientation: H	Meters: Spare Parts Only: No Bypass: Model: 957 Meters:
Notes: Check valve discs may be Type: RP Size: 4 Manual: 9 Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,k Notes: Check valve discs may be Type: RP Size: 6 Manual: 9	Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 07-Oct-2014 kkk,IIII,mmmm,nnnn,nnnnn e black EPDM or orange Silicone Manufacturer: Watts Orientation: H 0.25% Pb: No	Meters: Spare Parts Only: No Bypass: Model: 957 Meters: Spare Parts Only: No
Notes: Check valve discs may be Type: RP Size: 4 Manual: 9 Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,k Notes: Check valve discs may be Type: RP Size: 6 Manual: 9 Approved: 20-Dec-2004	Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 07-Oct-2014 kkk,IIII,mmmm,nnnn,nnnnn e black EPDM or orange Silicone Manufacturer: Watts Orientation: H 0.25% Pb: No	Meters: Spare Parts Only: No Bypass: Model: 957 Meters: Spare Parts Only: No
Notes: Check valve discs may be Type: RP Size: 4 Manual: 9 Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,k Notes: Check valve discs may be Type: RP Size: 6 Manual: 9 Approved: 20-Dec-2004 Shutoffs: (ppp),qqq,aaaa,bbbb	Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 07-Oct-2014 kkk,IIII,mmmm,nnnn,nnnnn e black EPDM or orange Silicone Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 20-Dec-2016	Meters: Spare Parts Only: No Bypass: Model: 957 Meters: Spare Parts Only: No Bypass:
Notes: Check valve discs may be Type: RP Size: 4 Manual: 9 Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,k Notes: Check valve discs may be Type: RP Size: 6 Manual: 9 Approved: 20-Dec-2004 Shutoffs: (ppp),qqq,aaaa,bbbb Type: RP	Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 07-Oct-2014 kkk,IIII,mmmm,nnnn,nnnnn e black EPDM or orange Silicone Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 20-Dec-2016 Manufacturer: Watts	Meters: Spare Parts Only: No Bypass: Model: 957 Meters: Spare Parts Only: No Bypass: Model: 957

Type: RP	Manufacturer: Watts	Model: 957
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 13-Aug-2007	Renewed: 13-Aug-2016	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: RP	Manufacturer: Watts	Model: 957
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 13-Aug-2007	Renewed: 13-Aug-2016	Bypass:
Shutoffs: zzz,cccc,dddd,eeee,g	gggg,kkkk,llll,mmmm,nnnn,nnnnn	
Type: RP	Manufacturer: Watts	Model: 957
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Jul-2009	Renewed: 22-Jul-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: RP	Manufacturer: Watts	Model: 957
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-Jul-2009	Renewed: 22-Jul-2015	Bypass:
Shutoffs: zzz,cccc,dddd,eeee,g	ggg,kkkk,llll,mmmm,nnnn,nnnnn	
Type: RP	Manufacturer: Watts	Model: 957 BF
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Jan-2008	Renewed: 17-Jan-2017	Bypass:
Shutoffs: (yyy)		
Notes: Check valve discs may b	be black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957 BF
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Jan-2008	Renewed: 17-Jan-2017	Bypass:
		- 7

Shutoffs: (yyy)

Turner DD		
Type: RP Size: 2 1/2	Manufacturer: Watts Orientation: VUVD	Model: 957N
Manual: 9	0.25% Pb: No	Meters:
	Renewed: 14-Apr-2015	Spare Parts Only: No
Approved: 14-Apr-2003	·	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb,r Notes: Check valve discs may be		
	Black LI DW OF OFAnge Shicone	
Type: RP	Manufacturer: Watts	Model: 957N
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ggg	gg,kkkk,llll,mmmm,nnnn	
Notes: Check valve discs may be	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957N
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb,r	•	
Notes: Check valve discs may be	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957N
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ggg	•	
Notes: Check valve discs may be	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957N
	Orientation: VUVD	Meters:
Size: 4		
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Manual: 9 Approved: 14-Apr-2003	0.25% Pb: No Renewed: 14-Apr-2015	
Size: 4 Manual: 9 Approved: 14-Apr-2003 Shutoffs: (ppp),qqq,aaaa,bbbb,r Notes: Check valve discs may be	0.25% Pb: No Renewed: 14-Apr-2015	Spare Parts Only: No
Manual: 9 Approved: 14-Apr-2003 Shutoffs: (ppp),qqq,aaaa,bbbb,r Notes: Check valve discs may be	0.25% Pb: No Renewed: 14-Apr-2015 Innnn e black EPDM or orange Silicone	Spare Parts Only: No Bypass:
Manual: 9 Approved: 14-Apr-2003 Shutoffs: (ppp),qqq,aaaa,bbbb,r Notes: Check valve discs may be Type: RP	0.25% Pb: No Renewed: 14-Apr-2015 annnn e black EPDM or orange Silicone Manufacturer: Watts	Spare Parts Only: No Bypass: Model: 957N
Manual: 9 Approved: 14-Apr-2003 Shutoffs: (ppp),qqq,aaaa,bbbb,r Notes: Check valve discs may be Type: RP Size: 4	0.25% Pb: No Renewed: 14-Apr-2015 annnn e black EPDM or orange Silicone Manufacturer: Watts Orientation: VUVD	Spare Parts Only: No Bypass: Model: 957N Meters:
Manual: 9 Approved: 14-Apr-2003 Shutoffs: (ppp),qqq,aaaa,bbbb,r Notes: Check valve discs may be Type: RP Size: 4 Manual: 9	0.25% Pb: No Renewed: 14-Apr-2015 annnn e black EPDM or orange Silicone Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes	Spare Parts Only: No Bypass: Model: 957N Meters: Spare Parts Only: No
Manual: 9 Approved: 14-Apr-2003 Shutoffs: (ppp),qqq,aaaa,bbbb,r Notes: Check valve discs may be Type: RP Size: 4	0.25% Pb: No Renewed: 14-Apr-2015 annnn e black EPDM or orange Silicone Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: 14-Apr-2015	Spare Parts Only: No Bypass: Model: 957N Meters:

Type: RP	Manufacturer: Watts	Model: 957N
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Nov-2010	Renewed: 15-Nov-2016	Bypass:
Shutoffs: ppp,qqq,aaaa,bbbb,nr	าททท	
Type: RP	Manufacturer: Watts	Model: 957N
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-Nov-2010	Renewed: 15-Nov-2016	Bypass:
Shutoffs: zzz,dddd,eeee,gggg,k	kkk,IIII,mmmm,nnnn	
Type: RP	Manufacturer: Watts	Model: 957N
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed: 14-Jun-2016	Bypass:
Shutoffs: ppp, qqq, aaaa, bbbb,		
Type: RP	Manufacturer: Watts	Model: 957N
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed: 14-Jun-2016	Bypass:
Shutoffs: (yyy), zzz, dddd, eeee	, gggg, kkkk, IIII, mmmm, nnnn	
Type: RP	Manufacturer: Watts	Model: 957NQT
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Oct-2009	Renewed: 20-Oct-2015	Bypass:
Shutoffs: (fffff)		
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957NQT
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Oct-2009	Renewed: 20-Oct-2015	Bypass:

Notes: Check valve discs may be black EPDM or orange Silicone

Type: RP	Manufacturer: Watts	Model: 957NQT	
Size: 4	Orientation: VUVD	Meters:	
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 20-Oct-2009	Renewed: 20-Oct-2015	Bypass:	
Shutoffs: (fffff)		Dypass.	
	e black EPDM or orange Silicone		
Type: RP	Manufacturer: Watts	Model: 957QT	
Size: 2 1/2	Orientation: H	Meters:	
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 20-Oct-2009	Renewed: 20-Oct-2015	Bypass:	
Shutoffs: (fffff)			
Notes: Check valve discs may be	e black EPDM or orange Silicone		
Type: RP	Manufacturer: Watts	Model: 957QT	
Size: 3	Orientation: H	Meters:	
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 20-Oct-2009	Renewed: 20-Oct-2015	Bypass:	
Shutoffs: (fffff)			
	e black EPDM or orange Silicone		
	e black EPDM or orange Silicone		
Notes: Check valve discs may be	e black EPDM or orange Silicone Manufacturer: Watts	Model: 957QT	
Notes: Check valve discs may be		Model: 957QT Meters:	
Notes: Check valve discs may be Type: RP Size: 4	Manufacturer: Watts		
Notes: Check valve discs may be Type: RP Size: 4 Manual: 9	Manufacturer: Watts Orientation: H	Meters:	
Notes: Check valve discs may be Type: RP Size: 4 Manual: 9 Approved: 20-Oct-2009	Manufacturer: Watts Orientation: H 0.25% Pb: Yes	Meters: Spare Parts Only: No	
Notes: Check valve discs may be Type: RP Size: 4 Manual: 9 Approved: 20-Oct-2009 Shutoffs: (fffff)	Manufacturer: Watts Orientation: H 0.25% Pb: Yes	Meters: Spare Parts Only: No	
Notes: Check valve discs may be Type: RP Size: 4 Manual: 9 Approved: 20-Oct-2009 Shutoffs: (fffff) Notes: Check valve discs may be	Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 20-Oct-2015	Meters: Spare Parts Only: No Bypass:	
Notes: Check valve discs may be Type: RP Size: 4 Manual: 9 Approved: 20-Oct-2009 Shutoffs: (fffff) Notes: Check valve discs may be	Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 20-Oct-2015 e black EPDM or orange Silicone Manufacturer: Watts	Meters: Spare Parts Only: No Bypass: Model: 957Z	
Notes: Check valve discs may be Type: RP Size: 4 Manual: 9 Approved: 20-Oct-2009 Shutoffs: (fffff) Notes: Check valve discs may be Type: RP Size: 2 1/2	Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 20-Oct-2015 e black EPDM or orange Silicone Manufacturer: Watts Orientation: VUVU	Meters: Spare Parts Only: No Bypass: Model: 957Z Meters:	
Notes: Check valve discs may be Type: RP Size: 4 Manual: 9 Approved: 20-Oct-2009 Shutoffs: (fffff) Notes: Check valve discs may be Type: RP Size: 2 1/2 Manual: 9	Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 20-Oct-2015 e black EPDM or orange Silicone Manufacturer: Watts Orientation: VUVU 0.25% Pb: No	Meters: Spare Parts Only: No Bypass: Model: 957Z Meters: Spare Parts Only: No	
Notes: Check valve discs may be Type: RP Size: 4 Manual: 9 Approved: 20-Oct-2009 Shutoffs: (fffff) Notes: Check valve discs may be Type: RP Size: 2 1/2 Manual: 9 Approved: 14-Apr-2003	Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 20-Oct-2015 e black EPDM or orange Silicone Manufacturer: Watts Orientation: VUVU 0.25% Pb: No Renewed: 14-Apr-2015	Meters: Spare Parts Only: No Bypass: Model: 957Z Meters:	
Notes: Check valve discs may be Type: RP Size: 4 Manual: 9 Approved: 20-Oct-2009 Shutoffs: (ffff) Notes: Check valve discs may be Type: RP Size: 2 1/2 Manual: 9 Approved: 14-Apr-2003 Shutoffs: (ppp),qqq,aaaa,bbbb,r	Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 20-Oct-2015 e black EPDM or orange Silicone Manufacturer: Watts Orientation: VUVU 0.25% Pb: No Renewed: 14-Apr-2015	Meters: Spare Parts Only: No Bypass: Model: 957Z Meters: Spare Parts Only: No	
Notes: Check valve discs may be Type: RP Size: 4 Manual: 9 Approved: 20-Oct-2009 Shutoffs: (ffff) Notes: Check valve discs may be Type: RP Size: 2 1/2 Manual: 9 Approved: 14-Apr-2003 Shutoffs: (ppp),qqq,aaaa,bbbb,r Notes: Check valve discs may be	Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 20-Oct-2015 e black EPDM or orange Silicone Manufacturer: Watts Orientation: VUVU 0.25% Pb: No Renewed: 14-Apr-2015	Meters: Spare Parts Only: No Bypass: Model: 957Z Meters: Spare Parts Only: No Bypass:	
Notes: Check valve discs may be Type: RP Size: 4 Manual: 9 Approved: 20-Oct-2009 Shutoffs: (fffff) Notes: Check valve discs may be Type: RP Size: 2 1/2 Manual: 9 Approved: 14-Apr-2003 Shutoffs: (ppp),qqq,aaaa,bbbb,r Notes: Check valve discs may be Type: RP	Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 20-Oct-2015 e black EPDM or orange Silicone Manufacturer: Watts Orientation: VUVU 0.25% Pb: No Renewed: 14-Apr-2015 nnnnn e black EPDM or orange Silicone Manufacturer: Watts	Meters: Spare Parts Only: No Bypass: Model: 957Z Meters: Spare Parts Only: No Bypass: Model: 957Z	
Notes: Check valve discs may be Type: RP Size: 4 Manual: 9 Approved: 20-Oct-2009 Shutoffs: (fffff) Notes: Check valve discs may be Type: RP Size: 2 1/2 Manual: 9 Approved: 14-Apr-2003 Shutoffs: (ppp),qqq,aaaa,bbbb,r Notes: Check valve discs may be Type: RP Size: 2 1/2	Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 20-Oct-2015 e black EPDM or orange Silicone Manufacturer: Watts Orientation: VUVU 0.25% Pb: No Renewed: 14-Apr-2015 nnnnn e black EPDM or orange Silicone Manufacturer: Watts Orientation: VUVU	Meters: Spare Parts Only: No Bypass: Model: 957Z Meters: Spare Parts Only: No Bypass: Model: 957Z Meters:	
Notes: Check valve discs may be Type: RP Size: 4 Manual: 9 Approved: 20-Oct-2009 Shutoffs: (ffff) Notes: Check valve discs may be Type: RP Size: 2 1/2 Manual: 9 Approved: 14-Apr-2003 Shutoffs: (ppp),qqq,aaaa,bbbb,r Notes: Check valve discs may be Type: RP Size: 2 1/2 Manual: 9	Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 20-Oct-2015 e black EPDM or orange Silicone Manufacturer: Watts Orientation: VUVU 0.25% Pb: No Renewed: 14-Apr-2015 nnnn e black EPDM or orange Silicone Manufacturer: Watts Orientation: VUVU 0.25% Pb: Yes	Meters: Spare Parts Only: No Bypass: Model: 957Z Meters: Spare Parts Only: No Bypass: Model: 957Z Meters: Spare Parts Only: No	
Notes: Check valve discs may be Type: RP Size: 4 Manual: 9 Approved: 20-Oct-2009 Shutoffs: (ffff) Notes: Check valve discs may be Type: RP Size: 2 1/2 Manual: 9 Approved: 14-Apr-2003 Shutoffs: (ppp),qqq,aaaa,bbbb,r Notes: Check valve discs may be Type: RP Size: 2 1/2	Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 20-Oct-2015 e black EPDM or orange Silicone Manufacturer: Watts Orientation: VUVU 0.25% Pb: No Renewed: 14-Apr-2015 nnnn e black EPDM or orange Silicone Manufacturer: Watts Orientation: VUVU 0.25% Pb: Yes Renewed: 14-Apr-2015	Meters: Spare Parts Only: No Bypass: Model: 957Z Meters: Spare Parts Only: No Bypass: Model: 957Z Meters:	

Type: RP	Manufacturer: Watts	Model: 957Z
Size: 3	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb,r	าทุกทุก	
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957Z
Size: 3	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gg	gg,kkkk,llll,mmmm,nnnn	
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957Z
Size: 4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb,r	าทุกทุก	
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957Z
Size: 4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gg	gg,kkkk,llll,mmmm,nnnn	
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957Z
Size: 8	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed: 14-Jun-2016	Bypass:
Shutoffs: ppp, qqq, aaaa, bbbb,		
Type: RP	Manufacturer: Watts	Model: 957Z
Size: 8	Orientation: VUVU	Meters:
SIZE. 0		
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No

Type: RP	Manufacturer: Watts	Model: 957ZQT
Size: 2 1/2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Oct-2009	Renewed: 20-Oct-2015	Bypass:
Shutoffs: (fffff)		
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957ZQT
Size: 3	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb : Yes	Spare Parts Only: No
Approved: 20-Oct-2009	Renewed: 20-Oct-2015	Bypass:
Shutoffs: (fffff)		
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957ZQT
Size: 4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Oct-2009	Renewed: 20-Oct-2015	Bypass:
	Renewed: 20-Oct-2015	Bypass:
Approved: 20-Oct-2009 Shutoffs: (fffff)	Renewed: 20-Oct-2015 e black EPDM or orange Silicone	Bypass:
Approved: 20-Oct-2009 Shutoffs: (fffff)		Bypass: Model: 967
Approved: 20-Oct-2009 Shutoffs: (fffff) Notes: Check valve discs may b Type: RP	e black EPDM or orange Silicone	
Approved: 20-Oct-2009 Shutoffs: (fffff) Notes: Check valve discs may b Type: RP Size: 2 1/2	e black EPDM or orange Silicone Manufacturer: Watts	Model: 967
Approved: 20-Oct-2009 Shutoffs: (fffff) Notes: Check valve discs may b	e black EPDM or orange Silicone Manufacturer: Watts Orientation: H	Model: 967 Meters:
Approved: 20-Oct-2009 Shutoffs: (fffff) Notes: Check valve discs may b Type: RP Size: 2 1/2 Manual: 9 Approved: 07-Oct-2002	e black EPDM or orange Silicone Manufacturer: Watts Orientation: H 0.25% Pb: No	Model: 967 Meters: Spare Parts Only: No Bypass:
Approved: 20-Oct-2009 Shutoffs: (fffff) Notes: Check valve discs may b Type: RP Size: 2 1/2 Manual: 9 Approved: 07-Oct-2002	e black EPDM or orange Silicone Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 07-Oct-2014	Model: 967 Meters: Spare Parts Only: No Bypass:
Approved: 20-Oct-2009 Shutoffs: (fffff) Notes: Check valve discs may b Type: RP Size: 2 1/2 Manual: 9 Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,zzz,aaaa,bb	e black EPDM or orange Silicone Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 07-Oct-2014 obb,dddd,eeee,ffff,gggg,kkkk,IIII,mmmm,r	Model: 967 Meters: Spare Parts Only: No Bypass:
Approved: 20-Oct-2009 Shutoffs: (fffff) Notes: Check valve discs may b Type: RP Size: 2 1/2 Manual: 9 Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,zzz,aaaa,bb Type: RP	e black EPDM or orange Silicone Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 07-Oct-2014 obb,dddd,eeee,ffff,gggg,kkkk,llll,mmmm,r Manufacturer: Watts	Model: 967 Meters: Spare Parts Only: No Bypass: mnn,nnnnn Model: 967
Approved: 20-Oct-2009 Shutoffs: (fffff) Notes: Check valve discs may b Type: RP Size: 2 1/2 Manual: 9 Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,zzz,aaaa,bb Type: RP Size: 3	e black EPDM or orange Silicone Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 07-Oct-2014 obb,dddd,eeee,ffff,gggg,kkkk,IIII,mmmm,r Manufacturer: Watts Orientation: H	Model: 967 Meters: Spare Parts Only: No Bypass: mnnn,nnnnn Model: 967 Meters:
Approved: 20-Oct-2009 Shutoffs: (fffff) Notes: Check valve discs may b Type: RP Size: 2 1/2 Manual: 9 Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,zzz,aaaa,bt Type: RP Size: 3 Manual: 9 Approved: 07-Oct-2002	e black EPDM or orange Silicone Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 07-Oct-2014 obb,dddd,eeee,ffff,ggggg,kkkk,IllI,mmmm,r Manufacturer: Watts Orientation: H 0.25% Pb: No	Model: 967 Meters: Spare Parts Only: No Bypass: nnnn,nnnnn Model: 967 Meters: Spare Parts Only: No Bypass:
Approved: 20-Oct-2009 Shutoffs: (fffff) Notes: Check valve discs may b Type: RP Size: 2 1/2 Manual: 9 Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,zzz,aaaa,bt Type: RP Size: 3 Manual: 9 Approved: 07-Oct-2002	e black EPDM or orange Silicone Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 07-Oct-2014 obb,dddd,eeee,ffff,gggg,kkkk,llll,mmmm,r Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 07-Oct-2014	Model: 967 Meters: Spare Parts Only: No Bypass: nnnn,nnnnn Model: 967 Meters: Spare Parts Only: No Bypass:
Approved: 20-Oct-2009 Shutoffs: (fffff) Notes: Check valve discs may b Type: RP Size: 2 1/2 Manual: 9 Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,zzz,aaaa,bb Type: RP Size: 3 Manual: 9 Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,zzz,aaaa,bb	e black EPDM or orange Silicone Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 07-Oct-2014 obb,dddd,eeee,ffff,ggggg,kkkk,IIII,mmmm,r Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 07-Oct-2014 obb,dddd,eeee,ffff,gggg,kkkk,IIII,mmmm,r	Model: 967 Meters: Spare Parts Only: No Bypass: nnnn,nnnnn Model: 967 Meters: Spare Parts Only: No Bypass:
Approved: 20-Oct-2009 Shutoffs: (fffff) Notes: Check valve discs may b Type: RP Size: 2 1/2 Manual: 9 Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,zzz,aaaa,bt Type: RP Size: 3 Manual: 9 Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,zzz,aaaa,bt Type: RP	e black EPDM or orange Silicone Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 07-Oct-2014 obb,dddd,eeee,ffff,ggggg,kkkk,llll,mmmm,r Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 07-Oct-2014 obb,dddd,eeee,ffff,gggg,kkkk,llll,mmmm,r Manufacturer: Watts	Model: 967 Meters: Spare Parts Only: No Bypass: Innn,nnnnn Model: 967 Meters: Spare Parts Only: No Bypass: Innn,nnnnn

Type: RP	Manufacturer: Watts	Model: 967
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 13-Aug-2007	Renewed: 13-Aug-2016	Bypass:
Shutoffs: (ppp),qqq,sss, ttt, aaaa,t	bbbb,cccc,dddd,kkkk,llll,mmmm,nnnn,r	าทททท
Type: RP	Manufacturer: Watts	Model: 967
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Jul-2009	Renewed: 22-Jul-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,zzz,aaa	aa,bbbb,cccc,dddd,eeee,gggg,kkkk,llll,i	mmmm,nnnn,nnnnn
Type: RP	Manufacturer: Watts	Model: 967
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Jul-2009	Renewed: 22-Jul-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,zzz,aaa	a,bbbb,cccc,dddd,eeee,gggg,kkkk,llll,i	mmmm,nnnn
Type: RP	Manufacturer: Watts	Model: 967N
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Manual: 9 Approved: 14-Apr-2003	0.25% Pb: No Renewed: 14-Apr-2015	Spare Parts Only: No Bypass:
Approved: 14-Apr-2003		Bypass:
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Approved: 14-Apr-2003 Shutoffs: (ppp),qqq,yyy,zzz,aaaa,I	Renewed: 14-Apr-2015 bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,	Bypass: nnnn,nnnnn
Approved: 14-Apr-2003 Shutoffs: (ppp),qqq,yyy,zzz,aaaa,I Type: RP	Renewed: 14-Apr-2015 bbbb,dddd,eeee,gggg,kkkk,IIII,mmmm, Manufacturer: Watts	Bypass: nnnn,nnnnn Model: 967N
Approved: 14-Apr-2003 Shutoffs: (ppp),qqq,yyy,zzz,aaaa,I Type: RP Size: 3	Renewed: 14-Apr-2015 bbbb,dddd,eeee,gggg,kkkk,IIII,mmmm, Manufacturer: Watts Orientation: VUVD	Bypass: nnnn,nnnnn Model: 967N Meters:
Approved: 14-Apr-2003 Shutoffs: (ppp),qqq,yyy,zzz,aaaa,I Type: RP Size: 3 Manual: 9 Approved: 14-Apr-2003	Renewed: 14-Apr-2015 bbbb,dddd,eeee,gggg,kkkk,llll,mmmm, Manufacturer: Watts Orientation: VUVD 0.25% Pb: No	Bypass: nnnn,nnnnn Model: 967N Meters: Spare Parts Only: No Bypass:
Approved: 14-Apr-2003 Shutoffs: (ppp),qqq,yyy,zzz,aaaa,I Type: RP Size: 3 Manual: 9 Approved: 14-Apr-2003	Renewed: 14-Apr-2015 bbbb,dddd,eeee,gggg,kkkk,llll,mmmm, Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 14-Apr-2015	Bypass: nnnn,nnnnn Model: 967N Meters: Spare Parts Only: No Bypass:
Approved: 14-Apr-2003 Shutoffs: (ppp),qqq,yyy,zzz,aaaa,l Type: RP Size: 3 Manual: 9 Approved: 14-Apr-2003 Shutoffs: (ppp),qqq,zzz,aaaa,bbbb Type: RP	Renewed: 14-Apr-2015 bbbb,dddd,eeee,gggg,kkkk,llll,mmmm, Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 14-Apr-2015 b,dddd,eeee,ffff,gggg,kkkk,llll,mmmm,r	Bypass: nnnn,nnnnn Model: 967N Meters: Spare Parts Only: No Bypass:
Approved: 14-Apr-2003 Shutoffs: (ppp),qqq,yyy,zzz,aaaa,l Type: RP Size: 3 Manual: 9 Approved: 14-Apr-2003 Shutoffs: (ppp),qqq,zzz,aaaa,bbbb	Renewed: 14-Apr-2015 bbbb,dddd,eeee,gggg,kkkk,llll,mmmm, Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 14-Apr-2015 b,dddd,eeee,ffff,gggg,kkkk,llll,mmmm,r Manufacturer: Watts	Bypass: nnnn,nnnnn Model: 967N Meters: Spare Parts Only: No Bypass: nnnn,nnnnn Model: 967N
Approved: 14-Apr-2003 Shutoffs: (ppp),qqq,yyy,zzz,aaaa,I Type: RP Size: 3 Manual: 9 Approved: 14-Apr-2003 Shutoffs: (ppp),qqq,zzz,aaaa,bbbb Type: RP Size: 4	Renewed: 14-Apr-2015 bbbb,dddd,eeee,gggg,kkkk,IIII,mmmm, Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 14-Apr-2015 b,dddd,eeee,ffff,gggg,kkkk,IIII,mmmm,r Manufacturer: Watts Orientation: VUVD	Bypass: nnnn,nnnnn Model: 967N Meters: Spare Parts Only: No Bypass: nnnn,nnnnn Model: 967N Meters:
Approved: 14-Apr-2003 Shutoffs: (ppp),qqq,yyy,zzz,aaaa,l Type: RP Size: 3 Manual: 9 Approved: 14-Apr-2003 Shutoffs: (ppp),qqq,zzz,aaaa,bbbb Type: RP Size: 4 Manual: 9	Renewed: 14-Apr-2015 bbbb,dddd,eeee,gggg,kkkk,llll,mmmm, Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 14-Apr-2015 b,dddd,eeee,ffff,gggg,kkkk,llll,mmmm,r Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 15-Nov-2016	Bypass: nnnn,nnnnn Model: 967N Meters: Spare Parts Only: No Bypass: nnnn,nnnnn Model: 967N Meters: Spare Parts Only: No
Approved: 14-Apr-2003 Shutoffs: (ppp),qqq,yyy,zzz,aaaa,l Type: RP Size: 3 Manual: 9 Approved: 14-Apr-2003 Shutoffs: (ppp),qqq,zzz,aaaa,bbbb Type: RP Size: 4 Manual: 9 Approved: 15-Nov-2010	Renewed: 14-Apr-2015 bbbb,dddd,eeee,gggg,kkkk,llll,mmmm, Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 14-Apr-2015 b,dddd,eeee,ffff,gggg,kkkk,llll,mmmm,r Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 15-Nov-2016	Bypass: nnnn,nnnnn Model: 967N Meters: Spare Parts Only: No Bypass: nnnn,nnnnn Model: 967N Meters: Spare Parts Only: No
Approved: 14-Apr-2003 Shutoffs: (ppp),qqq,yyy,zzz,aaaa,l Type: RP Size: 3 Manual: 9 Approved: 14-Apr-2003 Shutoffs: (ppp),qqq,zzz,aaaa,bbbb Type: RP Size: 4 Manual: 9 Approved: 15-Nov-2010 Shutoffs: ppp,qqq,aaaa,bbbb,nnnr	Renewed: 14-Apr-2015 bbbb,dddd,eeee,gggg,kkkk,llll,mmmm, Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 14-Apr-2015 b,dddd,eeee,ffff,gggg,kkkk,llll,mmmm,r Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 15-Nov-2016	Bypass: nnnn,nnnnn Model: 967N Meters: Spare Parts Only: No Bypass: nnnn,nnnnn Model: 967N Meters: Spare Parts Only: No Bypass:
Approved: 14-Apr-2003 Shutoffs: (ppp),qqq,yyy,zzz,aaaa,l Type: RP Size: 3 Manual: 9 Approved: 14-Apr-2003 Shutoffs: (ppp),qqq,zzz,aaaa,bbbb Type: RP Size: 4 Manual: 9 Approved: 15-Nov-2010 Shutoffs: ppp,qqq,aaaa,bbbb,nnnr Type: RP	Renewed: 14-Apr-2015 bbbb,dddd,eeee,gggg,kkkk,llll,mmmm, Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 14-Apr-2015 o,dddd,eeee,ffff,ggggg,kkkk,llll,mmmm,r Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 15-Nov-2016 nn Manufacturer: Watts	Bypass: nnnn,nnnnn Model: 967N Meters: Spare Parts Only: No Bypass: nnnn,nnnnn Model: 967N Meters: Spare Parts Only: No Bypass: Model: 967N

Type: RP	Manufacturer: Watts	Model: 967N
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed: 14-Jun-2016	Bypass:
Shutoffs: ppp, qqq, aaaa, bbbb,		
Type: RP	Manufacturer: Watts	Model: 967N
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed: 14-Jun-2016	Bypass:
Shutoffs: (yyy), zzz, dddd, eeee	, gggg, kkkk, IIII, mmmm, nnnn	
Type: RP	Manufacturer: Watts	Model: 967Z
Size: 2 1/2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,	,nnnn,nnnnn
Type: RP	Manufacturer: Watts	Model: 967Z
Size: 3	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,zzz,aaaa,bb	bb,dddd,eeee,gggg,kkkk,llll,mmmm,nnn	n,nnnn
Type: RP	Manufacturer: Watts	Model: 967Z
Size: 6	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed: 14-Jun-2016	Bypass:
Shutoffs: ppp, qqq, aaaa, bbbb,		
Type: RP	Manufacturer: Watts	Model: 967Z
Size: 6	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed: 14-Jun-2016	Bypass:
Shutoffs: (yyy), zzz, dddd, eeee	, gggg, kkkk, IIII, mmmm, nnnn	
Type: RP	Manufacturer: Watts	Model: 990
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Nov-1992	Renewed: 01-Nov-2016	Bypass:
Chutoffer on an hh an thrus an		

2017 $\ensuremath{\mathbb{C}}$ University of Southern California

Shutoffs: oo,gg,hh,pp,tt,uu,yy

Type: RP	Manufacturer: Watts	Model: 990
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 13-Jan-1993	Renewed: 13-Jan-2017	Bypass:
Shutoffs: oo,gg,hh,pp,tt,uu,yy		
Type: RP	Manufacturer: Watts	Model: 990QTFDA
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 13-Jan-1993	Renewed: 13-Jan-2017	Bypass:
Shutoffs: ww		
Type: RP	Manufacturer: Watts	Model: 990QTFDA
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 13-Jan-1993	Renewed: 13-Jan-2017	Bypass:
Shutoffs: ww		
Type: RP	Manufacturer: Watts	Model: 992
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Nov-1992	Renewed: 01-Nov-2016	Bypass:
Shutoffs: 00		
Type: RP	Manufacturer: Watts	Model: 992
Size: 10	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 13-Jan-1993	Renewed: 13-Jan-2017	Bypass:
Shutoffs: 00		
Type: RP	Manufacturer: Watts	Model: 994
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Apr-1994	Renewed: 15-Apr-2015	Bypass:
Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc	;,ddd	
Type: RP	Manufacturer: Watts	Model: 994
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-Apr-1994	Renewed: 15-Apr-2015	Bypass:

Shutoffs: II,mm,oo,ffff,gggg

Type: RP	Manufacturer: Watts	Model : 994
Size: 3	Orientation: H	Meters:
Manual: 8	0.25% Pb : No	Spare Parts Only: No
Approved: 15-Apr-1994	Renewed: 15-Apr-2015	Bypass:
Shutoffs: (tt),ee,ff,gg,hh,pp,uu,co	cc,ddd	
Type: RP	Manufacturer: Watts	Model: 994
Size: 3	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-Apr-1994	Renewed: 15-Apr-2015	Bypass:
Shutoffs: II,mm,oo,ffff,gggg		
Type: RP	Manufacturer: Watts	Model: 994
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Apr-1994	Renewed: 15-Apr-2015	Bypass:
Shutoffs: (tt),ee,ff,gg,hh,pp,uu,co	cc,ddd	
Type: RP	Manufacturer: Watts	Model: 994
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-Apr-1994	Renewed: 15-Apr-2015	Bypass:
Shutoffs: II,mm,oo,ffff,gggg		
Type: RP	Manufacturer: Watts	Model: 994
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Sep-1997	Renewed: 22-Sep-2015	Bypass:
Shutoffs: (tt),ee,ff,gg,hh,pp,uu,co	cc,ddd	
Type: RP	Manufacturer: Watts	Model: 994
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-Sep-1997	Renewed: 22-Sep-2015	Bypass:
Shutoffs: II,mm,oo,ffff,gggg		
Type: RP	Manufacturer: Watts	Model: 995QT
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 13-Apr-2000	Renewed: 13-Apr-2015	Bypass:
Shutoffs: int		

Type: RP Size: 3/4 Manual: 9 Approved: 13-Apr-2000 Shutoffs: int

- Type: RP Size: 1 Manual: 9 Approved: 14-Jan-1999 Shutoffs: int
- Type: RP Size: 1 1/4 Manual: 9 Approved: 28-Mar-2002 Shutoffs: int
- Type: RP Size: 1 1/2 Manual: 9 Approved: 28-Mar-2002 Shutoffs: int

Type: RP Size: 1 1/4 Manual: 5 Approved: 07-Feb-1980 Shutoffs: (vv),xx,ooo,hhhh,pppp

Type: RP Size: 1 1/2 Manual: 5 Approved: 07-Feb-1980 Shutoffs: (vv),xx,ooo,hhhh,pppp

Type: RP Size: 2 Manual: 5 Approved: 07-Feb-1980 Shutoffs: (vv),xx,ooo,hhhh,pppp Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 13-Apr-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 14-Jan-2017

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 28-Mar-2017

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 28-Mar-2017

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 07-Feb-2016

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 07-Feb-2016

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 07-Feb-2016 Model: 995QT Meters: Spare Parts Only: Yes Bypass:

Model: FAE909HWQT Meters: Spare Parts Only: No Bypass:

Model: FAE909HWQT Meters: Spare Parts Only: No Bypass:

Model: FAE909HWQT Meters: Spare Parts Only: No Bypass:

Type: RP Manufacturer: Watts Model: FAE909QT Size: 1 1/4 Orientation: H Meters: 0.25% Pb: No Manual: 6 Spare Parts Only: No Approved: 15-Jan-1982 Renewed: 15-Jan-2015 Bypass: **Shutoffs:** (vv),xx,ooo,hhhh,pppp Type: RP Manufacturer: Watts Model: FAE909QT Size: 1 1/2 Orientation: H Meters: 0.25% Pb: No Manual: 6 Spare Parts Only: No Approved: 15-Jan-1982 Renewed: 15-Jan-2015 Bypass: **Shutoffs:** (vv),xx,ooo,hhhh,pppp Type: RP Manufacturer: Watts Model: FAE909QT Size: 2 Orientation: H Meters: 0.25% Pb: No Manual: 6 Spare Parts Only: No Approved: 15-Jan-1982 Renewed: 15-Jan-2015 Bypass: **Shutoffs:** (vv),xx,ooo,hhhh,pppp Type: RP Manufacturer: Watts Model: LF009 Size: 2 1/2 Orientation: H Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 12-Jan-2010 Renewed: 12-Jan-2016 Bypass: Shutoffs: (oo), II, mm Type: RP Manufacturer: Watts Model: LF009 Size: 3 Orientation: H Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Renewed: 12-Jan-2016 Approved: 12-Jan-2010 Bypass: Shutoffs: (oo), II, mm Type: RP Manufacturer: Watts Model: LF009M2PCQT Size: 1 Orientation: H Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 13-Mar-2015 **Renewed: Bypass:** Shutoffs: (hhhh),rrrrr Type: RP Manufacturer: Watts Model: LF009M2PCQT Size: 2 Orientation: H Meters: 0.25% Pb: Yes Spare Parts Only: No Manual: 9 Approved: 13-Mar-2015 Renewed: Bypass: Shutoffs: (hhhh),rrrrr

Type: RP Size: 1 Manual: 9 Approved: 11-Jan-2008 Shutoffs: (hhhh),rrrrr

Type: RP Size: 1 1/4 Manual: 8 Approved: 11-Jan-2008 Shutoffs: (hhhh),rrrrr

Type: RP Size: 1 1/2 Manual: 8 Approved: 11-Jan-2008 Shutoffs: (hhhh),rrrrr

Type: RP Size: 2 Manual: 9 Approved: 11-Jan-2008 Shutoffs: (hhhh),rrrrr

Type: RP Size: 3/4 Manual: 9 Approved: 13-Mar-2015 Shutoffs: (hhhh),rrrrr

Type: RP Size: 3/4 Manual: 9 Approved: 11-Jan-2008 Shutoffs: (hhhh),rrrrr

Type: RP Size: 1/2 Manual: 9 Approved: 13-Mar-2015 Shutoffs: (hhhh),rrrrr Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 11-Jan-2017

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 11-Jan-2017

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 11-Jan-2017

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 11-Jan-2017

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 11-Jan-2017

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: Model: LF009M2QT Meters: Spare Parts Only: No Bypass:

Model: LF009M3PCQT Meters: Spare Parts Only: No Bypass:

Model: LF009M3QT Meters: Spare Parts Only: No Bypass:

Model: LF009PCQT Meters: Spare Parts Only: No Bypass:

Type: RP	Manufacturer: Watts	Model: LF009QT
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 11-Jan-2008	Renewed: 11-Jan-2017	Bypass:
Shutoffs: (hhhh),rrrrr		
Type: RP	Manufacturer: Watts	Model: LF909
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Jan-2010	Renewed: 12-Jan-2016	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,cccc	c,dddd,eeee,ffff,gggg,nnnnn	
Type: RP	Manufacturer: Watts	Model: LF909
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Jan-2010	Renewed: 12-Jan-2016	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,cccc	c,dddd,eeee,ffff,gggg,nnnnn	
Type: RP	Manufacturer: Watts	Model: LF909
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 27-Jul-2012	Renewed: 27-Jul-2015	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,cccc	c,dddd,eeee,ffff,gggg,nnnnn	
Type: RP	Manufacturer: Watts	Model: LF909
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 27-Jul-2012	Renewed: 27-Jul-2015	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,cccc	c,dddd,eeee,ffff,gggg,nnnnn	
Type: RP	Manufacturer: Watts	Model: LF909M1
Size: 8	Orientation: H	Meters:
Manual: 9		
	0.25% Pb: Yes	Spare Parts Only: No
	0.25% Pb: Yes Renewed: 01-Jul-2016	Spare Parts Only: No Bypass:
Approved: 01-Jul-2010	Renewed: 01-Jul-2016	
Approved: 01-Jul-2010 Shutoffs: (II),mm,oo,pp,zzz,cccc	Renewed: 01-Jul-2016	
Approved: 01-Jul-2010 Shutoffs: (II),mm,oo,pp,zzz,cccc Type: RP	Renewed: 01-Jul-2016 c,dddd,eeee,ffff,gggg,nnnnn	Bypass:
Approved: 01-Jul-2010 Shutoffs: (II),mm,oo,pp,zzz,cccc Type: RP Size: 10 Manual: 9	Renewed: 01-Jul-2016 c,dddd,eeee,ffff,gggg,nnnnn Manufacturer: Watts	Bypass: Model: LF909M1

Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Type: RP Size: 1 1/4 Manual: 9 Approved: 13-Mar-2015 Shutoffs: (hhhh),rrrrr

Type: RP Size: 1 1/2 Manual: 9 Approved: 13-Mar-2015 Shutoffs: (hhhh),rrrrr

Type: RP Size: 2 Manual: 9 Approved: 13-Mar-2015 Shutoffs: (hhhh),rrrrr

Type: RP Size: 1 1/4 Manual: 9 Approved: 18-Feb-2010 Shutoffs: (hhhh),rrrrr

Type: RP Size: 1 1/2 Manual: 9 Approved: 18-Feb-2010 Shutoffs: (hhhh),rrrrr

Type: RP Size: 2 Manual: 9 Approved: 18-Feb-2010 Shutoffs: (hhhh),rrrrr

Type: RP Size: 3/4 Manual: 9 Approved: 13-Mar-2015 Shutoffs: (hhhh),rrrrr Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed:

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed:

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed:

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 18-Feb-2016

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 18-Feb-2016

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 18-Feb-2016

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: Model: LF909M1PCQT Meters: Spare Parts Only: No Bypass:

Model: LF909M1PCQT Meters: Spare Parts Only: No Bypass:

Model: LF909M1PCQT Meters: Spare Parts Only: No Bypass:

Model: LF909M1QT Meters: Spare Parts Only: No Bypass:

Model: LF909M1QT Meters: Spare Parts Only: No Bypass:

Model: LF909M1QT Meters: Spare Parts Only: No Bypass:

Model: LF909PCQT Meters: Spare Parts Only: No Bypass: Type: RP Size: 3/4 Manual: 9 Approved: 13-Mar-2015 Shutoffs: (hhhh),rrrrr

Type: RP Size: 1 Manual: 9 Approved: 13-Mar-2015 Shutoffs: (hhhh),rrrrr

Type: RP Size: 1 Manual: 9 Approved: 13-Mar-2015 Shutoffs: (hhhh),rrrrr

Type: RP Size: 3/4 Manual: 9 Approved: 18-Feb-2010 Shutoffs: (hhhh),rrrrr

Type: RP Size: 3/4 Manual: 9 Approved: 15-Nov-2010 Shutoffs: (hhhh),rrrrr

Type: RP Size: 1 Manual: 9 Approved: 18-Feb-2010 Shutoffs: (hhhh),rrrrr

Type: RP Size: 1 Manual: 9 Approved: 15-Nov-2010 Shutoffs: (hhhh),rrrrr Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed:

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed:

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed:

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 18-Feb-2016

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 15-Nov-2016

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 18-Feb-2016

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 15-Nov-2016 Model: LF909PCQT Meters: Spare Parts Only: No Bypass:

Model: LF909PCQT Meters: Spare Parts Only: No Bypass:

Model: LF909PCQT Meters: Spare Parts Only: No Bypass:

Model: LF909QT Meters: Spare Parts Only: No Bypass:

Type: RP	Manufacturer: Watts Orientation: VUVD 0.25% Pb: No	Model: LF919AQT	
Size: 3/4		Meters:	
Manual: 9		Spare Parts Only: No	
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:	
Shutoffs: (vv),xx,ooo,pppp,rrrrr		-, , , , , , , , , , , , , , , , , , ,	
Type: RP	Manufacturer: Watts	Model: LF919AQT	
Size: 3/4	Orientation: VUVD	Meters:	
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:	
Shutoffs: (hhhh),rrrrr			
Type: RP	Manufacturer: Watts	Model: LF919AQT	
Size: 1	Orientation: VUVD	Meters:	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 12-Apr-2006	Renewed: 12-Apr-2015	Bypass:	
Shutoffs: (vv),xx,ooo,pppp,rrrrr			
Type: RP	Manufacturer: Watts	Model: LF919AQT	
Size: 1	Orientation: VUVD	Meters:	
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 12-Apr-2006	Renewed: 12-Apr-2015	Bypass:	
Shutoffs: (hhhh),rrrrr			
Type: RP	Manufacturer: Watts	Model: LF919AQT	
Size: 1 1/4	Orientation: VUVD	Meters:	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 05-Sep-2006	Renewed: 05-Sep-2015	Bypass:	
Shutoffs: (vv),xx,000,pppp,rrrrr			
Type: RP	Manufacturer: Watts	Model: LF919AQT	
Size: 1 1/4	Orientation: VUVD	Meters:	
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 05-Sep-2006	Renewed: 05-Sep-2015	Bypass:	
Shutoffs: (hhhh),rrrrr			
Type: RP	Manufacturer: Watts	Model: LF919AQT	
Size: 1 1/2	Orientation: VUVD	Meters:	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 12-Apr-2006	Renewed: 12-Apr-2015	Bypass:	

Type: RP Manufacturer: Watts Model: LF919AQT Size: 1 1/2 Orientation: VUVD Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Renewed: 12-Apr-2015 Approved: 12-Apr-2006 Bypass: Shutoffs: (hhhh),rrrrr Type: RP Manufacturer: Watts Model: LF919AQT Size: 2 Orientation: VUVD Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Renewed: 12-Apr-2015 Approved: 12-Apr-2006 Bypass: **Shutoffs:** (vv),xx,ooo,pppp,rrrrr Type: RP Manufacturer: Watts Model: LF919AQT Size: 2 Orientation: VUVD Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 12-Apr-2006 Renewed: 12-Apr-2015 Bypass: Shutoffs: (hhhh),rrrrr Type: RP Manufacturer: Watts Model: LF919QT Size: 3/4 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 14-Jun-2006 Renewed: 14-Jun-2015 **Bypass: Shutoffs:** (vv),xx,ooo,pppp,rrrrr Type: RP Manufacturer: Watts Model: LF919QT Size: 3/4 Orientation: H Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Renewed: 14-Jun-2015 Approved: 14-Jun-2006 Bypass: Shutoffs: (hhhh),rrrrr Type: RP Manufacturer: Watts Model: LF919QT Size: 3/4 Orientation: VD Meters: 0.25% Pb: No Spare Parts Only: No Manual: 9 Approved: 30-Aug-2006 Renewed: 30-Aug-2015 **Bypass:** Shutoffs: (vv),xx,ooo,pppp,rrrrr Type: RP Manufacturer: Watts Model: LF919QT Size: 3/4 Orientation: VD Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 30-Aug-2006 Renewed: 30-Aug-2015 Bypass:

Shutoffs: (hhhh),rrrrr

Type: RP	Manufacturer: Watts	Model: LF919QT
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Apr-2006	Renewed: 12-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,pppp,rrrrr	Nenewed. 12 Apr 2010	Bypass.
(``),,,,,,,,,,,,,,,,		
Type: RP	Manufacturer: Watts	Model: LF919QT
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Apr-2006	Renewed: 12-Apr-2015	Bypass:
Shutoffs: (hhhh),rrrrr		
Type: RP	Manufacturer: Watts	Model: LF919QT
Size: 1	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-2006	Renewed: 30-Aug-2015	Bypass:
Shutoffs: (vv),xx,ooo,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: LF919QT
Size: 1	Orientation: VD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 30-Aug-2006	Renewed: 30-Aug-2015	Bypass:
Shutoffs: (hhhh),rrrrr		
Type: RP	Manufacturer: Watts	Model: LF919QT
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Apr-2006	Renewed: 12-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: LF919QT
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Apr-2006	Renewed: 12-Apr-2015	Bypass:
Shutoffs: (hhhh),rrrrr		
Type: RP	Manufacturer: Watts	Model: LF919QT
Size: 1 1/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-2006	Renewed: 30-Aug-2015	Bypass:
Shutoffs: (vv),xx,ooo,pppp,rrrrr		

Type: RP Size: 1 1/4 Manual: 9 Approved: 30-Aug-2006 Shutoffs: (hhhh),rrrrr

Approved: 12-Apr-2006

Approved: 12-Apr-2006

Approved: 30-Aug-2006

Approved: 30-Aug-2006

Shutoffs: (hhhh),rrrrr

Shutoffs: (vv),xx,ooo,pppp,rrrrr

Shutoffs: (hhhh),rrrrr

Shutoffs: (vv),xx,ooo,pppp,rrrrr

Type: RP

Size: 1 1/2

Manual: 9

Type: RP

Manual: 9

Size: 2

Manufacturer: Watts Orientation: VD 0.25% Pb: Yes Renewed: 30-Aug-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 12-Apr-2015

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 12-Apr-2015

Manufacturer: Watts Orientation: VD 0.25% Pb: No Renewed: 30-Aug-2015

Manufacturer: Watts Orientation: VD 0.25% Pb: Yes Renewed: 30-Aug-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 12-Apr-2015

Type: RP Size: 2 Manual: 9 Approved: 12-Apr-2006 Shutoffs: (hhhh),rrrrr

Approved: 12-Apr-2006

Shutoffs: (vv),xx,ooo,pppp,rrrrr

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 12-Apr-2015 Model: LF919QT Meters: Spare Parts Only: No Bypass:

Type: RP Size: 2 Manual: 9 Approved: 30-Aug-2006 Shutoffs: (vv),xx,ooo,pppp,rrrrr	Manufacturer: Watts Orientation: VD 0.25% Pb: No Renewed: 30-Aug-2015	Model: LF919QT Meters: Spare Parts Only: No Bypass:
Type: RP	Manufacturer: Watts	Model: LF919QT
Size: 2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 30-Aug-2006 Shutoffs: (hhhh),rrrrr	Renewed: 30-Aug-2015	Bypass:
Type: RP	Manufacturer: Watts	Model: LF919ZQT
Size: 3/4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: LF919ZQT
Size: 1	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Apr-2006	Renewed: 12-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: LF919ZQT
Size: 1 1/4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Apr-2006	Renewed: 12-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: LF919ZQT
Size: 1 1/2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Apr-2006	Renewed: 12-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: LF919ZQT
Size: 2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Apr-2006	Renewed: 12-Apr-2015	Bypass:

Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

Size: 3/4 Orientation: VUVD Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Approved: 14-Jun-2006 Renewed: 14-Jun-2015 Bypass: **Shutoffs:** (vv),xx,ooo,pppp Type: RP Manufacturer: Watts Model: LFU919AQT Size: 3/4 **Orientation: VUVD** Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 14-Jun-2006 Renewed: 14-Jun-2015 Bypass: Shutoffs: hhhh Type: RP Manufacturer: Watts Model: LFU919AQT Size: 1 Orientation: VUVD Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Approved: 12-Apr-2006 Renewed: 12-Apr-2015 Bypass: Shutoffs: (vv),xx,ooo,pppp Type: RP Manufacturer: Watts Model: LFU919AQT Size: 1 Orientation: VUVD Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 12-Apr-2006 Renewed: 12-Apr-2015 **Bypass:** Shutoffs: hhhh Type: RP Manufacturer: Watts Model: LFU919AQT Size: 1 1/4 Orientation: VUVD Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Approved: 12-Apr-2006 Renewed: 12-Apr-2015 Bypass: **Shutoffs:** (vv),xx,ooo,pppp Type: RP Manufacturer: Watts Model: LFU919AQT Size: 1 1/4 Orientation: VUVD Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 12-Apr-2006 Renewed: 12-Apr-2015 **Bypass:** Shutoffs: hhhh Type: RP Manufacturer: Watts Model: LFU919AQT Size: 1 1/2 Orientation: VUVD Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No

Manufacturer: Watts

Model: LFU919AQT

Type: RP

Approved: 12-Apr-2006

Shutoffs: (vv),xx,ooo,pppp

Renewed: 12-Apr-2015

Bypass:

Type: RP Size: 1 1/2 Manual: 9 Approved: 12-Apr-2006 Shutoffs: hhhh

Shutoffs: hhhh Type: RP Size: 2 Manual: 9

Approved: 12-Apr-2006 Shutoffs: (vv),xx,ooo,pppp

Type: RP Size: 2 Manual: 9 Approved: 12-Apr-2006 Shutoffs: hhhh

Type: RP Size: 1 Manual: 9 Approved: 12-Apr-2006 Shutoffs: (vv),xx,ooo,pppp

Type: RP Size: 1 Manual: 9 Approved: 12-Apr-2006 Shutoffs: hhhh

Type: RP Size: 1 Manual: 9 Approved: 30-Aug-2006 Shutoffs: (vv),xx,ooo,pppp

Type: RP Size: 1 Manual: 9 Approved: 30-Aug-2006 Shutoffs: hhhh Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: 12-Apr-2015

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 12-Apr-2015

Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: 12-Apr-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 12-Apr-2015

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 12-Apr-2015

Manufacturer: Watts Orientation: VD 0.25% Pb: No Renewed: 30-Aug-2015

Manufacturer: Watts Orientation: VD 0.25% Pb: Yes Renewed: 30-Aug-2015 Model: LFU919AQT Meters: Spare Parts Only: No Bypass:

Model: LFU919AQT Meters: Spare Parts Only: No Bypass:

Model: LFU919AQT Meters: Spare Parts Only: No Bypass:

Model: LFU919QT Meters: Spare Parts Only: No Bypass: Type: RP Size: 1 1/4 Manual: 9 Approved: 12-Apr-2006 Shutoffs: (vv),xx,ooo,pppp

Type: RP Size: 1 1/4 Manual: 9 Approved: 12-Apr-2006 Shutoffs: hhhh

Type: RP Size: 1 1/4 Manual: 9 Approved: 30-Aug-2006 Shutoffs: (vv),xx,ooo,pppp

Type: RP Size: 1 1/4 Manual: 9 Approved: 30-Aug-2006 Shutoffs: hhhh

Type: RP Size: 1 1/2 Manual: 9 Approved: 12-Apr-2006 Shutoffs: (vv),xx,000,pppp

Type: RP Size: 1 1/2 Manual: 9 Approved: 12-Apr-2006 Shutoffs: hhhh

Type: RP Size: 1 1/2 Manual: 9 Approved: 30-Aug-2006 Shutoffs: (vv),xx,ooo,pppp Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 12-Apr-2015

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 12-Apr-2015

Manufacturer: Watts Orientation: VD 0.25% Pb: No Renewed: 30-Aug-2015

Manufacturer: Watts Orientation: VD 0.25% Pb: Yes Renewed: 30-Aug-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 12-Apr-2015

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 12-Apr-2015

Manufacturer: Watts Orientation: VD 0.25% Pb: No Renewed: 30-Aug-2015 Model: LFU919QT Meters: Spare Parts Only: No Bypass:

Model: LFU919QT Meters: Spare Parts Only: No Bypass: Type: RP Size: 1 1/2 Manual: 9 Approved: 30-Aug-2006 Shutoffs: hhhh

Approved: 12-Apr-2006

Approved: 12-Apr-2006

Approved: 30-Aug-2006

Approved: 30-Aug-2006

Approved: 19-Dec-2001

Shutoffs: (vv),xx,ooo,pppp

Shutoffs: (vv),xx,ooo,pppp

Type: RP

Manual: 9

Type: RP

Manual: 9

Type: RP

Manual: 9

Type: RP

Manual: 9

Type: RP

Size: 1/4

Manual: 9

Type: RP Size: 3/8

Manual: 9

Shutoffs: (hhh)

Shutoffs: (hhh)

Shutoffs: hhhh

Size: 2

Size: 2

Shutoffs: hhhh

Size: 2

Size: 2

Manufacturer: Watts Orientation: VD 0.25% Pb: Yes Renewed: 30-Aug-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 12-Apr-2015

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 12-Apr-2015

Manufacturer: Watts Orientation: VD 0.25% Pb: No Renewed: 30-Aug-2015

Manufacturer: Watts Orientation: VD 0.25% Pb: Yes Renewed: 30-Aug-2015

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 19-Dec-2016

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 19-Dec-2016 Model: LFU919QT Meters: Spare Parts Only: No Bypass:

Model: SS009M3QT Meters: Spare Parts Only: No Bypass:

Model: SS009M3QT Meters: Spare Parts Only: No Bypass:

Approved: 19-Dec-2001

Type: RP Size: 1/2 Manual: 9 Approved: 19-Dec-2001 Shutoffs: (hhh)

- Type: RP Size: 3/4 Manual: 9 Approved: 31-Jul-2001 Shutoffs: (hhh)
- Type: RP Size: 1 Manual: Approved: 18-May-1998 Shutoffs: (hhh)
- Type: RP Size: 3/4 Manual: 8 Approved: 10-Dec-1993 Shutoffs: (vv),xx,ooo,hhhh,pppp

Type: RP Size: 3/4 Manual: 8 Approved: 10-Dec-1993 Shutoffs: (vv),xx,ooo,hhhh,pppp

Type: RP Size: 3/4 Manual: 8 Approved: 10-Dec-1993 Shutoffs: (vv),xx,ooo,hhhh,pppp

Type: RP Size: 3/4 Manual: 8 Approved: 10-Dec-1993 Shutoffs: (vv),xx,ooo,hhhh,pppp Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 19-Dec-2016

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 31-Jul-2016

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 18-May-2016

Manufacturer: Watts Orientation: VDVD 0.25% Pb: No Renewed: 10-Dec-2014

Manufacturer: Watts Orientation: VDVU 0.25% Pb: No Renewed: 10-Dec-2014

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 10-Dec-2014

Manufacturer: Watts Orientation: VUVU 0.25% Pb: No Renewed: 10-Dec-2014 Model: SS009M3QT Meters: Spare Parts Only: No Bypass:

Model: SS009M3QT Meters: Spare Parts Only: No Bypass:

Model: SS009QT Meters: Spare Parts Only: No Bypass:

Model: U009APCQT Meters: Spare Parts Only: No Bypass:

Type: RP Size: 1 Manual: 8 Approved: 10-Dec-1993 Shutoffs: vv,xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: VDVD 0.25% Pb: No Renewed: 10-Dec-2014	Model: U009APCQT Meters: Spare Parts Only: Yes Bypass:
Type: RP	Manufacturer: Watts	Model: U009APCQT
Size: 1	Orientation: VDVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Dec-1993 Shutoffs: vv,xx,ooo,hhhh,pppp	Renewed: 10-Dec-2014	Bypass:
Type: RP	Manufacturer: Watts	Model: U009APCQT
Size: 1	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Dec-1993 Shutoffs: vv,xx,ooo,hhhh,pppp	Renewed: 10-Dec-2014	Bypass:
Type: RP	Manufacturer: Watts	Model: U009APCQT
Size: 1	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Dec-1993	Renewed: 10-Dec-2014	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009AQT
Size: 3/4	Orientation: VDVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Jun-1992 Shutoffs: (vv),xx,ooo,hhhh,pppp	Renewed: 12-Jun-2016	Bypass:
Type: RP	Manufacturer: Watts	Model: U009AQT
Size: 3/4	Orientation: VDVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Jun-1992	Renewed: 12-Jun-2016	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009AQT
Size: 3/4	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Jun-1992	Renewed: 12-Jun-2016	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		

Type: RP	Manufacturer: Watts	Model: U009AQT
Size: 3/4	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Jun-1992	Renewed: 12-Jun-2016	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009AQT
Size: 1	Orientation: VDVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 12-Jun-1992	Renewed: 12-Jun-2016	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009AQT
Size: 1	Orientation: VDVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 12-Jun-1992	Renewed: 12-Jun-2016	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009AQT
Size: 1	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 12-Jun-1992	Renewed: 12-Jun-2016	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009AQT
Size: 1	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 12-Jun-1992	Renewed: 12-Jun-2016	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M1APCQT
Size: 1 1/2	Orientation: VDVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Sep-1994	Renewed: 27-Sep-2015	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M1APCQT
Size: 1 1/2	Orientation: VDVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Sep-1994	Renewed: 27-Sep-2015	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		

Type: RP Size: 1 1/2 Manual: 8 Approved: 27-Sep-1994 Shutoffs: vv,xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 27-Sep-2015	Model: U009M1APCQT Meters: Spare Parts Only: Yes Bypass:
Type: RP	Manufacturer: Watts	Model: U009M1APCQT
Size: 1 1/2	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Sep-1994	Renewed: 27-Sep-2015	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M1APCQT
Size: 2	Orientation: VDVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Sep-1994	Renewed: 27-Sep-2015	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M1APCQT
Size: 2	Orientation: VDVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Sep-1994	Renewed: 27-Sep-2015	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M1APCQT
Size: 2	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Sep-1994	Renewed: 27-Sep-2015	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M1APCQT
Size: 2	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Sep-1994	Renewed: 27-Sep-2015	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M1AQT
Size: 1 1/2	Orientation: VDVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Dec-1992	Renewed: 16-Dec-2016	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		

Type: RP	Manufacturer: Watts	Model: U009M1AQT
Size: 1 1/2	Orientation: VDVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Dec-1992	Renewed: 16-Dec-2016	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M1AQT
Size: 1 1/2	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Dec-1992	Renewed: 16-Dec-2016	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M1AQT
Size: 1 1/2	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Dec-1992	Renewed: 16-Dec-2016	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M1AQT
Size: 2	Orientation: VDVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 09-Nov-1992	Renewed: 09-Nov-2016	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M1AQT
Size: 2	Orientation: VDVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 09-Nov-1992	Renewed: 09-Nov-2016	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M1AQT
Size: 2	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 09-Nov-1992	Renewed: 09-Nov-2016	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M1AQT
Size: 2	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 09-Nov-1992	Renewed: 09-Nov-2016	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		

Type: RP	Manufacturer: Watts	Model: U009M1PCQT
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Sep-1994	Renewed: 27-Sep-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M1PCQT
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Sep-1994	Renewed: 27-Sep-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M1PCQT
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Sep-1994	Renewed: 27-Sep-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M1QT
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Jun-1992	Renewed: 30-Jun-2016	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M1QT
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 30-Jun-1992	Renewed: 30-Jun-2016	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M1QT
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 30-Jun-1992	Renewed: 30-Jun-2016	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M2APCQT
Size: 1	Orientation: VDVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Jan-1999	Renewed: 15-Jan-2017	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		

Type: RP	Manufacturer: Watts	Model: U009M2APCQT
Size: 1	Orientation: VDVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Jan-1999	Renewed: 15-Jan-2017	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		2)2000
Type: RP	Manufacturer: Watts	Model: U009M2APCQT
Size: 1	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Jan-1999	Renewed: 15-Jan-2017	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M2APCQT
Size: 1	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Jan-1999	Renewed: 15-Jan-2017	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M2APCQT
Size: 1 1/2	Orientation: VDVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Sep-1994	Renewed: 12-Sep-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M2APCQT
Size: 1 1/2	Orientation: VDVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Sep-1994	Renewed: 12-Sep-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M2APCQT
Size: 1 1/2	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Sep-1994	Renewed: 12-Sep-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M2APCQT
Size: 1 1/2	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Sep-1994	Renewed: 12-Sep-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		

Type: RP Size: 2 Manual: 9 Approved: 26-Aug-1997 Shutoffs: (vv),xx,ooo,hhhh,pppp Type: RP Size: 2 Manual: 9 Approved: 26-Aug-1997 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: VDVD 0.25% Pb: No Renewed: 26-Aug-2015 Manufacturer: Watts Orientation: VDVU 0.25% Pb: No Renewed: 26-Aug-2015	Model: U009M2APCQT Meters: Spare Parts Only: No Bypass: Model: U009M2APCQT Meters: Spare Parts Only: No Bypass:
Type: RP Size: 2 Manual: 9 Approved: 26-Aug-1997 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 26-Aug-2015	Model: U009M2APCQT Meters: Spare Parts Only: No Bypass:
Type: RP Size: 2 Manual: 9 Approved: 26-Aug-1997 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: VUVU 0.25% Pb: No Renewed: 26-Aug-2015	Model: U009M2APCQT Meters: Spare Parts Only: No Bypass:
Type: RP Size: 1 Manual: 9 Approved: 15-Jan-1999 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: VDVD 0.25% Pb: No Renewed: 15-Jan-2017	Model: U009M2AQT Meters: Spare Parts Only: No Bypass:
Type: RP Size: 1 Manual: 9 Approved: 15-Jan-1999 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: VDVU 0.25% Pb: No Renewed: 15-Jan-2017	Model: U009M2AQT Meters: Spare Parts Only: No Bypass:
Type: RP Size: 1 Manual: 9 Approved: 15-Jan-1999 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 15-Jan-2017	Model: U009M2AQT Meters: Spare Parts Only: No Bypass:

Type: RP Size: 1 Manual: 9 Approved: 15-Jan-1999 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: VUVU 0.25% Pb: No Renewed: 15-Jan-2017	Model: U009M2AQT Meters: Spare Parts Only: No Bypass:
Type: RP	Manufacturer: Watts	Model: U009M2AQT
Size: 1 1/2	Orientation: VDVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Aug-1993	Renewed: 24-Aug-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M2AQT
Size: 1 1/2	Orientation: VDVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Aug-1993	Renewed: 24-Aug-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M2AQT
Size: 1 1/2	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Aug-1993	Renewed: 24-Aug-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M2AQT
Size: 1 1/2	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Aug-1993	Renewed: 24-Aug-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M2AQT
Size: 2	Orientation: VDVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 26-Aug-1997	Renewed: 26-Aug-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M2AQT
Size: 2	Orientation: VDVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 26-Aug-1997	Renewed: 26-Aug-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		

Type: RP Size: 2 Manual: 9 Approved: 26-Aug-1997 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 26-Aug-2015	Model: U009M2AQT Meters: Spare Parts Only: No Bypass:
Type: RP	Manufacturer: Watts	Model: U009M2AQT
Size: 2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 26-Aug-1997 Shutoffs: (vv),xx,ooo,hhhh,pppp	Renewed: 26-Aug-2015	Bypass:
Type: RP	Manufacturer: Watts	Model: U009M2PCQT
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Jan-1999 Shutoffs: (vv),xx,ooo,hhhh,pppp	Renewed: 15-Jan-2017	Bypass:
Type: RP	Manufacturer: Watts	Model: U009M2PCQT
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Sep-1994	Renewed: 12-Sep-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M2PCQT
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 26-Aug-1997	Renewed: 26-Aug-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M2QT
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Nov-1992	Renewed: 16-Nov-2016	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M2QT
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Jan-1999	Renewed: 15-Jan-2017	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		

Type: RP	Manufacturer: Watts	Model: U009M2QT
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Aug-1993	Renewed: 24-Aug-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M2QT
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 26-Aug-1997	Renewed: 26-Aug-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009PCQT
Size: 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 02-Feb-1995	Renewed: 02-Feb-2016	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009PCQT
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 10-Dec-1993	Renewed: 10-Dec-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009PCQT
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Dec-1993	Renewed: 10-Dec-2014	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009PCQT
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Sep-1994	Renewed: 27-Sep-2015	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009PCQT
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Sep-1994	Renewed: 27-Sep-2015	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		

Type: RP Size: 2 Manual: 8 Approved: 27-Sep-1994 Shutoffs: vv,xx,ooo,hhhh,pppp Type: RP Size: 1/2 Manual: 8 Approved: 02-Feb-1995 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 27-Sep-2015 Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 02-Feb-2016	Model: U009PCQT Meters: Spare Parts Only: Yes Bypass: Model: U009QT Meters: Spare Parts Only: No Bypass:
Type: RP Size: 3/4 Manual: 7 Approved: 11-Jan-1988 Shutoffs: vv,xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 11-Jan-2015	Model: U009QT Meters: Spare Parts Only: Yes Bypass:
Type: RP Size: 1 Manual: 7 Approved: 11-Jan-1988 Shutoffs: vv,xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 11-Jan-2015	Model: U009QT Meters: Spare Parts Only: Yes Bypass:
Type: RP Size: 1 1/4 Manual: 7 Approved: 09-Aug-1988 Shutoffs: vv,xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 09-Aug-2015	Model: U009QT Meters: Spare Parts Only: Yes Bypass:
Type: RP Size: 1 1/2 Manual: 7 Approved: 09-Aug-1988 Shutoffs: vv,xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 09-Aug-2015	Model: U009QT Meters: Spare Parts Only: Yes Bypass:
Type: RP Size: 2 Manual: 7 Approved: 09-Aug-1988 Shutoffs: vv,xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 09-Aug-2015	Model: U009QT Meters: Spare Parts Only: Yes Bypass:

Type: RP Size: 3/4 Manual: 8 Approved: 10-Dec-1993 Shutoffs: vv,xx,pppp

Type: RP Size: 1 Manual: 8 Approved: 10-Dec-1993 Shutoffs: vv,xx,pppp

Type: RP Size: 1 1/4 Manual: 8 Approved: 27-Sep-1994 Shutoffs: vv,xx,pppp

Type: RP Size: 1 1/2 Manual: 8 Approved: 27-Sep-1994 Shutoffs: vv,xx,pppp

Type: RP Size: 2 Manual: 8 Approved: 27-Sep-1994 Shutoffs: vv,xx,pppp

Type: RP Size: 3/4 Manual: 7 Approved: 11-Jan-1988 Shutoffs: vv,xx,pppp

Type: RP Size: 1 Manual: 7 Approved: 11-Jan-1988 Shutoffs: vv,xx,pppp Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 10-Dec-2014

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 10-Dec-2014

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 27-Sep-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 27-Sep-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 27-Sep-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 11-Jan-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 11-Jan-2015 Model: U009SSPCQT Meters: Spare Parts Only: Yes Bypass:

Model: U009SSQT Meters: Spare Parts Only: Yes Bypass:

Model: U009SSQT Meters: Spare Parts Only: Yes Bypass:

Type: RP	Manufacturer: Watts	Model: U009SSQT
Size: 1 1/4	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 09-Aug-1988	Renewed: 09-Aug-2015	Bypass:
Shutoffs: vv,xx,pppp		
Type: RP	Manufacturer: Watts	Model: U009SSQT
Size: 1 1/2	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 09-Aug-1988	Renewed: 09-Aug-2015	Bypass:
Shutoffs: vv,xx,pppp		
Type: RP	Manufacturer: Watts	Model: U009SSQT
Size: 2	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 09-Aug-1988	Renewed: 09-Aug-2015	Bypass:
Shutoffs: vv,xx,pppp		
Type: RP	Manufacturer: Watts	Model: U909HWQT
Size: 3/4	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Sep-1979	Renewed: 29-Sep-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U909HWQT
Size: 1	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Sep-1979	Renewed: 29-Sep-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U909QT
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Oct-1998	Renewed: 09-Oct-2016	Bypass:

Type: RP Size: 3/4 Manual: 9 Approved: 09-Oct-1998 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 09-Oct-2016	Model: U909QT Meters: Spare Parts Only: No Bypass:
Notes: S/N 464100 and greater		
Type: RP	Manufacturer: Watts	Model: U909QT
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Oct-1998	Renewed: 09-Oct-2016	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Notes: Approved 6th Ed. (15 Jan 19	982), 9th Ed. Approval for S/N 464100	0 and higher
Type: RP	Manufacturer: Watts	Model: U909QT
Size: 1	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Oct-1998	Renewed: 09-Oct-2016	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Notes: S/N 464100 and greater		
Type: RP	Manufacturer: Watts	Model: U919AQT
Size: 3/4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U919AQT
Size: 1	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Jun-2006	Renewed: 01-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U919AQT
Size: 1 1/4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Jun-2006	Renewed: 01-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		

Type: RP	Manufacturer: Watts	Model: U919AQT
Size: 1 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Jun-2006	Renewed: 01-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U919AQT
Size: 2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Jun-2006	Renewed: 01-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U919QT
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Jun-2006	Renewed: 01-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U919QT
Size: 1	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-2006	Renewed: 30-Aug-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U919QT
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Jun-2006	Renewed: 01-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U919QT
Size: 1 1/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-2006	Renewed: 30-Aug-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U919QT
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Jun-2006	Renewed: 01-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		

Type: RP	Manufacturer: Watts	Model: U919QT
Size: 1 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-2006	Renewed: 30-Aug-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U919QT
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Jun-2006	Renewed: 01-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U919QT
Size: 2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-2006	Renewed: 30-Aug-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Wilkins	Model: 375
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Apr-2011	Renewed: 06-Apr-2017	Bypass:
Shutoffs: (int)		
Notes: Testcocks: Female Threa	ded End or 45 degree male SAE flare	
Type: RP	Manufacturer: Wilkins	Model: 375
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Mar-2007	Renewed: 09-Mar-2016	Bypass:
Shutoffs: (int)		
Notes: Testcocks: Female Threa	ded End or 45 degree male SAE flare	
Type: RP	Manufacturer: Wilkins	Model: 375
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Mar-2007	Renewed: 09-Mar-2016	Bypass:
Shutoffs: (int)		
Notes: Testcocks: Female Threa	ded End or 45 degree male SAE flare	

Type: RP	Manufacturer: Wilkins	Model: 375
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Apr-2010	Renewed: 20-Apr-2016	Bypass:
Shutoffs: (int)		
Type: RP	Manufacturer: Wilkins	Model: 375
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Apr-2010	Renewed: 20-Apr-2016	Bypass:
Shutoffs: (int)		
Type: RP	Manufacturer: Wilkins	Model: 375
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Apr-2010	Renewed: 20-Apr-2016	Bypass:
Shutoffs: (int)		
Type: RP	Manufacturer: Wilkins	Model: 375
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss, Notes: Serial number L61205 ar	tttt,vvvv,wwww,yyyy,zzzz,kkkkk,ggggggg,l nd higher	nhhhh,jjjjjj,kkkkk,mmmmmm,nnnnn
Type: RP	Manufacturer: Wilkins	Model: 375
21		
	Orientation: H	Meters:
Size: 2 1/2	Orientation: H 0.25% Pb: No	
Size: 2 1/2 Manual: 9		Meters:
Size: 2 1/2 Manual: 9 Approved: 28-Sep-2001 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,pp)	0.25% Pb: No Renewed: 28-Sep-2016	Meters: Spare Parts Only: No Bypass:
Size: 2 1/2 Manual: 9 Approved: 28-Sep-2001 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,pp) mm,nnnnn	0.25% Pb: No Renewed: 28-Sep-2016 p,qqq,zzz,dddd,ssss,tttt,vvvv,wwww,yyyy	Meters: Spare Parts Only: No
Size: 2 1/2 Manual: 9 Approved: 28-Sep-2001 Shutoffs:	0.25% Pb: No Renewed: 28-Sep-2016 p,qqq,zzz,dddd,ssss,tttt,vvvv,wwww,yyyy	Meters: Spare Parts Only: No Bypass:
Size: 2 1/2 Manual: 9 Approved: 28-Sep-2001 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,pp) mm,nnnnn Notes: Up to serial number L612	0.25% Pb: No Renewed: 28-Sep-2016 p,qqq,zzz,dddd,ssss,tttt,vvvv,wwww,yyyy	Meters: Spare Parts Only: No Bypass: r,zzzz,kkkkk,ggggggg,hhhhhh,jjjjjj,kkkkkk,mmmr
Size: 2 1/2 Manual: 9 Approved: 28-Sep-2001 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,pp mm,nnnnn Notes: Up to serial number L612 Type: RP	0.25% Pb: No Renewed: 28-Sep-2016 p,qqq,zzz,dddd,ssss,tttt,vvvv,wwww,yyyy 205 Manufacturer: Wilkins	Meters: Spare Parts Only: No Bypass: x,zzzz,kkkkk,ggggggg,hhhhhhh,jjjjjjj,kkkkkk,mmmr Model: 375

Shutoffs: (gg),hh,ppp,qqq,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk,ggggggg,hhhhhh,jjjjjjj,kkkkkk,mmmmmm,nnnnn **Notes:** Serial number L61205 and higher

Type: RP Size: 3	Manufacturer: Wilkins Orientation: H	Model: 375 Meters:
Manual: 9	0.25% Pb : No	Spare Parts Only: No
Approved: 28-Sep-2001	Renewed: 28-Sep-2016	Bypass:
Shutoffs:		
(gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,pp	o,qqq,zzz,dddd,ssss,tttt,vvvv,wwww,yyyy	/,zzzz,kkkkk,ggggggg,hhhhhh,jjjjjj,kkkkkk,mmmm
mm,nnnnnn		
Notes: Up to serial number L612	205	
Type: RP	Manufacturer: Wilkins	Model: 375
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Mar-2000	Renewed: 27-Mar-2015	Bypass:
Shutoffs:		
(gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppj kkkkk,mmmmmm,nnnnnn	o,qqq,vvv,www,zzz,dddd,eeee,ssss,tttt,v	vvv,wwww,yyyy,zzzz,kkkkk,gggggg,hhhhhh,jjjjjj,k
Notes: Up to serial number L612	205	
Type: RP	Manufacturer: Wilkins	Model: 375
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb : Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w Notes: Serial number L61205 ar		k,ggggggg,hhhhhh,jjjjjjj,kkkkkk,mmmmmm,nnnnnn
Type: RP	Manufacturer: Wilkins	Model: 375
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Jul-2000	Renewed: 27-Jul-2015	Bypass:
Shutoffs:		
(gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp kkkkk,mmmmmm,nnnnnn	o,qqq,vvv,www,zzz,dddd,eeee,ssss,tttt,v	vvv,wwww,yyyy,zzzz,kkkkk,ggggggg,hhhhhh,jjjjjj,k
Notes: Up to serial number L612	205	
Type: RP	Manufacturer: Wilkins	Model: 375
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb : Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	ww,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk	k,ggggggg,hhhhhh,jjjjjj,kkkkk,mmmmmm,nnnnn
Notes: Serial number L61205 ar		

Type: RP	Manufacturer: Wilkins	Model: 375
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 11-Nov-2002	Renewed: 11-Nov-2014	Bypass:
Shutoffs:		
(gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,pp kkkkk,mmmmmm,nnnnnn	o,qqq,vvv,www,zzz,dddd,eeee,ssss,tttt,v	vvv,wwww,yyyy,zzzz,kkkkk,gggggg,hhhhhh,jjjjjj,k
Notes: Up to serial number L612	205	
Type: RP	Manufacturer: Wilkins	Model: 375
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	ww,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk	k,ggggggg,hhhhhh,jjjjjj,kkkkk,mmmmmm,nnnnn
Notes: Serial number L61205 ar	nd higher	
Type: RP	Manufacturer: Wilkins	Model: 375
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb : Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	ww,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk	k,gggggg,hhhhhh,jjjjjj,kkkkk,mmmmmm,nnnnn
Notes: Serial number L61205 ar	nd higher	
Type: RP	Manufacturer: Wilkins	Model: 375
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb : No	Spare Parts Only: No
Approved: 22-Nov-2004	Renewed: 22-Nov-2016	Bypass:
Shutoffs:		
(gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,pp kkkkk,mmmmmm,nnnnnn	o,qqq,vvv,www,zzz,dddd,eeee,ssss,tttt,v	vvv,wwww,yyyy,zzzz,kkkkk,gggggg,hhhhhh,jjjjjj,k
Notes: Up to serial number L612	205	
Type: RP	Manufacturer: Wilkins	Model: 375A
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Oct-2008	Renewed: 20-Oct-2014	Bypass:
Shutoffs:		

(ppp),qqq,sss,ttt,yyy,zzz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll,gggggg,iiiiii,jjjjjj,llllll,mmmmmm,oooooo **Notes:** Up to serial number X18805

Type: RP	Manufacturer: Wilkins	Model: 375A
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,llll	l,gggggg,iiiiii,jjjjjj,llllll,mmmmmm,oooooo
Notes: Serial number X18805 an	nd higher	
Type: RP	Manufacturer: Wilkins	Model: 375A
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Oct-2008	Renewed: 20-Oct-2014	Bypass:
Shutoffs:		
(ppp),qqq,sss,ttt,yyy,zzz,dddd,ss	ss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll	,gggggg,iiiiii,jjjjjj,lllll,mmmmmm,oooooo
Notes: Up to serial number X18	305	
Type: RP	Manufacturer: Wilkins	Model: 375A
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,llll	l,gggggg,iiiiii,jjjjj,llllll,mmmmmm,oooooo
Notes: Serial number X18805 and		
Type: RP	Manufacturer: Wilkins	Model: 375A
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb : No	Spare Parts Only: No
Approved: 02-Jun-2004	Renewed: 02-Jun-2016	Bypass:
Shutoffs:		
	ldd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaa	a,kkkkk,lllll,gggggg,iiiiii,jjjjjj,lllll,mmmmmm,ooooo
0		
Notes: Up to serial number X188	305	
Type: RP	Manufacturer: Wilkins	Model: 375A
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:
Shutoffs:		
(ppp),qqq,sss,ttt,www,yyy,zzz,ss	ss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll,	gggggg,iiiiii,jjjjjj,IIIIII,mmmmmm,oooooo
Notes: Serial number X18805 and	nd higher	

Type: RP	Manufacturer: Wilkins	Model: 375A
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Nov-2003	Renewed: 25-Nov-2015	Bypass:
Shutoffs:		
(ppp),qqq,sss,ttt,www,yyy,zzz,ddo	dd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaa	a,kkkkk,lllll,gggggg,iiiiii,jjjjjj,llllll,mmmmmm,ooooo
Notes: Up to serial number X188	05	
Type: RP	Manufacturer: Wilkins	Model: 375A
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:
Shutoffs:		
(ppp),qqq,sss,ttt,www,yyy,zzz,sss	s,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll,	gggggg,iiiiii,jjjjjj,lllll,mmmmmm,oooooo
Notes: Serial number X18805 an	d higher	
Type: RP	Manufacturer: Wilkins	Model: 375A
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Jun-2004	Renewed: 15-Jun-2016	Bypass:
Shutoffs:		
(ppp),qqq,sss,ttt,www,yyy,zzz,sss Notes: Up to serial number X188	ss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII, 05	gggggg,iiiiii,jjjjjj,llllll,mmmmmm,oooooo
Type: RP	Manufacturer: Wilkins	Model: 375A
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,y Notes: Serial number X18805 an		<kk,iiiii,gggggg,iiiiii,jjjjjj,iiiiii,mmmmmm,oooooo< td=""></kk,iiiii,gggggg,iiiiii,jjjjjj,iiiiii,mmmmmm,oooooo<>
Type: RP	Manufacturer: Wilkins	Model: 375A
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 02-Mar-2007	Renewed: 02-Mar-2016	Bypass:
Shutoffs:		
(ppp),qqq,sss,ttt,www,yyy,zzz,ddo o	dd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaa	a,kkkkk,lllll,gggggg,iiiiii,jjjjjj,llllll,mmmmmm,ooooo
Notes: Up to serial number X188	05	

Type: RP	Manufacturer: Wilkins	Model: 375A
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kk	kkk,IIIII,ggggggg,iiiiii,jjjjjj,IIIIII,mmmmmm,oooood
Notes: Serial number X18805 ar	nd higher	
Type: RP	Manufacturer: Wilkins	Model: 375AMS
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed:	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,ssss,uuuu,vvvv,xxxx,yyyy,aaaa	a,kkkkk,IIIII
Type: RP	Manufacturer: Wilkins	Model: 375AMS
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed:	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,ssss,uuuu,vvvv,xxxx,yyyy,aaaa	a,kkkkk,IIIII
Type: RP	Manufacturer: Wilkins	Model: 375AMS
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed:	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,ssss,uuuu,vvvv,xxxx,yyyy,aaaa	a,kkkkk,IIIII
Type: RP	Manufacturer: Wilkins	Model: 375AMS
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed:	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,ssss,uuuu,vvvv,xxxx,yyyy,aaaa	a,kkkkk,IIIII
Type: RP	Manufacturer: Wilkins	Model: 375AMS
Size: 8	Orientation: H	Meters:
Size. 0		
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No

Type: RP	Manufacturer: Wilkins	Model: 375AMS
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed:	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	yyy,zzz,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	ı,kkkk,lilli
Type: RP	Manufacturer: Wilkins	Model: 375AR
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Jun-2010	Renewed: 16-Jun-2016	Bypass:
Shutoffs:		
(ppp),qqq,sss,ttt,yyy,zzz,dddd,ss	ss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII,	gggggg,iiiiii,jjjjjj,llllll,mmmmmm,oooooo
Notes: Integral grooved spool be serial number X18805	etween the #2 ck and #2 SOV - assembly	length: min. 34 1/4" and max. 47 1/8" Up to
Type: RP	Manufacturer: Wilkins	Model: 375AR
· J P V · · VI		
Size: 2 1/2	Orientation: H	Meters:
	Orientation: H	Meters: Spare Parts Only: No
Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010	0.25% Pb: Yes	Spare Parts Only: No
Manual: 9 Approved: 09-Sep-2010	0.25% Pb: Yes Renewed: 09-Sep-2016	Spare Parts Only: No Bypass:
Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,s	0.25% Pb: Yes Renewed: 09-Sep-2016 sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,llll	Spare Parts Only: No Bypass: ,gggggg,iiiiiii,jjjjjj,IIIIII,mmmmmm,oooooo
Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,s Notes: Only Serial No G00110 a	0.25% Pb: Yes Renewed: 09-Sep-2016 sss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,IIII nd higher approved. These have an Inte	Spare Parts Only: No Bypass:
Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,s Notes: Only Serial No G00110 a	0.25% Pb: Yes Renewed: 09-Sep-2016 sss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,IIII nd higher approved. These have an Inte	Spare Parts Only: No Bypass: ,gggggg,iiiiiii,jjjjjj,IIIIII,mmmmmm,oooooo
Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,s Notes: Only Serial No G00110 a SOV with length: min. 34 1/4" an	0.25% Pb: Yes Renewed: 09-Sep-2016 sss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,IIII nd higher approved. These have an Inte	Spare Parts Only: No Bypass: ,gggggg,iiiiiii,jjjjjj,IIIIII,mmmmmm,oooooo
Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,s Notes: Only Serial No G00110 a SOV with length: min. 34 1/4" an	0.25% Pb: Yes Renewed: 09-Sep-2016 sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIII nd higher approved. These have an Inte d max. 47 1/8"	Spare Parts Only: No Bypass: ,ggggggg,iiiiii,jjjjjj,IIIII,mmmmmm,oooooo gral grooved spool between the #2 ck and #2
Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,s	0.25% Pb: Yes Renewed: 09-Sep-2016 sss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,IIII and higher approved. These have an Inte d max. 47 1/8" Manufacturer: Wilkins	Spare Parts Only: No Bypass: ,ggggggg,iiiiii,jjjjjj,IIIII,mmmmmm,oooooo gral grooved spool between the #2 ck and #2 Model: 375AR
Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,s Notes: Only Serial No G00110 a SOV with length: min. 34 1/4" an Type: RP Size: 3	0.25% Pb: Yes Renewed: 09-Sep-2016 sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIII and higher approved. These have an Inte d max. 47 1/8" Manufacturer: Wilkins Orientation: H	Spare Parts Only: No Bypass: ggggggg,iiiiii,jjjjjj,IIIIII,mmmmmm,oooooo gral grooved spool between the #2 ck and #2 Model: 375AR Meters:
Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,s Notes: Only Serial No G00110 a SOV with length: min. 34 1/4" an Type: RP Size: 3 Manual: 9	0.25% Pb: Yes Renewed: 09-Sep-2016 sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIII and higher approved. These have an Inte d max. 47 1/8" Manufacturer: Wilkins Orientation: H 0.25% Pb: No	Spare Parts Only: No Bypass: ,ggggggg,iiiiii,jjjjjj,IIIII,mmmmmm,oooooo gral grooved spool between the #2 ck and #2 Model: 375AR Meters: Spare Parts Only: No
Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,s Notes: Only Serial No G00110 a SOV with length: min. 34 1/4" an Type: RP Size: 3 Manual: 9 Approved: 16-Jun-2010 Shutoffs:	0.25% Pb: Yes Renewed: 09-Sep-2016 sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIII and higher approved. These have an Inte d max. 47 1/8" Manufacturer: Wilkins Orientation: H 0.25% Pb: No	Spare Parts Only: No Bypass: ggggggg,iiiiii,jjjjjj,IIIII,mmmmmm,oooooo gral grooved spool between the #2 ck and #2 Model: 375AR Meters: Spare Parts Only: No Bypass:
Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,s Notes: Only Serial No G00110 a SOV with length: min. 34 1/4" an Type: RP Size: 3 Manual: 9 Approved: 16-Jun-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,zzz,dddd,ss	0.25% Pb: Yes Renewed: 09-Sep-2016 sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIII nd higher approved. These have an Inte d max. 47 1/8" Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 16-Jun-2016	Spare Parts Only: No Bypass: ggggggg,iiiiii,jjjjjj,IIIII,mmmmmm,oooooo gral grooved spool between the #2 ck and #2 Model: 375AR Meters: Spare Parts Only: No Bypass:
Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,s Notes: Only Serial No G00110 a SOV with length: min. 34 1/4" an Type: RP Size: 3 Manual: 9 Approved: 16-Jun-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,zzz,dddd,ss	0.25% Pb: Yes Renewed: 09-Sep-2016 sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIII and higher approved. These have an Inte d max. 47 1/8" Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 16-Jun-2016 ss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII, and higher approved. These have an Inte	Spare Parts Only: No Bypass: ,ggggggg,iiiiii,jjjjjj,IIIII,mmmmmm,oooooo gral grooved spool between the #2 ck and #2 Model: 375AR Meters: Spare Parts Only: No Bypass: ggggggg,iiiiii,jjjjjj,IIIII,mmmmmm,oooooo
Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,s Notes: Only Serial No G00110 a SOV with length: min. 34 1/4" an Type: RP Size: 3 Manual: 9 Approved: 16-Jun-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,zzz,dddd,ss Notes: Only Serial No G00110 a	0.25% Pb: Yes Renewed: 09-Sep-2016 sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIII and higher approved. These have an Inte d max. 47 1/8" Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 16-Jun-2016 ss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII, and higher approved. These have an Inte	Spare Parts Only: No Bypass: ,ggggggg,iiiiii,jjjjjj,IIIII,mmmmmm,oooooo gral grooved spool between the #2 ck and #2 Model: 375AR Meters: Spare Parts Only: No Bypass: ggggggg,iiiiii,jjjjjj,IIIII,mmmmmm,oooooo
Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,s Notes: Only Serial No G00110 a SOV with length: min. 34 1/4" an Type: RP Size: 3 Manual: 9 Approved: 16-Jun-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,zzz,dddd,ss Notes: Only Serial No G00110 a SOV with length: min. 34 1/4" an	0.25% Pb: Yes Renewed: 09-Sep-2016 sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIII and higher approved. These have an Inte d max. 47 1/8" Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 16-Jun-2016 ss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIII, and higher approved. These have an Inte d max. 47 1/8"	Spare Parts Only: No Bypass: ,ggggggg,iiiiii,jjjjjj,IIIII,mmmmmm,oooooo gral grooved spool between the #2 ck and #2 Model: 375AR Meters: Spare Parts Only: No Bypass: ggggggg,iiiiii,jjjjjj,IIIII,mmmmmm,oooooo gral grooved spool between the #2 ck and #2
Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,s Notes: Only Serial No G00110 a SOV with length: min. 34 1/4" an Type: RP Size: 3 Manual: 9 Approved: 16-Jun-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,zzz,dddd,ss Notes: Only Serial No G00110 a SOV with length: min. 34 1/4" an Type: RP Size: 3	0.25% Pb: Yes Renewed: 09-Sep-2016 sss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,IIII and higher approved. These have an Inte d max. 47 1/8" Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 16-Jun-2016 ss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,IIIII, and higher approved. These have an Inte d max. 47 1/8" Manufacturer: Wilkins	Spare Parts Only: No Bypass: ggggggg,iiiiii,jjjjjj,IIIII,mmmmm,oooooo gral grooved spool between the #2 ck and #2 Model: 375AR Meters: Spare Parts Only: No Bypass: ggggggg,iiiiii,jjjjjj,IIIII,mmmmm,oooooo gral grooved spool between the #2 ck and #2 Model: 375AR
Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,s Notes: Only Serial No G00110 a SOV with length: min. 34 1/4" an Type: RP Size: 3 Manual: 9 Approved: 16-Jun-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,zzz,dddd,ss Notes: Only Serial No G00110 a SOV with length: min. 34 1/4" an	0.25% Pb: Yes Renewed: 09-Sep-2016 sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIII and higher approved. These have an Inte d max. 47 1/8" Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 16-Jun-2016 ss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII, and higher approved. These have an Inte d max. 47 1/8" Manufacturer: Wilkins Orientation: H	Spare Parts Only: No Bypass: ggggggg,iiiiii,jjjjjj,IIIII,mmmmm,oooooo gral grooved spool between the #2 ck and #2 Model: 375AR Meters: Spare Parts Only: No Bypass: ggggggg,iiiiii,jjjjjj,IIIII,mmmmm,oooooo gral grooved spool between the #2 ck and #2 Model: 375AR Meters: Model: 375AR

Type: RP	Manufacturer: Wilkins	Model: 375AR
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:

Shutoffs:

(ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll,ggggggg,iiiiii,jjjjjj,lllll,mmmmmm,ooooo o

Notes: Only Serial No G00110 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 34 1/4" and max. 47 1/8"

Type: RP	Manufacturer: Wilkins	Model: 375AR
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:

Shutoffs:

(ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll,ggggggg,iiiiii,jjjjjj,lllll,mmmmmm,ooooo o

Notes: Only Serial No G00110 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 35 3/4" and max. 62 1/4"

Type: RP	Manufacturer: Wilkins	Model: 375AR
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs:		

(ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll,ggggggg,iiiiiii,jjjjjj,llllll,mmmmmm,ooooo o

Notes: Only Serial No G00110 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 34 1/4" and max. 47 1/8"

Type: RP	Manufacturer: Wilkins	Model: 375AR
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:

Shutoffs:

(ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll,ggggggg,iiiiii,jjjjjj,lllll,mmmmmm,ooooo o

Notes: Only Serial No G00110 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 42 1/2" and max. 71 1/4"

Type: RP	Manufacturer: Wilkins	Model: 375AR
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:

Shutoffs:

(ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll,ggggggg,iiiiii,jjjjjj,lllll,mmmmmm,ooooo o

Notes: Only Serial No G00110 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 34 1/4" and max. 47 1/8"

Type: RP	Manufacturer: Wilkins	Model: 375AR
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:

Shutoffs:

(ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll,ggggggg,iiiiii,jjjjjj,lllll,mmmmmm,ooooo o

Notes: Only Serial No G00110 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 57 7/8" and max. 86"

Type: RP	Manufacturer: Wilkins	Model: 375AR
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs:		

(ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll,ggggggg,iiiiiii,jjjjjj,llllll,mmmmmm,ooooo o

Notes: Only Serial No G00110 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 34 1/4" and max. 47 1/8"

Type: RP	Manufacturer: Wilkins	Model: 375AR
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:

Shutoffs:

(ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll,ggggggg,iiiiiii,jjjjjj,llllll,mmmmmm,ooooo o

Notes: Only Serial No G00110 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 61 3/8" and max. 100 5/8"

Type: RP	Manufacturer: Wilkins	Model: 375ARMS
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed:	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,ss	sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lll	II
Notes: These have an Integral g	rooved spool between the #2 ck and #2	SOV with length: min. 34 1/4" and max. 47 1/8
Type: RP	Manufacturer: Wilkins	Model: 375ARMS
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed:	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,ss	sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lll	II
Notes: These have an Integral g	rooved spool between the #2 ck and #2	SOV with length: min. 34 1/4" and max. 48 1/8
Type: RP	Manufacturer: Wilkins	Model: 375ARMS
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed:	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxx	к,уууу,ааааа,ккккк,шш
		SOV with length: min. 35 3/4" and max. 62 1/4
Notes: These have an Integral g		
Notes: These have an Integral g	rooved spool between the #2 ck and #2	SOV with length: min. 35 3/4" and max. 62 1/4
Notes: These have an Integral g Type: RP Size: 6	rooved spool between the #2 ck and #2 Manufacturer: Wilkins	SOV with length: min. 35 3/4" and max. 62 1/4 Model: 375ARMS
Notes: These have an Integral g Type: RP Size: 6 Manual: 9	rooved spool between the #2 ck and #2 Manufacturer: Wilkins Orientation: H	SOV with length: min. 35 3/4" and max. 62 1/4 Model: 375ARMS Meters:
Notes: These have an Integral g Type: RP Size: 6 Manual: 9 Approved: 05-Nov-2014	noved spool between the #2 ck and #2 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes	SOV with length: min. 35 3/4" and max. 62 1/4 Model: 375ARMS Meters: Spare Parts Only: No Bypass:
Notes: These have an Integral g Type: RP Size: 6 Manual: 9 Approved: 05-Nov-2014 Shutoffs: (ppp),qqq,sss,ttt,www,	Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	SOV with length: min. 35 3/4" and max. 62 1/4 Model: 375ARMS Meters: Spare Parts Only: No Bypass:
Notes: These have an Integral g Type: RP Size: 6 Manual: 9 Approved: 05-Nov-2014 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: These have an Integral g	Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	SOV with length: min. 35 3/4" and max. 62 1/4 Model: 375ARMS Meters: Spare Parts Only: No Bypass: (,yyyy,aaaaaa,kkkkk,IIIII
Notes: These have an Integral g Type: RP Size: 6 Manual: 9 Approved: 05-Nov-2014 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: These have an Integral g	noved spool between the #2 ck and #2 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx rooved spool between the #2 ck and #2	SOV with length: min. 35 3/4" and max. 62 1/4 Model: 375ARMS Meters: Spare Parts Only: No Bypass: (,yyyy,aaaaa,kkkkk,IIIII SOV with length: min. 42 1/2" and max. 71 1/4
Notes: These have an Integral g Type: RP Size: 6 Manual: 9 Approved: 05-Nov-2014 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: These have an Integral g Type: RP Size: 8	Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxy rooved spool between the #2 ck and #2 Manufacturer: Wilkins	SOV with length: min. 35 3/4" and max. 62 1/4 Model: 375ARMS Meters: Spare Parts Only: No Bypass: (,yyyy,aaaaa,kkkkk,IIIII SOV with length: min. 42 1/2" and max. 71 1/4 Model: 375ARMS
Notes: These have an Integral g Type: RP Size: 6 Manual: 9 Approved: 05-Nov-2014 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: These have an Integral g Type: RP Size: 8 Manual: 9	Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx rooved spool between the #2 ck and #2 Manufacturer: Wilkins Orientation: H	SOV with length: min. 35 3/4" and max. 62 1/4 Model: 375ARMS Meters: Spare Parts Only: No Bypass: x,yyyy,aaaaaa,kkkkk,IIIII SOV with length: min. 42 1/2" and max. 71 1/4 Model: 375ARMS Meters:
Notes: These have an Integral g Type: RP Size: 6 Manual: 9 Approved: 05-Nov-2014 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: These have an Integral g Type: RP Size: 8 Manual: 9 Approved: 05-Nov-2014	Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxx rooved spool between the #2 ck and #2 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes	SOV with length: min. 35 3/4" and max. 62 1/4 Model: 375ARMS Meters: Spare Parts Only: No Bypass: (,yyyy,aaaaa,kkkkk,IIIII SOV with length: min. 42 1/2" and max. 71 1/4 Model: 375ARMS Meters: Spare Parts Only: No Bypass:
Notes: These have an Integral g Type: RP Size: 6 Manual: 9 Approved: 05-Nov-2014 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: These have an Integral g Type: RP Size: 8 Manual: 9 Approved: 05-Nov-2014 Shutoffs: (ppp),qqq,sss,ttt,www,	Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx rooved spool between the #2 ck and #2 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	SOV with length: min. 35 3/4" and max. 62 1/4 Model: 375ARMS Meters: Spare Parts Only: No Bypass: (,yyyy,aaaaa,kkkkk,IIIII SOV with length: min. 42 1/2" and max. 71 1/4 Model: 375ARMS Meters: Spare Parts Only: No Bypass:
Notes: These have an Integral g Type: RP Size: 6 Manual: 9 Approved: 05-Nov-2014 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: These have an Integral g Type: RP Size: 8 Manual: 9 Approved: 05-Nov-2014 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: These have an Integral g	Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx rooved spool between the #2 ck and #2 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	SOV with length: min. 35 3/4" and max. 62 1/4 Model: 375ARMS Meters: Spare Parts Only: No Bypass: (,yyyy,aaaaa,kkkkk,IIIII SOV with length: min. 42 1/2" and max. 71 1/4 Model: 375ARMS Meters: Spare Parts Only: No Bypass: (,yyyy,aaaaa,kkkkk,IIIII
Notes: These have an Integral g Type: RP Size: 6 Manual: 9 Approved: 05-Nov-2014 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: These have an Integral g Type: RP Size: 8 Manual: 9 Approved: 05-Nov-2014 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: These have an Integral g Type: RP	rooved spool between the #2 ck and #2 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx rooved spool between the #2 ck and #2 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx rooved spool between the #2 ck and #2	SOV with length: min. 35 3/4" and max. 62 1/4 Model: 375ARMS Meters: Spare Parts Only: No Bypass: (,yyyy,aaaaa,kkkkk,IIIII SOV with length: min. 42 1/2" and max. 71 1/4 Model: 375ARMS Meters: Spare Parts Only: No Bypass: (,yyyy,aaaaa,kkkkk,IIIII SOV with length: min. 57 7/8" and max. 86"
Notes: These have an Integral g Type: RP Size: 6 Manual: 9 Approved: 05-Nov-2014 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: These have an Integral g Type: RP Size: 8 Manual: 9 Approved: 05-Nov-2014 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: These have an Integral g Type: RP Size: 10	Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxv rooved spool between the #2 ck and #2 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxv rooved spool between the #2 ck and #2	SOV with length: min. 35 3/4" and max. 62 1/4 Model: 375ARMS Meters: Spare Parts Only: No Bypass: (,yyyy,aaaaa,kkkkk,IIIII SOV with length: min. 42 1/2" and max. 71 1/4 Model: 375ARMS Meters: Spare Parts Only: No Bypass: (,yyyy,aaaaa,kkkkk,IIIII SOV with length: min. 57 7/8" and max. 86" Model: 375ARMS
Notes: These have an Integral g Type: RP Size: 6 Manual: 9 Approved: 05-Nov-2014 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: These have an Integral g Type: RP Size: 8 Manual: 9 Approved: 05-Nov-2014 Shutoffs: (ppp),qqq,sss,ttt,www,	Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxy rooved spool between the #2 ck and #2 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxy rooved spool between the #2 ck and #2 Manufacturer: Wilkins Orientation: H	SOV with length: min. 35 3/4" and max. 62 1/4 Model: 375ARMS Meters: Spare Parts Only: No Bypass: (,yyyy,aaaaa,kkkkk,IIIII SOV with length: min. 42 1/2" and max. 71 1/4 Model: 375ARMS Meters: Spare Parts Only: No Bypass: (,yyyy,aaaaa,kkkkk,IIIII SOV with length: min. 57 7/8" and max. 86" Model: 375ARMS Meters:

Type: RP	Manufacturer: Wilkins	Model: 375ARXL
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb : Yes	Spare Parts Only: No
Approved: 16-Jun-2010	Renewed: 16-Jun-2016	Bypass:
Shutoffs: (ppp),sss,ttt,qqq,yyy,z	zz,dddd	
Notes: Only Serial No G00110 a	nd higher approved. These have an Inte	gral grooved spool between the #2 ck and #2
SOV with length: min. 34 1/4" an	d max. 47 1/8"	
Type: RP	Manufacturer: Wilkins	Model: 375ARXL
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 16-Jun-2010	Renewed: 16-Jun-2016	Bypass:
Shutoffs: (ppp),sss,ttt,qqq,yyy,z	zz,dddd	
Notes: Only Serial No G00110 a	nd higher approved. These have an Inte	gral grooved spool between the #2 ck and #2
SOV with length: min. 35 3/4" an	d max. 62 1/4"	
Type: RP	Manufacturer: Wilkins	Model: 375ARXL
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 16-Jun-2010	Renewed: 16-Jun-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	,уууу,ааааа
Notes: Only Serial No G00110 a SOV with length: min. 42 1/2" an	• • • •	gral grooved spool between the #2 ck and #2
Type: RP	Manufacturer: Wilkins	Model: 375ARXL
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 16-Jun-2010	Renewed: 16-Jun-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	,уууу,ааааа
Notes: Only Serial No G00110 a SOV with length: min. 57 7/8" an		gral grooved spool between the #2 ck and #2
Type: RP	Manufacturer: Wilkins	Model: 375ARXL
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb : Yes	Spare Parts Only: No
Approved: 16-Jun-2010	Renewed: 16-Jun-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	уууу,ааааа
Notes: Only Serial No G00110 a	nd higher approved. These have an Inte	gral grooved spool between the #2 ck and #2

SOV with length: min. 61 3/8" and max. 100 5/8"

Type: RP	Manufacturer: Wilkins	Model: 375ARXL
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 16-Jun-2010	Renewed: 16-Jun-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,	уууу,ааааа
Notes: Integral grooved spool be	etween the #2 ck and #2 SOV - assembly	/ length: min. 61 3/8" and max. 100 5/8"
Type: RP	Manufacturer: Wilkins	Model: 375AST
Size: 2 1/2	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Jun-2015	Renewed:	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,>	xxxx,yyyy,aaaaa,kkkkk,lllll,gggggg,iiiiii,jjjjj	j,IIIII,mmmmm,oooooo
Type: RP	Manufacturer: Wilkins	Model: 375AST
Size: 3	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Jun-2015	Renewed:	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,>	xxxx,yyyy,aaaaa,kkkkk,lllll,gggggg,iiiiii,jjjjj	j,IIIII,mmmmm,oooooo
	Manufacturer: Wilkins	Model: 275ACT
Type: RP		Model: 375AST
	Orientation: H	Meters:
Size: 4		
Size: 4 Manual: 10	Orientation: H	Meters:
Size: 4 Manual: 10 Approved: 31-May-2012	Orientation: H 0.25% Pb: Yes	Meters: Spare Parts Only: No Bypass:
Size: 4 Manual: 10 Approved: 31-May-2012 Shutoffs: (yyy),ssss,uuuu,vvvv,>	Orientation: H 0.25% Pb: Yes Renewed: 31-May-2015	Meters: Spare Parts Only: No Bypass:
Size: 4 Manual: 10 Approved: 31-May-2012 Shutoffs: (yyy),ssss,uuuu,vvvv,> Type: RP	Orientation: H 0.25% Pb: Yes Renewed: 31-May-2015 <xxxx,yyyy,aaaaa,kkkkk,lllll,ggggggg,iiiiii,jjjjj< td=""><td>Meters: Spare Parts Only: No Bypass: j,IIIIII,mmmmmm,oooooo</td></xxxx,yyyy,aaaaa,kkkkk,lllll,ggggggg,iiiiii,jjjjj<>	Meters: Spare Parts Only: No Bypass: j,IIIIII,mmmmmm,oooooo
Size: 4 Manual: 10 Approved: 31-May-2012 Shutoffs: (yyy),ssss,uuuu,vvvv,> Type: RP Size: 6	Orientation: H 0.25% Pb: Yes Renewed: 31-May-2015 xxxx,yyyy,aaaaaa,kkkkk,IIIII,ggggggg,iiiiiii,jjjjjj Manufacturer: Wilkins	Meters: Spare Parts Only: No Bypass: j,IIIIII,mmmmmm,oooooo Model: 375AST
Type: RP Size: 4 Manual: 10 Approved: 31-May-2012 Shutoffs: (yyy),ssss,uuuu,vvvv,v Type: RP Size: 6 Manual: 10 Approved: 24-Jun-2013	Orientation: H 0.25% Pb: Yes Renewed: 31-May-2015 xxxx,yyyy,aaaaaa,kkkkk,lllll,ggggggg,iiiiii,jjjjj Manufacturer: Wilkins Orientation: H	Meters: Spare Parts Only: No Bypass: j,IIIIII,mmmmmm,oooooo Model: 375AST Meters:
Size: 4 Manual: 10 Approved: 31-May-2012 Shutoffs: (yyy),ssss,uuuu,vvvv,> Type: RP Size: 6 Manual: 10 Approved: 24-Jun-2013	Orientation: H 0.25% Pb: Yes Renewed: 31-May-2015 xxxx,yyyy,aaaaaa,kkkkk,lllll,ggggggg,iiiiii,jjjjj Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes	Meters: Spare Parts Only: No Bypass: j,IIIIII,mmmmmm,ooooooo Model: 375AST Meters: Spare Parts Only: No Bypass:
Size: 4 Manual: 10 Approved: 31-May-2012 Shutoffs: (yyy),ssss,uuuu,vvvv,> Type: RP Size: 6 Manual: 10 Approved: 24-Jun-2013 Shutoffs: (yyy),ssss,uuuu,vvvv,>	Orientation: H 0.25% Pb: Yes Renewed: 31-May-2015 xxxx,yyyy,aaaaa,kkkkk,IIIII,ggggggg,iiiiii,jjjjj Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 24-Jun-2016	Meters: Spare Parts Only: No Bypass: j,IIIIII,mmmmmm,ooooooo Model: 375AST Meters: Spare Parts Only: No Bypass:
Size: 4 Manual: 10 Approved: 31-May-2012 Shutoffs: (yyy),ssss,uuuu,vvvv,> Type: RP Size: 6 Manual: 10 Approved: 24-Jun-2013 Shutoffs: (yyy),ssss,uuuu,vvvv,> Type: RP	Orientation: H 0.25% Pb: Yes Renewed: 31-May-2015 xxxx,yyyy,aaaaaa,kkkkk,IIIII,ggggggg,iiiiii,jjjjj Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 24-Jun-2016 xxxx,yyyy,aaaaaa,kkkkk,IIIII,gggggg,iiiiii,jjjjj	Meters: Spare Parts Only: No Bypass: j,IIIIII,mmmmmm,ooooooo Model: 375AST Meters: Spare Parts Only: No Bypass: j,IIIIII,mmmmmm,oooooo
Size: 4 Manual: 10 Approved: 31-May-2012 Shutoffs: (yyy),ssss,uuuu,vvvv,> Type: RP Size: 6 Manual: 10 Approved: 24-Jun-2013	Orientation: H 0.25% Pb: Yes Renewed: 31-May-2015 xxxx,yyyy,aaaaaa,kkkkk,IIIII,ggggggg,iiiiii,jjjjj Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 24-Jun-2016 xxxx,yyyy,aaaaaa,kkkkk,IIIII,gggggg,iiiiii,jjjjjj Manufacturer: Wilkins	Meters: Spare Parts Only: No Bypass: j,IIIIII,mmmmmm,ooooooo Model: 375AST Meters: Spare Parts Only: No Bypass: j,IIIIII,mmmmmm,oooooo

Type: RP	Manufacturer: Wilkins	Model: 375AST
Size: 10	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 26-Nov-2013	Renewed: 26-Nov-2016	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxx,yyyy,aaaaa,kkkkk,lllll,gggggg,iiiiii,jjjj	jjj,IIIIII,mmmmmm,oooooo
Type: RP	Manufacturer: Wilkins	Model: 375ASTMS
Size: 2 1/2	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed:	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxx,yyyy,aaaaa,kkkkk,lllll	
Type: RP	Manufacturer: Wilkins	Model: 375ASTMS
Size: 3	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed:	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxx,yyyy,aaaaa,kkkkk,IIIII	
Type: RP	Manufacturer: Wilkins	Model: 375ASTMS
Size: 4	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed:	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxx,yyyy,aaaaa,kkkkk,IIIII	
Type: RP	Manufacturer: Wilkins	Model: 375ASTMS
Size: 6	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed:	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxx,yyyy,aaaaa,kkkkk,IIIII	
Type: RP	Manufacturer: Wilkins	Model: 375ASTMS
Size: 8	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed:	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxx,yyyy,aaaaa,kkkkk,lllll	
Type: RP	Manufacturer: Wilkins	Model: 375ASTMS
Size : 10	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed:	Bypass:

Shutoffs: (yyy),ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll

Type: RP	Manufacturer: Wilkins	Model: 375ASTR
Size: 2 1/2	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Jun-2015	Renewed:	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,x	xxx,yyyy,aaaaa,kkkkk,lllll,gggggg,iiiiii,jjjj	jjj,IIIIII,mmmmmm,oooooo
Notes: Integral Stainless Steel g 47 1/8"	rooved spool between the #2 ck and #2	SOV - assembly length: min. 34 1/4" and max.
Type: RP	Manufacturer: Wilkins	Model: 375ASTR
Size: 3	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Jun-2015	Renewed:	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,x	xxx,yyyy,aaaaa,kkkkk,lllll,gggggg,iiiiii,jjjj	jjj,IIIIII,mmmmmm,oooooo
Notes: Integral Stainless Steel g 48 1/8"	rooved spool between the #2 ck and #2	SOV - assembly length: min. 34 3/4" and max.
Type: RP	Manufacturer: Wilkins	Model: 375ASTR
Size: 4	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 31-May-2012	Renewed: 31-May-2015	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,x	xxx,yyyy,aaaaa,kkkkk,lllll,gggggg,iiiiii,jjjj	jjj,IIIIII,mmmmmm,oooooo
Notes: Integral Stainless Steel g 62 1/4"	rooved spool between the #2 ck and #2	SOV - assembly length: min. 35 3/4" and max.
Type: RP	Manufacturer: Wilkins	Model: 375ASTR
Size: 6	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2013	Renewed: 05-Nov-2016	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,x	xxx,yyyy,aaaaa,kkkkk,lllll,gggggg,iiiiii,jjjj	jjj,IIIIII,mmmmmm,oooooo
Notes: Integral Stainless Steel g 1/4"	rooved spool between the #2 ck and #2	SOV - assembly length: min. 46" and max. 71
Type: RP	Manufacturer: Wilkins	Model: 375ASTR
Size: 8	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 23-Jan-2014	Renewed: 23-Jan-2017	Bypass:

Shutoffs: (yyy),ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll,ggggggg,iiiiii,jjjjjj,llllll,mmmmmm,oooooo

Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 48 3/4" and max. 86"

Type: RP	Manufacturer: Wilkins	Model: 375ASTR
Size: 10	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 23-Jan-2014	Renewed: 23-Jan-2017	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxx,yyyy,aaaaa,kkkkk,lllll,gggggg,iiiiii,jjjj	jj,IIIIII,mmmmmm,oooooo
Notes: Integral Stainless Steel g 100 5/8"	rooved spool between the #2 ck and #2	SOV - assembly length: min. 52 5/8" and max.
Type: RP	Manufacturer: Wilkins	Model: 375ASTRMS
Size: 2 1/2	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed:	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxxx,yyyy,aaaaa,kkkkk,lllll	
Notes: Integral Stainless Steel g 1/8"	rooved spool between the #2 ck and #2	SOV - assembly length: min. 31" and max. 47
Type: RP	Manufacturer: Wilkins	Model: 375ASTRMS
Size: 3	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed:	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxx,yyyy,aaaaa,kkkkk,lllll	
Notes: Integral Stainless Steel g 48 1/8"	rooved spool between the #2 ck and #2	SOV - assembly length: min. 31 1/2" and max.
Type: RP	Manufacturer: Wilkins	Model: 375ASTRMS
Size: 4	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed:	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxxx,yyyy,aaaaa,kkkkk,lllll	
Notes: Integral Stainless Steel g 62 1/4"	rooved spool between the #2 ck and #2	SOV - assembly length: min. 32 5/8" and max.
Type: RP	Manufacturer: Wilkins	Model: 375ASTRMS
Size: 6	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed:	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxxx,yyyy,aaaaa,kkkkk,lllll	
Notes: Integral Stainless Steel of	rooved speel between the #2 ck and #2	SOV - assembly length: min 39" and max 71

Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 39" and max. 71 1/4"

Type: RP	Manufacturer: Wilkins	Model: 375ASTRMS
Size: 8	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed:	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,x	xxx,yyyy,aaaaa,kkkkk,lllll	
Notes: Integral Stainless Steel gi 86"	rooved spool between the #2 ck and #2	SOV - assembly length: min. 48 3/4" and max.
Type: RP	Manufacturer: Wilkins	Model: 375ASTRMS
Size: 10	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed:	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,x	xxx,yyyy,aaaaa,kkkkk,lllll	
Notes: Integral Stainless Steel gr 100 5/8"	rooved spool between the #2 ck and #2	SOV - assembly length: min. 52 5/8" and max.
Type: RP	Manufacturer: Wilkins	Model: 375AXL
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: dddd		
Type: RP	Manufacturer: Wilkins	Model: 375AXL
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,zz	22	
Type: RP	Manufacturer: Wilkins	Model: 375AXL
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: dddd		
Type: RP	Manufacturer: Wilkins	Model: 375AXL
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,zz	ZZ	

Type: RP	Manufacturer: Wilkins	Model: 375AXL
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb : No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: dddd,eeee		
Type: RP	Manufacturer: Wilkins	Model: 375AXL
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	a
Type: RP	Manufacturer: Wilkins	Model: 375AXL
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: dddd,eeee		
Type: RP	Manufacturer: Wilkins	Model: 375AXL
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb : Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
	yyy,zzz,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: RP	Manufacturer: Wilkins	Model: 375AXL
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb : No	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: zzz,dddd,eeee		_,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Type: RP	Manufacturer: Wilkins	Model: 375AXL
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
	yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	-)
	, , , , , , , , , , , , , , , , , , ,	
Type: RP	Manufacturer: Wilkins	Model: 375AXL
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:

Shutoffs: zzz,dddd,eeee

Type: RP	Manufacturer: Wilkins	Model: 375AXL
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: RP	Manufacturer: Wilkins	Model: 375B
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb : No	Spare Parts Only: No
Approved: 08-Nov-2012	Renewed: 08-Nov-2015	Bypass:
Shutoffs: (int)		Bypuss.
	aded End or 45 degree male SAE flare	
Type: RP	Manufacturer: Wilkins	Model: 375B
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb : No	Spare Parts Only: No
Approved: 08-Nov-2012	Renewed: 08-Nov-2015	Bypass:
Shutoffs: (int)		
	aded End or 45 degree male SAE flare	
Type: RP	Manufacturer: Wilkins	Model: 375B
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Nov-2012	Renewed: 08-Nov-2015	Bypass:
Shutoffs: (int)		
	aded End or 45 degree male SAE flare	
Type: RP	Manufacturer: Wilkins	Model: 375B
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Nov-2012	Renewed: 08-Nov-2015	Bypass:
Shutoffs: (int)		
Type: RP	Manufacturer: Wilkins	Model: 375B
	Manufacturer: Wilkins Orientation: H	Model: 375B Meters:
Size: 1 1/2		
Type: RP Size: 1 1/2 Manual: 9 Approved: 08-Nov-2012	Orientation: H	Meters:

Type: RP	Manufacturer: Wilkins	Model: 375B
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Nov-2012	Renewed: 08-Nov-2015	Bypass:
Shutoffs: (int)		
Type: RP	Manufacturer: Wilkins	Model: 375MS
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2003	Renewed: 03-Jul-2015	Bypass:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number L61	iu,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v 205	vwww,yyyy,zzzz,kkkkk
Type: RP	Manufacturer: Wilkins	Model: 375MS
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016 tttt,vvvv,wwww,yyyy,zzzz,kkkkk	Bypass:
Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss	tttt,vvvv,wwww,yyyy,zzzz,kkkkk	Bypass:
Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss Notes: Serial number L61205 a	tttt,vvvv,wwww,yyyy,zzzz,kkkkk	Bypass: Model: 375MS
Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss Notes: Serial number L61205 a Type: RP	tttt,vvvv,wwww,yyyy,zzzz,kkkkk nd higher	
Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss Notes: Serial number L61205 a Type: RP Size: 3	tttt,vvvv,wwww,yyyy,zzzz,kkkkk nd higher Manufacturer: Wilkins	Model: 375MS
Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss Notes: Serial number L61205 a Type: RP Size: 3 Manual: 9	tttt,vvvv,wwww,yyyy,zzzz,kkkkk nd higher Manufacturer: Wilkins Orientation: H	Model: 375MS Meters:
Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss Notes: Serial number L61205 a Type: RP Size: 3 Manual: 9 Approved: 03-Jul-2003	tttt,vvvv,wwww,yyyy,zzzz,kkkk nd higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 03-Jul-2015	Model: 375MS Meters: Spare Parts Only: No Bypass:
Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss Notes: Serial number L61205 a Type: RP Size: 3 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u	tttt,vvvv,wwww,yyyy,zzzz,kkkk nd higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 03-Jul-2015	Model: 375MS Meters: Spare Parts Only: No Bypass:
Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss Notes: Serial number L61205 a Type: RP Size: 3 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number L61	tttt,vvvv,wwww,yyyy,zzzz,kkkk nd higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 03-Jul-2015 Ju,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v 205	Model: 375MS Meters: Spare Parts Only: No Bypass: vwww,yyyy,zzzz,kkkkk
Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss Notes: Serial number L61205 a Type: RP Size: 3 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number L61 Type: RP Size: 3	tttt,vvvv,wwww,yyyy,zzzz,kkkk nd higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 03-Jul-2015 Ju,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v 205 Manufacturer: Wilkins	Model: 375MS Meters: Spare Parts Only: No Bypass: wwww,yyyy,zzzz,kkkkk
Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss Notes: Serial number L61205 a Type: RP Size: 3 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number L61 Type: RP Size: 3 Manual: 9	tttt,vvvv,wwww,yyyy,zzzz,kkkk nd higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 03-Jul-2015 Ju,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v 205 Manufacturer: Wilkins Orientation: H	Model: 375MS Meters: Spare Parts Only: No Bypass: wwww,yyyy,zzzz,kkkkk Model: 375MS Meters:
Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss Notes: Serial number L61205 a Type: RP Size: 3 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number L61 Type: RP Size: 3 Manual: 9 Approved: 09-Sep-2010	tttt,vvvv,wwww,yyyy,zzzz,kkkk nd higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 03-Jul-2015 Jul,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v 205 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2016	Model: 375MS Meters: Spare Parts Only: No Bypass: vwww,yyyy,zzzz,kkkkk Model: 375MS Meters: Spare Parts Only: No
Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss Notes: Serial number L61205 a Type: RP Size: 3 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number L61 Type: RP Size: 3 Manual: 9 Approved: 09-Sep-2010	tttt,vvvv,wwww,yyyy,zzzz,kkkk nd higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 03-Jul-2015 Jul,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v 205 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2016 tttt,vvvv,www,yyyy,zzzz,kkkkk	Model: 375MS Meters: Spare Parts Only: No Bypass: vwww,yyyy,zzzz,kkkkk Model: 375MS Meters: Spare Parts Only: No
Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss Notes: Serial number L61205 a Type: RP Size: 3 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number L61 Type: RP Size: 3 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss	tttt,vvvv,wwww,yyyy,zzzz,kkkk nd higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 03-Jul-2015 Jul,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v 205 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2016 tttt,vvvv,www,yyyy,zzzz,kkkkk	Model: 375MS Meters: Spare Parts Only: No Bypass: vwww,yyyy,zzzz,kkkkk Model: 375MS Meters: Spare Parts Only: No
Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss Notes: Serial number L61205 a Type: RP Size: 3 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number L61 Type: RP Size: 3 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss Notes: Serial number L61205 a	tttt,vvvv,wwww,yyyy,zzzz,kkkk nd higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 03-Jul-2015 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2016 tttt,vvvv,www,yyyy,zzzz,kkkkk	Model: 375MS Meters: Spare Parts Only: No Bypass: www.yyyyy,zzzz,kkkkk Model: 375MS Meters: Spare Parts Only: No Bypass:
Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss Notes: Serial number L61205 a Type: RP Size: 3 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number L61 Type: RP Size: 3 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss Notes: Serial number L61205 a Type: RP	tttt,vvvv,wwww,yyyy,zzzz,kkkk nd higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 03-Jul-2015 Ju,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v 205 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2016 tttt,vvvv,wwww,yyyy,zzzz,kkkkk nd higher Manufacturer: Wilkins	Model: 375MS Meters: Spare Parts Only: No Bypass: wwww,yyyyy,zzzz,kkkkk Model: 375MS Meters: Spare Parts Only: No Bypass: Model: 375MS

Type: RP	Manufacturer: Wilkins	Model: 375MS
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	ww,,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkk	k
Notes: Serial number L61205 an	nd higher	
Type: RP	Manufacturer: Wilkins	Model: 375MS
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2003	Renewed: 03-Jul-2015	Bypass:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u	u,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee	e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk
Notes: Up to serial number L612	205	
Type: RP	Manufacturer: Wilkins	Model: 375MS
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
	Renewed: 09-Sep-2016	Bypass:
Approved: 09-Sep-2010		
	ww,zzz,ssss,tttt,vvvv,wwww,yyyy,zzzz,k	kkkk
	ww,zzz,ssss,tttt,vvvv,wwww,yyyy,zzzz,k	kkkk
Shutoffs: (gg),hh,ppp,qqq,vvv,w Notes: Serial number L61205 an	ww,zzz,ssss,tttt,vvvv,wwww,yyyy,zzzz,k	kkkk Model: 375MS
Shutoffs: (gg),hh,ppp,qqq,vvv,w Notes: Serial number L61205 an Type: RP	ww,zzz,ssss,tttt,vvvv,wwww,yyyy,zzzz,k nd higher	
Shutoffs: (gg),hh,ppp,qqq,vvv,w Notes: Serial number L61205 an Type: RP Size: 8	ww,zzz,ssss,tttt,vvvv,wwww,yyyy,zzzz,k nd higher Manufacturer: Wilkins	Model: 375MS
Shutoffs: (gg),hh,ppp,qqq,vvv,w	ww,zzz,ssss,tttt,vvvv,wwww,yyyy,zzzz,k nd higher Manufacturer: Wilkins Orientation: H	Model: 375MS Meters:
Shutoffs: (gg),hh,ppp,qqq,vvv,w Notes: Serial number L61205 an Type: RP Size: 8 Manual: 9 Approved: 03-Jul-2003	ww,zzz,ssss,tttt,vvvv,wwww,yyyy,zzzz,k nd higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No	Model: 375MS Meters: Spare Parts Only: No Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w Notes: Serial number L61205 an Type: RP Size: 8 Manual: 9 Approved: 03-Jul-2003	ww,zzz,ssss,tttt,vvvv,wwww,yyyy,zzzz,k nd higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 03-Jul-2015 u,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee	Model: 375MS Meters: Spare Parts Only: No Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w Notes: Serial number L61205 an Type: RP Size: 8 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u	ww,zzz,ssss,tttt,vvvv,wwww,yyyy,zzzz,k nd higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 03-Jul-2015 u,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee	Model: 375MS Meters: Spare Parts Only: No Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w Notes: Serial number L61205 an Type: RP Size: 8 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number L612	ww,zzz,ssss,tttt,vvvv,wwww,yyyy,zzzz,k d higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 03-Jul-2015 u,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee	Model: 375MS Meters: Spare Parts Only: No Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk
Shutoffs: (gg),hh,ppp,qqq,vvv,w Notes: Serial number L61205 an Type: RP Size: 8 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number L612 Type: RP Size: 8	ww,zzz,ssss,tttt,vvvv,wwww,yyyy,zzzz,k nd higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 03-Jul-2015 u,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 205 Manufacturer: Wilkins	Model: 375MS Meters: Spare Parts Only: No Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk
Shutoffs: (gg),hh,ppp,qqq,vvv,w Notes: Serial number L61205 an Type: RP Size: 8 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number L612 Type: RP Size: 8 Manual: 9	ww,zzz,ssss,tttt,vvvv,wwww,yyyy,zzzz,k ad higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 03-Jul-2015 u,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 205 Manufacturer: Wilkins Orientation: H	Model: 375MS Meters: Spare Parts Only: No Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 375MS Meters:
Shutoffs: (gg),hh,ppp,qqq,vvv,w Notes: Serial number L61205 an Type: RP Size: 8 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number L612 Type: RP Size: 8 Manual: 9 Approved: 09-Sep-2010	ww,zzz,ssss,tttt,vvvv,wwww,yyyy,zzzz,k ad higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 03-Jul-2015 u,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 205 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes	Model: 375MS Meters: Spare Parts Only: No Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 375MS Meters: Spare Parts Only: No Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w Notes: Serial number L61205 an Type: RP Size: 8 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number L612 Type: RP Size: 8 Manual: 9 Approved: 09-Sep-2010	ww,zzz,ssss,tttt,vvvv,wwww,yyyy,zzzz,k ad higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 03-Jul-2015 u,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 205 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2016 ww,ssss,tttt,vvvv,www,yyyy,zzzz,kkkkk	Model: 375MS Meters: Spare Parts Only: No Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 375MS Meters: Spare Parts Only: No Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w Notes: Serial number L61205 an Type: RP Size: 8 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number L612 Type: RP Size: 8 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,w	ww,zzz,ssss,tttt,vvvv,wwww,yyyy,zzzz,k ad higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 03-Jul-2015 u,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 205 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2016 ww,ssss,tttt,vvvv,www,yyyy,zzzz,kkkkk	Model: 375MS Meters: Spare Parts Only: No Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 375MS Meters: Spare Parts Only: No Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w Notes: Serial number L61205 an Type: RP Size: 8 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number L612 Type: RP Size: 8 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,w Notes: Serial number L61205 an	ww,zzz,ssss,tttt,vvvv,wwww,yyyy,zzzz,k ad higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 03-Jul-2015 u,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 205 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2016 ww,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk ad higher	Model: 375MS Meters: Spare Parts Only: No Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 375MS Meters: Spare Parts Only: No Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w Notes: Serial number L61205 an Type: RP Size: 8 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number L612 Type: RP Size: 8 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,w Notes: Serial number L61205 an Type: RP	ww,zzz,ssss,tttt,vvvv,wwww,yyyy,zzzz,k ad higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 03-Jul-2015 u,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 205 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2016 ww,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk ad higher Manufacturer: Wilkins	Model: 375MS Meters: Spare Parts Only: No Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 375MS Meters: Spare Parts Only: No Bypass:

Type: RP	Manufacturer: Wilkins	Model: 375MS
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	/ww,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk	
Notes: Serial number L61205 ar	nd higher	
Type: RP	Manufacturer: Wilkins	Model: 375ST
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-Feb-2011	Renewed: 22-Feb-2017	Bypass:
Shutoffs: (int)		
Type: RP	Manufacturer: Wilkins	Model: 375ST
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb : Yes	Spare Parts Only: No
Approved: 22-Feb-2011	Renewed: 22-Feb-2017	Bypass:
Shutoffs: (int)		
Type: RP	Manufacturer: Wilkins	Model: 375ST
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 31-Oct-2011 Shutoffs: int	Renewed: 31-Oct-2014	Bypass:
Type: RP	Manufacturer: Wilkins	Model: 375XL
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb : Yes	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: (int)		
Notes: Testcocks: Female Threa	aded End or 45 degree male SAE flare	
Type: RP	Manufacturer: Wilkins	Model: 375XL
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Mar-2007	Renewed: 09-Mar-2016	Bypass:
Shutoffs: (int)		

Type: RP	Manufacturer: Wilkins	Model: 375XL
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Mar-2007	Renewed: 09-Mar-2016	Bypass:
Shutoffs: (int)		
Notes: Testcocks: Female Threa	aded End or 45 degree male SAE flare	
Type: RP	Manufacturer: Wilkins	Model: 375XL
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Apr-2010	Renewed: 20-Apr-2016	Bypass:
Shutoffs: (int)		
Type: RP	Manufacturer: Wilkins	Model: 375XL
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Apr-2010	Renewed: 20-Apr-2016	Bypass:
Shutoffs: (int)		
Type: RP	Manufacturer: Wilkins	Model: 375XL
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Apr-2010	Renewed: 20-Apr-2016	Bypass:
Shutoffs: (int)		
Type: RP	Manufacturer: Wilkins	Model: 375XL
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	zzz,dddd	
Type: RP	Manufacturer: Wilkins	Model: 375XL
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
	_ .	_

Renewed: 14-Apr-2016

Approved: 14-Apr-2010

Shutoffs: (gg),hh,ppp,qqq,ssss,tttt,vvvv,wwww,yyyy,zzzz

Bypass:

Type: RP	Manufacturer: Wilkins	Model: 375XL
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	zzz,dddd	
Type: RP	Manufacturer: Wilkins	Model: 375XL
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,	tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 375XL
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	zzz,dddd,eeee	
Type: RP	Manufacturer: Wilkins	Model: 375XL
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	/ww,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 375XL
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	zzz,dddd,eeee	
Type: RP	Manufacturer: Wilkins	Model: 375XL
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	vww,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 375XL
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:

Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,zzz,dddd,eeee

Type: RP	Manufacturer: Wilkins	Model: 375XL
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: gg,hh,ppp,qqq,vvv,ww	vw,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 375XL
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	zzz,dddd,eeee	
Type: RP	Manufacturer: Wilkins	Model: 375XL
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: gg,hh,ppp,qqq,vvv,ww	vw,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 375XLB
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Nov-2012	Renewed: 08-Nov-2015	Bypass:
Shutoffs: (int)		
Notes: Testcocks: Female Threa	aded End or 45 degree male SAE flare	
Type: RP	Manufacturer: Wilkins	Model: 375XLB
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Nov-2012	Renewed: 08-Nov-2015	Bypass:
Shutoffs: (int)		
Notes: Testcocks: Female Threa	aded End or 45 degree male SAE flare	
Type: RP	Manufacturer: Wilkins	Model: 375XLB
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Nov-2012	Renewed: 08-Nov-2015	Bypass:
Shutoffs: (int)		
Notes: Testcocks: Female Threa	aded End or 45 degree male SAE flare	

Type: RP	Manufacturer: Wilkins	Model: 375XLB
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Nov-2012	Renewed: 08-Nov-2015	Bypass:
Shutoffs: (int)		
Type: RP	Manufacturer: Wilkins	Model: 375XLB
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Nov-2012	Renewed: 08-Nov-2015	Bypass:
Shutoffs: (int)		
Type: RP	Manufacturer: Wilkins	Model: 375XLB
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Nov-2012	Renewed: 08-Nov-2015	Bypass:
Shutoffs: (int)		
Type: RP	Manufacturer: Wilkins	Model: 375XLMS
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	zzz,dddd	
Type: RP	Manufacturer: Wilkins	Model: 375XLMS
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,t	ttt,vvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 375XLMS
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	zzz,dddd	
Type: RP	Manufacturer: Wilkins	Model: 375XLMS
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No

Shutoffs: (gg), hh, ppp, qqq, ssss, tttt, vvvv, www, yyyy, zzzz

Type: RP	Manufacturer: Wilkins	Model: 375XLMS
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zzz	zzz,dddd,eeee	
Type: RP	Manufacturer: Wilkins	Model: 375XLMS
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	vww,,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 375XLMS
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	dddd,eeee	
Type: RP	Manufacturer: Wilkins	Model: 375XLMS
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	ww,zzz,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 375XLMS
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	zzz,dddd,eeee	
Type: RP	Manufacturer: Wilkins	Model: 375XLMS
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: gg,hh,ppp,qqq,vvv,ww	/w,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 375XLMS
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:

Shutoffs: ee, ff, II, mm, tt, uu, yy, zz, zzz, dddd, eeee

Type: RP	Manufacturer: Wilkins	Model: 375XLMS
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: gg,hh,ppp,qqq,vvv,ww	vw,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 475
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Jan-2002	Renewed: 24-Jan-2017	Bypass:
Shutoffs:		
(gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,pp mm,nnnnnn	p,qqq,zzz,dddd,ssss,tttt,vvvv,wwww,yyyy	/,zzz,kkkkk,gggggg,hhhhhh,jjjjjj,kkkkkk,mmmn
Notes: Up to serial number Q05	664	
Type: RP	Manufacturer: Wilkins	Model: 475
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,	tttt,vvvv,wwww,yyyy,zzzz,kkkkk,ggggggg,l	hhhhhh,jjjjjj,kkkkkk,mmmmmm,nnnnn
Notes: Serial number Q05664 a	nd higher	
Type: RP	Manufacturer: Wilkins	Model: 475
	Manufacturer: Wilkins Orientation: VUVD	Model: 475 Meters:
Size: 3		
Size: 3 Manual: 9	Orientation: VUVD	Meters:
Size: 3 Manual: 9 Approved: 24-Jan-2002	Orientation: VUVD 0.25% Pb: No	Meters: Spare Parts Only: No
Size: 3 Manual: 9 Approved: 24-Jan-2002 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,pp	Orientation: VUVD 0.25% Pb: No Renewed: 24-Jan-2017	Meters: Spare Parts Only: No
Size: 3 Manual: 9 Approved: 24-Jan-2002 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,pp mm,nnnnn	Orientation: VUVD 0.25% Pb: No Renewed: 24-Jan-2017 p,qqq,zzz,dddd,ssss,tttt,vvvv,wwww,yyyy	Meters: Spare Parts Only: No Bypass:
Size: 3 Manual: 9 Approved: 24-Jan-2002 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,pp mm,nnnnnn Notes: Up to serial number Q05	Orientation: VUVD 0.25% Pb: No Renewed: 24-Jan-2017 p,qqq,zzz,dddd,ssss,tttt,vvvv,wwww,yyyy	Meters: Spare Parts Only: No Bypass:
Size: 3 Manual: 9 Approved: 24-Jan-2002 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,pp mm,nnnnnn Notes: Up to serial number Q05 Type: RP	Orientation: VUVD 0.25% Pb: No Renewed: 24-Jan-2017 p,qqq,zzz,dddd,ssss,tttt,vvvv,wwww,yyyy	Meters: Spare Parts Only: No Bypass: /,zzzz,kkkkk,ggggggg,hhhhhh,jjjjjj,kkkkkk,mmmr
Size: 3 Manual: 9 Approved: 24-Jan-2002 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,pp) mm,nnnnn Notes: Up to serial number Q05 Type: RP Size: 3	Orientation: VUVD 0.25% Pb: No Renewed: 24-Jan-2017 p,qqq,zzz,dddd,ssss,tttt,vvvv,wwww,yyyy 664 Manufacturer: Wilkins	Meters: Spare Parts Only: No Bypass: v,zzzz,kkkkk,ggggggg,hhhhhhh,jjjjjjj,kkkkkk,mmmr Model: 475
Type: RP Size: 3 Manual: 9 Approved: 24-Jan-2002 Shutoffs: (gg),ee,ff,hh,II,mm,tt,uu,yy,zz,pp mm,nnnnn Notes: Up to serial number Q05 Type: RP Size: 3 Manual: 9 Approved: 09-Sep-2010	Orientation: VUVD 0.25% Pb: No Renewed: 24-Jan-2017 p,qqq,zzz,dddd,ssss,tttt,vvvv,wwww,yyyy 664 Manufacturer: Wilkins Orientation: VUVD	Meters: Spare Parts Only: No Bypass: v,zzzz,kkkkk,ggggggg,hhhhhh,jjjjjjj,kkkkkk,mmmr Model: 475 Meters:

Type: RP	Manufacturer: Wilkins	Model: 475
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Jul-2000	Renewed: 27-Jul-2015	Bypass:
Shutoffs:		
(ppp),qqq,sss,ttt,www,yyy,zzz,dc o	ldd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaa	aa,kkkkk,lllll,ggggggg,iiiiii,jjjjjj,llllll,mmmmmm,ooooo
Notes: Up to serial number Q05	664	
Type: RP	Manufacturer: Wilkins	Model: 475
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb : Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkl	kkk,IIIII,ggggggg,iiiiii,jjjjjj,IIIIII,mmmmmm,oooooo
Notes: Serial number Q05664 an	nd higher	
Type: RP	Manufacturer: Wilkins	Model: 475
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Jul-2000	Renewed: 27-Jul-2015	Bypass:
Shutoffs:		
(ppp),qqq,sss,ttt,www,yyy,zzz,dc	ldd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaa	aa,kkkkk,lllll,ggggggg,iiiiii,jjjjjj,llllll,mmmmmm,ooooo
0		
Notes: Up to serial number Q05	664	
Type: RP	Manufacturer: Wilkins	Model: 475
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkl	kkk,IIIII,ggggggg,iiiiii,jjjjjj,IIIIII,mmmmmm,oooooo
Notes: Serial number Q05664 an	nd higher	
Type: RP	Manufacturer: Wilkins	Model: 475
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2003	Renewed: 03-Jul-2015	Bypass:
Shutoffs:		
(ppp),qqq,sss,ttt,www,yyy,zzz,dc o	ldd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaa	aa,kkkkk,lllll,ggggggg,iiiiii,jjjjjj,llllll,mmmmmm,ooooo
Notes: Up to serial number Q05	664	

Type: RP	Manufacturer: Wilkins	Model: 475
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kk	kk,lllll,gggggg,iiiiii,jjjjjj,llllll,mmmmmm,oooooc
Notes: Serial number Q05664 a	nd higher	
Type: RP	Manufacturer: Wilkins	Model: 475
Size: 10	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:
		IIII,gggggg,iiiiii,jjjjj,IIIIII,mmmmmm,oooooo
Notes: Serial number Q05664 a	nd higher	
Type: RP	Manufacturer: Wilkins	Model: 475
Size: 10	Orientation: VUVD	Meters:
		Spare Parts Only: No
Manual: 9	0.25% Pb: No	
Approved: 22-Nov-2004 Shutoffs: (ppp),qqq,sss,ttt,www,zzz,dddd,	Renewed: 22-Nov-2016 eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kk	Bypass: kkk,IIIII,gggggg,iiiiii,jjjjjj,IIIIII,mmmmmm,ooooo
Approved: 22-Nov-2004 Shutoffs: (ppp),qqq,sss,ttt,www,zzz,dddd, Notes: Up to serial number Q05	Renewed: 22-Nov-2016 eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kk	kkk,lllll,gggggg,iiiiii,jjjjjj,llllll,mmmmmm,ooooo
Approved: 22-Nov-2004 Shutoffs: (ppp),qqq,sss,ttt,www,zzz,dddd, Notes: Up to serial number Q05 Type: RP	Renewed: 22-Nov-2016 eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kk	
Approved: 22-Nov-2004 Shutoffs: (ppp),qqq,sss,ttt,www,zzz,dddd, Notes: Up to serial number Q05 Type: RP Size: 2 1/2	Renewed: 22-Nov-2016 eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kk 664 Manufacturer: Wilkins	kkk,IIIII,gggggg,iiiiii,jjjjjj,IIIIII,mmmmmm,ooooo Model: 475MS
Manual: 9 Approved: 22-Nov-2004 Shutoffs: (ppp),qqq,sss,ttt,www,zzz,dddd, Notes: Up to serial number Q05 Type: RP Size: 2 1/2 Manual: 9 Approved: 03-Jul-2003	Renewed: 22-Nov-2016 eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kk 664 Manufacturer: Wilkins Orientation: VUVD	kkk,IIIII,gggggg,iiiiii,jjjjjj,IIIIII,mmmmmm,ooooo Model: 475MS Meters:
Approved: 22-Nov-2004 Shutoffs: (ppp),qqq,sss,ttt,www,zzz,dddd, Notes: Up to serial number Q05 Type: RP Size: 2 1/2 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u	Renewed: 22-Nov-2016 eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kk 664 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 03-Jul-2015 uu,yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvv	kkk,lllll,gggggg,iiiiii,jjjjjj,llllll,mmmmmm,ooooo Model: 475MS Meters: Spare Parts Only: No Bypass:
Approved: 22-Nov-2004 Shutoffs: (ppp),qqq,sss,ttt,www,zzz,dddd, Notes: Up to serial number Q05 Type: RP Size: 2 1/2 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u	Renewed: 22-Nov-2016 eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kk 664 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 03-Jul-2015 uu,yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvv	kkk,lllll,gggggg,iiiiii,jjjjjj,llllll,mmmmmm,ooooo Model: 475MS Meters: Spare Parts Only: No Bypass:
Approved: 22-Nov-2004 Shutoffs: (ppp),qqq,sss,ttt,www,zzz,dddd, Notes: Up to serial number Q05 Type: RP Size: 2 1/2 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number Q05	Renewed: 22-Nov-2016 eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kk 664 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 03-Jul-2015 uu,yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvv	kkk,lllll,gggggg,iiiiii,jjjjjj,llllll,mmmmmm,ooooo Model: 475MS Meters: Spare Parts Only: No Bypass:
Approved: 22-Nov-2004 Shutoffs: (ppp),qqq,sss,ttt,www,zzz,dddd, Notes: Up to serial number Q05 Type: RP Size: 2 1/2 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number Q05 Type: RP	Renewed: 22-Nov-2016 eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kk 664 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 03-Jul-2015 uu,yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvv 664	kkkk,IIIII,gggggg,iiiiii,jjjjjj,IIIIII,mmmmmm,ooooo Model: 475MS Meters: Spare Parts Only: No Bypass: v,xxxx,yyyy,aaaaa,kkkkk
Approved: 22-Nov-2004 Shutoffs: (ppp),qqq,sss,ttt,www,zzz,dddd, Notes: Up to serial number Q05 Type: RP Size: 2 1/2 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number Q05 Type: RP Size: 2 1/2	Renewed: 22-Nov-2016 eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kk 664 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 03-Jul-2015 uu,yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvv 664 Manufacturer: Wilkins	kkkk,IIIII,gggggg,iiiiii,jjjjjj,IIIIII,mmmmmm,ooooo Model: 475MS Meters: Spare Parts Only: No Bypass: v,xxxx,yyyy,aaaaa,kkkkk Model: 475MS
Approved: 22-Nov-2004 Shutoffs: (ppp),qqq,sss,ttt,www,zzz,dddd, Notes: Up to serial number Q05 Type: RP Size: 2 1/2 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number Q05 Type: RP Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010	Renewed: 22-Nov-2016 eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kk 664 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 03-Jul-2015 nu,yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvv 664 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2016	kkkk,IIIII,gggggg,iiiiii,jjjjjj,IIIIII,mmmmmm,ooooo Model: 475MS Meters: Spare Parts Only: No Bypass: v,xxxx,yyyy,aaaaaa,kkkkk Model: 475MS Meters:
Approved: 22-Nov-2004 Shutoffs: (ppp),qqq,sss,ttt,www,zzz,dddd, Notes: Up to serial number Q05 Type: RP Size: 2 1/2 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number Q05 Type: RP Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss,	Renewed: 22-Nov-2016 eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kk 664 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 03-Jul-2015 hu,yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvv 664 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2016 uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk	kkkk,IIIII,gggggg,iiiiii,jjjjjj,IIIIII,mmmmm,ooooo Model: 475MS Meters: Spare Parts Only: No Bypass: v,xxxx,yyyy,aaaaa,kkkkk Model: 475MS Meters: Spare Parts Only: No
Approved: 22-Nov-2004 Shutoffs: (ppp),qqq,sss,ttt,www,zzz,dddd, Notes: Up to serial number Q05 Type: RP Size: 2 1/2 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number Q05 Type: RP Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss,	Renewed: 22-Nov-2016 eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kk 664 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 03-Jul-2015 hu,yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvv 664 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2016 uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk	kkkk,IIIII,gggggg,iiiiii,jjjjjj,IIIIII,mmmmm,ooooo Model: 475MS Meters: Spare Parts Only: No Bypass: v,xxxx,yyyy,aaaaa,kkkkk Model: 475MS Meters: Spare Parts Only: No
Approved: 22-Nov-2004 Shutoffs: (ppp),qqq,sss,ttt,www,zzz,dddd, Notes: Up to serial number Q05 Type: RP Size: 2 1/2 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number Q05 Type: RP Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss, Notes: Serial number Q05664 a	Renewed: 22-Nov-2016 eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kk 664 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 03-Jul-2015 hu,yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvv 664 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2016 uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk	kkkk,IIIII,gggggg,iiiiii,jjjjjj,IIIIII,mmmmm,ooooo Model: 475MS Meters: Spare Parts Only: No Bypass: v,xxxx,yyyy,aaaaa,kkkkk Model: 475MS Meters: Spare Parts Only: No
Approved: 22-Nov-2004 Shutoffs: (ppp),qqq,sss,ttt,www,zzz,dddd, Notes: Up to serial number Q05 Type: RP Size: 2 1/2 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number Q05 Type: RP Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss, Notes: Serial number Q05664 a Type: RP	Renewed: 22-Nov-2016 eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kk 664 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 03-Jul-2015 uu,yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvv 664 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2016 uuuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk nd higher	kkkk,IIIII,gggggg,iiiiiii,jjjjjj,IIIIII,mmmmm,ooooo Model: 475MS Meters: Spare Parts Only: No Bypass: v,xxxx,yyyy,aaaaa,kkkkk Model: 475MS Meters: Spare Parts Only: No Bypass:
Approved: 22-Nov-2004 Shutoffs: (ppp),qqq,sss,ttt,www,zzz,dddd, Notes: Up to serial number Q05 Type: RP Size: 2 1/2 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number Q05 Type: RP Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010	Renewed: 22-Nov-2016 eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kk 664 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 03-Jul-2015 nu,yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvv 664 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2016 uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk nd higher Manufacturer: Wilkins	kkkk,IIIII,gggggg,iiiiiii,jjjjjj,IIIIII,mmmmm,ooooo Model: 475MS Meters: Spare Parts Only: No Bypass: v,xxxx,yyyy,aaaaaa,kkkkk Model: 475MS Meters: Spare Parts Only: No Bypass: Model: 475MS

Type: RP	Manufacturer: Wilkins	Model: 475MS
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,u	uuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII	
Notes: Serial number Q05664 ar	nd higher	
Type: RP	Manufacturer: Wilkins	Model: 475MS
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2003	Renewed: 03-Jul-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx 664	,yyyy,aaaaa,kkkkk,IIIII
Type: RP	Manufacturer: Wilkins	Model: 475MS
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:
Approved: 09-Sep-2010	yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kk	
Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 ar	yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kk	
Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 ar Type: RP	yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kk nd higher	kkk,IIIII
Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 ar Type: RP Size: 6	yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kk nd higher Manufacturer: Wilkins	kkk,IIIII Model: 475MS
Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 ar Type: RP Size: 6 Manual: 9	yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kk nd higher Manufacturer: Wilkins Orientation: VUVD	Model: 475MS Meters:
Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 ar Type: RP Size: 6 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kk nd higher Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 03-Jul-2015 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	kkk,IIIII Model: 475MS Meters: Spare Parts Only: No Bypass:
Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 ar Type: RP Size: 6 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056	yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kk nd higher Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 03-Jul-2015 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	kkk,IIIII Model: 475MS Meters: Spare Parts Only: No Bypass:
Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 ar Type: RP Size: 6 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056	yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kk nd higher Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 03-Jul-2015 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	kkk,IIIII Model: 475MS Meters: Spare Parts Only: No Bypass: ;,yyyy,aaaaa,kkkkk,IIIII
Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 ar Type: RP Size: 6 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP Size: 6	yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kk nd higher Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 03-Jul-2015 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx 664 Manufacturer: Wilkins	kkk,IIIII Model: 475MS Meters: Spare Parts Only: No Bypass: Ayyyyy,aaaaaa,kkkkk,IIIII Model: 475MS
Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 ar Type: RP Size: 6 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP Size: 6 Manual: 9	yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kk nd higher Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 03-Jul-2015 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx 564 Manufacturer: Wilkins Orientation: VUVD	kkk,IIIII Model: 475MS Meters: Spare Parts Only: No Bypass: s,yyyy,aaaaaa,kkkkk,IIIII Model: 475MS Meters:
Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 ar Type: RP Size: 6 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP Size: 6 Manual: 9 Approved: 09-Sep-2010	yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kk nd higher Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 03-Jul-2015 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx 664 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes	kkk,IIIII Model: 475MS Meters: Spare Parts Only: No Bypass: Ayyyyy,aaaaaa,kkkkk,IIIII Model: 475MS Meters: Spare Parts Only: No Bypass:
Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 ar Type: RP Size: 6 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP Size: 6 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kk nd higher Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 03-Jul-2015 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx 664 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2016 yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kk	kkk,IIIII Model: 475MS Meters: Spare Parts Only: No Bypass: Ayyyyy,aaaaaa,kkkkk,IIIII Model: 475MS Meters: Spare Parts Only: No Bypass:
Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 ar Type: RP Size: 6 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP Size: 6 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 ar	yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kk nd higher Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 03-Jul-2015 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx 664 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2016 yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kk	kkk,IIIII Model: 475MS Meters: Spare Parts Only: No Bypass: Ayyyyy,aaaaaa,kkkkk,IIIII Model: 475MS Meters: Spare Parts Only: No Bypass:
Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 ar Type: RP Size: 6 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP Size: 6 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 ar Type: RP	yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kk nd higher Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 03-Jul-2015 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx 664 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2016 yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kk nd higher	kkk,IIIII Model: 475MS Meters: Spare Parts Only: No Bypass: Ayyyyy,aaaaaa,kkkkk,IIIII Model: 475MS Meters: Spare Parts Only: No Bypass: kkk,IIIII
Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 ar Type: RP Size: 6 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP Size: 6 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 ar Type: RP Size: 8	yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kk nd higher Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 03-Jul-2015 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx 664 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2016 yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kk nd higher Manufacturer: Wilkins	kkk,IIIII Model: 475MS Meters: Spare Parts Only: No Bypass: Ayyyyy,aaaaaa,kkkkk,IIIII Model: 475MS Meters: Spare Parts Only: No Bypass: kkkk,IIIII Model: 475MS
Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 ar Type: RP Size: 6 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP Size: 6 Manual: 9 Approved: 09-Sep-2010	yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kk nd higher Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 03-Jul-2015 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx 564 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2016 yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kk nd higher Manufacturer: Wilkins Orientation: VUVD	kkk,IIIII Model: 475MS Meters: Spare Parts Only: No Bypass: s,yyyy,aaaaaa,kkkkk,IIIII Model: 475MS Meters: Spare Parts Only: No Bypass: kkk,IIIII Model: 475MS Meters:

Type: RP	Manufacturer: Wilkins	Model: 475MS
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkk	<kk, < th=""></kk, <>
Notes: Serial number Q05664 a	nd higher	
Type: RP	Manufacturer: Wilkins	Model: 475MS
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Mar-2005	Renewed: 29-Mar-2017	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy	y,aaaaa,kkkkk,IIIII
Notes: Up to serial number Q05	664	
Type: RP	Manufacturer: Wilkins	Model: 475MS
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,l	111
Notes: Serial number Q05664 a	nd higher	
Type: RP	Manufacturer: Wilkins	Model: 475V
Size: 2 1/2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Jan-2002	Renewed: 24-Jan-2017	Bypass:
Shutoffs:		
(gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,pp	p,qqq,zzz,dddd,ssss,tttt,vvvv,wwww,yyyy	v,zzzz,kkkkk,ggggggg,hhhhhhh,jjjjjjj,kkkkkk,mmmr
mm,nnnnnn		
mm,nnnnnn Notes: Up to serial number Q05	664	
	664 Manufacturer: Wilkins	Model: 475V
Notes: Up to serial number Q05		Model: 475∨ Meters:
Notes: Up to serial number Q05	Manufacturer: Wilkins	

Notes: Serial number Q05664 and higher

Type: RP	Manufacturer: Wilkins	Model: 475V
Size: 3	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Jan-2002	Renewed: 24-Jan-2017	Bypass:
Shutoffs:		
(gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp mm,nnnnnn,lllll	o,qqq,zzz,dddd,ssss,tttt,vvvv,wwww,yyyy	r,zzzz,kkkkk,ggggggg,hhhhhh,jjjjjj,kkkkkk,mmmm
Notes: Up to serial number Q050	664	
Type: RP	Manufacturer: Wilkins	Model: 475V
Size: 3	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,t	ttt,vvvv,wwww,yyyy,zzzz,kkkkk,ggggggg,ł	hhhhh,jjjjjj,kkkkkk,mmmmmm,nnnnn,lllll
Notes: Serial number Q05664 an	nd higher	
Type: RP	Manufacturer: Wilkins	Model: 475V
Size: 4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Sep-2000	Renewed: 09-Sep-2015	Bypass:
Shutoffs:		
(ppp),qqq,sss,ttt,www,yyy,zzz,dd	ldd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaa	a,kkkkk,lllll,gggggg,iiiiii,jjjjjj,llllll,mmmmmm,ooooo
0		
Notes: Up to serial number Q056	564	
Type: RP	Manufacturer: Wilkins	Model: 475V
Size: 4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkł	kk,lllll,gggggg,iiiiii,jjjjjj,llllll,mmmmmm,oooooo
Notes: Serial number Q05664 an	nd higher	
Type: RP	Manufacturer: Wilkins	Model: 475V
Size: 6	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 31-May-2001	Renewed: 31-May-2016	Bypass:
Shutoffs:		
(ppp),qqq,sss,ttt,www,yyy,zzz,dd o	dd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaa	a,kkkkk,lllll,gggggg,iiiiii,jjjjjj,llllll,mmmmmm,ooooo
Notes: Up to serial number Q056	664	

Size: 6Orientation: VUVUMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 09-Sep-2010Renewed: 09-Sep-2016Bypass:Shutoffs: (ppp),qqq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll,gggggg,iiiiiii,jjjjjj,llllll,mmmmmm,ooNotes: Serial number Q05664 and higherType: RPManufacturer: WilkinsModel: 475VSize: 9Orientation: VUVUMeters:	10000
Approved: 09-Sep-2010 Renewed: 09-Sep-2016 Bypass: Shutoffs: (ppp),qqq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll,gggggg,iiiiiii,jjjjjj,llllll,mmmmmm,oo Notes: Serial number Q05664 and higher Type: RP Manufacturer: Wilkins Model: 475V	0000
Shutoffs: (ppp),qqq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll,ggggggg,iiiiiii,jjjjjj,llllll,mmmmmm,oo Notes: Serial number Q05664 and higher Type: RP Manufacturer: Wilkins Model: 475V	00000
Notes: Serial number Q05664 and higher Type: RP Manufacturer: Wilkins Model: 475V	00000
Type: RP Manufacturer: Wilkins Model: 475V	
Size: 8 Orientation: VUVU Meters:	
Manual: 9 0.25% Pb: No Spare Parts Only: No	
Approved: 08-Jun-2004 Renewed: 08-Jun-2016 Bypass:	
Shutoffs:	
(ppp), qqq, sss, ttt, www, yyy, zzz, dddd, eeee, ssss, uuuu, vvvv, xxxx, yyyy, aaaaakkkkk, lllll, gggggg, iiiiiii, jjjjjj, llllll, mmmmmr and the second s	n,00000
0	
Notes: Up to serial number Q05664	
Type: RPManufacturer: WilkinsModel: 475V	
Size: 8 Orientation: VUVU Meters:	
Manual: 9 0.25% Pb: Yes Spare Parts Only: No	
Approved: 09-Sep-2010 Renewed: 09-Sep-2016 Bypass:	
Shutoffs: (ppp),qqq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll,gggggg,iiiiiii,jjjjjj,llllll,mmmmmm,oo	0000
Notes: Serial number Q05664 and higher	
Type: RPManufacturer: WilkinsModel: 475V	
Size: 10 Orientation: VUVU Meters:	
Manual: 9 0.25% Pb: Yes Spare Parts Only: No	
Approved: 09-Sep-2010 Renewed: 09-Sep-2016 Bypass:	
Shutoffs: (ppp),qqq,sss,ttt,www,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll,ggggggg,iiiiiii,jjjjjj,llllll,mmmmmm,ooooo	O
Notes: Serial number Q05664 and higher	
Type: RP Manufacturer: Wilkins Model: 475V	
Size: 10 Orientation: VUVU Meters:	
Manual: 9 0.25% Pb: No Spare Parts Only: No	
Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 22-Nov-2004 Renewed: 22-Nov-2016 Bypass:	
Approved: 22-Nov-2004Renewed: 22-Nov-2016Bypass:	00000

Type: RP	Manufacturer: Wilkins	Model: 475VMS
Size: 2 1/2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2003	Renewed: 03-Jul-2015	Bypass:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu	u,yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvv	v,xxxx,yyyy,aaaaa,kkkkk
Notes: Up to serial number Q056	664	
Type: RP	Manufacturer: Wilkins	Model: 475VMS
Size: 2 1/2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,u	uuu,vvvv,xxxx,yyyy,aaaaa,kkkkk	
Notes: Serial number Q05664 ar	nd higher	
Type: RP	Manufacturer: Wilkins	Model: 475VMS
Size: 3	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2003	Renewed: 03-Jul-2015	Bypass:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu	u,yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvv	v,xxxx,yyyy,aaaaa,kkkkk,lllll
		v,xxxx,yyyy,aaaaa,kkkkk,IIIII
Notes: Up to serial number Q056		v,xxxx,yyyy,aaaaa,kkkkk,IIIII Model: 475VMS
Notes: Up to serial number Q056	564	
Notes: Up to serial number Q056 Type: RP Size: 3	664 Manufacturer: Wilkins	Model: 475VMS
Notes: Up to serial number Q056 Type: RP Size: 3 Manual: 9	Manufacturer: Wilkins Orientation: VUVU	Model: 475VMS Meters:
Notes: Up to serial number Q056 Type: RP Size: 3 Manual: 9 Approved: 09-Sep-2010	Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes	Model: 475VMS Meters: Spare Parts Only: No
Notes: Up to serial number Q056 Type: RP Size: 3 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss,u	Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 09-Sep-2016	Model: 475VMS Meters: Spare Parts Only: No
Notes: Up to serial number Q056 Type: RP Size: 3 Manual: 9 Approved: 09-Sep-2010	Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 09-Sep-2016	Model: 475VMS Meters: Spare Parts Only: No
Notes: Up to serial number Q056 Type: RP Size: 3 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss,u Notes: Serial number Q05664 ar	Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 09-Sep-2016 uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll nd higher	Model: 475∨MS Meters: Spare Parts Only: No Bypass:
Notes: Up to serial number Q056 Type: RP Size: 3 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss,u Notes: Serial number Q05664 ar Type: RP Size: 4	Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 09-Sep-2016 Juuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll nd higher Manufacturer: Wilkins	Model: 475VMS Meters: Spare Parts Only: No Bypass: Model: 475VMS
Notes: Up to serial number Q056 Type: RP Size: 3 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss,u Notes: Serial number Q05664 ar Type: RP Size: 4 Manual: 9	Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 09-Sep-2016 uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll nd higher Manufacturer: Wilkins Orientation: VUVU	Model: 475VMS Meters: Spare Parts Only: No Bypass: Model: 475VMS Meters:
Notes: Up to serial number Q056 Type: RP Size: 3 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss,u Notes: Serial number Q05664 ar Type: RP Size: 4 Manual: 9 Approved: 03-Jul-2003	Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 09-Sep-2016 Juuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,IIIII nd higher Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No	Model: 475VMS Meters: Spare Parts Only: No Bypass: Model: 475VMS Meters: Spare Parts Only: No Bypass:
Notes: Up to serial number Q056 Type: RP Size: 3 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss,u Notes: Serial number Q05664 ar Type: RP Size: 4 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,sss,ttt,www,	Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 09-Sep-2016 Juuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll nd higher Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 03-Jul-2015 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	Model: 475VMS Meters: Spare Parts Only: No Bypass: Model: 475VMS Meters: Spare Parts Only: No Bypass:
Notes: Up to serial number Q056 Type: RP Size: 3 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss,u Notes: Serial number Q05664 ar Type: RP Size: 4 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,sss,ttt,www,; Notes: Up to serial number Q056	Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 09-Sep-2016 Juuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll nd higher Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 03-Jul-2015 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	Model: 475VMS Meters: Spare Parts Only: No Bypass: Model: 475VMS Meters: Spare Parts Only: No Bypass:
Notes: Up to serial number Q056 Type: RP Size: 3 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss,u Notes: Serial number Q05664 ar Type: RP Size: 4 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP	Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 09-Sep-2016 uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,IIIII nd higher Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 03-Jul-2015 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	Model: 475VMS Meters: Spare Parts Only: No Bypass: Model: 475VMS Meters: Spare Parts Only: No Bypass: ,yyyy,aaaaa,kkkkk,llll
Notes: Up to serial number Q056 Type: RP Size: 3 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss,u Notes: Serial number Q05664 ar Type: RP Size: 4 Manual: 9 Approved: 03-Jul-2003	Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 09-Sep-2016 Juuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,IIIII nd higher Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 03-Jul-2015 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx 664 Manufacturer: Wilkins	Model: 475VMS Meters: Spare Parts Only: No Bypass: Model: 475VMS Meters: Spare Parts Only: No Bypass: ,yyyy,aaaaa,kkkkk,IIIII Model: 475VMS
Notes: Up to serial number Q056 Type: RP Size: 3 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss,u Notes: Serial number Q05664 ar Type: RP Size: 4 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP Size: 4	Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 09-Sep-2016 uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,IIIII nd higher Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 03-Jul-2015 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx 664 Manufacturer: Wilkins Orientation: VUVU	Model: 475VMS Meters: Spare Parts Only: No Bypass: Model: 475VMS Meters: Spare Parts Only: No Bypass: ,yyyy,aaaaaa,kkkkk,IIIII Model: 475VMS Meters:

Type: RP	Manufacturer: Wilkins	Model: 475VMS
Size: 6	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2003	Renewed: 03-Jul-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	s,yyyy,aaaaa,kkkkk,IIIII
Notes: Up to serial number Q05	664	
Type: RP	Manufacturer: Wilkins	Model: 475VMS
Size: 6	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkl	kkk,IIIII
Notes: Serial number Q05664 a	nd higher	
Type: RP	Manufacturer: Wilkins	Model: 475VMS
Size: 8	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2003	Renewed: 03-Jul-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	x,yyyy,aaaaa,kkkkk,IIIII
Notes: Up to serial number Q05	664	
Type: RP	Manufacturer: Wilkins	Model: 475VMS
Size: 8	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkl	kkk,IIIII
Notes: Serial number Q05664 an	nd higher	
Type: RP	Manufacturer: Wilkins	Model: 475VMS
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Mar-2005	Renewed: 29-Mar-2017	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy	y,aaaaa,kkkkk,IIIII
Notes: Up to serial number Q05	664	
Type: RP	Manufacturer: Wilkins	Model: 475VMS
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:
	,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,l	
Notes: Serial number Q05664 and	nd higher	

Type: RP	Manufacturer: Wilkins	Model: 475XL	
Size: 2 1/2	Orientation: VUVD	Meters:	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:	
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	zzz,dddd		
Type: RP	Manufacturer: Wilkins	Model: 475XL	
Size: 2 1/2	Orientation: VUVD	Meters:	
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:	
Shutoffs: (gg),hh,ppp,qqq,ssss,	uuuu,vvvv,xxxx,yyyy,aaaaa		
Type: RP	Manufacturer: Wilkins	Model: 475XL	
Size: 3	Orientation: VUVD	Meters:	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:	
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	zzz,dddd		
Type: RP	Manufacturer: Wilkins	Model: 475XL	
Size: 3	Orientation: VUVD	Meters:	
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:	
Shutoffs: (gg),hh,ppp,qqq,ssss,	uuuu,vvvv,xxxx,yyyy,aaaaa		
Type: RP	Manufacturer: Wilkins	Model: 475XL	
Size: 4	Orientation: VUVD	Meters:	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:	
Shutoffs: zzz,dddd,eeee			
Type: RP	Manufacturer: Wilkins	Model: 475XL	
Size: 4	Orientation: VUVD	Meters:	
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:	
Shutoffs: (ppp),qqq,sss,ttt,www	,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa		
Type: RP	Manufacturer: Wilkins	Model: 475XL	
Size: 6	Orientation: VUVD	Meters:	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:	
A A B A A A A A A A A A A			

Shutoffs: zzz,dddd,eeee

Type: RP	Manufacturer: Wilkins	Model: 475XL
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: RP	Manufacturer: Wilkins	Model: 475XL
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: zzz,dddd,eeee		
Type: RP	Manufacturer: Wilkins	Model: 475XL
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: ppp,qqq,sss,ttt,www,y	yy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: RP	Manufacturer: Wilkins	Model: 475XL
Size: 10	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: zzz,dddd,eeee		
Type: RP	Manufacturer: Wilkins	Model: 475XL
Size: 10	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: ppp,qqq,sss,ttt,www,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: RP	Manufacturer: Wilkins	Model: 475XLMS
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	zzz,dddd	
Type: RP	Manufacturer: Wilkins	Model: 475XLMS
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:

Type: RP	Manufacturer: Wilkins	Model: 475XLMS
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	zzz,dddd	
Type: RP	Manufacturer: Wilkins	Model: 475XLMS
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,	uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: RP	Manufacturer: Wilkins	Model: 475XLMS
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: zzz,dddd,eeee		
Type: RP	Manufacturer: Wilkins	Model: 475XLMS
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: RP	Manufacturer: Wilkins	Model: 475XLMS
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,	uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: RP	Manufacturer: Wilkins	Model: 475XLMS
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: RP	Manufacturer: Wilkins	Model: 475XLMS
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:

Shutoffs: zzz,dddd,eeee

Type: RP	Manufacturer: Wilkins	Model: 475XLMS
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: ppp,qqq,sss,ttt,www,y	yy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: RP	Manufacturer: Wilkins	Model: 475XLMS
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: zzz,dddd,eeee		
Type: RP	Manufacturer: Wilkins	Model: 475XLMS
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: ppp,qqq,sss,ttt,www,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: RP	Manufacturer: Wilkins	Model: 475XLV
Size: 2 1/2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	zzz,dddd	
Type: RP	Manufacturer: Wilkins	Model: 475XLV
Size: 2 1/2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,	uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: RP	Manufacturer: Wilkins	Model: 475XLV
Size: 3	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	zzz,dddd	
Type: RP	Manufacturer: Wilkins	Model: 475XLV
Size: 3	Orientation: VUVU	Meters:
	0.25% Pb: Yes	Spare Parts Only: No
Manual: 9		

Type: RP	Manufacturer: Wilkins	Model: 475XLV
Size: 4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: zzz,dddd,eeee		
Type: RP	Manufacturer: Wilkins	Model: 475XLV
Size: 4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: RP	Manufacturer: Wilkins	Model: 475XLV
Size: 6	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: zzz,dddd,eeee		
Type: RP	Manufacturer: Wilkins	Model: 475XLV
Size: 6	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: RP	Manufacturer: Wilkins	Model: 475XLV
Size: 8	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: zzz,dddd,eeee		
Type: RP	Manufacturer: Wilkins	Model: 475XLV
Size: 8	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: ppp,qqq,sss,ttt,www,y	yy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: RP	Manufacturer: Wilkins	Model: 475XLV
Size: 10	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:

Shutoffs: zzz,dddd,eeee

Type: RP	Manufacturer: Wilkins	Model: 475XLV
Size: 10	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: ppp,qqq,sss,ttt,www,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: RP	Manufacturer: Wilkins	Model: 475XLVMS
Size: 2 1/2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	zzz,dddd	
Type: RP	Manufacturer: Wilkins	Model: 475XLVMS
Size: 2 1/2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,	uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: RP	Manufacturer: Wilkins	Model: 475XLVMS
Size: 3	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	zzz,dddd	
Type: RP	Manufacturer: Wilkins	Model: 475XLVMS
Size: 3	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,	uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: RP	Manufacturer: Wilkins	Model: 475XLVMS
Size: 4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: zzz,dddd,eeee		
Type: RP	Manufacturer: Wilkins	Model: 475XLVMS
Size: 4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:

Type: RP	Manufacturer: Wilkins	Model: 475XLVMS
Size: 6	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: zzz,dddd,eeee		
Type: RP	Manufacturer: Wilkins	Model: 475XLVMS
Size: 6	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: RP	Manufacturer: Wilkins	Model: 475XLVMS
Size: 8	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: zzz,dddd,eeee		
Type: RP	Manufacturer: Wilkins	Model: 475XLVMS
Size: 8	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: ppp,qqq,sss,ttt,www,y	yy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: RP	Manufacturer: Wilkins	Model: 475XLVMS
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: zzz,dddd,eeee		
Type: RP	Manufacturer: Wilkins	Model: 475XLVMS
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: ppp,qqq,sss,ttt,www,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: RP	Manufacturer: Wilkins	Model: 575
Size: 3/4	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes

Renewed: 28-Apr-2015

Approved: 28-Apr-1976

Bypass:

Type: RP	Manufacturer: Wilkins	Model: 575
Size: 1	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 28-Apr-1976	Renewed: 28-Apr-2015	Bypass:
Type: RP	Manufacturer: Wilkins	Model: 575
Size: 2 1/2	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 25-Sep-1986	Renewed: 25-Sep-2016	Bypass:
Shutoffs: gg,ee,tt,yy		
Type: RP	Manufacturer: Wilkins	Model: 575
Size: 3	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 20-Aug-1979	Renewed: 20-Aug-2015	Bypass:
Shutoffs: gg,ee,tt,yy		
Type: RP	Manufacturer: Wilkins	Model: 575
Size: 4	Orientation: H	Meters:
Manual: 5	0.25% Pb : No	Spare Parts Only: Yes
Approved: 08-Jun-1980	Renewed: 08-Jun-2016	Bypass:
Shutoffs: gg,ee,tt,yy		
Type: RP	Manufacturer: Wilkins	Model: 575
Size: 6	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 06-Jul-1981	Renewed: 06-Jul-2017	Bypass:
Shutoffs: gg,ee,tt,yy		
Type: RP	Manufacturer: Wilkins	Model: 575 (MOD-III)
Size: 1 1/4	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Oct-1976	Renewed: 11-Oct-2015	Bypass:
Shutoffs: ii		
Type: RP	Manufacturer: Wilkins	Model: 575 (MOD-III)
Size: 1 1/2	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Oct-1976	Renewed: 11-Oct-2015	Bypass:
Shutoffs: ii		

Type: RP	Manufacturer: Wilkins	Model: 575 (MOD-III)
Size: 2	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Oct-1976	Renewed: 11-Oct-2015	Bypass:
Shutoffs: ii		
Type: RP	Manufacturer: Wilkins	Model: 575A
Size: 3/4	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 17-Apr-1987	Renewed: 17-Apr-2017	Bypass:
Shutoffs: ii		
Type: RP	Manufacturer: Wilkins	Model: 575A
Size: 1	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 17-Apr-1987	Renewed: 17-Apr-2017	Bypass:
Shutoffs: ii		
Type: RP	Manufacturer: Wilkins	Model: 575M10
Size: 10	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Jun-1983	Renewed: 01-Jun-2016	Bypass:
Shutoffs: gg,ee,tt,yy		
Notes: 6"x6"x10" manifold, form	erly MBC-10"	
Type: RP	Manufacturer: Wilkins	Model: 575M8
Size: 8	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Apr-1983	Renewed: 11-Apr-2016	Bypass:
Shutoffs: gg,ee,tt,yy		
Notes: 4"x4"x8" manifold, forme	rly MBC-8"	
Type: RP	Manufacturer: Wilkins	Model: 975
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jul-1991	Renewed: 18-Jul-2015	Bypass:

Shutoffs: ii

Type: RP	Manufacturer: Wilkins	Model: 975
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jul-1991	Renewed: 18-Jul-2015	Bypass:
Shutoffs: ii		
Type: RP	Manufacturer: Wilkins	Model: 975
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jul-1991	Renewed: 18-Jul-2015	Bypass:
Shutoffs: ii		
Type: RP	Manufacturer: Wilkins	Model: 975
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jul-1991	Renewed: 18-Jul-2015	Bypass:
Shutoffs: ii		
Type: RP	Manufacturer: Wilkins	Model: 975
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jul-1991	Renewed: 18-Jul-2015	Bypass:
Shutoffs: ii		
Type: RP	Manufacturer: Wilkins	Model: 975
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 26-Nov-1991	Renewed: 26-Nov-2015	Bypass:
Shutoffs: gg,ee,ff,hh,tt,uu,yy,zz,	ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 975
Size: 3	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Nov-1991	Renewed: 08-Nov-2015	Bypass:
Shutoffs: gg,ee,ff,hh,tt,uu,yy,zz,	ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 975
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Nov-1991	Renewed: 08-Nov-2015	Bypass:

Type: RP	Manufacturer: Wilkins	Model: 975
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Nov-1991	Renewed: 08-Nov-2015	Bypass:
Shutoffs: gg,ee,ff,hh,tt,uu,yy,zz	,ppp,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 975
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Feb-1995	Renewed: 06-Feb-2016	Bypass:
Shutoffs:		
(ppp),qqq,sss,ttt,www,yyy,zzz,do o	ddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaa	a,kkkkk,lllll,gggggg,iiiiii,jjjjjj,lllll,mmmmmm,ooooo
Type: RP	Manufacturer: Wilkins	Model: 975
Size: 10	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Feb-1995	Renewed: 06-Feb-2016	Bypass:
Shutoffs: (gg),ee,ff,hh,tt,uu,yy,z	zz,ppp,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 975A
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jul-1991	Renewed: 18-Jul-2015	Bypass:
Shutoffs: ii		
Type: RP	Manufacturer: Wilkins	Model: 975A
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jul-1991	Renewed: 18-Jul-2015	Bypass:
Shutoffs: ii		
Type: RP	Manufacturer: Wilkins	Model: 975A
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jul-1991	Renewed: 18-Jul-2015	Bypass:
Shutoffs: ii		

Type: RP	Manufacturer: Wilkins	Model: 975A
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jul-1991 Shutoffs: ii	Renewed: 18-Jul-2015	Bypass:
Type: RP	Manufacturer: Wilkins	Model: 975A
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jul-1991 Shutoffs: ii	Renewed: 18-Jul-2015	Bypass:
Type: RP	Manufacturer: Wilkins	Model: 975BMS
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Jun-1997	Renewed: 17-Jun-2015	Bypass:
Shutoffs: (gg),ee,ff,hh,tt,uu,yy,z	z,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 975BMS
Size: 3	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Jun-1997	Renewed: 17-Jun-2015	Bypass:
Shutoffs: (gg),ee,ff,hh,tt,uu,yy,z	z,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 975BMS
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb : No	Spare Parts Only: Yes
Approved: 17-Jun-1997	Renewed: 17-Jun-2015	Bypass:
Shutoffs: gg,ee,ff,hh,tt,uu,yy,zz,	ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 975BMS
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 17-Jun-1997	Renewed: 17-Jun-2015	Bypass:
Shutoffs: gg,ee,ff,hh,tt,uu,yy,zz,	ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 975BMS
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Jun-1997	Renewed: 17-Jun-2015	Bypass:

Type: RP	Manufacturer: Wilkins	Model: 975BMS
Size: 10	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Jun-1997	Renewed: 17-Jun-2015	Bypass:
Shutoffs: (gg),ee,ff,hh,tt,uu,yy,z	z,ppp,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 975MS
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 05-May-1995	Renewed: 05-May-2016	Bypass:
Shutoffs: (gg),ee,ff,hh,tt,uu,yy,z	z,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 975MS
Size: 3	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 05-May-1995	Renewed: 05-May-2016	Bypass:
Shutoffs: (gg),ee,ff,hh,tt,uu,yy,zz	z,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 975MS
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 05-May-1995	Renewed: 05-May-2016	Bypass:
Shutoffs: gg,ee,ff,hh,tt,uu,yy,zz,	ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 975MS
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 05-May-1995	Renewed: 05-May-2016	Bypass:
Shutoffs: gg,ee,ff,hh,tt,uu,yy,zz,	ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 975MS
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Dec-1996	Renewed: 05-Dec-2014	Bypass:
Shutoffs: (gg),ee,ff,hh,tt,uu,yy,zz	z,ppp,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 975MS
Size: 10	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No

Type: RP	Manufacturer: Wilkins	Model: 975XL
Size: 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Jul-1994	Renewed: 12-Jul-2015	Bypass:
Shutoffs: (ii)	Reliewed. 12-301-2013	Dypass.
	ded End or 45 degree male SAE flare	
Type: RP	Manufacturer: Wilkins	Model: 975XL
Size: 3/8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Jul-1994	Renewed: 12-Jul-2015	Bypass:
Shutoffs: (ii)		
Notes: Testcocks: Female Threa	ded End or 45 degree male SAE flare	
Type: RP	Manufacturer: Wilkins	Model: 975XL
Size: 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Jul-1994	Renewed: 12-Jul-2015	Bypass:
		Bypaco.
Shutoffs: (ii)	ded End or 45 degree male SAE flare	
Shutoffs: (ii)	ded End or 45 degree male SAE flare	
Shutoffs: (ii) Notes: Testcocks: Female Threa	ded End or 45 degree male SAE flare Manufacturer: Wilkins	Model: 975XL
Shutoffs: (ii) Notes: Testcocks: Female Threa Type: RP		Model: 975XL Meters:
Shutoffs: (ii) Notes: Testcocks: Female Threa Type: RP Size: 3/4	Manufacturer: Wilkins	
Shutoffs: (ii) Notes: Testcocks: Female Threa Type: RP Size: 3/4 Manual: 8	Manufacturer: Wilkins Orientation: H	Meters:
Shutoffs: (ii)	Manufacturer: Wilkins Orientation: H 0.25% Pb: No	Meters: Spare Parts Only: No
Shutoffs: (ii) Notes: Testcocks: Female Threa Type: RP Size: 3/4 Manual: 8 Approved: 02-Nov-1992 Shutoffs: (ii),000	Manufacturer: Wilkins Orientation: H 0.25% Pb: No	Meters: Spare Parts Only: No
Shutoffs: (ii) Notes: Testcocks: Female Threa Type: RP Size: 3/4 Manual: 8 Approved: 02-Nov-1992 Shutoffs: (ii),000 Notes: Testcocks: Female Threa	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 02-Nov-2016	Meters: Spare Parts Only: No
Shutoffs: (ii) Notes: Testcocks: Female Threa Type: RP Size: 3/4 Manual: 8 Approved: 02-Nov-1992 Shutoffs: (ii),000 Notes: Testcocks: Female Threa Type: RP	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 02-Nov-2016 ded End or 45 degree male SAE flare	Meters: Spare Parts Only: No Bypass:
Shutoffs: (ii) Notes: Testcocks: Female Threa Type: RP Size: 3/4 Manual: 8 Approved: 02-Nov-1992 Shutoffs: (ii),000 Notes: Testcocks: Female Threa Type: RP Size: 1	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 02-Nov-2016 ded End or 45 degree male SAE flare Manufacturer: Wilkins	Meters: Spare Parts Only: No Bypass: Model: 975XL
Shutoffs: (ii) Notes: Testcocks: Female Threa Type: RP Size: 3/4 Manual: 8 Approved: 02-Nov-1992 Shutoffs: (ii),000 Notes: Testcocks: Female Threa Type: RP Size: 1 Manual: 8	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 02-Nov-2016 ded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H	Meters: Spare Parts Only: No Bypass: Model: 975XL Meters:
Shutoffs: (ii) Notes: Testcocks: Female Threa Type: RP Size: 3/4 Manual: 8 Approved: 02-Nov-1992 Shutoffs: (ii),000	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 02-Nov-2016 ded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: No	Meters: Spare Parts Only: No Bypass: Model: 975XL Meters: Spare Parts Only: No
Shutoffs: (ii) Notes: Testcocks: Female Threa Type: RP Size: 3/4 Manual: 8 Approved: 02-Nov-1992 Shutoffs: (ii),000 Notes: Testcocks: Female Threa Type: RP Size: 1 Manual: 8 Approved: 02-Nov-1992 Shutoffs: (ii),000	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 02-Nov-2016 ded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: No	Meters: Spare Parts Only: No Bypass: Model: 975XL Meters: Spare Parts Only: No
Shutoffs: (ii) Notes: Testcocks: Female Threa Type: RP Size: 3/4 Manual: 8 Approved: 02-Nov-1992 Shutoffs: (ii),000 Notes: Testcocks: Female Threa Type: RP Size: 1 Manual: 8 Approved: 02-Nov-1992 Shutoffs: (ii),000 Notes: Testcocks: Female Threa	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 02-Nov-2016 ded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 02-Nov-2016 ded End or 45 degree male SAE flare	Meters: Spare Parts Only: No Bypass: Model: 975XL Meters: Spare Parts Only: No Bypass:
Shutoffs: (ii) Notes: Testcocks: Female Threa Type: RP Size: 3/4 Manual: 8 Approved: 02-Nov-1992 Shutoffs: (ii),000 Notes: Testcocks: Female Threa Type: RP Size: 1 Manual: 8 Approved: 02-Nov-1992 Shutoffs: (ii),000 Notes: Testcocks: Female Threa Type: RP	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 02-Nov-2016 ded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 02-Nov-2016 ded End or 45 degree male SAE flare Manufacturer: Wilkins	Meters: Spare Parts Only: No Bypass: Model: 975XL Meters: Spare Parts Only: No Bypass: Model: 975XL
Shutoffs: (ii) Notes: Testcocks: Female Threa Type: RP Size: 3/4 Manual: 8 Approved: 02-Nov-1992 Shutoffs: (ii),000 Notes: Testcocks: Female Threa Type: RP Size: 1 Manual: 8 Approved: 02-Nov-1992 Shutoffs: (ii),000 Notes: Testcocks: Female Threa Type: RP Size: 1 1/4	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 02-Nov-2016 ded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 02-Nov-2016 ded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H	Meters: Spare Parts Only: No Bypass: Model: 975XL Meters: Spare Parts Only: No Bypass: Model: 975XL Meters: Model: 975XL
Shutoffs: (ii) Notes: Testcocks: Female Threa Type: RP Size: 3/4 Manual: 8 Approved: 02-Nov-1992 Shutoffs: (ii),000 Notes: Testcocks: Female Threa Type: RP Size: 1 Manual: 8 Approved: 02-Nov-1992 Shutoffs: (ii),000 Notes: Testcocks: Female Threa Type: RP	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 02-Nov-2016 ded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 02-Nov-2016 ded End or 45 degree male SAE flare Manufacturer: Wilkins	Meters: Spare Parts Only: No Bypass: Model: 975XL Meters: Spare Parts Only: No Bypass: Model: 975XL

Type: RP
Size: 1 1/2
Manual: 8
Approved: 02-Nov-1992
Shutoffs: (ii),000

Type: RP

Manual: 8

Size: 2

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 02-Nov-2016

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 02-Nov-2016

Approved: 02-Nov-1992 Shutoffs: (ii),bbb,ooo,bbbbb,ccccc

Type: RP Manufacturer: Wilkins Size: 1/4 Orientation: H 0.25% Pb: Yes Manual: 8 Approved: 01-Oct-2009 Renewed: 01-Oct-2015 Shutoffs: (iiii) Notes: Testcocks: Female Threaded End or 45 degree male SAE flare

Manufacturer: Wilkins

Renewed: 01-Oct-2015

Orientation: H

0.25% Pb: Yes

Type: RP Size: 3/8 Manual: 8 Approved: 01-Oct-2009 Shutoffs: (iiii) Notes: Testcocks: Female Threaded End or 45 degree male SAE flare

Type: RP Manufacturer: Wilkins Size: 1/2 Orientation: H Manual: 8 0.25% Pb: Yes Approved: 01-Oct-2009 Renewed: 01-Oct-2015 Shutoffs: (iiii) Notes: Testcocks: Female Threaded End or 45 degree male SAE flare

Type: RP Size: 3/4 Manual: 8 Approved: 29-Jul-2009 Shutoffs: (iiii) Notes: Testcocks: Female Threaded End or 45 degree male SAE flare

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 29-Jul-2015 Model: 975XL2 Meters: Spare Parts Only: No Bypass:

Model: 975XL Meters: Spare Parts Only: No Bypass:

Model: 975XL Meters: Spare Parts Only: No Bypass:

Model: 975XL2 Meters: Spare Parts Only: No Bypass:

Model: 975XL2 Meters: Spare Parts Only: No **Bypass:**

Model: 975XL2

Spare Parts Only: No

Meters:

Bypass:

2017 © University of Southern California

Type: RP	Manufacturer: Wilkins	Model: 975XL2
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb : Yes	Spare Parts Only: No
Approved: 29-Jul-2009	Renewed: 29-Jul-2015	Bypass:
Shutoffs: (iiii)		
Notes: Testcocks: Female Threa	aded End or 45 degree male SAE flare	
Type: RP	Manufacturer: Wilkins	Model: 975XL2
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 21-Aug-2009	Renewed: 21-Aug-2015	Bypass:
Shutoffs: (iiii)		
Type: RP	Manufacturer: Wilkins	Model: 975XL2
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 21-Aug-2009	Renewed: 21-Aug-2015	Bypass:
Shutoffs: (iiii)		
Type: RP	Manufacturer: Wilkins	Model: 975XL2
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 21-Aug-2009	Renewed: 21-Aug-2015	Bypass:
Shutoffs: (iiii)		
Type: RP	Manufacturer: Wilkins	Model: 975XL2BMS
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:
Shutoffs: (iiii)		
Type: RP	Manufacturer: Wilkins	Model: 975XL2BMS
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:
Shutoffs: (iiii)		

Type: RP Size: 1 1/4 Manual: 8 Approved: 09-Sep-2010 Shutoffs: (iiii)

Type: RP Size: 1 1/2 Manual: 8 Approved: 09-Sep-2010 Shutoffs: (iiii)

Type: RP Size: 2 Manual: 8 Approved: 09-Sep-2010 Shutoffs: (iiii)

Type: RP Size: 3/4 Manual: 8 Approved: 09-Sep-2010 Shutoffs: (iiii) Notes: Testcocks: Female Threaded End or 45 degree male SAE flare

Type: RP Manufacturer: Wilkins Size: 1 Orientation: H 0.25% Pb: Yes Manual: 8 Approved: 09-Sep-2010 Renewed: 09-Sep-2016 Shutoffs: (iiii) Notes: Testcocks: Female Threaded End or 45 degree male SAE flare

Type: RP Size: 1 1/4 Manual: 8 Approved: 09-Sep-2010 Shutoffs: (iiii)

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2016

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2016

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2016

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2016

Model: 975XL2BMS Meters: Spare Parts Only: No Bypass:

Model: 975XL2BMS Meters: Spare Parts Only: No Bypass:

Model: 975XL2BMS Meters: Spare Parts Only: No Bypass:

Model: 975XL2MS Meters: Spare Parts Only: No Bypass:

Model: 975XL2MS Meters: Spare Parts Only: No Bypass:

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2016 Model: 975XL2MS Meters: Spare Parts Only: No Bypass:

Type: RP
Size: 1 1/2
Manual: 8
Approved: 09-Sep-2010
Shutoffs: (iiii)

Approved: 09-Sep-2010

Approved: 22-Feb-2011

Type: RP

Manual: 8

Type: RP

Size: 3/4

Manual: 9

Shutoffs: (iiii)

Shutoffs: (iiii)

Size: 2

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2016

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2016

Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 22-Feb-2017 Model: 975XL2MS Meters: Spare Parts Only: No Bypass:

Model: 975XL2MS Meters: Spare Parts Only: No Bypass:

Model: 975XL2SE Meters: Spare Parts Only: No Bypass:

Model: 975XL2SE

Spare Parts Only: No

Meters:

Bypass:

Type: RPManufacturer: WilkinsSize: 3/4Orientation: VUVUManual: 90.25% Pb: YesApproved: 22-Feb-2011Renewed: 22-Feb-2017Shutoffs: (iiii)Shutoffs: (iiii)Notes: Testcocks: Female Threaded End or 45 degree male SAE flare

Type: RPManufacturer: WilkinsSize: 1Orientation: VUVDManual: 90.25% Pb: YesApproved: 22-Feb-2011Renewed: 22-Feb-2017Shutoffs: (iiii)Notes: Testcocks: Female Threaded End or 45 degree male SAE flare

Notes: Testcocks: Female Threaded End or 45 degree male SAE flare

Model: 975XL2SE Meters: Spare Parts Only: No Bypass:

Type: RP Size: 1 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (iiii) Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 22-Feb-2017

Model: 975XL2SE Meters: Spare Parts Only: No Bypass:

Notes: Testcocks: Female Threaded End or 45 degree male SAE flare

Type: RP Size: 1 1/4 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (iiii)

Type: RP Size: 1 1/4 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (iiii)

Type: RP Size: 1 1/2 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (iiii)

Type: RP Size: 1 1/2 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (iiii)

Type: RP Size: 2 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (iiii)

Type: RP Size: 2 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (iiii) Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 22-Feb-2017

Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 22-Feb-2017

Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 22-Feb-2017

Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 22-Feb-2017

Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 22-Feb-2017

Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 22-Feb-2017 Model: 975XL2SE Meters: Spare Parts Only: No Bypass:

Type: RP	Manufacturer: Wilkins	Model: 975XL2SEU
Size: 3/4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 29-Mar-2011	Renewed: 29-Mar-2017	Bypass:
Shutoffs: (mmmmm)		
Notes: Testcocks: Female Threa	aded End or 45 degree male SAE flare	
Type: RP	Manufacturer: Wilkins	Model: 975XL2SEU
Size: 3/4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 29-Mar-2011	Renewed: 29-Mar-2017	Bypass:
Shutoffs: (mmmmm)		
Notes: Testcocks: Female Threa	aded End or 45 degree male SAE flare	
Type: RP	Manufacturer: Wilkins	Model: 975XL2SEU
Size: 1	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 29-Mar-2011	Renewed: 29-Mar-2017	Bypass:
Shutoffs: (mmmmm)		
Notes: Testcocks: Female Threa	aded End or 45 degree male SAE flare	
Type: RP	Manufacturer: Wilkins	Model: 975XL2SEU
Type: RP Size: 1	Manufacturer: Wilkins Orientation: VUVU	Model: 975XL2SEU Meters:
Size: 1	Orientation: VUVU	Meters:
Size: 1 Manual: 9	Orientation: VUVU 0.25% Pb: Yes	Meters: Spare Parts Only: No
Size: 1 Manual: 9 Approved: 29-Mar-2011 Shutoffs: (mmmmm)	Orientation: VUVU 0.25% Pb: Yes	Meters: Spare Parts Only: No
Size: 1 Manual: 9 Approved: 29-Mar-2011 Shutoffs: (mmmmm)	Orientation: VUVU 0.25% Pb: Yes Renewed: 29-Mar-2017	Meters: Spare Parts Only: No
Size: 1 Manual: 9 Approved: 29-Mar-2011 Shutoffs: (mmmmm) Notes: Testcocks: Female Threa	Orientation: VUVU 0.25% Pb: Yes Renewed: 29-Mar-2017 aded End or 45 degree male SAE flare	Meters: Spare Parts Only: No Bypass:
Size: 1 Manual: 9 Approved: 29-Mar-2011 Shutoffs: (mmmmm) Notes: Testcocks: Female Threa Type: RP	Orientation: VUVU 0.25% Pb: Yes Renewed: 29-Mar-2017 aded End or 45 degree male SAE flare Manufacturer: Wilkins	Meters: Spare Parts Only: No Bypass: Model: 975XL2SEU
Size: 1 Manual: 9 Approved: 29-Mar-2011 Shutoffs: (mmmmm) Notes: Testcocks: Female Threa Type: RP Size: 1 1/4	Orientation: VUVU 0.25% Pb: Yes Renewed: 29-Mar-2017 aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: VUVD	Meters: Spare Parts Only: No Bypass: Model: 975XL2SEU Meters:
Size: 1 Manual: 9 Approved: 29-Mar-2011 Shutoffs: (mmmmm) Notes: Testcocks: Female Threa Type: RP Size: 1 1/4 Manual: 9	Orientation: VUVU 0.25% Pb: Yes Renewed: 29-Mar-2017 aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes	Meters: Spare Parts Only: No Bypass: Model: 975XL2SEU Meters: Spare Parts Only: No
Size: 1 Manual: 9 Approved: 29-Mar-2011 Shutoffs: (mmmm) Notes: Testcocks: Female Threa Type: RP Size: 1 1/4 Manual: 9 Approved: 22-Feb-2011	Orientation: VUVU 0.25% Pb: Yes Renewed: 29-Mar-2017 aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes	Meters: Spare Parts Only: No Bypass: Model: 975XL2SEU Meters: Spare Parts Only: No
Size: 1 Manual: 9 Approved: 29-Mar-2011 Shutoffs: (mmmm) Notes: Testcocks: Female Threa Type: RP Size: 1 1/4 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (mmmm)	Orientation: VUVU 0.25% Pb: Yes Renewed: 29-Mar-2017 aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 22-Feb-2017	Meters: Spare Parts Only: No Bypass: Model: 975XL2SEU Meters: Spare Parts Only: No Bypass:
Size: 1 Manual: 9 Approved: 29-Mar-2011 Shutoffs: (mmmm) Notes: Testcocks: Female Threa Type: RP Size: 1 1/4 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (mmmm) Type: RP	Orientation: VUVU 0.25% Pb: Yes Renewed: 29-Mar-2017 aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 22-Feb-2017 Manufacturer: Wilkins	Meters: Spare Parts Only: No Bypass: Model: 975XL2SEU Meters: Spare Parts Only: No Bypass: Model: 975XL2SEU
Size: 1 Manual: 9 Approved: 29-Mar-2011 Shutoffs: (mmmm) Notes: Testcocks: Female Threa Type: RP Size: 1 1/4 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (mmmm) Type: RP Size: 1 1/4	Orientation: VUVU 0.25% Pb: Yes Renewed: 29-Mar-2017 aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 22-Feb-2017 Manufacturer: Wilkins Orientation: VUVU	Meters: Spare Parts Only: No Bypass: Model: 975XL2SEU Meters: Spare Parts Only: No Bypass: Model: 975XL2SEU Meters:

Type: RP Size: 1 1/2 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (mmmmm)

Type: RP Size: 1 1/2 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (mmmmm)

Type: RP Size: 2 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (mmmmm)

Type: RP **Size:** 2 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (mmmmm)

Type: RP Manufacturer: Wilkins Size: 1/2 Orientation: H 0.25% Pb: Yes Manual: 8 Renewed: 09-Sep-2016 Approved: 09-Sep-2010 Shutoffs: (iiii) Notes: Testcocks: Female Threaded End or 45 degree male SAE flare

Type: RP Manufacturer: Wilkins Size: 3/4 Orientation: H 0.25% Pb: Yes Manual: 8 Approved: 09-Sep-2010 Renewed: 09-Sep-2016

Shutoffs: (iiii)

Notes: Testcocks: Female Threaded End or 45 degree male SAE flare

Manufacturer: Wilkins **Orientation: VUVD** 0.25% Pb: Yes Renewed: 22-Feb-2017

Manufacturer: Wilkins **Orientation: VUVU** 0.25% Pb: Yes Renewed: 22-Feb-2017

Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 22-Feb-2017

Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 22-Feb-2017

Model: 975XL2SEU Meters: Spare Parts Only: No Bypass:

Model: 975XL2TCU Meters: Spare Parts Only: No **Bypass:**

Model: 975XL2TCU Meters: Spare Parts Only: No Bypass:

Type: RP	Manufacturer: Wilkins	Model: 975XL2TCU
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb : Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:
Shutoffs: (iiii)		
Notes: Testcocks: Female Threa	aded End or 45 degree male SAE flare	
Type: RP	Manufacturer: Wilkins	Model: 975XL2TCU
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:
Shutoffs: (iiii)		
Type: RP	Manufacturer: Wilkins	Model: 975XL2TCU
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2016	Bypass:
Shutoffs: (iiii)		
Type: RP	Manufacturer: Wilkins	Model: 975XL2TCU
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010 Shutoffs: (iiii)	Renewed: 09-Sep-2016	Bypass:
Type: RP	Manufacturer: Wilkins	Model: 975XL2U
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-Feb-2011	Renewed: 22-Feb-2017	Bypass:
Shutoffs: (mmmmm)		
Notes: Testcocks: Female Threa	aded End or 45 degree male SAE flare	
Type: RP	Manufacturer: Wilkins	Model: 975XL2U
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-Feb-2011	Renewed: 22-Feb-2017	Bypass:
Shutoffs: (mmmmm)		
Notes: Testcocks: Female Threa	aded End or 45 degree male SAE flare	

Type: RP Size: 1 1/2 Manual: 8 Approved: 22-Feb-2011 Shutoffs: (mmmm)

Approved: 22-Feb-2011

Approved: 22-Feb-2011

Shutoffs: (mmmmm)

Type: RP

Manual: 8

Type: RP

Size: 3/4

Manual: 9

Type: RP

Manual: 9

Shutoffs: (iiii)

Size: 1

Shutoffs: (iiii)

Size: 2

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 22-Feb-2017

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 22-Feb-2017

Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 22-Feb-2017 Model: 975XL2U Meters: Spare Parts Only: No Bypass:

Model: 975XL2U Meters: Spare Parts Only: No Bypass:

Model: 975XL2V Meters: Spare Parts Only: No Bypass:

Type: RPManufacturer: WilkinsSize: 3/4Orientation: VUVUManual: 90.25% Pb: YesApproved: 22-Feb-2011Renewed: 22-Feb-2017Shutoffs: (iiii)Shutoffs: Carbon SAE flare

Notes: Testcocks: Female Threaded End or 45 degree male SAE flare

Model: 975XL2V Meters: Spare Parts Only: No Bypass:

Model: 975XL2V Meters: Spare Parts Only: No Bypass:

Type: RP Size: 1 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (iiiii)

Approved: 22-Feb-2011

Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 22-Feb-2017

Manufacturer: Wilkins

Renewed: 22-Feb-2017

Orientation: VUVD

0.25% Pb: Yes

Model: 975XL2V Meters: Spare Parts Only: No Bypass:

Notes: Testcocks: Female Threaded End or 45 degree male SAE flare

Notes: Testcocks: Female Threaded End or 45 degree male SAE flare

Type: RP Size: 2 Manual: 8 Approved: 22-Feb-2011 Shutoffs: (bbbbb)

Type: RP Size: 2 Manual: 8 Approved: 22-Feb-2011 Shutoffs: (ccccc)

Type: RP Size: 3/4 Manual: 8 Approved: 09-May-1997 Shutoffs: (ii),000

Type: RP Size: 1 Manual: 8 Approved: 09-May-1997 Shutoffs: (ii),000

Type: RP Size: 1 1/4 Manual: 8 Approved: 09-May-1997 Shutoffs: (ii),000

Type: RP Size: 1 1/2 Manual: 8 Approved: 09-May-1997 Shutoffs: (ii),000

Type: RP Size: 2 Manual: 8 Approved: 09-May-1997 Shutoffs: (ii),000 Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 22-Feb-2017

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 22-Feb-2017

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 09-May-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 09-May-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 09-May-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 09-May-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 09-May-2015 Model: 975XLBF Meters: Spare Parts Only: No Bypass:

Model: 975XLBFSS Meters: Spare Parts Only: No Bypass:

Model: 975XLBMS Meters: Spare Parts Only: No Bypass:

Type: RP	Manufacturer: Wilkins	Model: 975XLD
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Oct-2002	Renewed: 08-Oct-2014	Bypass:
Shutoffs: (ii),000		
Notes: Testcocks: Female Threa	aded End or 45 degree male SAE flare	
Type: RP	Manufacturer: Wilkins	Model: 975XLD
Size: 3/4	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Jul-2013	Renewed: 03-Jul-2016	Bypass:
Shutoffs: (iiii)		
Notes: Testcocks: Female Threa	aded End or 45 degree male SAE flare	
Type: RP	Manufacturer: Wilkins	Model: 975XLMS
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-1994	Renewed: 30-Aug-2015	Bypass:
Shutoffs: (ii),000		
Type: RP	Manufacturer: Wilkins	Model: 975XLMS
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-1994	Renewed: 30-Aug-2015	Bypass:
Shutoffs: (ii),000		
Type: RP	Manufacturer: Wilkins	Model: 975XLMS
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-1994	Renewed: 30-Aug-2015	Bypass:
Shutoffs: (ii),000		
Type: RP	Manufacturer: Wilkins	Model: 975XLMS
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-1994	Renewed: 30-Aug-2015	Bypass:
Shutoffs: (ii),000		

Type: RP Size: 2 Manual: 8 Approved: 30-Aug-1994 Shutoffs: (ii),000	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 30-Aug-2015	Model: 975XLMS Meters: Spare Parts Only: No Bypass:
Type: RP	Manufacturer: Wilkins	Model: 975XLSE
Size: 3/4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Oct-2000	Renewed: 16-Oct-2015	Bypass:
Shutoffs: (ii),000		
Notes: Testcocks: Female Threa	aded End or 45 degree male SAE flare	
Type: RP	Manufacturer: Wilkins	Model: 975XLSE
Size: 3/4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb : No	Spare Parts Only: No
Approved: 16-Oct-2000	Renewed: 16-Oct-2015	Bypass:
••		
Shutoffs: (ii),000		
	aded End or 45 degree male SAE flare	
	aded End or 45 degree male SAE flare Manufacturer: Wilkins	Model: 975XLSE
Notes: Testcocks: Female Threa		Model: 975XLSE Meters:
Notes: Testcocks: Female Threa Type: RP	Manufacturer: Wilkins	
Notes: Testcocks: Female Threa Type: RP Size: 1	Manufacturer: Wilkins Orientation: VUVD	Meters:
Notes: Testcocks: Female Threa Type: RP Size: 1 Manual: 9	Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No	Meters: Spare Parts Only: No
Notes: Testcocks: Female Threa Type: RP Size: 1 Manual: 9 Approved: 16-Oct-2000 Shutoffs: (ii),000	Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No	Meters: Spare Parts Only: No
Notes: Testcocks: Female Threa Type: RP Size: 1 Manual: 9 Approved: 16-Oct-2000 Shutoffs: (ii),000	Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 16-Oct-2015	Meters: Spare Parts Only: No
Notes: Testcocks: Female Threa Type: RP Size: 1 Manual: 9 Approved: 16-Oct-2000 Shutoffs: (ii),000 Notes: Testcocks: Female Threa	Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 16-Oct-2015 aded End or 45 degree male SAE flare	Meters: Spare Parts Only: No Bypass:
Notes: Testcocks: Female Threa Type: RP Size: 1 Manual: 9 Approved: 16-Oct-2000 Shutoffs: (ii),000 Notes: Testcocks: Female Threa Type: RP	Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 16-Oct-2015 aded End or 45 degree male SAE flare Manufacturer: Wilkins	Meters: Spare Parts Only: No Bypass: Model: 975XLSE Meters:
Notes: Testcocks: Female Threa Type: RP Size: 1 Manual: 9 Approved: 16-Oct-2000 Shutoffs: (ii),000 Notes: Testcocks: Female Threa Type: RP Size: 1 Manual: 9	Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 16-Oct-2015 aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: VUVU	Meters: Spare Parts Only: No Bypass: Model: 975XLSE Meters: Spare Parts Only: No
Notes: Testcocks: Female Threa Type: RP Size: 1 Manual: 9 Approved: 16-Oct-2000 Shutoffs: (ii),000 Notes: Testcocks: Female Threa Type: RP Size: 1	Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 16-Oct-2015 aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No	Meters: Spare Parts Only: No Bypass: Model: 975XLSE Meters:
Notes: Testcocks: Female Threa Type: RP Size: 1 Manual: 9 Approved: 16-Oct-2000 Shutoffs: (ii),000 Notes: Testcocks: Female Threa Type: RP Size: 1 Manual: 9 Approved: 16-Oct-2000 Shutoffs: (ii),000	Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 16-Oct-2015 aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No	Meters: Spare Parts Only: No Bypass: Model: 975XLSE Meters: Spare Parts Only: No
Notes: Testcocks: Female Threa Type: RP Size: 1 Manual: 9 Approved: 16-Oct-2000 Shutoffs: (ii),000 Notes: Testcocks: Female Threa Type: RP Size: 1 Manual: 9 Approved: 16-Oct-2000 Shutoffs: (ii),000 Notes: Testcocks: Female Threa	Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 16-Oct-2015 aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 16-Oct-2015	Meters: Spare Parts Only: No Bypass: Model: 975XLSE Meters: Spare Parts Only: No Bypass:
Notes: Testcocks: Female Threa Type: RP Size: 1 Manual: 9 Approved: 16-Oct-2000 Shutoffs: (ii),000 Notes: Testcocks: Female Threa Type: RP Size: 1 Manual: 9 Approved: 16-Oct-2000 Shutoffs: (ii),000 Notes: Testcocks: Female Threa Type: RP	Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 16-Oct-2015 aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 16-Oct-2015 aded End or 45 degree male SAE flare Manufacturer: Wilkins	Meters: Spare Parts Only: No Bypass: Model: 975XLSE Meters: Spare Parts Only: No Bypass: Model: 975XLSE
Notes: Testcocks: Female Threa Type: RP Size: 1 Manual: 9 Approved: 16-Oct-2000 Shutoffs: (ii),000 Notes: Testcocks: Female Threa Type: RP Size: 1 Manual: 9 Approved: 16-Oct-2000 Shutoffs: (ii),000 Notes: Testcocks: Female Threa Type: RP Size: 1 1/4	Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 16-Oct-2015 aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 16-Oct-2015 aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: VUVD	Meters: Spare Parts Only: No Bypass: Model: 975XLSE Meters: Spare Parts Only: No Bypass: Model: 975XLSE Meters:
Notes: Testcocks: Female Threa Type: RP Size: 1 Manual: 9 Approved: 16-Oct-2000 Shutoffs: (ii),000 Notes: Testcocks: Female Threa Type: RP Size: 1 Manual: 9 Approved: 16-Oct-2000 Shutoffs: (ii),000 Notes: Testcocks: Female Threa Type: RP	Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 16-Oct-2015 aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 16-Oct-2015 aded End or 45 degree male SAE flare Manufacturer: Wilkins	Meters: Spare Parts Only: No Bypass: Model: 975XLSE Meters: Spare Parts Only: No Bypass: Model: 975XLSE

Type: RP Size: 1 1/4 Manual: 9 Approved: 04-Nov-1999 Shutoffs: (ii),000

Type: RP Size: 1 1/2 Manual: 9 Approved: 04-Nov-1999 Shutoffs: (ii),000

Type: RP Size: 1 1/2 Manual: 9 Approved: 04-Nov-1999 Shutoffs: (ii),000

Type: RP **Size:** 2 Manual: 9 Approved: 04-Nov-1999 Shutoffs: (ii),000

Type: RP **Size:** 2 Manual: 9 Approved: 04-Nov-1999 Shutoffs: (ii).000

Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No

> Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 16-Oct-2015

Shutoffs: (ggg),xxx

Approved: 16-Oct-2000

Type: RP

Size: 3/4

Manual: 9

Notes: Testcocks: Female Threaded End or 45 degree male SAE flare

Manufacturer: Wilkins **Orientation: VUVU** 0.25% Pb: No Renewed: 04-Nov-2014

Manufacturer: Wilkins **Orientation: VUVD** 0.25% Pb: No Renewed: 04-Nov-2014

Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 04-Nov-2014

Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 04-Nov-2014

Renewed: 04-Nov-2014

Model: 975XLSE Meters: Spare Parts Only: No Bypass:

Model: 975XLSEU Meters: Spare Parts Only: No Bypass:

Type: RP	Manufacturer: Wilkins	Model: 975XLSEU	
Size: 3/4	Orientation: VUVU	Meters:	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 16-Oct-2000	Renewed: 16-Oct-2015	Bypass:	
Shutoffs: (ggg),xxx			
Notes: Testcocks: Female Threa	aded End or 45 degree male SAE flare		
Type: RP	Manufacturer: Wilkins	Model: 975XLSEU	
Size: 1	Orientation: VUVD	Meters:	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 16-Oct-2000	Renewed: 16-Oct-2015	Bypass:	
Shutoffs: (ggg),xxx			
Notes: Testcocks: Female Threa	aded End or 45 degree male SAE flare		
Type: RP	Manufacturer: Wilkins	Model: 975XLSEU	
Size: 1	Orientation: VUVU	Meters:	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 16-Oct-2000	Renewed: 16-Oct-2015	Bypass:	
	Renewed: 16-Oct-2015	Bypass:	
Approved: 16-Oct-2000 Shutoffs: (ggg),xxx	Renewed: 16-Oct-2015 aded End or 45 degree male SAE flare	Bypass:	
Approved: 16-Oct-2000 Shutoffs: (ggg),xxx Notes: Testcocks: Female Threa		Bypass: Model: 975XLSEU	
Approved: 16-Oct-2000 Shutoffs: (ggg),xxx Notes: Testcocks: Female Threa Type: RP	aded End or 45 degree male SAE flare		
Approved: 16-Oct-2000 Shutoffs: (ggg),xxx	aded End or 45 degree male SAE flare Manufacturer: Wilkins	Model: 975XLSEU	
Approved: 16-Oct-2000 Shutoffs: (ggg),xxx Notes: Testcocks: Female Threa Type: RP Size: 1 1/4	aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: VUVD	Model: 975XLSEU Meters:	
Approved: 16-Oct-2000 Shutoffs: (ggg),xxx Notes: Testcocks: Female Threa Type: RP Size: 1 1/4 Manual: 9	aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No	Model: 975XLSEU Meters: Spare Parts Only: No	
Approved: 16-Oct-2000 Shutoffs: (ggg),xxx Notes: Testcocks: Female Threa Type: RP Size: 1 1/4 Manual: 9 Approved: 27-Mar-2000 Shutoffs: (ggg),xxx	aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No	Model: 975XLSEU Meters: Spare Parts Only: No	
Approved: 16-Oct-2000 Shutoffs: (ggg),xxx Notes: Testcocks: Female Threa Type: RP Size: 1 1/4 Manual: 9 Approved: 27-Mar-2000 Shutoffs: (ggg),xxx Type: RP	aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 27-Mar-2015	Model: 975XLSEU Meters: Spare Parts Only: No Bypass:	
Approved: 16-Oct-2000 Shutoffs: (ggg),xxx Notes: Testcocks: Female Threa Type: RP Size: 1 1/4 Manual: 9 Approved: 27-Mar-2000 Shutoffs: (ggg),xxx Type: RP Size: 1 1/4	Aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 27-Mar-2015 Manufacturer: Wilkins	Model: 975XLSEU Meters: Spare Parts Only: No Bypass: Model: 975XLSEU	
Approved: 16-Oct-2000 Shutoffs: (ggg),xxx Notes: Testcocks: Female Threa Type: RP Size: 1 1/4 Manual: 9 Approved: 27-Mar-2000 Shutoffs: (ggg),xxx Type: RP Size: 1 1/4 Manual: 9	Aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 27-Mar-2015 Manufacturer: Wilkins Orientation: VUVU	Model: 975XLSEU Meters: Spare Parts Only: No Bypass: Model: 975XLSEU Meters:	
Approved: 16-Oct-2000 Shutoffs: (ggg),xxx Notes: Testcocks: Female Threa Type: RP Size: 1 1/4 Manual: 9 Approved: 27-Mar-2000	Aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 27-Mar-2015 Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No	Model: 975XLSEU Meters: Spare Parts Only: No Bypass: Model: 975XLSEU Meters: Spare Parts Only: No	
Approved: 16-Oct-2000 Shutoffs: (ggg),xxx Notes: Testcocks: Female Threa Type: RP Size: 1 1/4 Manual: 9 Approved: 27-Mar-2000 Shutoffs: (ggg),xxx Type: RP Size: 1 1/4 Manual: 9 Approved: 27-Mar-2000 Shutoffs: (ggg),xxx	Aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 27-Mar-2015 Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No	Model: 975XLSEU Meters: Spare Parts Only: No Bypass: Model: 975XLSEU Meters: Spare Parts Only: No	
Approved: 16-Oct-2000 Shutoffs: (ggg),xxx Notes: Testcocks: Female Threa Type: RP Size: 1 1/4 Manual: 9 Approved: 27-Mar-2000 Shutoffs: (ggg),xxx Type: RP Size: 1 1/4 Manual: 9 Approved: 27-Mar-2000 Shutoffs: (ggg),xxx Type: RP	aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 27-Mar-2015 Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 27-Mar-2015	Model: 975XLSEU Meters: Spare Parts Only: No Bypass: Model: 975XLSEU Meters: Spare Parts Only: No Bypass:	
Approved: 16-Oct-2000 Shutoffs: (ggg),xxx Notes: Testcocks: Female Threa Type: RP Size: 1 1/4 Manual: 9 Approved: 27-Mar-2000 Shutoffs: (ggg),xxx Type: RP Size: 1 1/4 Manual: 9 Approved: 27-Mar-2000 Shutoffs: (ggg),xxx Type: RP Size: 1 1/4 Manual: 9 Approved: 27-Mar-2000	Aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 27-Mar-2015 Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 27-Mar-2015 Manufacturer: Wilkins	Model: 975XLSEU Meters: Spare Parts Only: No Bypass: Model: 975XLSEU Meters: Spare Parts Only: No Bypass: Model: 975XLSEU	
Approved: 16-Oct-2000 Shutoffs: (ggg),xxx Notes: Testcocks: Female Threa Type: RP Size: 1 1/4 Manual: 9 Approved: 27-Mar-2000 Shutoffs: (ggg),xxx Type: RP Size: 1 1/4 Manual: 9 Approved: 27-Mar-2000	Aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 27-Mar-2015 Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 27-Mar-2015 Manufacturer: Wilkins Orientation: VUVD	Model: 975XLSEU Meters: Spare Parts Only: No Bypass: Model: 975XLSEU Meters: Spare Parts Only: No Bypass: Model: 975XLSEU Meters:	

Type: RPManSize: 1 1/2OrieManual: 90.25Approved: 27-Mar-2000RenShutoffs: (ggg),xxxType: RPMan

Size: 2 Manual: 9 Approved: 27-Mar-2000 Shutoffs: (ggg),xxx

Type: RP Size: 2 Manual: 9 Approved: 27-Mar-2000 Shutoffs: (ggg),xxx

Type: RP Size: 3/8 Manual: 9 Approved: 19-Nov-2002 Shutoffs: (ggggg)

Type: RP Size: 1/2 Manual: 9 Approved: 19-Nov-2002 Shutoffs: (ggggg)

Type: RP Size: 1/2 Manual: 8 Approved: 05-Apr-2007 Shutoffs: (ii),000

Notes: Testcocks: Female Threaded End or 45 degree male SAE flare

Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 27-Mar-2015

Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 27-Mar-2015

Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 27-Mar-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 19-Nov-2014

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 19-Nov-2014

Manufacturer: Wilkins

Renewed: 05-Apr-2016

Orientation: H

0.25% Pb: No

Model: 975XLSEU Meters: Spare Parts Only: No Bypass:

Model: 975XLSEU Meters: Spare Parts Only: No Bypass:

Model: 975XLSEU Meters: Spare Parts Only: No Bypass:

Model: 975XLST Meters: Spare Parts Only: No Bypass:

Model: 975XLST Meters: Spare Parts Only: No Bypass:

Model: 975XLTCU Meters: Spare Parts Only: No Bypass:

Type: RP	Manufacturer: Wilkins	Model: 975XLTCU
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Jun-2006	Renewed: 27-Jun-2015	Bypass:
Shutoffs: (ii),000,xxx		
Notes: Testcocks: Female Threa	aded End or 45 degree male SAE flare	
Type: RP	Manufacturer: Wilkins	Model: 975XLTCU
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Jun-2006	Renewed: 27-Jun-2015	Bypass:
Shutoffs: (ii),000,xxx		
Notes: Testcocks: Female Threa	aded End or 45 degree male SAE flare	
Type: RP	Manufacturer: Wilkins	Model: 975XLTCU
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Jun-2006	Renewed: 27-Jun-2015	Bypass:
Shutoffs: (ii),000,xxx		
Type: RP	Manufacturer: Wilkins	Model: 975XLTCU
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Jun-2006	Renewed: 27-Jun-2015	Bypass:
Shutoffs: (ii),000,xxx		
Type: RP	Manufacturer: Wilkins	Model: 975XLTCU
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Jun-2006	Renewed: 27-Jun-2015	Bypass:
Shutoffs: (ii),000,xxx		
Type: RP	Manufacturer: Wilkins	Model: 975XLU
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 02-Sep-1993	Renewed: 02-Sep-2014	Bypass:

Type: RP	Manufacturer: Wilkins	Model: 975XLU
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb : No	Spare Parts Only: No
Approved: 02-Sep-1993	Renewed: 02-Sep-2014	Bypass:
Shutoffs: (ggg),xxx		
Notes: Testcocks: Female Threa	aded End or 45 degree male SAE flare	
Type: RP	Manufacturer: Wilkins	Model: 975XLU
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 02-Sep-1993	Renewed: 02-Sep-2014	Bypass:
Shutoffs: (ggg),xxx		
Type: RP	Manufacturer: Wilkins	Model: 975XLU
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 02-Sep-1993	Renewed: 02-Sep-2014	Bypass:
Shutoffs: (ggg),xxx		
Type: RP	Manufacturer: Wilkins	Model: 975XLV
Size: 3/4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Jan-2001	Renewed: 07-Jan-2016	Bypass:
Shutoffs: (ii),000		
Type: RP	Manufacturer: Wilkins	Model: 975XLV
Size: 3/4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Jan-2001	Renewed: 07-Jan-2016	Bypass:
Shutoffs: (ii),000		
Type: RP	Manufacturer: Wilkins	Model: 975XLV
Size: 1	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Jan-2001	Renewed: 07-Jan-2016	Bypass:
Shutoffs: (ii),000		

Type. IN		
Size: 1	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Jan-2001	Renewed: 07-Jan-2016	Bypass:
Shutoffs: (ii),000		
Type: RP	Manufacturer: Wilkins	Model: MBC-10"
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: 6"x6"x10" manifold, Mode	el designation changed to 575M10	
Type: RP	Manufacturer: Wilkins	Model: MBC-8"
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: 6"x6"x10" manifold,Mode	I designation changed to 575M8	
Type: RPDA	Manufacturer: Ames	Model: 5000
Size: 4	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb : No	Spare Parts Only: No
Approved: 28-Dec-1989	Renewed: 20-Dec-2016	Bypass: Conbraco 4020402 3/4 (H)
Shutoffs: (uu),ee,ff,gg,hh,ll,mm,		
Type: RPDA	Manufacturer: Ames	Model: 5000
Size: 6	Orientation: H	Meters: (K),A,B,C,D,E,F,G,H,I,J,L,M,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 28-Dec-1989	Renewed: 20-Dec-2016	Bypass: Conbraco 4020402 3/4 (H)
Shutoffs: (uu),ee,ff,gg,hh,ll,mm,	oo,pp,tt,ccc,ddd,ffff,gggg	
Type: RPDA	Manufacturer: Ames	Model: 5000
Size : 8	Orientation: H	Meters: (K),A,B,C,D,E,F,G,H,I,J,L,M,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Jul-1989	Renewed: 01-Jul-2016	Bypass: Conbraco 4020402 3/4 (H)
••		

Manufacturer: Wilkins

Model: 975XLV

Type: RP

Type: RPDA

 Size: 10
 Orientation: H

 Manual: 8
 0.25% Pb: No

 Approved: 19-Mar-1990
 Renewed: 19-Mar-2017

 Shutoffs: uu,ee,ff,gg,hh,ll,mm,oo,pp,tt,ccc,ddd,ffff,gggg

Type: RPDA Size: 2 1/2 Manual: 8

Approved: 07-Jul-2000 Shutoffs: (pp),hh,mm,uu Manufacturer: Ames

Manufacturer: Ames

Orientation: H 0.25% Pb: No Renewed: 07-Jul-2015

Manufacturer: Ames

Renewed: 07-Jul-2015

Orientation: H

0.25% Pb: No

Type: RPDA

Size: 3 Manual: 8 Approved: 07-Jul-2000 Shutoffs: (pp),hh,mm,uu,eee

Type: RPDA Size: 4 Manual: 8 Approved: 07-Jul-2000 Shutoffs: (pp),hh,mm,uu,eee

Type: RPDA

Size: 6

Manual: 8 Approved: 07-Jul-2000 Shutoffs: (pp),hh,mm,uu,eee

Type: RPDA

Size: 8

Manual: 8 Approved: 07-Jul-2000 Shutoffs: (pp),hh,mm,uu,eee Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 07-Jul-2015

Manufacturer: Ames

Orientation: H

0.25% Pb: No Renewed: 07-Jul-2015

Manufacturer: Ames

Orientation: H

0.25% Pb: No Renewed: 07-Jul-2015 Model: 5000 Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Conbraco 4020402 3/4 (H)

Model: 5000CIV Meters: (H),C,D,E,F,G,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 909QT 3/4 (H)

Model: 5000CIV Meters: (N),B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 909QT 3/4 (H)

Model: 5000CIV Meters: (N),B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 909QT 3/4 (H)

Model: 5000CIV Meters: (N),B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 909QT 3/4 (H)

Model: 5000CIV Meters: (N),B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 909QT 3/4 (H) Type: RPDA

Size: 10

Manual: 8 Approved: 07-Jul-2000 Shutoffs: (pp),hh,mm,uu,eee

Type: RPDA Size: 2 1/2 Manual: 9 Approved: 20-Jun-2006 Shutoffs: (zzz)

Type: RPDA Size: 3 Manual: 9 Approved: 20-Jun-2006 Shutoffs: (zzz)

Type: RPDA Size: 4 Manual: 9 Approved: 20-Jun-2006 Shutoffs: (zzz)

Type: RPDA Size: 6 Manual: 9 Approved: 20-Jun-2006 Shutoffs: (zzz)

Type: RPDA Size: 8 Manual: 9 Approved: 15-Nov-2010 Shutoffs: (zzz) Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 07-Jul-2015

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 20-Jun-2015

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 20-Jun-2015

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 20-Jun-2015

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 20-Jun-2015

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 15-Nov-2016 Model: 5000CIV Meters: (N),B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 909QT 3/4 (H)

Model: Colt 500-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Colt 500-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Colt 500-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Colt 500-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Colt 500-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H) Type: RPDA Size: 10 Manual: 9 Approved: 27-Sep-2010 Shutoffs: (zzz)

Type: RPDA Size: 2 1/2 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (yyy)

Type: RPDA Size: 3 Manual: 9 Approved: 28-May-2009 Shutoffs: (yyy)

Type: RPDA Size: 4 Manual: 9 Approved: 28-May-2009 Shutoffs: (yyy)

Type: RPDA Size: 8 Manual: 9 Approved: 14-Jun-2013 Shutoffs: (yyy)

Type: RPDA Size: 2 1/2 Manual: 9 Approved: 28-May-2009 Shutoffs: (zzz)

Type: RPDA Size: 3 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz) Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 27-Sep-2016

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 24-Jun-2016

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 28-May-2015

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 28-May-2015

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 14-Jun-2016

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 28-May-2015

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015 Model: Colt 500-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Colt 500NBF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Colt 500NBF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Colt 500NBF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Colt 500NBF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Colt 500NGV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Colt 500NGV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H) Type: RPDA Size: 4 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz)

Type: RPDA Size: 6 Manual: 9 Approved: 15-Nov-2010 Shutoffs: (zzz)

Type: RPDA Size: 8 Manual: 9 Approved: 14-Jun-2013 Shutoffs: (zzz)

Type: RPDA Size: 2 1/2 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (yyy)

Type: RPDA Size: 3 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (yyy)

Type: RPDA Size: 4 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (yyy)

Type: RPDA Size: 8 Manual: 9 Approved: 14-Jun-2013 Shutoffs: (yyy) Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 15-Nov-2016

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 14-Jun-2016

Manufacturer: Ames Orientation: VUVU 0.25% Pb: No Renewed: 24-Jun-2016

Manufacturer: Ames Orientation: VUVU 0.25% Pb: No Renewed: 24-Jun-2016

Manufacturer: Ames Orientation: VUVU 0.25% Pb: No Renewed: 24-Jun-2016

Manufacturer: Ames Orientation: VUVU 0.25% Pb: No Renewed: 14-Jun-2016 Model: Colt 500NGV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Colt 500NGV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Colt 500NGV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Colt 500ZBF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Colt 500ZBF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Colt 500ZBF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Colt 500ZBF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H) Type: RPDA Size: 2 1/2 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (zzz)

- Type: RPDA Size: 3 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (zzz)
- Type: RPDA Size: 4 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (zzz)

Type: RPDA Size: 8 Manual: 9 Approved: 14-Jun-2013 Shutoffs: (zzz)

Type: RPDAManufacturer: AmesSize: 2 1/2Orientation: HManual: 90.25% Pb: YesApproved: 08-Jan-2014Renewed: 08-Jan-2017Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meter

Type: RPDA Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz)

Notes: Lead free compliant version identified with NSF61 mark on meter

Manufacturer: Ames Orientation: VUVU 0.25% Pb: No Renewed: 24-Jun-2016

Manufacturer: Ames Orientation: VUVU 0.25% Pb: No Renewed: 24-Jun-2016

Manufacturer: Ames Orientation: VUVU 0.25% Pb: No Renewed: 24-Jun-2016

Manufacturer: Ames Orientation: VUVU 0.25% Pb: No Renewed: 14-Jun-2016

Manufacturer: Ames

Renewed: 08-Jan-2017

Orientation: H

0.25% Pb: Yes

Model: Colt 500ZGV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Colt 500ZGV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Colt 500ZGV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Colt 500ZGV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: LFColt 500-GV Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)

Model: LFColt 500-GV Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)

Size: 4	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: RPDA	Manufacturer: Ames	Model: LFColt 500-GV
Size: 6	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: RPDA	Manufacturer: Ames	Model: LFColt 500GV
Size: 2 1/2	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: RPDA	Manufacturer: Ames	Model: LFColt 500GV
	Manufacturer: Ames Orientation: H	Model: LFColt 500GV Meters: (O)
Size: 3		
Size: 3 Manual: 9	Orientation: H	Meters: (O)
Size: 3 Manual: 9 Approved: 08-Jan-2014	Orientation: H 0.25% Pb: Yes	Meters: (O) Spare Parts Only: No
Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz)	Orientation: H 0.25% Pb: Yes	Meters: (O) Spare Parts Only: No
Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers	Orientation: H 0.25% Pb: Yes Renewed: 08-Jan-2017	Meters: (O) Spare Parts Only: No
Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA	Orientation: H 0.25% Pb: Yes Renewed: 08-Jan-2017 ion identified with NSF61 mark on meter	Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)
Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA Size: 4	Orientation: H 0.25% Pb: Yes Renewed: 08-Jan-2017 ion identified with NSF61 mark on meter Manufacturer: Ames	Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H) Model: LFColt 500GV
Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA Size: 4 Manual: 9	Orientation: H 0.25% Pb: Yes Renewed: 08-Jan-2017 ion identified with NSF61 mark on meter Manufacturer: Ames Orientation: H	Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H) Model: LFColt 500GV Meters: (O)
Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA Size: 4 Manual: 9 Approved: 08-Jan-2014	Orientation: H 0.25% Pb: Yes Renewed: 08-Jan-2017 ion identified with NSF61 mark on meter Manufacturer: Ames Orientation: H 0.25% Pb: Yes	Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H) Model: LFColt 500GV Meters: (O) Spare Parts Only: No
Type: RPDA Size: 4 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz)	Orientation: H 0.25% Pb: Yes Renewed: 08-Jan-2017 ion identified with NSF61 mark on meter Manufacturer: Ames Orientation: H 0.25% Pb: Yes	Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H) Model: LFColt 500GV Meters: (O) Spare Parts Only: No
Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA Size: 4 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz)	Orientation: H 0.25% Pb: Yes Renewed: 08-Jan-2017 ion identified with NSF61 mark on meter Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 08-Jan-2017	Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H) Model: LFColt 500GV Meters: (O) Spare Parts Only: No
Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA Size: 4 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers	Orientation: H 0.25% Pb: Yes Renewed: 08-Jan-2017 ion identified with NSF61 mark on meter Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 08-Jan-2017 ion identified with NSF61 mark on meter	Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H) Model: LFColt 500GV Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)

Manufacturer: Ames

Model: LFColt 500-GV

Bypass: Watts LF919QT 3/4" (H)

Approved: 08-Jan-2014

Shutoffs: (zzz)

Type: RPDA

Notes: Lead free compliant version identified with NSF61 mark on meter

Renewed: 08-Jan-2017

Size: 8Orientation: HMeters: (M)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 13-Aug-2015Renewed:Bypass: Watts LF919QT 3/4Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterType: RPDAManual: 90.25% Pb: YesModel: LFColt 500GVSize: 10Orientation: HMeters: (M)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 12-Oct-2015Renewed:Bypass: Watts LF919QT 3/4Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterBypass: Watts LF919QT 3/4Type: RPDAManufacturer: AmesModel: LFColt 500NBFSize: 2 1/2Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF919QT 3/4Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterModel: LFColt 500NBFSize: 3Orientation: VUVDMeters: (O)Motels: LEad free compliant version identified with NSF61 mark on meterType: RPDAManufacturer: AmesModel: LFColt 500NBFSize: 3Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF919QT 3/4Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterType: RPDAManufacturer: AmesModel: LFColt 500NBFSize: 3Orientation: VUV	" (H)
Approved: 13-Aug-2015Renewed:Bypass: Watts LF919QT 3/4Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterType: RPDAManufacturer: AmesModel: LFColt 500GVSize: 10Orientation: HMeters: (M)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 12-Oct-2015Renewed:Bypass: Watts LF919QT 3/4Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterType: RPDAManufacturer: AmesModel: LFColt 500NBFSize: 2 1/2Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF919QT 3/4Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterType: RPDAManufacturer: AmesModel: LFColt 500NBFSize: 3Orientation: VUVDMeters: (O)Notes: Lead free compliant version identified with NSF61 mark on meterModel: LFColt 500NBFSize: 3Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF919QT 3/4Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterType: RPDAManufacturer: AmesModel: LFColt 500NBFSize: 3Orientation: VUVDMeters: (O)Motes: Lead free compliant version identified with NSF61 mark on meterType: RPDAManufacturer: AmesModel: LFColt 500NBF<	" (H)
Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Type: RPDA Manufacturer: Ames Model: LFColt 500GV Size: 10 Orientation: H Meters: (M) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 12-Oct-2015 Renewed: Bypass: Watts LF919QT 3/4 Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Model: LFColt 500NBF Size: 2 1/2 Orientation: VUVD Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 08-Jan-2014 Renewed: 08-Jan-2017 Bypass: Watts LF919QT 3/4 Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Model: LFColt 500NBF Type: RPDA Manufacturer: Ames Model: LFColt 500NBF Size: 3 Orientation: VUVD Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 08-Jan-2014 Renewed: 08-Jan-2017 Bypass: Watts LF919QT 3/4 Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Model: LFColt 500NBF Notes: Lead free compliant version identified with NSF61 mark on meter Type: RPDA	" (H)
Notes: Lead free compliant version identified with NSF61 mark on meterType: RPDAManufacturer: AmesModel: LFColt 500GVSize: 10Orientation: HMeters: (M)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 12-Oct-2015Renewed:Bypass: Watts LF919QT 3/4Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterType: RPDAManufacturer: AmesModel: LFColt 500NBFSize: 2 1/2Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF919QT 3/4Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterType: RPDAManufacturer: AmesModel: LFColt 500NBFSize: 3Orientation: VUVDMeters: (O)Notes: Lead free compliant version identified with NSF61 mark on meterModel: LFColt 500NBFSize: 3Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF919QT 3/4Size: 3Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF919QT 3/4Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterType: RPDAManufacturer: ArmesModel: LFColt 500NBFStreet Representer Representer Representer Representer Representer Representer Represent	
Type: RPDAManufacturer: AmesModel: LFColt 500GVSize: 10Orientation: HMeters: (M)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 12-Oct-2015Renewed:Bypass: Watts LF919QT 3/4Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterType: RPDAManufacturer: AmesModel: LFColt 500NBFSize: 2 1/2Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF919QT 3/4Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterType: RPDAManufacturer: AmesModel: LFColt 500NBFSize: 3Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF919QT 3/4Size: 3Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF919QT 3/4Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterType: RPDAManufacturer: AmesModel: LFColt 500NBFSize: 3Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF919QT 3/4Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterTy	
Size: 10Orientation: HMeters: (M)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 12-Oct-2015Renewed:Bypass: Watts LF919QT 3/4Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterBypass: Watts LF919QT 3/4Type: RPDAManufacturer: AmesModel: LFColt 500NBFSize: 2 1/2Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF919QT 3/4Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterType: RPDAManufacturer: AmesModel: LFColt 500NBFSize: 3Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF919QT 3/4Size: 3Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF919QT 3/4Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterType: RPDAManufacturer: AmesModel: LFColt 500NBFNotes: Lead free compliant version identified with NSF61 mark on meterType: RPDAManufacturer: AmesModel: LFColt 500NBF	
Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 12-Oct-2015Renewed:Bypass: Watts LF919QT 3/4Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterBypass: Watts LF919QT 3/4Type: RPDAManufacturer: AmesModel: LFColt 500NBFSize: 2 1/2Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF919QT 3/4Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterModel: LFColt 500NBFSize: 3Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF919QT 3/4Size: 3Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF919QT 3/4Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterBypass: Watts LF919QT 3/4Type: RPDAManufacturer: AmesModel: LFColt 500NBFType: RPDAManufacturer: AmesModel: LFColt 500NBF	
Approved: 12-Oct-2015Renewed:Bypass: Watts LF919QT 3/4Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterModel: LFColt 500NBFSize: 2 1/2Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF919QT 3/4Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterModel: LFColt 500NBFSize: 3Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF919QT 3/4Size: 3Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF919QT 3/4Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterType: RPDAManufacturer: AmesModel: LFColt 500NBFSize: 3Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF919QT 3/4Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterType: RPDAManufacturer: AmesModel: LFColt 500NBF	
Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Type: RPDA Manufacturer: Ames Size: 2 1/2 Orientation: VUVD Manual: 9 0.25% Pb: Yes Approved: 08-Jan-2014 Renewed: 08-Jan-2017 Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Type: RPDA Manufacturer: Ames Model: LFColt 500NBF Size: 3 Orientation: VUVD Manual: 9 0.25% Pb: Yes Size: 3 Orientation: VUVD Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 08-Jan-2014 Renewed: 08-Jan-2017 Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 08-Jan-2014 Renewed: 08-Jan-2017 Bypass: Watts LF919QT 3/4 Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Type: RPDA Manufacturer: Ames Model: LFColt 500NBF Type: RPDA	
Notes: Lead free compliant version identified with NSF61 mark on meterType: RPDAManufacturer: AmesModel: LFColt 500NBFSize: 2 1/2Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF919QT 3/4Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterModel: LFColt 500NBFType: RPDAManufacturer: AmesModel: LFColt 500NBFSize: 3Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF919QT 3/4Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterType: RPDAManual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF919QT 3/4Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterType: RPDAType: RPDAManufacturer: AmesModel: LFColt 500NBF	" (H)
Type: RPDAManufacturer: AmesModel: LFColt 500NBFSize: 2 1/2Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF919QT 3/4Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterModel: LFColt 500NBFSize: 3Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Meters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF919QT 3/4Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterType: RPDAManufacturer: AmesModel: LFColt 500NBFType: RPDAManufacturer: AmesModel: LFColt 500NBF	
Size: 2 1/2Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF919QT 3/4Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterType: RPDAManufacturer: AmesType: RPDAManufacturer: AmesModel: LFColt 500NBFSize: 3Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF919QT 3/4Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterType: RPDAManufacturer: AmesModel: LFColt 500NBF	
Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF919QT 3/4Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterBypass: Watts LF919QT 3/4Type: RPDAManufacturer: AmesModel: LFColt 500NBFSize: 3Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF919QT 3/4Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterType: RPDAManufacturer: AmesModel: LFColt 500NBF	
Approved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF919QT 3/4Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterModel: LFColt 500NBFType: RPDAManufacturer: AmesModel: LFColt 500NBFSize: 3Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF919QT 3/4Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterModel: LFColt 500NBFType: RPDAManufacturer: AmesModel: LFColt 500NBF	
Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Type: RPDA Manufacturer: Ames Model: LFColt 500NBF Size: 3 Orientation: VUVD Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 08-Jan-2014 Renewed: 08-Jan-2017 Bypass: Watts LF919QT 3/4 Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Model: LFColt 500NBF Type: RPDA Manufacturer: Ames Model: LFColt 500NBF	
Notes: Lead free compliant version identified with NSF61 mark on meterType: RPDAManufacturer: AmesModel: LFColt 500NBFSize: 3Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF919QT 3/4Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterType: RPDAManufacturer: AmesModel: LFColt 500NBF	″ (H)
Type: RPDAManufacturer: AmesModel: LFColt 500NBFSize: 3Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF919QT 3/4Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterModel: LFColt 500NBFType: RPDAManufacturer: AmesModel: LFColt 500NBF	
Size: 3Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF919QT 3/4Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterYesType: RPDAManufacturer: AmesModel: LFColt 500NBF	
Size: 3Orientation: VUVDMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF919QT 3/4Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterType: RPDAManufacturer: AmesModel: LFColt 500NBF	
Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF919QT 3/4Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterHere Compliant version identified with NSF61 mark on meterType: RPDAManufacturer: AmesModel: LFColt 500NBF	
Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Type: RPDA Manufacturer: Ames Model: LFColt 500NBF	
Notes: Lead free compliant version identified with NSF61 mark on meter Type: RPDA Manufacturer: Ames Model: LFColt 500NBF	" (H)
Notes: Lead free compliant version identified with NSF61 mark on meter Type: RPDA Manufacturer: Ames Model: LFColt 500NBF	. ,
Manual: 9 0.25% Pb: Yes Spare Parts Only: No	
Approved: 08-Jan-2014 Renewed: 08-Jan-2017 Bypass: Watts LF919QT 3/4	" (H)
Shutoffs: (zzz)	
Notes: Lead free compliant version identified with NSF61 mark on meter	
Type: RPDA Manufacturer: Ames Model: LFColt 500NGV	
Size: 2 1/2 Orientation: VUVD Meters: (O)	
Manual: 90.25% Pb: YesSpare Parts Only: No	
Approved: 08-Jan-2014Renewed: 08-Jan-2017Bypass: Watts LF919QT 3/4	

Approved: 08-Jan-2014 Shutoffs: (zzz)

Notes: Lead free compliant version identified with NSF61 mark on meter

Notes: Lead free compliant version identified with NSF61 mark on meter

Type: RPDA Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes Manual: 9 Approved: 08-Jan-2014 Renewed: 08-Jan-2017 Shutoffs: (zzz)

Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)

Model: LFColt 500NGV

Model: LFColt 500NGV Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)

> Model: LFColt 500ZBF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)

> Model: LFColt 500ZBF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)

> Model: LFColt 500ZBF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)

> Bypass: Watts LF919QT 3/4" (H)

Type: RPDA

Size: 4 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter

Approved: 08-Jan-2014

Type: RPDA

Size: 2 1/2

Manual: 9

Shutoffs: (zzz)

Manufacturer: Ames **Orientation: VUVD** 0.25% Pb: Yes Renewed: 08-Jan-2017

Model: LFColt 500ZGV Meters: (O) Spare Parts Only: No

Notes: Lead free compliant version identified with NSF61 mark on meter Manufacturer: Ames Orientation: VUVD

Renewed: 08-Jan-2017

0.25% Pb: Yes Renewed: 08-Jan-2017

Notes: Lead free compliant version identified with NSF61 mark on meter

Renewed: 08-Jan-2017

Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz)

Approved: 08-Jan-2014

Type: RPDA

Manufacturer: Ames

Orientation: VUVD

0.25% Pb: Yes

Notes: Lead free compliant version identified with NSF61 mark on meter

Type: RPDA

Size: 4

Size: 3

Approved: 08-Jan-2014

Type: RPDA

Size: 2 1/2

Manual: 9

Shutoffs: (zzz)

Manual: 9

Shutoffs: (zzz)

Notes: Lead free compliant version identified with NSF61 mark on meter

Renewed: 08-Jan-2017

Manufacturer: Ames

Orientation: VUVD

0.25% Pb: Yes

Manufacturer: Ames

Orientation: VUVD

0.25% Pb: Yes

Type: RPDA	Manufacturer: Ames	Model: LFColt 500ZGV
Size: 4	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: RPDA	Manufacturer: Ames	Model: LFMaxim 500GV
Size: 2 1/2	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: RPDA	Manufacturer: Ames	Model: LFMaxim 500GV
Size: 3	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: RPDA	Manufacturer: Ames	Model: LFMaxim 500GV
Size: 4	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: RPDA	Manufacturer: Ames	Model: LFMaxim 500GV
Size: 6	Orientation: H	Meters: (M)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 13-Aug-2015	Renewed:	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	

Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes

Renewed: 08-Jan-2017

Notes: Lead free compliant version identified with NSF61 mark on meter

Type: RPDA

Size: 3

Manual: 9

Shutoffs: (zzz)

Approved: 08-Jan-2014

Model: LFColt 500ZGV Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)

Type: RPDA	Manufacturer: Ames	Model: LFMaxim 500GV
Size: 8	Orientation: H	Meters: (M)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Oct-2015	Renewed:	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: RPDA	Manufacturer: Ames	Model: LFMaxim 500GV
Size: 10	Orientation: H	Meters: (M)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Oct-2015	Renewed:	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: RPDA	Manufacturer: Ames	Model: LFMaxim 500NBF
Size: 2 1/2	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb : Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: RPDA	Manufacturer: Ames	Model: LFMaxim 500NBF
Size: 3	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF919QT 3/4" (H)
Approved: 08-Jan-2014 Shutoffs: (zzz)	Renewed: 08-Jan-2017	
Shutoffs: (zzz)	Renewed: 08-Jan-2017 ion identified with NSF61 mark on meter	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz) Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA	ion identified with NSF61 mark on meter Manufacturer: Ames	Bypass: Watts LF919QT 3/4" (H) Model: LFMaxim 500NGV
Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA Size: 2 1/2	ion identified with NSF61 mark on meter Manufacturer: Ames Orientation: VUVD	Bypass: Watts LF919QT 3/4" (H) Model: LFMaxim 500NGV Meters: (O)
Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA Size: 2 1/2 Manual: 9	ion identified with NSF61 mark on meter Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes	Bypass: Watts LF919QT 3/4" (H) Model: LFMaxim 500NGV Meters: (O) Spare Parts Only: No
Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz)	ion identified with NSF61 mark on meter Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes	Bypass: Watts LF919QT 3/4" (H) Model: LFMaxim 500NGV Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz)	ion identified with NSF61 mark on meter Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes Renewed: 08-Jan-2017	Bypass: Watts LF919QT 3/4" (H) Model: LFMaxim 500NGV Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers	ion identified with NSF61 mark on meter Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes Renewed: 08-Jan-2017 ion identified with NSF61 mark on meter	Bypass: Watts LF919QT 3/4" (H) Model: LFMaxim 500NGV Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA	ion identified with NSF61 mark on meter Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes Renewed: 08-Jan-2017 ion identified with NSF61 mark on meter Manufacturer: Ames	Bypass: Watts LF919QT 3/4" (H) Model: LFMaxim 500NGV Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H) Model: LFMaxim 500NGV

Notes: Lead free compliant version identified with NSF61 mark on meter

Shutoffs: (zzz)

Type: RPDA Manufacturer: Ames Size: 2 1/2 Orientation: VUVD 0.25% Pb: Yes Manual: 9 Approved: 08-Jan-2014 Renewed: 08-Jan-2017 Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter

Type: RPDA Manufacturer: Ames Size: 3 **Orientation: VUVD** Manual: 9 0.25% Pb: Yes Approved: 08-Jan-2014 Renewed: 08-Jan-2017 Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter

Type: RPDA Manufacturer: Ames Size: 2 1/2 **Orientation: VUVD** Manual: 9 0.25% Pb: Yes Renewed: 08-Jan-2017 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter

Type: RPDA Manufacturer: Ames Orientation: VUVD Size: 3 0.25% Pb: Yes Manual: 9 Renewed: 08-Jan-2017 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter

Type: RPDA Size: 2 1/2 Manual: 9 Approved: 20-Jun-2006 Shutoffs: (zzz)

Type: RPDA **Size:** 3 Manual: 9 Approved: 20-Jun-2006 Shutoffs: (zzz)

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 20-Jun-2015

Manufacturer: Ames

Renewed: 20-Jun-2015

Orientation: H

0.25% Pb: No

Model: Maxim 500-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Maxim 500-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: LFMaxim 500ZGV Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)

Bypass: Watts LF919QT 3/4" (H)

Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)

Model: LFMaxim 500ZGV

Spare Parts Only: No

Meters: (O)

Model: LFMaxim 500ZBF Meters: (O)

Model: LFMaxim 500ZBF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H) Type: RPDA Size: 4 Manual: 9 Approved: 20-Jun-2006 Shutoffs: (zzz)

- Type: RPDA Size: 6 Manual: 9 Approved: 15-Nov-2010 Shutoffs: (zzz)
- Type: RPDA Size: 8 Manual: 9 Approved: 27-Sep-2010 Shutoffs: (zzz)
- Type: RPDA Size: 10 Manual: 9 Approved: 27-Sep-2010 Shutoffs: (zzz)

Type: RPDA Size: 2 1/2 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (yyy)

Type: RPDA Size: 3 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (yyy)

Type: RPDA Size: 4 Manual: 9 Approved: 15-Nov-2010 Shutoffs: (yyy) Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 20-Jun-2015

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 15-Nov-2016

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 27-Sep-2016

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 27-Sep-2016

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 24-Jun-2016

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 15-Nov-2016 Model: Maxim 500-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Maxim 500-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Maxim 500-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Maxim 500-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Maxim 500NBF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Maxim 500NBF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Maxim 500NBF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H) Type: RPDA Size: 6 Manual: 9 Approved: 14-Jun-2013 Shutoffs: (yyy)

Type: RPDA Size: 2 1/2 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz)

Type: RPDA Size: 3 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz)

Type: RPDA Size: 4 Manual: 9 Approved: 15-Nov-2010 Shutoffs: (zzz)

Type: RPDA Size: 6 Manual: 9 Approved: 14-Jun-2013 Shutoffs: (zzz)

Type: RPDA Size: 2 1/2 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (yyy)

Type: RPDA Size: 3 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (yyy) Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 14-Jun-2016

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 15-Nov-2016

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 14-Jun-2016

Manufacturer: Ames Orientation: VUVU 0.25% Pb: No Renewed: 24-Jun-2016

Manufacturer: Ames Orientation: VUVU 0.25% Pb: No Renewed: 24-Jun-2016 Model: Maxim 500NBF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Maxim 500NGV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Maxim 500NGV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Maxim 500NGV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Maxim 500NGV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Maxim 500ZBF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Maxim 500ZBF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H) Type: RPDA Size: 6 Manual: 9 Approved: 14-Jun-2013 Shutoffs: (yyy)

Type: RPDA Size: 2 1/2 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (zzz)

Type: RPDA Size: 3 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (zzz)

Type: RPDA Size: 6 Manual: 9 Approved: 14-Jun-2013 Shutoffs: (zzz)

Type: RPDA

Size: 3

Manual: Approved:

Type: RPDAManufactSize: 3OrientationManual:0.25% PbApproved:RenewedNotes: model designation changed to RPDA40

Manufacturer: Ames Orientation: VUVU 0.25% Pb: No I-Jun-2013 Renewed: 14-Jun-2016

> Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:

> Manufacturer: Apollo/Conbraco

Orientation:

0.25% Pb: No

Renewed:

Manufacturer: Ames

Renewed: 14-Jun-2016

Manufacturer: Ames

Renewed: 24-Jun-2016

Manufacturer: Ames

Renewed: 24-Jun-2016

Orientation: VUVU

0.25% Pb: No

Orientation: VUVU

0.25% Pb: No

Orientation: VUVU

0.25% Pb: No

Model: Maxim 500ZBF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Maxim 500ZGV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Maxim 500ZGV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Maxim 500ZGV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 4070003 Meters: Spare Parts Only: No Bypass:

Model: 40700C3 Meters: Spare Parts Only: No Bypass:

Notes: model designation changed to RPDA40

Type: RPDAManualSize: 3OrientManual:0.25%Approved:RenewNature:Renew

Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: Model: 40700E3 Meters: Spare Parts Only: No Bypass:

Notes: model designation changed to RPDA40

Type: RPDA	Manufacturer: Apollo/Conbraco	Model: 4070A03
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation cha	anged to RPDA40	
Type: RPDA	Manufacturer: Apollo/Conbraco	Model: 4070AE3
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation cha	anged to RPDA40	
Type: RPDA	Manufacturer: Apollo/Conbraco	Model: 4070C03
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation cha	anged to RPDA40	
Type: RPDA	Manufacturer: Apollo/Conbraco	Model: 4070CC3
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation cha	anged to RPDA40	
Type: RPDA	Manufacturer: Apollo/Conbraco	Model: 4070CE3
Size: 6	Orientation:	Meters:
	0.25% Pb: No	
Manual:	0.23% PD: NO	Spare Parts Only: No
	Renewed:	Spare Parts Only: No Bypass:
Approved:	Renewed:	
Approved: Notes: model designation cha	Renewed:	
Approved: Notes: model designation cha	Renewed: anged to RPDA40	Bypass:
Approved: Notes: model designation cha Type: RPDA Size: 8	Renewed: anged to RPDA40 Manufacturer: Apollo/Conbraco	Bypass: Model: 4070E03
Approved: Notes: model designation cha Type: RPDA Size: 8 Manual:	Renewed: anged to RPDA40 Manufacturer: Apollo/Conbraco Orientation:	Bypass: Model: 4070E03 Meters:
Manual: Approved: Notes: model designation cha Type: RPDA Size: 8 Manual: Approved: Notes: model designation cha	Renewed: anged to RPDA40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Bypass: Model: 4070E03 Meters: Spare Parts Only: No
Approved: Notes: model designation cha Type: RPDA Size: 8 Manual: Approved:	Renewed: anged to RPDA40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Bypass: Model: 4070E03 Meters: Spare Parts Only: No
Approved: Notes: model designation cha Type: RPDA Size: 8 Manual: Approved: Notes: model designation cha	Renewed: anged to RPDA40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: anged to RPDA40	Bypass: Model: 4070E03 Meters: Spare Parts Only: No Bypass:
Approved: Notes: model designation cha Type: RPDA Size: 8 Manual: Approved: Notes: model designation cha Type: RPDA	Renewed: anged to RPDA40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: anged to RPDA40 Manufacturer: Apollo/Conbraco	Bypass: Model: 4070E03 Meters: Spare Parts Only: No Bypass: Model: 4070EC3

Type: RPDA	Manufacturer: Apollo/Conbraco	Model: 4070EE3
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to RPDA40	
Type: RPDA	Manufacturer: Apollo/Conbraco	Model: 4070G03
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to RPDA40	
Type: RPDA	Manufacturer: Apollo/Conbraco	Model: 4070GC3
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to RPDA40	
Type: RPDA	Manufacturer: Apollo/Conbraco	Model: 4070GE3
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to RPDA40	
Type: RPDA	Manufacturer: Apollo/Conbraco	Model: 407AC3
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to RPDA40	
Type: RPDA	Manufacturer: Apollo/Conbraco	Model: RPDALF4A
Size: 2 1/2	Orientation: H	Meters: (P),O
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 10-Jun-2014	Renewed: 10-Jun-2017	Bypass: Apollo RPLF4A 1/2" (H)
Shutoffs: (yyy), cccc, dddd, mm	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: RPDA	Manufacturer: Apollo/Conbraco	Model: RPDALF4A
Size: 3	Orientation: H	Meters: (P),O
		Outra Dente Outra Nia
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No

Type: RPDA Manufacturer: Apollo/Conbraco Size: 4 Orientation: H 0.25% Pb: Yes **Manual:** 10 Approved: 24-Jun-2013 Renewed: 24-Jun-2016 Shutoffs: (yyy), cccc, dddd, mmmm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa

Model: RPDALF4A Meters: (P),G,H,I,J,K,L,M,N,O,Q Spare Parts Only: No Bypass: Apollo RPLF4A 1/2" (H)

Type: RPDA	Manufacturer: Apollo/Conbraco	Model: RPDALF4A
Size: 6	Orientation: H	Meters: (P),G,H,I,J,K,L,M,N,O,Q
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 24-Jun-2013	Renewed: 24-Jun-2016	Bypass: Apollo RPLF4A 1/2" (H)
Shutoffs: (yyy), cccc, dddd, mmmm, n	nnn, xxxxx, yyyyy, zzzzz, aaaaaa	

Type: RPDA	Manufacturer: Apollo/Conbraco	Model: RPDALF4AN
Size: 2 1/2	Orientation: VUVD	Meters: (M),G,H,I,J,K,L, N,O,P,Q
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-May-2016	Renewed:	Bypass: Apollo RPLF4A 1/2" (H)
Shutoffs: (yyy), cccc, dddd, mmmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa		

Type: RPDA Manufacturer: Apollo/Conbraco Size: 2 1/2 Orientation: VUVU 0.25% Pb: Yes **Manual:** 10 Approved: 12-May-2016 **Renewed:** Shutoffs: (yyy), cccc, dddd, mmmm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa

Model: RPDALF4AN Meters: (M),G,H,I,J,K,L, N,O,P,Q Spare Parts Only: No Bypass: Apollo RPLF4A 1/2" (H)

Type: RPDA Manufacturer: Apollo/Conbraco Size: 3 Orientation: VUVD 0.25% Pb: Yes **Manual:** 10 Approved: 12-May-2016 Renewed: Shutoffs: (yyy), cccc, dddd, mmmm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa

Model: RPDALF4AN Meters: (M),G,H,I,J,K,L, N,O,P,Q Spare Parts Only: No Bypass: Apollo RPLF4A 1/2" (H)

Type: RPDA Manufacturer: Apollo/Conbraco Orientation: VUVU Size: 3 0.25% Pb: Yes **Manual:** 10 Approved: 12-May-2016 **Renewed:** Shutoffs: (yyy), cccc, dddd, mmmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa

Model: RPDALF4AN Meters: (M),G,H,I,J,K,L, N,O,P,Q Spare Parts Only: No Bypass: Apollo RPLF4A 1/2" (H)

Type: RPDA Size: 4 **Manual:** 10 Approved: 10-Jun-2014 Shutoffs: (yyy), cccc, dddd, mmmm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa

Manufacturer: Apollo/Conbraco Orientation: VUVD 0.25% Pb: Yes Renewed: 10-Jun-2017

Model: RPDALF4AN **Meters:** (P),G,H,I,J,K,L,M,N,O,Q Spare Parts Only: No Bypass: Apollo RPLF4A 1/2" (H)

Type: RPDA Size: 4 Manual: 10 Approved: 11-Jun-2014 Shutoffs: (yyy), cccc, dddd, mmr	Manufacturer: Apollo/Conbraco Orientation: VUVU 0.25% Pb: Yes Renewed: 11-Jun-2017 nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	Model: RPDALF4AN Meters: (P),G,H,I,J,K,L,M,N,O,Q Spare Parts Only: No Bypass: Apollo RPLF4A 1/2" (H)
	· · · · · · · · · · · · · · · · · · ·	
Type: RPDA	Manufacturer: Apollo/Conbraco	Model: RPDALF4AN
Size: 6	Orientation: VUVD	Meters: (M),G,H,I,J,K,L, N,O,P,Q
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-May-2015	Renewed:	Bypass: Apollo RPLF4A 1/2" (H)
Shutoffs: (yyy), cccc, dddd, mmr	nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: RPDA	Manufacturer: Apollo/Conbraco	Model: RPDALF4AN
Size: 6	Orientation: VUVU	Meters: (M),G,H,I,J,K,L, N,O,P,Q
Manual: 10	0.25% Pb : Yes	Spare Parts Only: No
Approved: 12-May-2015	Renewed:	Bypass: Apollo RPLF4A 1/2" (H)
Shutoffs: (yyy), cccc, dddd, mmr	nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: RPDA	Manufacturer: Apollo/Conbraco	Model: RPDALF4AR
Size: 2 1/2	Orientation: H	Meters: (M),G,H,I,J,K,L,N,O,Q
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Dec-2015	Renewed:	Bypass: Apollo RPLF4A 1/2"
Shutoffs: (cccc), dddd, mmmm,	nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Notes: Integral Stainless Steel gr 1/8"	rooved spool between the #2 ck and #2 SO\	/ - assembly length: min. 34" and max. 47
Type: RPDA	Manufacturer: Apollo/Conbraco	Model: RPDALF4AR
Size: 3	Orientation: H	Meters: (M),G,H,I,J,K,L,N,O,Q
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Dec-2015	Renewed:	Bypass: Apollo RPLF4A 1/2"
Shutoffs: (cccc), dddd, mmmm,	nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Notes: Integral Stainless Steel gr 1/8"	rooved spool between the #2 ck and #2 SO\	/ - assembly length: min. 35" and max. 48
Type: RPDA	Manufacturer: Apollo/Conbraco	Model: RPDALF4AR
Size: 4	Orientation: H	Meters: (M),G,H,I,J,K,L,N,O,Q
Manual: 10	0.25% Pb: No	Spare Parts Only: No

Approved: 21-Dec-2015

Spare Parts Only: No Bypass: Apollo RPLF4A 1/2"

Shutoffs: (cccc), dddd, mmmm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa

Renewed:

Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 37 3/8" and max. 62 1/4"

Type: RPDA	Manufacturer: Cla-Val	Model: 18-4
Size: 10	Orientation: H	Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 23-Aug-1990	Renewed: 23-Aug-2014	Bypass: Cla-Val RP2 3/4 (H)
Shutoffs: hh,gg,qq,rr		
Type: RPDA	Manufacturer: Conbraco	Model:
Size:	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: See Apollo/Conbraco		
Type: RPDA	Manufacturer: Febco	Model: 826 Type YD
Size: 2 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to 826YD	
Type: RPDA	Manufacturer: Febco	Model: 826 Type YD
Size: 3	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to 826YD	
Type: RPDA	Manufacturer: Febco	Model: 826 Type YD
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to 826YD	

Type: RPDAManufacturer: FebcoSize: 6Orientation:Manual:0.25% Pb: NoApproved:Renewed:Notes: model designation changed to SCYD

Type: RPDAManufacturer: FebcoSize: 8Orientation:Manual:0.25% Pb: NoApproved:Renewed:Notes: model designation changed to 826YD

Type: RPDAManufacturer: FebcoSize: 10Orientation:Manual:0.25% Pb: NoApproved:Renewed:Notes: model designation changed to 826YD

Type: RPDAMSize: 2 1/2OManual: 8OApproved: 11-Nov-1988RShutoffs: (ff),mm,oo,pp,uu,zzz,ffff,ggggNotes: formerly 826 Type YD

Type: RPDA Size: 3 Manual: 8 Approved: 11-Nov-1988 Shutoffs: (ff),mm,oo,pp,uu,zzz,ffff,gggg Notes: formerly 826 Type YD

Type: RPDAManufacturer: FebcoSize: 4Orientation: HManual: 80.25% Pb: NoApproved: 14-Oct-1988Renewed: 14-Oct-2015Shutoffs: (ff),mm,oo,pp,uu,zzz,fff,gggg

Notes: formerly 826 Type YD

Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 11-Nov-2015

Manufacturer: Febco

Renewed: 11-Nov-2015

Orientation: H

0.25% Pb: No

Model: 826 Type YD Meters: Spare Parts Only: No Bypass:

Model: 826 Type YD Meters: Spare Parts Only: No Bypass:

Model: 826 Type YD Meters: Spare Parts Only: No Bypass:

Model: 826YD Meters: (M), B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Febco 825Y 3/4 (H)

Model: 826YD Meters: (M), B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Febco 825Y 3/4 (H)

Model: 826YD Meters: (M), B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Febco 825Y 3/4 (H)

Type: RPDA	Manufacturer: Febco	Model: 826YD
Size: 6	Orientation: H	Meters: (M), B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Mar-1990	Renewed: 01-Mar-2017	Bypass: Febco 825Y 3/4 (H)
Shutoffs: (ff),mm,oo,pp,uu,zzz,fff	ff,gggg	
Notes: formerly 826 Type YD		
Type: RPDA	Manufacturer: Febco	Model: 826YD
Size: 8	Orientation: H	Meters: (M), B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Jun-1990	Renewed: 22-Jun-2017	Bypass: Febco 825Y 3/4 (H)
Shutoffs: (ff),mm,oo,pp,uu,zzz,ffl Notes: formerly 826 Type YD	ff,gggg	
Type: RPDA	Manufacturer: Febco	Model: 826YD
Size: 10	Orientation: H	Meters: (M), B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Jun-1990	Renewed: 22-Jun-2017	Bypass: Febco 825Y 3/4 (H)
Shutoffs: (ff),mm,oo,pp,uu,zzz,fff Notes: formerly 826 Type YD	ff,gggg	
Type: RPDA	Manufacturer: Neptune	Model:
Size:	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: See Wilkins		
Type: RPDA	Manufacturer: Watts	Model: 009NRSRPDA
Size: 4	Orientation: H	Meters: (H),D,E,F,G,I,J,K,L,M,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-1995	Renewed: 01-Feb-2016	Bypass: Watts 009M2QT 3/4 (H)
Shutoffs: oo,gg,ll,tt		
Type: RPDA	Manufacturer: Watts	Model: 009NRSRPDA
Size: 6	Orientation: H	Meters: (H),D,E,F,G,I,J,K,L,M,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-1995	Renewed: 01-Feb-2016	Bypass: Watts 009M2QT 3/4 (H)
Shutoffs: oo,gg,ll,tt		

Type: RPDA	Manufacturer: Watts	Model: 009OSYRPDA
Size: 4	Orientation: H	Meters: (H),D,E,F,G,I,J,K,L,M,N,O,P,G
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-1995 Shutoffs: pp,hh,mm,uu,zz	Renewed: 01-Feb-2016	Bypass: Watts 009M2QT 3/4 (H)
Type: RPDA	Manufacturer: Watts	Model: 009OSYRPDA
Size: 6	Orientation: H	Meters: (H),D,E,F,G,I,J,K,L,M,N,O,P,C
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-1995	Renewed: 01-Feb-2016	Bypass: Watts 009M2QT 3/4 (H)
Shutoffs: pp,hh,mm,uu,zz		
Type: RPDA	Manufacturer: Watts	Model: 909DDC
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to 909RPDA	
Type: RPDA	Manufacturer: Watts	Model: 909DDCM2
Size: 3	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to 909RPDA	
Type: RPDA	Manufacturer: Watts	Model: 909RPDA
Size: 2 1/2	Orientation: H	Meters:
Size. 2 1/2	Onentation. A	(H),C,D,E,F,G,H,I,J,K,L,M,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Jun-1999	Renewed: 16-Jun-2017	Bypass: Watts 909QT 3/4 (H)
Shutoffs: (pp),hh,mm,uu,zz,ffff,g	9999	
Type: RPDA	Manufacturer: Watts	Model: 909RPDA
Size: 3	Orientation: H	Meters: (N),B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Oct-1988	Renewed: 05-Oct-2015	Bypass: Watts 909QT 3/4 (H)
Shutoffs: (pp),hh,mm,uu,zz,eee	e,mn,gggg	

Type: RPDA

Type: RPDA

Size: 6

Manual: 8

Type: RPDA

Size: 8

Manual: 8

Type: RPDA

Size: 10

Manual: 8

Size: 4 Manual: 8 Approved: 09-Feb-1988 Shutoffs: (pp),hh,mm,uu,zz,eee,ffff,gggg

Approved: 05-Oct-1988

Notes: formerly 909DDC

Approved: 14-Feb-1988

Shutoffs: (pp),hh,mm,uu,zz,eee,ffff,gggg

Shutoffs: (pp),hh,mm,uu,zz,eee,ffff,gggg

Manufacturer: Watts

Renewed: 01-Feb-2015

Manufacturer: Watts

Orientation: H

0.25% Pb: No

Orientation: H

0.25% Pb: No Renewed: 05-Oct-2015 Shutoffs: (pp),hh,mm,uu,zz,eee,ffff,gggg

Manufacturer: Watts

Renewed: 14-Feb-2015

Manufacturer: Watts

Orientation: H

0.25% Pb: No

Orientation: H

0.25% Pb: No

Model: 909RPDA Meters: (N),B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 909QT 3/4 (H)

Model: 909RPDA Meters: (N),B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 909QT 3/4 (H)

Model: 909RPDA Meters: (N),B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 909QT 3/4 (H)

Model: 909RPDA Meters: (N),B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 909QT 3/4 (H)

Type: RPDA Size: 2 1/2 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (yyy)

Approved: 15-Feb-1988

Type: RPDA Size: 3 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (yyy)

Manufacturer: Watts **Orientation: VUVD** 0.25% Pb: No Renewed: 24-Jun-2016

Renewed: 15-Feb-2015

Model: 957NRPDA-BF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015 Model: 957NRPDA-BF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Type: RPDA Size: 4 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (yyy)

Type: RPDA Size: 8 Manual: 9 Approved: 14-Jun-2013 Shutoffs: (yyy)

Type: RPDA Size: 2 1/2 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz)

Type: RPDA Size: 3 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz)

Type: RPDA Size: 4 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz)

Type: RPDA Size: 6 Manual: 9 Approved: 15-Nov-2010 Shutoffs: (zzz)

Type: RPDA Size: 8 Manual: 9 Approved: 14-Jun-2013 Shutoffs: (zzz) Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 14-Jun-2016

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 15-Nov-2016

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 14-Jun-2016 Model: 957NRPDA-BF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 957NRPDA-BF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 957NRPDA-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 957NRPDA-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 957NRPDA-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 957NRPDA-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 957NRPDA-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H) Type: RPDA Size: 2 1/2 Manual: 9 Approved: 20-Jun-2006 Shutoffs: (zzz)

Type: RPDA Size: 3 Manual: 9 Approved: 20-Jun-2006 Shutoffs: (zzz)

Type: RPDA Size: 4 Manual: 9 Approved: 20-Jun-2006 Shutoffs: (zzz)

Type: RPDA Size: 6 Manual: 9 Approved: 20-Jun-2006 Shutoffs: (zzz)

Type: RPDA Size: 8 Manual: 9 Approved: 15-Nov-2010 Shutoffs: (zzz)

Type: RPDA Size: 10 Manual: 9 Approved: 27-Sep-2010 Shutoffs: (zzz)

Type: RPDA Size: 2 1/2 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (yyy) Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 20-Jun-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 20-Jun-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 20-Jun-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 20-Jun-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 15-Nov-2016

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 27-Sep-2016

Manufacturer: Watts Orientation: VUVU 0.25% Pb: No Renewed: 24-Jun-2016 Model: 957RPDA-GV Meters: (N), H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 957RPDA-GV Meters: (N), H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 957RPDA-GV Meters: (N), H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 957RPDA-GV Meters: (N), H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 957RPDA-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 957RPDA-GV Meters: (N), H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 957ZRPDA-BF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H) Type: RPDA Size: 3 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (yyy)

Type: RPDA Size: 4 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (yyy)

Type: RPDA Size: 8 Manual: 9 Approved: 14-Jun-2013 Shutoffs: (yyy)

Type: RPDA Size: 2 1/2 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (zzz)

Type: RPDA Size: 3 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (zzz)

Type: RPDA Size: 4 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (zzz)

Type: RPDA Size: 8 Manual: 9 Approved: 14-Jun-2013 Shutoffs: (zzz) Manufacturer: Watts Orientation: VUVU 0.25% Pb: No Renewed: 24-Jun-2016

Manufacturer: Watts Orientation: VUVU 0.25% Pb: No Renewed: 24-Jun-2016

Manufacturer: Watts Orientation: VUVU 0.25% Pb: No Renewed: 14-Jun-2016

Manufacturer: Watts Orientation: VUVU 0.25% Pb: No Renewed: 24-Jun-2016

Manufacturer: Watts Orientation: VUVU 0.25% Pb: No Renewed: 24-Jun-2016

Manufacturer: Watts Orientation: VUVU 0.25% Pb: No Renewed: 24-Jun-2016

Manufacturer: Watts Orientation: VUVU 0.25% Pb: No Renewed: 14-Jun-2016 Model: 957ZRPDA-BF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 957ZRPDA-BF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 957ZRPDA-BF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 957ZRPDA-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 957ZRPDA-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 957ZRPDA-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 957ZRPDA-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H) Type: RPDA Size: 2 1/2 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (yyy)

- Type: RPDA Size: 3 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (yyy)
- Type: RPDA Size: 4 Manual: 9 Approved: 15-Nov-2010 Shutoffs: (yyy)
- Type: RPDA Size: 6 Manual: 9 Approved: 14-Jun-2013 Shutoffs: (yyy)

Type: RPDA Size: 2 1/2 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz)

Type: RPDA Size: 3 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz)

Type: RPDA Size: 4 Manual: 9 Approved: 15-Nov-2010 Shutoffs: (zzz) Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 24-Jun-2016

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 15-Nov-2016

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 14-Jun-2016

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 15-Nov-2016 Model: 967NRPDA-BF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 967NRPDA-BF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 967NRPDA-BF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 967NRPDA-BF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 967NRPDA-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 967NRPDA-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 967NRPDA-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H) Type: RPDA Size: 6 Manual: 9 Approved: 14-Jun-2013 Shutoffs: (zzz)

Type: RPDA Size: 2 1/2 Manual: 9 Approved: 20-Jun-2006 Shutoffs: (zzz)

Type: RPDA Size: 3 Manual: 9 Approved: 20-Jun-2006 Shutoffs: (zzz)

Type: RPDA Size: 4 Manual: 9 Approved: 20-Jun-2006 Shutoffs: (zzz)

Type: RPDA Size: 6 Manual: 9 Approved: 15-Nov-2010 Shutoffs: (zzz)

Type: RPDA Size: 8 Manual: 9 Approved: 27-Sep-2010 Shutoffs: (zzz)

Type: RPDA Size: 10 Manual: 9 Approved: 27-Sep-2010 Shutoffs: (zzz) Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 14-Jun-2016

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 20-Jun-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 20-Jun-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 20-Jun-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 15-Nov-2016

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 27-Sep-2016

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 27-Sep-2016 Model: 967NRPDA-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 967RPDA-GV Meters: (N), H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 967RPDA-GV Meters: (N), H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 967RPDA-GV Meters: (N), H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 967RPDA-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 967RPDA-GV Meters: (N), H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 967RPDA-GV Meters: (N), H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H) Type: RPDA Size: 2 1/2 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (yyy)

- Type: RPDA Size: 3 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (yyy)
- Type: RPDA Size: 6 Manual: 9 Approved: 14-Jun-2013 Shutoffs: (yyy)

Type: RPDA Size: 2 1/2 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (zzz)

Type: RPDA Size: 3 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (zzz)

Type: RPDA Size: 6 Manual: 9 Approved: 14-Jun-2013 Shutoffs: (zzz) Manufacturer: Watts Orientation: VUVU 0.25% Pb: No Renewed: 24-Jun-2016

Manufacturer: Watts Orientation: VUVU 0.25% Pb: No Renewed: 24-Jun-2016

Manufacturer: Watts Orientation: VUVU 0.25% Pb: No Renewed: 14-Jun-2016

Manufacturer: Watts Orientation: VUVU 0.25% Pb: No Renewed: 24-Jun-2016

Manufacturer: Watts Orientation: VUVU 0.25% Pb: No Renewed: 24-Jun-2016

Manufacturer: Watts Orientation: VUVU 0.25% Pb: No Renewed: 14-Jun-2016 Model: 967ZRPDA-BF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 967ZRPDA-BF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 967ZRPDA-BF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 967ZRPDA-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 967ZRPDA-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 967ZRPDA-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Type: RPDA	Manufacturer: Watts	Model: 990RPDA
Size: 4	Orientation: H	Meters: (H),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,C
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Nov-1992	Renewed: 11-Nov-2016	Bypass: Watts 009QT 3/4 (H)
Shutoffs: pp,hh,mm,uu,zz		
Type: RPDA	Manufacturer: Watts	Model: 990RPDA
Size : 8	Orientation: H	Meters: (H),D,E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 13-Jan-1993	Renewed: 13-Jan-2017	Bypass: Watts 009QT 3/4 (H)
Shutoffs: oo,gg,hh,ll,mm,pp,tt,uu	1	
Type: RPDA	Manufacturer: Watts	Model: 992RPDA
Size: 4	Orientation: H	Meters: (H),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,C
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Nov-1992	Renewed: 11-Nov-2016	Bypass: Watts 009QT 3/4 (H)
Shutoffs: 00		
Type: RPDA	Manufacturer: Watts	Model: 992RPDA
Size : 10	Orientation: H	Meters: (H),D,E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 13-Jan-1993 Shutoffs: oo	Renewed: 13-Jan-2017	Bypass: Watts 009QT 3/4 (H)
Type: RPDA	Manufacturer: Watts	Model: LF957NRPDA-BF
Size: 2 1/2	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant versi	on identified with NSF61 mark on meter	
Type: RPDA	Manufacturer: Watts	Model: LF957NRPDA-BF

Type: RPDA Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: 08-Jan-2017 Model: LF957NRPDA-BF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)

Notes: Lead free compliant version identified with NSF61 mark on meter

Type: RPDA Manufacturer: Watts Size: 4 Orientation: VUVD 0.25% Pb: Yes Manual: 9 Approved: 08-Jan-2014 Renewed: 08-Jan-2017 Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter

Type: RPDA Manufacturer: Watts Size: 2 1/2 **Orientation: VUVD** Manual: 9 0.25% Pb: Yes Approved: 08-Jan-2014 Renewed: 08-Jan-2017 Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter

Type: RPDA Manufacturer: Watts Size: 3 **Orientation: VUVD** Manual: 9 0.25% Pb: Yes Renewed: 08-Jan-2017 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter

Type: RPDA Manufacturer: Watts Size: 4 Orientation: VUVD 0.25% Pb: Yes Manual: 9 Renewed: 08-Jan-2017 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter

Type: RPDA Size: 2 1/2 Manual: 9 Approved: 15-May-2014 Shutoffs: (zzz)

Type: RPDA Size: 3 Manual: 9 Approved: 15-May-2014 Shutoffs: (zzz) **Notes:** Water meter identified with NSF61 mark

Manufacturer: Watts **Orientation:** H 0.25% Pb: Yes Renewed: 15-May-2017 Model: LF957RPDA-GV Meters: (O) Spare Parts Only: No

Bypass: Watts LF919QT 3/4" (H)

Page 609 of 631

Bypass: Watts LF919QT 3/4" (H)

Model: LF957RPDA-GV

Spare Parts Only: No

Meters: (O)

Model: LF957NRPDA-GV

Bypass: Watts LF919QT 3/4" (H)

Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)

Model: LF957NRPDA-GV Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)

Model: LF957NRPDA-GV

Spare Parts Only: No

Meters: (O)

Model: LF957NRPDA-BF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)

Notes: Water meter identified with NSF61 mark

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 15-May-2017 Type: RPDA Manufacturer: Watts Size: 4 Manual: 9 Approved: 15-May-2014 Shutoffs: (zzz) Notes: Water meter identified with NSF61 mark

Type: RPDA Manufacturer: Watts Size: 6 Orientation: H Manual: 9 0.25% Pb: Yes Approved: 15-May-2014 Renewed: 15-May-2017 Shutoffs: (zzz) Notes: Water meter identified with NSF61 mark

Type: RPDA Size: 8 Manual: 9 Approved: 13-Aug-2015 Shutoffs: (zzz) Notes: Water meter identified with NSF61 mark

Type: RPDA Manufacturer: Watts Size: 10 Orientation: H 0.25% Pb: Yes Manual: 9 Approved: 21-Sep-2015 Renewed: Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter

Type: RPDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter

Type: RPDA

Size: 3

Manual: 9

Shutoffs: (zzz)

Orientation: VUVD 0.25% Pb: Yes Renewed: 08-Jan-2017

Manufacturer: Watts

Renewed: 08-Jan-2017

Orientation: VUVD

0.25% Pb: Yes

Model: LF957ZRPDA-BF Bypass: Watts LF919QT 3/4" (H)

Model: LF957ZRPDA-BF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)

Notes: Lead free compliant version identified with NSF61 mark on meter

Approved: 08-Jan-2014

Model: LF957RPDA-GV Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)

Model: LF957RPDA-GV Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)

Model: LF957RPDAGV Meters: (M) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)

Model: LF957RPDAGV Meters: (M) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)

Orientation: H 0.25% Pb: Yes Renewed: 15-May-2017

Renewed:

Manufacturer: Watts

Meters: (O) Spare Parts Only: No

Manufacturer: Watts Orientation: H 0.25% Pb: Yes

Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz) Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
•		
Type: RPDA	Manufacturer: Watts	Model: LF957ZRPDA-GV
Size: 2 1/2	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: RPDA	Manufacturer: Watts	Model: LF957ZRPDA-GV
Size: 3	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: RPDA	Manufacturer: Watts	Model: LF957ZRPDA-GV
Size: 4	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2017	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: RPDA	Manufacturer: Wilkins	Model: 375ADA
Size: 2 1/2	Orientation: H	Meters: (M),H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Oct-2008	Renewed: 20-Oct-2014	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (qqq),ttt,www,yyy,zzz,	uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,lllll	l,mmmmmm
Type: RPDA	Manufacturer: Wilkins	Model: 375ADA
	Orientation: H	Meters: (O), M
Size: 2 1/2	enontation: n	(- /)
Size: 2 1/2 Manual: 9	0.25% Pb: Yes	Spare Parts Only: No

Notes: Lead free compliant version: Starting Serial # Y09616; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Model: LF957ZRPDA-BF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)

Type: RPDA Manufacturer: Watts Size: 4 Orientation: VUVD Manual: 9 0.25% Pb: Yes Approved: 08-Jan-2014 Renewed: 08-Jan-2017

Type: RPDA	Manufacturer: Wilkins	Model: 375ADA
Size: 3	Orientation: H	Meters: (M),H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Oct-2008	Renewed: 20-Oct-2014	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (qqq),ttt,www,yyy,zzz	,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llll	ll,mmmmmm
Type: RPDA	Manufacturer: Wilkins	Model: 375ADA
Size: 3	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (qqq),ttt,www,yyy,uuu	ıu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mr	nmmmm
Notes: Lead free compliant vers with NSF61 mark on meter	sion: Starting Serial # Y09616; By-pass A	ssembly Starting Serial # 3863325 and identified
Type: RPDA	Manufacturer: Wilkins	Model: 375ADA
Size: 4	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	Bypass: Wilkins 975XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,xxx	x,yyyy,kkkkk,lllll,lllll,mmmmmm	
Notes: Lead free compliant vers with NSF61 mark on meter	sion: Starting Serial # Y09616; By-pass A	ssembly Starting Serial # 3863325 and identified
Type: RPDA	Manufacturer: Wilkins	Model: 375ADA
Size: 4	Orientation: H	Meters: (M), B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 02-Jun-2004	Renewed: 02-Jun-2016	Bypass: Wilkins 975XLD 3/4" (H)
••	Renewed: 02-Jun-2016 ,eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,	
Shutoffs: (qqq),ttt,www,yyy,zzz		
Approved: 02-Jun-2004 Shutoffs: (qqq),ttt,www,yyy,zzz, Type: RPDA Size: 6	,eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,	jjjjjj,IIIII,mmmmmm

Approved: 18-Feb-2014

Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,lllll,lllll,mmmmmm

Notes: Lead free compliant version: Starting Serial # Y09616; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Bypass: Wilkins 975XLD 3/4 (H)

Renewed: 18-Feb-2017

Type: RPDA	Manufacturer: Wilkins	Model: 375ADA
Size: 6	Orientation: H	Meters: (M),C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Nov-2003	Renewed: 25-Nov-2015	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (qqq),ttt,www,yyy,zzz,	eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,j	jjjjj,IIIII,mmmmmm
Type: RPDA	Manufacturer: Wilkins	Model: 375ADA
Size: 8	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	Bypass: Wilkins 975XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,xxxx	x,yyyy,kkkkk,lllll,lllll,mmmmmm	
Notes: Lead free compliant versi with NSF61 mark on meter	ion: Starting Serial # Y09616; By-pass A	ssembly Starting Serial # 3863325 and identified
Type: RPDA	Manufacturer: Wilkins	Model: 375ADA
Size: 8	Orientation: H	Meters: (N), G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Jun-2004	Renewed: 15-Jun-2016	Bypass: Wilkins 975XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,zzz,	eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,j	jjjjj,IIIII,mmmmm
Type: RPDA	Manufacturer: Wilkins	Model: 375ADA
Size: 10	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	Bypass: Wilkins 975XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,xxxx	x,yyyy,kkkkk,lllll,lllll,mmmmmm	
Notes: Lead free compliant versi with NSF61 mark on meter	ion: Starting Serial # Y09616; By-pass A	ssembly Starting Serial # 3863325 and identified
Type: RPDA	Manufacturer: Wilkins	Model: 375ADA
Size: 10	Orientation: H	Meters: (N),H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 11-Mar-2009	Renewed: 11-Mar-2015	Bypass: Wilkins 975XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,zzz,	eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,j	jjjjj,IIIII,mmmmm

Type: RPDA	Manufacturer: Wilkins	Model: 375ADAR
Size: 2 1/2	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (qqq),ttt,www,yyy,uuuu,vvv	/v,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mm	nmmm
Notes: Integral grooved spool betwee	en the #2 ck and #2 SOV - assembly	/ length: min. 34 1/4" and max. 47 1/8" and Lead

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 34 1/4" and max. 47 1/8" and Lead free compliant version: Starting Serial # T00466; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: RPDA	Manufacturer: Wilkins	Model: 375ADAR	
Size: 2 1/2	Orientation: H	Meters: (M),H,I,J,K,L,N,O,P,Q	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 16-Jun-2010	Renewed: 16-Jun-2016	Bypass: Wilkins 975XLD 3/4 (H)	
Shutoffs: (qqq),ttt,www,yyy,zzz,uuuu,vvvv,xxxx,yyyy,kkkkk,IIIII,iiiiii,jjjjjj,IIIIII,mmmmmm			
Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 34 1/4" and max. 47 1/8"			

Type: RPDA	Manufacturer: Wilkins	Model: 375ADAR
Size: 3	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	Bypass: Wilkins 975XLD 3/4 (H)

Shutoffs: (qqq),ttt,www,yyy,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmmmm

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 34 3/4" and max. 48 1/8" and Lead free compliant version: Starting Serial # T00466; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: RPDA	Manufacturer: Wilkins	Model: 375ADAR	
Size: 3	Orientation: H	Meters: (M),H,I,J,K,L,N,O,P,Q	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 16-Jun-2010	Renewed: 16-Jun-2016	Bypass: Wilkins 975XLD 3/4 (H)	
Shutoffs: (qqq),ttt,www,yyy,zzz,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmmmm			
Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 34 3/4" and max. 48 1/8"			

Type: RPDA	Manufacturer: Wilkins	Model: 375ADAR
Size: 4	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	Bypass: Wilkins 975XLD 3/4 (H)

Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,lllll,llllll,mmmmmm

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 35 3/4" and max. 62 1/4" and Lead free compliant version: Starting Serial # T00466; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: RPDA	Manufacturer: Wilkins	Model: 375ADAR
Size: 4	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (qqq),ttt,www,yyy,zzz,	eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,	jjjjjj,IIIIII,mmmmmm
Notes: Integral grooved spool be	etween the #2 ck and #2 SOV - assembl	y length: min. 35 3/4" and max. 62 1/4"
Type: RPDA	Manufacturer: Wilkins	Model: 375ADAR
Size: 6	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (qqq),ttt,www,yyy,xxxx	,yyyy,kkkkk,lllll,lllll,mmmmmm	
• • •		y length: min. 42 1/2" and max. 71 1/4" and Lead ting Serial # 3863325 and identified with NSF61
Type: RPDA	Manufacturer: Wilkins	Model: 375ADAR
Size: 6	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (qqq),ttt,www,yyy,zzz,	eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,	jjjjjj,IIIIII,mmmmmm
Notes: Integral grooved spool be	etween the #2 ck and #2 SOV - assembl	y length: min. 42 1/2" and max. 71 1/4"
Type: RPDA	Manufacturer: Wilkins	Model: 375ADAR
Size: 8	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (qqq),ttt,www,yyy,xxxx	c,yyyy,kkkkk,lllll,lllll,mmmmmm	
		y length: min. 57 7/8" and max. 86" and Lead free Serial # 3863325 and identified with NSF61 mark
Type: RPDA	Manufacturer: Wilkins	Model: 375ADAR
Size: 8	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (qqq),ttt,www,vvv,zzz,	eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,IIIII,iiiiii,	ijijij,IIIIII,mmmmmm

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 57 7/8" and max. 86"

Type: RPDA	Manufacturer: Wilkins	Model: 375ADAR
Size: 10	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	Bypass: Wilkins 975XLD 3/4 (H)

Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,lllll,llllll,mmmmm

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 61 3/8" and max. 100 5/8" and Lead free compliant version: Starting Serial # T00466; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: RPDA	Manufacturer: Wilkins	Model: 375ADAR
Size: 10		Meters:
	Orientation: H	(M),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (qqq),ttt,www,yyy,zzz,	,eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,j	jjjjj,IIIIII,mmmmmm
Notes: Integral grooved spool be	etween the #2 ck and #2 SOV - assembly	y length: min. 61 3/8" and max. 100 5/8"

Type: RPDA	Manufacturer: Wilkins	Model: 375ASTDA
Size: 2 1/2	Orientation: H	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Feb-2014	Renewed: 20-Feb-2017	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (\\\\) aga ttt uuuu \\\\\\ \\\\ \\\ \\\ \\\ \\\ \\		

Shutoffs: (yyy),qqq,ttt,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmmmm

Notes: Lead free compliant version: By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: RPDA	Manufacturer: Wilkins	Model: 375ASTDA	
Size: 2 1/2	Orientation: H	Meters: (M),H,I,J,K,L,N,O,P,Q	
Manual: 10	0.25% Pb: No	Spare Parts Only: No	
Approved: 14-Jun-2013	Renewed: 14-Jun-2016	Bypass: Wilkins 975XLD 3/4 (H)	
Shutoffs: (yyy),qqq,ttt,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmmmm			

Type: RPDA	Manufacturer: Wilkins	Model: 375ASTDA
Size: 3	Orientation: H	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Feb-2014	Renewed: 20-Feb-2017	Bypass: Wilkins 975XLD 3/4 (H)

Shutoffs: (yyy),qqq,ttt,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmmmm

Notes: Lead free compliant version: By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: RPDA	Manufacturer: Wilkins	Model: 375ASTDA
Size: 3	Orientation: H	Meters: (M),H,I,J,K,L,N,O,P,Q
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed: 14-Jun-2016	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (yyy),qqq,ttt,uuuu,vvv	v,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmmr	nm
Type: RPDA	Manufacturer: Wilkins	Model: 375ASTDA
Size: 4	Orientation: H	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Feb-2014	Renewed: 20-Feb-2017	Bypass: Wilkins 975XLD 3/4" (H)
Shutoffs: (yyy),qqq,ttt,uuuu,vvv	x,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmmr	nm
Notes: Lead free compliant vers meter	ion: By-pass Assembly Starting Serial #	3863325 and identified with NSF61 mark on
Type: RPDA	Manufacturer: Wilkins	Model: 375ASTDA
Size: 4	Orientation: H	Meters: (M),H,I,J,K,L,N,O,P,Q
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed: 14-Jun-2016	Bypass: Wilkins 975XLD 3/4" (H)
Shutoffs: (yyy),qqq,ttt,uuuu,vvvv	v,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmmr	nm
Type: RPDA	Manufacturer: Wilkins	Model: 375ASTDA
Size: 6	Orientation: H	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Sep-2014	Renewed:	Bypass: Wilkins 975XLD 3/4" (H)
Shutoffs: (yyyy),ttt,www,yyy,uut	uu,vvvv,xxxx,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmm	ımm
Type: RPDA	Manufacturer: Wilkins	Model: 375ASTDA
Size: 8	Orientation: H	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Sep-2014	Renewed:	Bypass: Wilkins 975XLD 3/4" (H)
Shutoffs: (yyyy),ttt,www,yyy,uuu	uu,vvvv,xxxx,kkkkk,lllll,iiiiiii,jjjjjj,llllll,mmmm	nmm
Type: RPDA	Manufacturer: Wilkins	Model: 375ASTDA
Size: 10	Orientation: H	Meters: (O)
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Manual: 10		

Type: RPDA	Manufacturer: Wilkins	Model: 375ASTDAR
Size: 2 1/2	Orientation: H	Meters: (O), M
Manual: 10	0.25% Pb: Yes	
		Spare Parts Only: No
Approved: 09-Oct-2014		Bypass: Wilkins 975XLD 3/4" (H)
	iu,vvvv,xxxx,kkkkk,lllll,iiiiii,jjjjjj,lllll,mmmm etween the #2 ck and #2 SOV - assembl	
	eween the #2 ck and #2 SOV - assemble	
Type: RPDA	Manufacturer: Wilkins	Model: 375ASTDAR
Size: 3	Orientation: H	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Oct-2014	Renewed:	Bypass: Wilkins 975XLD 3/4" (H)
Shutoffs: (yyyy),ttt,www,yyy,uuu	ıu,vvvv,xxxx,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmm	ımm
Notes: Integral grooved spool be	etween the #2 ck and #2 SOV - assembl	y length: min. 31 1/2" and max. 48 1/8"
Type: RPDA	Manufacturer: Wilkins	Model: 375ASTDAR
Size: 4	Orientation: H	Meters: (O), M
Manual: 10	0.25% Pb : Yes	Spare Parts Only: No
Approved: 09-Oct-2014	Renewed:	Bypass: Wilkins 975XLD 3/4" (H)
	ıu,vvvv,xxxx,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmr	
	etween the #2 ck and #2 SOV - assembl	
Type: RPDA	Manufacturer: Wilkins	Model: 375ASTDAR
Size: 6	Orientation: H	Meters: (O), M
Manual: 10	0.25% Pb : Yes	Spare Parts Only: No
Approved: 18-Sep-2014	Renewed:	Bypass: Wilkins 975XLD 3/4" (H)
Shutoffs: (yyyy),ttt,www,yyy,uuu	ıu,vvvv,xxxx,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmm	nmm
Notes: Integral grooved spool be	etween the #2 ck and #2 SOV - assembl	y length: min. 39" and max. 71 1/4"
Type: RPDA	Manufacturer: Wilkins	Model: 375ASTDAR
Size: 8	Orientation: H	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Sep-2014	Renewed:	Bypass: Wilkins 975XLD 3/4" (H)
	ıu,vvvv,xxxx,kkkkk,lllll,iiiiii,jjjjj,llllll,mmmr	
	etween the #2 ck and #2 SOV - assembl	
Type: RPDA	Manufacturer: Wilkins	Model: 375ASTDAR
Size: 10	Orientation: H	Meters: (O)
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Sep-2014	Renewed:	Bypass: Wilkins 975XLD 3/4" (H)
••	ıu,vvvv,xxxx,kkkkk,lllll,iiiiii,jjjjj,llllll,mmmr	

Type: RPDA	Manufacturer: Wilkins	Model: 375DA
Size: 2 1/2	Orientation: H	Meters: (M),C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Oct-2002	Renewed: 08-Oct-2014	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (hh),ff,mm,uu,zz,vvvv,	wwww,yyyy,zzzz,kkkkk,jjjjjj,kkkkkk,mmm	nmmm,nnnnnn
Type: RPDA	Manufacturer: Wilkins	Model: 375DA
Size: 2 1/2	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (hh),qqq,vvv,www,yyy	y,zzzz,kkkkk,mmmmmm,nnnnnn	
Notes: Lead free compliant vers with NSF61 mark on meter	ion: Starting Serial # M08452; By-pass A	Assembly Starting Serial # 3863325 and identified
Type: RPDA	Manufacturer: Wilkins	Model: 375DA
Size: 3	Orientation: H	Meters: (M),C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Oct-2002	Renewed: 08-Oct-2014	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (hh),ff,mm,uu,zz,vvvv,	wwww,yyyy,zzzz,kkkkk,jjjjjj,kkkkk,mmm	nmmm,nnnnnn

Type: RPDA	Manufacturer: Wilkins	Model: 375DA
Size: 3	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (hh),qqq,vvv,www,yyyy,zzzz,kkkkk,mmmmmm,nnnnnn		

Notes: Lead free compliant version: Starting Serial # M08452; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: RPDA	Manufacturer: Wilkins
Size: 4	Orientation: H
Manual: 9	0.25% Pb: Yes
Approved: 18-Feb-2014	Renewed: 18-Feb-2017

Model: 375DA Meters: (O), M Spare Parts Only: No Bypass: Wilkins 975XLD 3/4 (H)

Shutoffs: (hh),qqq,vvv,www,yyyy,zzzz,kkkk,mmmmmm,nnnnnn

Notes: Lead free compliant version: Starting Serial # M08452; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: RPDA	Manufacturer: Wilkins	Model: 375DA
Size: 4	Orientation: H	Meters:
5126. 4	Onentation. IT	(M),C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 13-Dec-2000	Renewed: 13-Dec-2015	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (hh),ff,mm,uu,zz,qqq,vvv,www	v.zzz,eeee,vvvv,wwww,yyyy,zzzz,kkkkk,j	jjjjj,kkkkkk,mmmmmm,nnnnnn

Type: RPDA	Manufacturer: Wilkins	Model: 375DA
Size: 6	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	Bypass: Wilkins 975XLD 3/4 (H)

Shutoffs: (hh),qqq,vvv,www,yyyy,zzzz,kkkkk,mmmmmm,nnnnn

Notes: Lead free compliant version: Starting Serial # M08452; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: RPDA	Manufacturer: Wilkins	Model: 375DA
Size : 6	Orientation: H	Meters: (N),C,D,E,F,G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 31-May-2001	Renewed: 31-May-2016	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (hh),ff,mm,uu,zz,qqq,vvv,www.zzz,eeee,vvvv,wwww,yyyy,zzzz,kkkkk,jjjjjj,kkkkkk,mmmmmm,nnnnnn		

Type: RPDA	Manufacturer: Wilkins	Model: 375DA
Size: 8	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	Bypass: Wilkins 975XLD 3/4" (H)
Shutoffs: (hh),qqq,vvv,www,yyyy,z	zzzz,kkkkk,mmmmmm,nnnnnn	

Notes: Lead free compliant version: Starting Serial # M08452; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: RPDA	Manufacturer: Wilkins	Model: 375DA
Size: 8	Orientation: H	Meters: (N), G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Jun-2004	Renewed: 15-Jun-2016	Bypass: Wilkins 975XLD 3/4" (H)

Shutoffs: (hh),ff,mm,uu,zz,qqq,vvv,www.zzz,eeee,vvvv,wwww,yyyy,zzzz,kkkkk,jjjjjj,kkkkkk,mmmmmm,nnnnnn

Type: RPDA	Manufacturer: Wilkins	Model: 375DA
Size: 10	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	Bypass: Wilkins 975XLD 3/4" (H)
Shutoffs: (hh),qqq,vvv,www,yyy	y,zzzz,kkkkk,mmmmmm,nnnnnn	
Notes: Lead free compliant versi with NSF61 mark on meter	on: Starting Serial # M08452; By-pass A	ssembly Starting Serial # 3863325 and identified
Type: RPDA	Manufacturer: Wilkins	Model: 375DA
Size: 10	Orientation: H	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Nov-2004	Renewed: 22-Nov-2016	Bypass: Wilkins 975XLD 3/4" (H)
Shutoffs: (hh),ff,mm,uu,zz,qqq,v	vv,www.zzz,eeee,vvvv,wwww,yyyy,zzzz	,kkkkk,jjjjjj,kkkkkk,mmmmmm,nnnnn
Type: RPDA	Manufacturer: Wilkins	Model: 475DA
Size: 4	Orientation: VUVD	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (hh),qqq,vvv,www,yyy Notes: Lead free compliant versi		ssembly Starting Serial # 3863325 and identified
Notes: Lead free compliant versi with NSF61 mark on meter	on: Starting Serial # R04847; By-pass A	
Notes: Lead free compliant versi with NSF61 mark on meter Type: RPDA	on: Starting Serial # R04847; By-pass A Manufacturer: Wilkins	Model: 475DA
Notes: Lead free compliant versi with NSF61 mark on meter Type: RPDA Size: 4	on: Starting Serial # R04847; By-pass A Manufacturer: Wilkins Orientation: VUVD	Model: 475DA Meters: (N),F,G,H,I,J,K,L,M,O,P,Q
Notes: Lead free compliant versi with NSF61 mark on meter Type: RPDA Size: 4 Manual: 9	on: Starting Serial # R04847; By-pass A Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No	Model: 475DA Meters: (N),F,G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No
Notes: Lead free compliant versi with NSF61 mark on meter Type: RPDA Size: 4 Manual: 9 Approved: 20-Mar-2001	on: Starting Serial # R04847; By-pass A Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 20-Mar-2016	Model: 475DA Meters: (N),F,G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Wilkins 975XLD 3/4 (H)
Notes: Lead free compliant versi with NSF61 mark on meter Type: RPDA Size: 4 Manual: 9 Approved: 20-Mar-2001	on: Starting Serial # R04847; By-pass A Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No	Model: 475DA Meters: (N),F,G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Wilkins 975XLD 3/4 (H)
Notes: Lead free compliant versi with NSF61 mark on meter Type: RPDA Size: 4 Manual: 9 Approved: 20-Mar-2001 Shutoffs: (qqq),ttt,www,yyy,zzz,	on: Starting Serial # R04847; By-pass A Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 20-Mar-2016	Model: 475DA Meters: (N),F,G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Wilkins 975XLD 3/4 (H)
Notes: Lead free compliant versi with NSF61 mark on meter Type: RPDA Size: 4 Manual: 9 Approved: 20-Mar-2001 Shutoffs: (qqq),ttt,www,yyy,zzz, Type: RPDA	on: Starting Serial # R04847; By-pass A Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 20-Mar-2016 eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,j	Model: 475DA Meters: (N),F,G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Wilkins 975XLD 3/4 (H)
Notes: Lead free compliant versi with NSF61 mark on meter Type: RPDA Size: 4 Manual: 9 Approved: 20-Mar-2001 Shutoffs: (qqq),ttt,www,yyy,zzz, Type: RPDA Size: 6	on: Starting Serial # R04847; By-pass A Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 20-Mar-2016 eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,j Manufacturer: Wilkins	Model: 475DA Meters: (N),F,G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Wilkins 975XLD 3/4 (H) jjjjj,IIIIII,mmmmm Model: 475DA
Notes: Lead free compliant versi with NSF61 mark on meter Type: RPDA Size: 4 Manual: 9 Approved: 20-Mar-2001 Shutoffs: (qqq),ttt,www,yyy,zzz,o Type: RPDA Size: 6 Manual: 9	on: Starting Serial # R04847; By-pass A Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 20-Mar-2016 eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,j Manufacturer: Wilkins Orientation: VUVD	Model: 475DA Meters: (N),F,G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Wilkins 975XLD 3/4 (H) ijjjjj,IIIIII,mmmmm Model: 475DA Meters: (O), M
Notes: Lead free compliant versi with NSF61 mark on meter Type: RPDA Size: 4 Manual: 9 Approved: 20-Mar-2001 Shutoffs: (qqq),ttt,www,yyy,zzz,o Type: RPDA Size: 6 Manual: 9	on: Starting Serial # R04847; By-pass A Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 20-Mar-2016 eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiiii,j Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 18-Feb-2017	Model: 475DA Meters: (N),F,G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Wilkins 975XLD 3/4 (H) jjjjj,IIIIII,mmmmm Model: 475DA Meters: (O), M Spare Parts Only: No
Notes: Lead free compliant versi with NSF61 mark on meter Type: RPDA Size: 4 Manual: 9 Approved: 20-Mar-2001 Shutoffs: (qqq),ttt,www,yyy,zzz, Type: RPDA Size: 6 Manual: 9 Approved: 18-Feb-2014 Shutoffs: (hh),qqq,vvv,www,yyy	on: Starting Serial # R04847; By-pass A Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 20-Mar-2016 eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,j Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 18-Feb-2017 y,zzzz,kkkkk,mmmmm,nnnnn	Model: 475DA Meters: (N),F,G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Wilkins 975XLD 3/4 (H) jjjjj,IIIIII,mmmmm Model: 475DA Meters: (O), M Spare Parts Only: No
Notes: Lead free compliant versi with NSF61 mark on meter Type: RPDA Size: 4 Manual: 9 Approved: 20-Mar-2001 Shutoffs: (qqq),ttt,www,yyy,zzz, Type: RPDA Size: 6 Manual: 9 Approved: 18-Feb-2014 Shutoffs: (hh),qqq,vvv,www,yyy Notes: Lead free compliant versi	on: Starting Serial # R04847; By-pass A Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 20-Mar-2016 eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,j Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 18-Feb-2017 y,zzzz,kkkkk,mmmmm,nnnnn	Model: 475DA Meters: (N),F,G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Wilkins 975XLD 3/4 (H) ijjjj,IIIIII,mmmmm Model: 475DA Meters: (O), M Spare Parts Only: No Bypass: Wilkins 975XLD 3/4 (H)
Notes: Lead free compliant versi with NSF61 mark on meter Type: RPDA Size: 4 Manual: 9 Approved: 20-Mar-2001 Shutoffs: (qqq),ttt,www,yyy,zzz, Type: RPDA Size: 6 Manual: 9 Approved: 18-Feb-2014 Shutoffs: (hh),qqq,vvv,www,yyy Notes: Lead free compliant versi with NSF61 mark on meter	on: Starting Serial # R04847; By-pass A Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 20-Mar-2016 eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,j Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 18-Feb-2017 y,zzzz,kkkkk,mmmmm,nnnnn on: Starting Serial # R04847; By-pass A	Model: 475DA Meters: (N),F,G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Wilkins 975XLD 3/4 (H) ijjjj,IIIIII,mmmmm Model: 475DA Meters: (O), M Spare Parts Only: No Bypass: Wilkins 975XLD 3/4 (H) ssembly Starting Serial # 3863325 and identified
Notes: Lead free compliant versi with NSF61 mark on meter Type: RPDA Size: 4 Manual: 9 Approved: 20-Mar-2001 Shutoffs: (qqq),ttt,www,yyy,zzz,d Type: RPDA Size: 6 Manual: 9 Approved: 18-Feb-2014 Shutoffs: (hh),qqq,vvv,www,yyy Notes: Lead free compliant versi with NSF61 mark on meter Type: RPDA	on: Starting Serial # R04847; By-pass A Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 20-Mar-2016 eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,j Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 18-Feb-2017 y,zzzz,kkkkk,mmmmmm,nnnnn on: Starting Serial # R04847; By-pass A	Model: 475DA Meters: (N),F,G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Wilkins 975XLD 3/4 (H) jjjjj,IIIIII,mmmmm Model: 475DA Meters: (O), M Spare Parts Only: No Bypass: Wilkins 975XLD 3/4 (H) ssembly Starting Serial # 3863325 and identified Model: 475DA

Shutoffs: (qqq),ttt,www,yyy,zzz,eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmmmm

Type: RPDA	Manufacturer: Wilkins	Model: 475DA
Size: 8	Orientation: VUVD	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (hh),qqq,vvv,www,yyy	y,zzz,mmmmmm,nnnnnn	
Notes: Lead free compliant vers with NSF61 mark on meter	ion: Starting Serial # R04847; By-pass A	ssembly Starting Serial # 3863325 and identified
Type: RPDA	Manufacturer: Wilkins	Model: 475DA
Size : 8	Orientation: VUVD	Meters: (M), B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 11-Aug-2004	Renewed: 11-Aug-2016	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (qqq),ttt,www,yyy,zzz	eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiiii,	jjjjjj,IIIIII,mmmmmm
Type: RPDA	Manufacturer: Wilkins	Model: 475DAV
Size: 4	Orientation: VUVU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	Bypass: Wilkins 975XLD 3/4 (H)
with NSF61 mark on meter		
Type: RPDA	Manufacturer: Wilkins	Model: 475DAV
Size: 4	Orientation: VUVU	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Mar-2001	Renewed: 20-Mar-2016	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (qqq),mm,ttt,www,yyy	,zzz,eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,IIIII	,iiiiii,jjjjjj,IIIIII,mmmmmm
Type: RPDA	Manufacturer: Wilkins	Model: 475DAV
Size: 6	Orientation: VUVU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (hh),qqq,vvv,www,yyy	y,zzz,kkkkk,mmmmmm,nnnnnn	
Notes: Lead free compliant vers with NSF61 mark on meter	ion: Starting Serial # R04847; By-pass A	ssembly Starting Serial # 3863325 and identified
Type: RPDA	Manufacturer: Wilkins	Model: 475DAV
Size: 6	Orientation: VUVU	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jul-2004	Renewed: 20-Jul-2016	Bypass: Wilkins 975XLD 3/4 (H)

Type: RPDA	Manufacturer: Wilkins	Model: 475DAV
Size: 8	Orientation: VUVU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2017	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (hh),qqq,vvv,www,yyy	/y,zzzz,mmmmmm,nnnnnn	
Notes: Lead free compliant vers with NSF61 mark on meter	ion: Starting Serial # R04847; By-pass A	Assembly Starting Serial # 3863325 and identified
Type: RPDA	Manufacturer: Wilkins	Model: 475DAV
Size: 8	Orientation: VUVU	Meters: (M), B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Apr-2004	Renewed: 24-Apr-2016	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (qqq),mm,ttt,www,yyy	z,zzz,eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll	,iiiiii,jjjjjj,lllll,mmmmmm
Type: RPDA	Manufacturer: Wilkins	Model: 975DA
Size: 2 1/2	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Feb-1994	Renewed: 01-Feb-2015	Bypass: Wilkins 975 3/4 (H)
Shutoffs: (hh),ff,uu,zz,vvvv,wwv	NW,YYYY,ZZZZ	
Type: RPDA	Manufacturer: Wilkins	Model: 975DA
Size: 3	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Feb-1994	Renewed: 01-Feb-2015	Bypass: Wilkins 975 3/4 (H)
Shutoffs: (hh),ff,uu,zz,vvvv,wwv	ww,yyyy,zzzz	
Type: RPDA	Manufacturer: Wilkins	Model: 975DA
Size: 4	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Nov-1993	Renewed: 01-Nov-2014	Bypass: Wilkins 975 3/4 (H)
Shutoffs: hh,ff,mm,uu,zz,vvvv,w	vwww,yyyy,zzzz	
Type: RPDA	Manufacturer: Wilkins	Model: 975DA
Size: 6	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 14-Mar-1994	Renewed: 14-Mar-2015	Bypass: Wilkins 975 3/4 (H)
Shutoffs: hh,ff,mm,uu,zz,vvvv,w	vwww,yyyy,zzzz	

Type: RPDA	Manufacturer: Wilkins	Model: 975DA
Size: 8	Orientation: H	Meters:
		(M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Dec-1996	Renewed: 05-Dec-2014	Bypass: Wilkins 975 3/4 (H)
Shutoffs: (hh),ff,uu,zz,vvvv,wwww,yyy	y.zzz	
Type: RPDA	Manufacturer: Wilkins	Model: 975DA
Size: 10	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Dec-1996	Renewed: 05-Dec-2014	Bypass: Wilkins 975 3/4 (H)
Shutoffs: (hh),ff,uu,zz,vvvv,wwww,yyy	y.zzz	
Type: RPDA-II	Manufacturer: Apollo/Conbraco	Model: RPDA24A
Size: 1 1/2	Orientation: H	Meters: (M),G,H,I,J,K,L,N,O,P,Q
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 31-Oct-2016	Renewed:	Bypass: Apollo 1/2" Model CVA4A (HVD)
Shutoffs: (ddddd)		()
Type: RPDA-II	Manufacturer: Apollo/Conbraco	Model: RPDA24A
Size: 2	Orientation: H	Meters: (M),G,H,I,J,K,L,N,O,P,Q
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 31-Oct-2016	Renewed:	Bypass: Apollo 1/2" Model CVA4A (HVD)
Shutoffs: (dddddd)		
Type: RPDA-II	Manufacturer: Apollo/Conbraco	Model: RPDA2LF4A
Size: 1 1/2	Orientation: H	Meters: (M),G,H,I,J,K,L,N,O,P,Q
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 31-Oct-2016	Renewed:	Bypass: Apollo 1/2" Model CVALF4A
Shutoffs: (eeeeee)		(HVD)
Type: RPDA-II	Manufacturer: Apollo/Conbraco	Model: RPDA2LF4A
Size: 2	Orientation: H	Meters: (M),G,H,I,J,K,L,N,O,P,Q
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 31-Oct-2016	Renewed:	Bypass: Apollo 1/2" Model CVALF4A (HVD)
Shutoffs: (eeeeee)		

Type: RPDA-II Size: 2 1/2 Manual: 10 Approved: 20-Jan-2017 Shutoffs: (int)

Type: RPDA-II Size: 3 Manual: 10 Approved: 20-Jan-2017 Shutoffs: (int)

Approved: 20-Jan-2017

Approved: 27-Jun-2017

Type: RPDA-II

Manual: 10

Shutoffs: (int)

Type: RPDA-II

Manual: 10

Shutoffs: (int)

Size: 8

Size: 4

Manufacturer: Backflow Direct Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Backflow Direct Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Backflow Direct Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Backflow Direct Orientation: H 0.25% Pb: Yes Renewed:

Type: RPDA-II Size: 6 Manual: 10 Approved: 27-Jun-2017 Shutoffs: (int)

Type: RPDA-II Size: 2 1/2 Manual: 10 Approved: 20-Mar-2015 Shutoffs: (mm), II

Type: RPDA-II Size: 3 Manual: 10 Approved: 20-Mar-2015 Shutoffs: (mm), II Manufacturer: Backflow Direct Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: H 0.25% Pb: Yes Renewed: Model: Deringer 50 Meters: (O),G,H,I,J,K,L,M,N,O,Q Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(HVD)

Model: Deringer 50 Meters: (O),G,H,I,J,K,L,M,N,O,Q Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(HVD)

Model: Deringer 50 Meters: (O),G,H,I,J,K,L,M,N,O,Q Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(HVD)

Model: Deringer 50 Meters: (O),G,H,I,J,K,L,M,N,O,Q Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(HVD)

Model: Deringer 50X Meters: (O),G,H,I,J,K,L,M,N,O,Q Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(HVD)

Model: LF866 Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (H)

Model: LF866 Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (H) Type: RPDA-II Size: 4 Manual: 10 Approved: 26-Jan-2015 Shutoffs: (mm), II

Type: RPDA-II Size: 6 Manual: 10 Approved: 13-Mar-2015 Shutoffs: (mm), II

Type: RPDA-II Size: 8 Manual: 10 Approved: 07-Jul-2015 Shutoffs: (mm), II

Type: RPDA-II Size: 10 Manual: 10 Approved: 07-Jul-2015 Shutoffs: (mm), II

Type: RPDA-II Size: 2 1/2 Manual: 10 Approved: 20-Mar-2015 Shutoffs: (mm), II

Type: RPDA-II Size: 2 1/2 Manual: 10 Approved: 20-Mar-2015 Shutoffs: (mm), II

Type: RPDA-II Size: 3 Manual: 10 Approved: 20-Mar-2015 Shutoffs: (mm), II Manufacturer: Febco Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: VUVD 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: VUVU 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: VUVD 0.25% Pb: Yes Renewed: Model: LF866 Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (H)

Model: LF866 Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (H)

Model: LF866 Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (H)

Model: LF866 Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (H)

Model: LF886V Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU)

Model: LF886V Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVD)

Model: LF886V Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU) Type: RPDA-II Size: 3 Manual: 10 Approved: 20-Mar-2015 Shutoffs: (mm), II

Type: RPDA-II Size: 4 Manual: 10 Approved: 26-Jan-2015 Shutoffs: (mm), II

Type: RPDA-II Size: 4 Manual: 10 Approved: 26-Jan-2015 Shutoffs: (mm), II

Type: RPDA-II Size: 6 Manual: 10 Approved: 26-Jan-2015 Shutoffs: (mm), II

Type: RPDA-II Size: 6 Manual: 10 Approved: 26-Jan-2015 Shutoffs: (mm), II

Type: RPDA-II Size: 8 Manual: 10 Approved: 07-Jul-2015 Shutoffs: (mm), II

Type: RPDA-II Size: 8 Manual: 10 Approved: 07-Jul-2015 Shutoffs: (mm), II Manufacturer: Febco Orientation: VUVU 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: VUVD 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: VUVU 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: VUVD 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: VUVU 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: VUVD 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: VUVU 0.25% Pb: Yes Renewed: Model: LF886V Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVD)

Model: LF886V Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU)

Model: LF886V Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVD)

Model: LF886V Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU)

Model: LF886V Meters: (O),J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVD)

Model: LF886V Meters: (O) Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU)

Model: LF886V Meters: (O) Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVD)

Type: SVB Size: 3/8 Manual: 9 Approved: 18-Nov-1998 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: VUH 0.25% Pb: No Renewed: 18-Nov-2016	Model: 008PCQT Meters: Spare Parts Only: No Bypass:
Type: SVB Size: 1/2 Manual: 9 Approved: 18-Nov-1998	Manufacturer: Watts Orientation: VUH 0.25% Pb: No Renewed: 18-Nov-2016	Model: 008PCQT Meters: Spare Parts Only: No Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrr	r	
Type: SVB Size: 3/4 Manual: 9 Approved: 19-Jun-2000 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrr	Manufacturer: Watts Orientation: VUH 0.25% Pb: No Renewed: 19-Jun-2015	Model: 008PCQT Meters: Spare Parts Only: No Bypass:
Type: SVB Size: 1 Manual: 9 Approved: 19-Jun-2000 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrm	Manufacturer: Watts Orientation: VUH 0.25% Pb: No Renewed: 19-Jun-2015	Model: 008PCQT Meters: Spare Parts Only: No Bypass:
Type: SVB Size: 3/8 Manual: 9 Approved: 13-Mar-2015 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: VUH 0.25% Pb: Yes Renewed:	Model: LF008PCQT Meters: Spare Parts Only: No Bypass:
Type: SVB Size: 1/2 Manual: 9 Approved: 13-Mar-2015 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrr	Manufacturer: Watts Orientation: VUH 0.25% Pb: Yes Renewed:	Model: LF008PCQT Meters: Spare Parts Only: No Bypass:
Type: SVB Size: 3/4 Manual: 9 Approved: 13-Mar-2015	Manufacturer: Watts Orientation: VUH 0.25% Pb: Yes Renewed:	Model: LF008PCQT Meters: Spare Parts Only: No Bypass:

Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

Type: SVB	Manufacturer: Watts	Model: LF008PCQT	
Size: 1	Orientation: VUH	Meters:	
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 13-Mar-2015	Renewed:	Bypass:	
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr			
Type: SVB	Manufacturer: Wilkins	Model: 460	
Size: 3/8	Orientation: VUH	Meters:	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 09-Mar-2007 Shutoffs: (000),ii	Renewed: 09-Mar-2016	Bypass:	
Type: SVB	Manufacturer: Wilkins	Model: 460	
Size: 1/2	Orientation: VUH	Meters:	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 09-Mar-2007 Shutoffs: (000),ii	Renewed: 09-Mar-2016	Bypass:	
Type: SVB	Manufacturer: Wilkins	Model: 460	
Size: 3/4	Orientation: VUH	Meters:	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 08-May-2008	Renewed: 08-May-2017	Bypass:	
Shutoffs: (000),ii	,		
Type: SVB	Manufacturer: Wilkins	Model: 460	
Size: 1	Orientation: VUH	Meters:	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 08-May-2008	Renewed: 02-May-2017	Bypass:	
Shutoffs: (000),ii			
Type: SVB	Manufacturer: Wilkins	Model: 460XL	
Size: 3/8	Orientation: VUH	Meters:	
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 21-Mar-2011	Renewed: 21-Mar-2017	Bypass:	
Shutoffs: (iiii)			
Notes: Testcocks: Female Threaded	End or 45 degree male SAE flare		

Type: SVB Size: 1/2	Manufacturer: Wilkins Orientation: VUH	Model: 460XL Meters:			
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No			
Approved: 21-Mar-2011	Renewed: 21-Mar-2017	Bypass:			
Shutoffs: (iiii)					
Notes: Testcocks: Female Threaded End or 45 degree male SAE flare					
Type: SVB	Manufacturer: Wilkins	Model: 460XL			
Size: 3/4	Orientation: VUH	Meters:			
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No			
Approved: 21-Mar-2011	Renewed: 21-Mar-2017	Bypass:			
Shutoffs: (iiii)					
Notes: Testcocks: Female Threaded	I End or 45 degree male SAE flare				
Type: SVB	Manufacturer: Wilkins	Model: 460XL			
Size: 1	Orientation: VUH	Meters:			
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No			
Approved: 21-Mar-2011	Renewed: 21-Mar-2017	Bypass:			

Shutoffs: (iiii)

Notes: Testcocks: Female Threaded End or 45 degree male SAE flare

Manufacturers of Approved Backflow Prevention Assemblies

Ames Fire & Waterworks - A Watts Water Technologies Company http://www.amesfirewater.com/ 1427 N. Market Blvd., Ste. 9 Sacramento, CA 95834 (916) 928-0123

Apollo/Conbraco Industries, Inc. http://www.apollovalves.com/ P. O. Box 247 Matthews, NC 28105 (704) 847-9191

A.R.I. FLOW CONTROL ACCESSORIES http://www.arivalves.com Kibbutz Kfar Charuv M.P. South Golan ISRAEL, 12932 972-4-6761800 or 972-4-6761988

Arrowhead Brass http://www.arrowheadbrass.com/ 5147 Alhambra Ave. Los Angeles, CA 90032 (323) 343-9790

Backflow Direct www.backflowdirect.com 3290 Monier Circle, Ste. 300 Rancho Cordova, CA 95742 (916) 760-4524

Cash Acme http://www.cashacme.com 2400 7th Avenue S.W. Cullman, Alabama 35055 (256) 775-8200

Cla-Val Company http://www.cla-val.com/ P. O. Box 1325 Newport Beach, CA 92659-0325 (949) 722-4800

FEBCO - A Watts Water Technologies Company http://www.febcoonline.com P. O. Box 8070 Fresno, CA 93747 (559) 252-0791

Flomatic http://www.flomatic.com/ 15 Pruyn's Island Dr. Glen Falls, NY 12801-4424 (800) 833-2040 Hersey Meters http://www.herseymeters.com/ 10210 Statesville Blvd. Cleveland, NC 27013 (800) 323-8584

Watts - A Watts Water Technologies Company http://www.wattsreg.com/ 815 Chestnut Street North Andover, MA 01845 (978) 688-1811

Wilkins Regulator Company http://www.zurn.com/operations/wilkins/pages/home.asp 1747 Commerce Way Paso Robles, CA 93446 (800) 817-8177